State of Illinois
Illinois Department of Public Health

Illinois County Cancer Statistics Review
Incidence, 2013-2017

Epidemiologic Report Series 20:08

April 2020

IDPH
Illinois Department of Public Health

Illinois County Cancer Statistics Review
Incidence, 2013-2017

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2020

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.
Deputy Director

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number 6-NU58DP006315-03-01 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Garner K, Shen T. Illinois County Cancer Statistics Review Incidence, 2013-2017. Epidemiologic Report Series 20:08. Springfield, Ill.: Illinois Department of Public Health, April 2020.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes the cancer incidence data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 2013 – 2017

TABLE OF CONTENTS

Overview and Technical Notes 1

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race..... I-1
All Sites Combined..... I-2
Oral Cavity and Pharynx..... I-6
Colon and Rectum..... I-10
Lung and Bronchus..... I-14
Melanoma of the Skin..... I-18
Female Breast (invasive)..... I-22
Cervix..... I-25
Female Breast (in situ)..... I-28
Prostate..... I-31

SECTION II

Percent Distribution of Stage at Diagnosis by County..... II-1
Oral Cavity and Pharynx..... II-2
Colon and Rectum..... II-5
Melanoma of the Skin..... II-8
Female Breast..... II-11
Cervix..... II-14
Prostate..... II-17

SECTION III

County-specific Cancer Incidence Rates, All Races..... III-1
Illinois..... III-2
Adams County..... III-3

Alexander County..... III-4
Bond County..... III-5
Boone County..... III-6
Brown County..... III-7
Bureau County..... III-8
Calhoun County..... III-9
Carroll County..... III-10
Cass County..... III-11
Champaign County..... III-12
Christian County..... III-13
Clark County..... III-14
Clay County..... III-15
Clinton County..... III-16
Coles County..... III-17
Cook County..... III-18
Crawford County..... III-19
Cumberland County..... III-20
DeKalb County..... III-21
DeWitt County..... III-22
Douglas County..... III-23
DuPage County..... III-24
Edgar County..... III-25
Edwards County..... III-26
Effingham County..... III-27
Fayette County..... III-28
Ford County..... III-29
Franklin County..... III-30
Fulton County..... III-31
Gallatin County..... III-32
Greene County..... III-33
Grundy County..... III-34
Hamilton County..... III-35
Hancock County..... III-36
Hardin County..... III-37
Henderson County..... III-38
Henry County..... III-39
Iroquois County..... III-40
Jackson County..... III-41
Jasper County..... III-42
Jefferson County..... III-43
Jersey County..... III-44
Jo Daviess County..... III-45

Johnson County..... III-46
Kane County..... III-47
Kankakee County..... III-48
Kendall County..... III-49
Knox County..... III-50
Lake County..... III-51
LaSalle County..... III-52
Lawrence County..... III-53
Lee County..... III-54
Livingston County..... III-55
Logan County..... III-56
McDonough County..... III-57
McHenry County..... III-58
McLean County..... III-59
Macon County..... III-60
Macoupin County..... III-61
Madison County..... III-62
Marion County..... III-63
Marshall County..... III-64
Mason County..... III-65
Massac County..... III-66
Menard County..... III-67
Mercer County..... III-68
Monroe County..... III-69
Montgomery County..... III-70
Morgan County..... III-71
Moultrie County..... III-72
Ogle County..... III-73
Peoria County..... III-74
Perry County..... III-75
Piatt County..... III-76
Pike County..... III-77
Pope County..... III-78
Pulaski County..... III-79
Putnam County..... III-80
Randolph County..... III-81
Richland County..... III-82
Rock Island County..... III-83
St. Clair County..... III-84
Saline County..... III-85
Sangamon County..... III-86
Schuyler County..... III-87

Scott County..... III-88
Shelby County..... III-89
Stark County..... III-90
Stephenson County..... III-91
Tazewell County..... III-92
Union County..... III-93
Vermilion County..... III-94
Wabash County..... III-95
Warren County..... III-96
Washington County..... III-97
Wayne County..... III-98
White County..... III-99
Whiteside County..... III-100
Will County..... III-101
Williamson County..... III-102
Winnebago County..... III-103
Woodford County..... III-104

SECTION IV

County-specific Cancer Incidence Rates by Race..... IV-1
Whites
Illinois..... IV-2
Champaign County..... IV-3
Cook County..... IV-4
DuPage County..... IV-5
Kane County..... IV-6
Kankakee County..... IV-7
Lake County..... IV-8
Macon County..... IV-9
Madison County..... IV-10
Peoria County..... IV-11
Rock Island County..... IV-12
St. Clair County..... IV-13
Sangamon County..... IV-14
Vermilion County..... IV-15
Will County..... IV-16
Winnebago County..... IV-17

Blacks
Illinois..... IV-18
Champaign County..... IV-19

Cook County..... IV-20
DuPage County..... IV-21
Kane County..... IV-22
Kankakee County..... IV-23
Lake County..... IV-24
Macon County..... IV-25
Madison County..... IV-26
Peoria County..... IV-27
Rock Island County..... IV-28
St. Clair County..... IV-29
Sangamon County..... IV-30
Vermilion County..... IV-31
Will County..... IV-32
Winnebago County..... IV-33

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity..... V-1
Non-Hispanics
Illinois..... V-2
Cook County..... V-3
DuPage County..... V-4
Kane County..... V-5
Lake County..... V-6
Will County..... V-7

Hispanics
Illinois..... V-8
Cook County..... V-9
DuPage County..... V-10
Kane County..... V-11
Lake County..... V-12
Will County..... V-13

APPENDIX A: Illinois County Population Totals, 2013-2017..... A-1

APPENDIX B: ISCR County Cancer Site Groups..... B-1

APPENDIX C: Formulas for Rates..... C-1

OVERVIEW AND TECHNICAL NOTES

ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 2013 – 2017

OVERVIEW

This report presents cancer incidence in Illinois' 102 counties for 2013 through 2017. The first two sections of the report include tables designed to facilitate county comparisons. County-specific tables with expanded cancer sites are included in Section III for all races. Cancer incidence data for whites and blacks are included in Section IV for 15 counties, including Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, Sangamon, St. Clair, Vermilion, Will and Winnebago; these counties have sufficiently large black populations to allow meaningful statistics for the race group. Cancer incidence for Hispanics (of any race) and non-Hispanics (of any race) are included in Section V for five counties (Cook, DuPage, Kane, Lake and Will) that have sufficiently large Hispanic populations to allow meaningful statistics for the ethnicity group. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates and lower and upper 95 percent confidence intervals are presented for all sites combined; oral cavity and pharynx; colon and rectum; lung and bronchus; melanoma of the skin by sex, race, and Hispanic ethnicity (selected counties); and for female breast invasive and *in situ*, cervix and prostate by race and Hispanic ethnicity (selected counties). These sites were chosen based on two considerations: 1) the need to facilitate evaluation of various cancer prevention and control programs, and 2) the sufficient number of cases to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant and unstaged for cancers of the oral cavity and pharynx (both sexes); colon and rectum (both sexes); melanoma and the skin (both sexes); and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant and unstaged stage categories. Data by race and Hispanic ethnicity are available for the selected counties.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented for all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 2013 – 2017. Since the incidence for female breast cancer *in situ* is highly correlated with mammography screening usage, it also is reported in the section. All tables in the section contain five-year aggregate incidence counts, average annual age-adjusted rates and lower and upper 95 percent confidence intervals for each cancer site by sex category for all races.

Section IV. For the 15 above-mentioned counties with sufficiently large black populations, tables in the same format as Section III are presented for whites and blacks.

Section V. For the five above-mentioned counties with sufficiently large Hispanic populations, tables in the same format as Section III are presented for Hispanics (of any race) and non-Hispanics (of any race).

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents and their standards of quality.[1] For data used in this publication, 6.7 percent of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths in an effort to identify the cases not reported to ISCR. Between 2013 and 2017, 1.9 percent of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as November 2019.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public; however, the identification or contact of individuals is prohibited.

In an effort to exclude identifying information on individual patients, the data (e.g., age, race, Hispanic ethnicity, year of diagnosis and type of cancer) have been reported in aggregate categories, the number of which depends on the size of the geographic area.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

Population Estimates

Age-, sex-, and race/ethnicity-specific population counts for Illinois and Illinois counties for each year were obtained from the Vintage 2018 bridged-race postcensal population estimates files. Population estimates by age, sex, race and Hispanic origin were produced by the United States Bureau of Census Population Estimates Program (http://www.census.gov/programs-surveys/popest.html), in collaboration with the National Center for Health Statistics. The population estimates used in this report incorporate Vintage 2018 bridged single-race estimates (for 2013-2017) are derived from the original multiple race categories in the 2010 Census (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

Population estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. In addition, differences in incidence rates may not solely be the result of changes in population estimates. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Incidence Sites

All cases diagnosed during 2013 through 2017 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.[3] Cancer sites in this report were grouped according to site group definitions established by the Surveillance Epidemiology and End Results (SEER) program of NCI[4] and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.[4-6] The ISCR cancer site groups used in the county tables are listed in Appendix B.

Beginning with the 1998-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers. However, due to small numbers of cases at the county level, these two sites are not shown in this report.

When comparing this report to the ones published before the 2001-2005 county report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myeolodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Because of the way cancers are grouped in this report, these changes would have a slight or small impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 2006-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will indeed use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables, but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 2013 – 2017.[7] Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95 percent level using Tiwari method.[8] The formulas for rate calculations are displayed in Appendix C.

Race Categories

The race-specific categories in this report are all races for Illinois and all 102 counties. Data for whites and blacks are presented for Illinois and 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will and Winnebago) with sufficient black population estimates and annual cancer incidence for blacks to allow for stable statistics. Cases reported as "other" or "unknown" race are included in the "all races" category.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 were linked to the Indian Health Service (IHS), which provides medical services to an estimated 55 percent of the American Indian/Alaska Native population.[9] If a race code in the ISCR database is white, black, other or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for whites or blacks due to the small number of cases affected.

Hispanic Ethnicity Categories

Through the use of the NAACCR Hispanic identification algorithm (NHIA) improvements have been made in classifying cases as Hispanic or Latino for diagnosis years 1990 through 2017.[10] NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.[11] Cases that meet certain criteria around race and birthplace, and who are also identified as non-Hispanic, Hispanic not otherwise specified, Spanish surname only, and unknown ethnicity are examined. Through the use of race, birthplace, last name, first name and maiden name, NHIA assigns a more specific and sometimes different ethnicity to these cases.

The Hispanic ethnicity-specific categories are presented in this report for Illinois and five counties (Cook, DuPage, Kane, Lake and Will) with sufficient Hispanic population estimates and annual cancer incidence for Hispanics to allow meaningful statistics. To be consistent with national data, cases reported as "unknown" ethnicity are included in the non-Hispanic category.[4-6]

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data.[12] In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for diagnosis years 1996-2016. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2019, ISCR quality control data for the diagnosis years considered in this report (2013 – 2017) are as follows:

Year	Completeness (NAACCR Method- As of 11-19)	Pass EDITS	DCO	Unresolved Duplicate Per 1,000	Missing Data Fields			
					Sex	Age	County	Race
2013	100%	100%	1.0%	0.2	0.0%	0.0%	0.0%	1.0%
2014	100%	100%	2.1%	0.2	0.0%	0.0%	0.0%	1.1%
2015	100%	100%	2.1%	0.9	0.0%	0.0%	0.0%	1.2%
2016	100%	100%	2.0%	0.9	0.0%	0.0%	0.0%	1.0%
2017	100%	100%	2.1%	0.6	0.0%	0.0%	0.0%	1.1%

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences also could be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 2013–2017 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. Counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances is equal to or exceeds 25 percent. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.

- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95 percent probability where the "true" rate for the county or the state may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.[13]

- Population estimates used for denominators may be inaccurate. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 2010 census population counts. Also, please keep in mind when comparing this report to earlier versions, the methods for developing the population estimates have changed and denominator data will lack comparability. Ensuring the same estimate methods (e.g., revised intercensal estimates and Vintage 2018) are used across the time period being examined accounts for this issue.

REFERENCES

1. Lehnherr M, Havener LA. Assessment of interstate exchange of cancer data, 1986 – 1998. ISCR Quality Control Series 02:1. Springfield, Ill.: Illinois Department of Public Health, January 2002.

2. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2018.* U.S. Census Bureau . https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2010-2018/2018-est-relnotes.pdf Accessed March 21, 2020.

3. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, Whelan S (eds). International Classification of Diseases for Oncology. 3rd edition. Geneva: World Health Organization, 2000.

4. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2016, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2016/, based on November 2018 SEER data submission, posted to the SEER website, April 2019.

5. Sherman R, Firth R, De P, et al (eds). Cancer in North America: 2012-2016. *Volume One: Combined Cancer Incidence for the United States,Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2019.

6. Sherman R, Firth R, De P, et al (eds). Cancer in North America: 2012-2016. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2019.

7. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) version 8.3.6, August 6, 2019.

8. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15(6):547-569.

9. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer 2008; 113(5 Suppl):1120-1130.

10. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003.* Springfield, Ill: North American Association of Central Cancer Registries, October 2003.

11. Howe HL. *Evaluation of NHIA Submission for 1997-2001.* Springfield, Ill: North American Association of Central Cancer Registries, October 2004.

12. Hofferkamp, J (Ed). Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.

13. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. The American Statistician 2001;55:182-1.

SECTION I
Cancer Incidence Rates for Selected Sites by County and Race
Illinois, 2013-2017

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	342,510	465.5	463.9	467.1	169,222	504.2	501.7	506.6	173,288	442.0	439.9	444.1
Adams	2,107	467.2	446.6	488.7	1,046	490.2	460.1	521.9	1,061	454.0	425.4	484.2
Alexander	248	505.6	441.1	577.6	135	564.0	469.6	674.1	113	458.6	371.9	560.6
Bond	542	486.9	445.8	531.1	280	524.7	463.7	592.0	262	474.7	416.0	540.0
Boone	1,382	456.8	432.6	482.0	682	473.6	437.7	511.6	700	449.6	416.3	485.0
Brown	171	464.2	396.6	540.5	108	587.1	478.8	712.6	63	368.6	280.0	479.2
Bureau	1,210	501.3	472.2	532.0	642	558.6	514.9	605.2	568	462.4	422.7	505.2
Calhoun	181	455.8	389.1	532.5	109	573.6	468.6	698.9	72	363.9	278.6	470.8
Carroll	520	458.4	416.9	503.4	266	455.4	399.8	517.7	254	472.9	411.0	542.2
Cass	436	533.4	483.5	587.4	241	626.6	548.3	713.2	195	458.0	393.9	530.3
Champaign	4,315	441.8	428.4	455.6	2,194	486.6	465.8	508.0	2,121	411.2	393.3	429.7
Christian	1,280	551.7	521.1	583.9	697	640.6	593.1	691.1	583	480.9	440.6	524.3
Clark	532	484.0	442.2	528.9	276	552.0	487.0	623.8	256	448.2	391.8	511.0
Clay	514	541.5	493.8	592.9	279	626.9	553.4	708.2	235	473.4	410.7	543.8
Clinton	1,095	466.7	438.8	496.0	533	476.9	436.4	520.2	562	473.8	433.9	516.7
Coles	1,340	444.2	419.9	469.5	702	507.5	469.7	547.6	638	399.3	367.4	433.5
Cook	128,741	448.9	446.4	451.4	61,894	486.6	482.7	490.6	66,847	427.4	424.1	430.7
Crawford	620	471.9	434.5	511.8	325	532.1	474.8	594.7	295	436.2	384.9	493.1
Cumberland	343	469.9	419.5	525.0	178	506.0	432.2	589.6	165	438.2	370.1	516.0
DeKalb	2,473	503.5	483.4	524.2	1,252	555.8	524.5	588.5	1,221	467.5	441.0	495.2
DeWitt	589	543.3	498.9	590.9	280	553.4	488.8	624.6	309	547.7	485.5	616.3
Douglas	612	493.3	453.8	535.4	302	512.1	454.9	574.9	310	488.7	433.3	549.6
DuPage	24,589	461.2	455.3	467.2	11,859	490.6	481.5	499.9	12,730	447.0	439.0	455.1
Edgar	560	431.9	395.2	471.4	301	509.7	451.9	573.5	259	376.8	328.7	430.5
Edwards	216	449.4	389.5	516.9	101	459.5	371.7	563.7	115	455.2	371.9	553.7
Effingham	1,050	490.7	460.5	522.4	524	528.0	482.5	576.8	526	471.9	430.6	516.3
Fayette	634	432.5	398.8	468.5	348	494.0	442.8	549.7	286	382.5	337.2	432.6
Ford	495	538.7	490.5	590.8	235	544.8	475.7	621.9	260	543.2	475.0	619.1
Franklin	1,508	547.4	519.2	577.0	799	616.7	573.6	662.5	709	496.0	458.2	536.4
Fulton	1,188	478.9	451.1	508.0	622	522.5	481.5	566.2	566	459.1	419.2	502.0
Gallatin	188	498.6	425.4	581.8	100	560.4	449.7	692.3	88	446.3	351.0	561.7
Greene	495	545.2	496.7	597.4	229	536.2	467.6	612.7	266	559.7	491.3	635.9
Grundy	1,508	559.8	531.3	589.4	794	635.9	590.5	683.8	714	508.0	470.8	547.4
Hamilton	325	538.8	479.7	603.9	190	672.8	578.0	780.1	135	424.6	351.9	509.6
Hancock	635	471.4	432.9	512.6	311	469.6	416.8	527.9	324	482.6	426.4	544.7
Hardin	157	456.7	383.8	542.0	91	526.8	418.8	660.0	66	393.3	297.5	516.0
Henderson	253	435.3	380.5	497.2	115	395.6	323.3	482.4	138	468.0	388.7	561.8
Henry	1,622	472.5	448.9	497.1	861	524.4	488.9	562.0	761	433.0	401.0	467.0
Iroquois	1,013	490.1	459.1	522.9	530	537.8	491.8	587.5	483	455.0	412.8	500.9
Jackson	1,330	433.7	409.9	458.5	677	477.2	440.8	515.8	653	408.8	376.5	443.1
Jasper	301	447.1	396.1	503.3	162	487.3	413.4	571.7	139	416.9	346.7	498.3
Jefferson	1,322	521.8	493.2	551.7	696	576.1	533.2	621.7	626	493.8	453.8	536.5
Jersey	691	465.8	430.6	503.3	358	513.5	460.4	571.6	333	432.9	385.5	484.9
Jo Daviess	849	461.4	428.2	496.9	480	525.2	476.5	578.4	369	408.2	362.6	458.7
Johnson	401	449.1	404.8	497.4	244	550.1	481.4	626.5	157	357.1	300.1	423.2
Kane	11,890	438.0	430.0	446.2	5,937	476.2	463.7	489.0	5,953	414.5	403.9	425.4
Kankakee	3,341	503.7	486.3	521.5	1,684	536.2	510.3	563.1	1,657	479.9	456.4	504.4
Kendall	2,645	505.5	485.6	525.9	1,305	556.4	524.5	589.7	1,340	472.7	447.0	499.4
Knox	1,692	470.2	447.1	494.3	850	496.6	462.8	532.3	842	454.8	422.2	489.3
Lake	17,208	451.4	444.5	458.4	8,317	470.1	459.6	480.7	8,891	442.7	433.3	452.2
LaSalle	3,751	506.6	490.0	523.6	2,029	580.6	555.0	607.2	1,722	450.3	428.2	473.3
Lawrence	488	466.9	425.7	511.3	255	522.4	459.5	591.7	233	454.7	394.4	522.3
Lee	1,148	481.5	453.2	511.3	605	504.9	464.5	548.1	543	473.0	431.6	517.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Livingston	1,250	517.0	487.8	547.6	648	567.5	523.6	614.3	602	482.6	442.9	525.2
Logan	1,059	556.4	522.6	591.9	531	607.2	555.8	662.3	528	526.4	480.4	575.9
Macon	3,931	545.2	527.6	563.3	2,003	601.6	574.8	629.4	1,928	506.7	483.0	531.4
Macoupin	1,666	518.2	492.7	544.8	909	601.7	562.1	643.6	757	453.6	420.1	489.4
Madison	8,005	482.7	471.9	493.7	3,826	508.9	492.5	525.8	4,179	470.9	456.2	485.9
Marion	1,408	545.1	515.9	575.7	745	610.3	566.1	657.2	663	499.4	459.8	541.7
Marshall	460	501.4	454.4	552.5	240	542.9	474.2	620.0	220	473.4	408.7	546.8
Mason	495	478.8	435.7	525.5	259	517.8	454.9	587.9	236	457.3	397.0	525.0
Massac	479	471.8	428.7	518.4	249	514.7	450.9	585.7	230	439.7	381.3	505.0
McDonough	897	503.0	469.0	539.0	424	513.6	464.2	567.0	473	507.4	459.4	559.1
McHenry	7,731	455.7	445.2	466.4	3,770	477.5	461.6	493.9	3,961	444.5	430.3	459.0
McLean	3,843	451.5	437.0	466.3	1,854	473.2	451.2	495.9	1,989	442.0	422.3	462.4
Menard	455	540.6	490.0	595.3	236	612.5	533.8	700.3	219	488.0	422.5	561.8
Mercer	580	511.6	468.9	557.6	301	529.1	469.1	595.4	279	503.1	442.1	570.9
Monroe	944	432.2	404.3	461.7	490	469.8	427.8	515.0	454	406.2	368.3	447.1
Montgomery	1,002	496.5	465.3	529.5	546	570.9	523.2	622.0	456	444.5	401.7	491.0
Morgan	1,266	548.0	517.1	580.3	678	626.1	578.8	676.4	588	497.6	455.6	542.8
Moultrie	436	461.8	417.9	509.3	228	528.4	460.3	604.1	208	407.3	351.0	470.5
Ogle	1,596	477.1	453.3	501.9	796	487.1	453.0	523.3	800	474.0	440.4	509.7
Peoria	5,468	494.8	481.4	508.5	2,757	543.8	523.2	565.0	2,711	460.7	442.9	479.1
Perry	668	485.9	448.8	525.4	332	487.1	435.3	543.8	336	506.6	450.4	568.3
Piatt	571	508.9	466.6	554.4	287	527.6	466.7	594.8	284	499.1	439.9	564.7
Pike	581	521.4	477.9	568.1	315	595.8	530.2	667.9	266	466.8	407.9	532.4
Pope	172	494.1	414.6	586.9	102	590.1	467.3	739.4	70	394.3	300.6	516.6
Pulaski	204	490.0	421.7	567.2	111	564.8	460.1	688.4	93	438.7	348.5	547.3
Putnam	194	421.9	361.9	490.6	118	537.0	439.8	652.1	76	330.7	256.6	423.3
Randolph	1,057	485.0	455.4	516.2	562	534.9	490.7	582.2	495	471.0	427.2	518.4
Richland	542	497.1	454.4	543.1	284	535.9	474.2	604.0	258	477.5	417.2	544.4
Rock Island	4,373	459.6	445.6	473.9	2,220	495.1	474.2	516.7	2,153	439.4	420.0	459.5
Saline	853	503.8	469.5	540.1	444	578.2	524.3	636.3	409	448.2	403.8	496.6
Sangamon	6,574	532.5	519.3	545.9	3,268	588.7	568.1	610.0	3,306	494.7	477.3	512.7
Schuyler	272	505.1	444.8	572.5	157	572.6	483.9	675.0	115	439.5	358.0	536.3
Scott	198	535.4	461.5	619.2	96	559.5	450.9	689.1	102	519.8	419.6	639.8
Shelby	787	488.5	453.3	526.1	428	545.3	493.2	602.0	359	441.3	393.5	493.9
St Clair	7,205	471.0	459.9	482.3	3,530	514.7	497.3	532.5	3,675	443.0	428.4	458.0
Stark	187	456.3	390.1	531.5	100	487.4	393.9	599.4	87	431.1	338.5	543.1
Stephenson	1,397	414.2	391.6	437.9	676	423.3	391.0	457.7	721	412.0	380.0	446.1
Tazewell	4,351	501.3	486.1	516.9	2,165	534.0	511.3	557.6	2,186	482.7	461.8	504.4
Union	620	496.8	456.8	539.6	322	530.0	471.8	594.1	298	472.6	417.4	533.8
Vermilion	2,627	504.7	485.0	525.1	1,365	558.5	528.6	589.8	1,262	468.0	441.2	496.1
Wabash	366	448.8	401.8	500.1	195	508.4	437.1	588.6	171	397.5	336.0	467.9
Warren	545	496.9	454.2	542.8	270	502.0	442.0	568.3	275	506.0	443.8	574.7
Washington	490	493.7	449.5	541.4	273	562.5	495.6	636.8	217	427.5	370.4	491.8
Wayne	565	466.7	427.6	508.8	298	513.4	455.4	577.4	267	431.7	378.4	491.0
White	554	530.5	485.0	579.5	281	571.5	504.7	645.6	273	507.8	444.8	578.0
Whiteside	1,877	472.6	450.7	495.5	994	531.6	498.2	566.9	883	426.2	396.9	457.2
Will	17,125	491.9	484.3	499.5	8,607	540.9	529.0	553.1	8,518	459.0	449.2	469.1
Williamson	2,307	522.7	501.1	545.1	1,202	579.8	546.8	614.4	1,105	480.9	451.8	511.4
Winnebago	8,371	473.3	463.0	483.9	4,061	492.8	477.3	508.6	4,310	465.7	451.4	480.3
Woodford	1,162	474.2	446.4	503.3	639	540.5	498.2	585.6	523	418.4	381.6	457.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	282,681	469.0	467.2	470.8	140,252	503.0	500.3	505.7	142,429	449.6	447.2	452.0
Champaign	3,687	446.8	432.0	461.9	1,886	490.8	468.2	514.2	1,801	416.9	397.0	437.5
Cook	86,869	445.2	442.2	448.3	42,105	474.5	469.9	479.2	44,764	430.9	426.8	435.0
DuPage	22,027	480.7	474.2	487.3	10,635	510.7	500.7	520.9	11,392	467.8	458.9	476.8
Kane	10,946	444.2	435.7	452.8	5,459	481.4	468.2	494.9	5,487	422.3	411.0	433.9
Kankakee	2,835	492.1	473.7	511.1	1,413	516.8	489.5	545.2	1,422	476.2	450.9	502.6
Lake	15,271	459.1	451.6	466.7	7,382	474.1	462.9	485.5	7,889	453.9	443.6	464.4
Macon	3,383	543.0	523.9	562.8	1,700	582.8	554.5	612.3	1,683	518.8	492.4	546.4
Madison	7,460	482.1	471.0	493.6	3,568	506.0	489.1	523.3	3,892	473.1	457.7	488.9
Peoria	4,556	486.2	471.6	501.1	2,287	527.9	506.0	550.7	2,269	458.2	438.5	478.6
Rock Island	3,990	460.0	445.1	475.2	1,993	486.9	465.1	509.6	1,997	446.7	426.0	468.2
Sangamon	5,974	533.9	520.0	548.2	2,994	591.6	569.9	614.0	2,980	495.3	476.8	514.4
St Clair	5,300	476.2	463.1	489.6	2,641	515.3	495.3	536.0	2,659	453.0	435.3	471.3
Vermilion	2,381	505.8	484.8	527.6	1,217	547.1	515.9	579.8	1,164	479.5	450.6	509.9
Will	14,736	498.9	490.7	507.2	7,348	541.0	528.1	554.1	7,388	472.6	461.7	483.7
Winnebago	7,456	476.5	465.4	487.9	3,616	492.5	476.1	509.3	3,840	472.8	457.2	488.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	46,209	484.4	479.9	488.9	22,361	558.9	551.2	566.6	23,848	437.6	431.9	443.2
Champaign	440	457.4	413.2	504.7	221	518.6	446.5	598.4	219	410.2	355.5	470.5
Cook	34,440	488.4	483.1	493.7	16,298	563.5	554.6	572.6	18,142	442.3	435.8	449.0
DuPage	754	435.2	400.2	472.1	340	466.7	409.8	528.9	414	409.8	366.5	456.6
Kane	559	434.6	396.8	474.8	291	503.4	441.2	571.3	268	382.5	335.9	433.5
Kankakee	462	590.5	535.8	649.0	246	678.1	591.5	773.3	216	517.6	449.1	593.3
Lake	1,000	448.8	419.8	479.3	501	504.7	456.5	556.4	499	410.9	374.3	449.9
Macon	485	554.4	504.1	608.2	273	732.1	640.0	833.2	212	430.8	373.3	494.4
Madison	469	512.5	465.0	563.2	222	568.5	491.2	653.9	247	469.1	410.3	533.5
Peoria	760	554.0	513.2	597.0	395	667.1	598.1	741.4	365	472.5	423.2	525.9
Rock Island	274	431.5	380.1	487.7	157	531.5	446.3	627.4	117	354.3	291.4	426.2
Sangamon	516	540.7	492.2	592.4	239	572.6	493.6	659.9	277	520.1	458.1	587.7
St Clair	1,774	459.2	437.4	481.7	838	510.5	474.7	548.1	936	425.3	397.9	454.2
Vermilion	200	475.6	409.3	549.1	122	648.0	529.9	782.7	78	349.8	274.3	438.9
Will	1,672	490.0	464.5	516.4	906	615.5	569.7	663.7	766	401.9	372.0	433.4
Winnebago	786	509.8	473.1	548.4	381	567.2	506.6	632.5	405	472.4	426.2	522.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	22,859	347.1	342.2	352.1	10,805	360.7	353.0	368.5	12,054	342.7	336.2	349.3
Cook	14,975	345.9	340.0	352.0	7,107	360.8	351.5	370.2	7,868	340.5	332.6	348.5
DuPage	1,369	382.5	359.7	406.2	614	398.8	362.4	437.4	755	380.2	350.8	411.3
Kane	1,387	318.4	299.3	338.4	668	340.2	310.0	372.2	719	304.9	280.3	330.9
Lake	1,290	325.4	304.8	346.9	601	337.0	304.9	371.2	689	320.6	293.7	349.0
Will	1,234	403.5	378.2	429.9	557	416.1	376.5	458.4	677	404.2	371.1	439.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, All Sites, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	319,651	477.6	475.9	479.3	158,417	518.4	515.8	521.0	161,234	452.2	449.9	454.5
Cook	113,766	466.9	464.1	469.7	54,787	509.1	504.7	513.5	58,979	441.8	438.1	445.5
DuPage	23,220	468.3	462.0	474.5	11,245	498.4	488.9	508.1	11,975	453.1	444.7	461.6
Kane	10,503	464.1	455.0	473.3	5,269	503.5	489.4	517.8	5,234	439.8	427.6	452.4
Lake	15,918	465.3	457.9	472.9	7,716	483.9	472.7	495.3	8,202	456.5	446.3	466.9
Will	15,891	500.1	492.2	508.2	8,050	552.7	540.1	565.5	7,841	463.9	453.5	474.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	9,171	12.2	11.9	12.4	6,491	18.5	18.0	19.0	2,680	6.7	6.5	7.0
Adams	59	12.8	9.6	16.8	44	19.7	14.2	27.0	15	6.5	3.4	11.3
Alexander	8	14.2	6.1	30.7	6	22.8	8.3	55.8	2	6.8	0.8	31.5
Bond	14	11.3	6.2	19.8	13	22.0	11.6	39.1	1	1.6	0.0	11.9
Boone	35	11.2	7.8	15.8	26	17.6	11.3	26.2	9	5.7	2.5	11.0
Brown	4	10.9	2.9	29.3	3	17.3	3.4	51.8	1	5.1	0.1	39.6
Bureau	29	11.4	7.5	16.9	23	18.4	11.5	28.5	6	5.5	1.9	12.7
Calhoun	4	10.0	2.6	30.3	3	16.0	3.2	55.6	1	3.1	0.1	36.6
Carroll	17	15.3	8.7	25.7	12	21.8	10.9	40.6	5	9.2	2.9	24.1
Cass	15	17.7	9.7	30.1	14	35.3	19.0	60.7	1	1.4	0.0	13.3
Champaign	112	11.4	9.3	13.7	85	19.1	15.2	23.7	27	4.8	3.2	7.1
Christian	38	16.6	11.6	23.3	31	28.1	18.8	40.7	7	5.0	2.0	11.5
Clark	16	13.9	7.7	23.7	11	22.9	11.0	42.7	5	7.0	2.2	19.1
Clay	21	21.8	13.3	34.3	15	34.1	18.8	58.0	6	10.4	3.8	25.6
Clinton	32	14.2	9.6	20.3	22	20.5	12.7	31.4	10	8.3	3.8	16.1
Coles	45	15.0	10.8	20.5	39	27.5	19.3	38.2	6	4.1	1.4	9.5
Cook	3,265	11.2	10.8	11.6	2,254	17.1	16.4	17.8	1,011	6.4	6.0	6.8
Crawford	12	8.6	4.4	15.7	8	11.9	5.1	24.6	4	4.9	1.3	15.0
Cumberland	9	13.1	5.7	26.2	7	21.1	8.0	46.0	2	4.2	0.5	20.1
DeKalb	64	12.4	9.5	15.9	39	15.4	10.8	21.4	25	9.5	6.1	14.1
DeWitt	16	14.7	8.2	24.8	7	13.1	5.1	28.6	9	17.4	7.5	34.8
Douglas	8	6.6	2.7	13.5	8	14.3	6.0	29.0	0			
DuPage	636	11.5	10.6	12.4	446	17.3	15.7	19.1	190	6.5	5.6	7.6
Edgar	16	13.8	7.6	23.3	8	13.8	5.7	29.1	8	14.2	5.6	30.0
Edwards	2	3.8	0.5	17.2	1	3.4	0.1	28.3	1	3.4	0.1	27.8
Effingham	30	13.1	8.7	19.1	21	19.0	11.5	29.8	9	7.3	3.3	14.6
Fayette	26	17.8	11.5	26.5	20	27.8	16.8	43.7	6	7.4	2.7	17.6
Ford	18	17.7	10.2	29.2	12	27.2	13.9	49.1	6	10.1	2.9	26.7
Franklin	44	15.2	11.0	20.8	31	21.9	14.7	31.7	13	8.8	4.5	16.0
Fulton	41	16.5	11.7	22.8	34	28.1	19.4	39.8	7	6.0	2.2	13.5
Gallatin	4	11.2	2.7	32.2	4	23.1	5.7	66.0	0			
Greene	13	13.5	7.1	24.1	8	17.2	7.3	35.7	5	10.1	3.0	26.6
Grundy	42	15.2	10.9	20.6	34	25.5	17.4	36.1	8	5.6	2.4	11.3
Hamilton	11	16.4	8.1	31.2	7	22.9	9.1	51.1	4	10.8	2.9	33.3
Hancock	24	16.8	10.5	26.1	13	18.5	9.7	33.4	11	15.3	6.9	30.5
Hardin	3	8.3	1.5	32.5	3	17.3	3.2	65.8	0			
Henderson	7	9.9	4.0	24.5	6	17.0	6.2	45.7	1	2.0	0.0	26.1
Henry	50	14.9	10.9	20.0	42	26.2	18.6	36.0	8	4.5	1.8	9.7
Iroquois	30	15.4	10.1	22.7	19	19.5	11.3	31.8	11	11.4	5.3	21.8
Jackson	37	11.9	8.3	16.5	30	20.2	13.4	29.3	7	4.4	1.7	9.3
Jasper	10	14.7	6.8	28.7	7	21.8	8.7	47.4	3	10.5	1.8	33.7
Jefferson	42	16.4	11.7	22.5	33	26.2	17.9	37.4	9	6.0	2.7	12.3
Jersey	21	13.8	8.4	21.8	15	21.8	11.9	37.1	6	6.2	2.3	15.3
Jo Daviess	23	13.4	8.0	21.5	17	19.3	10.8	33.2	6	7.8	2.4	19.9
Johnson	11	13.4	6.6	25.0	7	17.0	6.7	36.5	4	11.4	2.7	32.3
Kane	309	10.7	9.5	12.0	222	15.8	13.7	18.1	87	6.0	4.8	7.4
Kankakee	76	11.2	8.8	14.2	54	16.7	12.4	22.0	22	6.2	3.8	9.5
Kendall	71	13.0	10.0	16.5	52	19.5	14.3	26.0	19	7.2	4.2	11.3
Knox	46	12.6	9.1	17.1	27	15.5	10.1	23.0	19	9.9	5.8	16.2
Lake	415	10.1	9.2	11.2	274	14.0	12.3	15.8	141	6.6	5.6	7.9
LaSalle	123	16.3	13.5	19.6	97	26.7	21.6	32.8	26	6.9	4.4	10.4
Lawrence	9	8.7	3.9	17.2	7	15.2	6.0	31.8	2	3.6	0.4	15.9
Lee	36	15.9	11.0	22.4	30	26.7	17.8	38.6	6	5.1	1.8	12.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Livingston	33	13.6	9.2	19.6	28	23.2	15.2	34.3	5	4.0	1.2	10.3
Logan	27	14.8	9.6	21.8	21	25.1	15.4	38.8	6	5.2	1.7	12.7
Macon	129	17.8	14.7	21.3	80	23.8	18.7	29.9	49	12.4	9.1	16.7
Macoupin	50	16.5	12.1	22.1	41	28.4	20.1	39.2	9	5.3	2.3	10.8
Madison	232	13.8	12.0	15.7	160	20.1	17.0	23.6	72	8.4	6.5	10.7
Marion	31	11.9	8.0	17.1	21	17.4	10.7	27.1	10	7.2	3.4	13.9
Marshall	18	20.5	11.7	34.1	13	29.8	15.5	53.8	5	12.8	3.4	33.7
Mason	19	19.7	11.4	32.1	13	29.4	15.3	52.2	6	11.4	3.5	28.6
Massac	17	15.5	8.9	25.9	13	25.5	13.4	45.6	4	6.2	1.6	19.0
McDonough	20	12.7	7.5	20.2	16	21.4	11.8	35.8	4	5.4	1.4	14.3
McHenry	219	11.9	10.4	13.7	159	18.2	15.3	21.4	60	6.4	4.9	8.3
McLean	119	14.3	11.8	17.2	73	18.7	14.5	23.6	46	10.7	7.8	14.4
Menard	17	22.0	12.4	36.5	13	36.5	18.6	64.8	4	9.7	2.5	27.3
Mercer	17	14.6	8.3	24.6	16	28.5	15.8	48.4	1	1.0	0.0	11.2
Monroe	46	20.0	14.5	27.1	34	30.2	20.6	43.2	12	10.6	5.4	19.4
Montgomery	33	16.5	11.2	23.6	23	24.1	15.1	36.7	10	9.3	4.2	18.5
Morgan	37	16.8	11.7	23.6	22	21.9	13.5	33.7	15	13.2	7.1	22.7
Moultrie	14	15.9	8.5	27.5	13	31.2	16.1	54.7	1	1.9	0.0	12.9
Ogle	52	15.8	11.7	21.0	34	20.5	14.1	29.0	18	12.0	7.0	19.3
Peoria	138	12.6	10.5	14.9	91	18.1	14.5	22.4	47	8.0	5.8	10.8
Perry	17	12.1	7.0	19.9	15	20.7	11.5	35.0	2	3.2	0.4	13.0
Piatt	15	14.3	7.8	24.5	5	8.1	2.6	21.0	10	19.4	8.9	37.5
Pike	19	20.7	12.1	33.2	13	27.6	14.5	48.3	6	15.1	4.9	34.6
Pope	10	27.8	12.5	58.8	8	45.5	18.4	103.1	2	9.0	1.1	60.0
Pulaski	5	9.8	3.2	26.9	4	18.4	4.9	54.4	1	3.4	0.1	31.1
Putnam	4	8.4	2.3	25.7	4	17.0	4.5	51.1	0			
Randolph	28	12.6	8.2	18.6	21	18.9	11.5	29.5	7	6.1	2.1	14.5
Richland	8	7.8	3.2	16.2	7	14.8	5.7	31.7	1	1.7	0.0	12.1
Rock Island	124	13.2	10.9	15.9	84	18.8	14.9	23.6	40	8.4	5.9	11.7
Saline	25	16.5	10.5	24.9	15	20.6	11.4	34.7	10	12.4	5.6	24.1
Sangamon	191	15.3	13.1	17.8	147	25.7	21.5	30.4	44	6.5	4.7	8.9
Schuyler	8	13.1	5.6	28.6	6	20.7	7.5	50.0	2	6.2	0.8	31.8
Scott	3	7.5	1.5	26.1	3	15.1	3.0	52.5	0			
Shelby	18	11.3	6.4	18.9	15	20.6	11.0	35.6	3	2.8	0.6	10.8
St Clair	223	14.3	12.4	16.4	160	22.2	18.8	26.1	63	7.7	5.9	10.0
Stark	6	15.0	4.8	36.9	6	34.8	11.7	81.7	0			
Stephenson	34	10.7	7.2	15.4	23	16.0	9.8	24.9	11	5.5	2.7	10.6
Tazewell	139	15.9	13.3	18.9	107	25.6	20.9	31.2	32	7.0	4.7	10.1
Union	13	11.6	6.0	20.8	9	15.7	6.9	31.4	4	8.3	2.1	22.4
Vermilion	70	13.7	10.6	17.5	48	19.6	14.3	26.3	22	8.3	5.1	13.0
Wabash	8	8.6	3.6	18.5	7	16.8	6.6	37.1	1	1.2	0.0	14.7
Warren	15	12.9	7.0	22.1	10	18.6	8.6	35.6	5	7.0	2.2	18.4
Washington	18	21.2	12.2	34.4	13	30.2	15.5	53.4	5	12.5	3.8	30.6
Wayne	15	12.1	6.7	20.7	10	16.7	8.0	32.4	5	8.0	2.5	20.7
White	13	14.3	7.4	25.6	11	23.7	11.5	44.5	2	4.8	0.4	19.3
Whiteside	55	12.2	9.2	16.1	42	20.0	14.3	27.4	13	5.2	2.7	9.5
Will	436	12.0	10.9	13.3	316	18.0	16.0	20.2	120	6.6	5.4	7.9
Williamson	67	15.1	11.6	19.3	48	22.9	16.7	30.8	19	7.7	4.6	12.4
Winnebago	227	12.4	10.8	14.2	168	19.1	16.3	22.4	59	6.2	4.7	8.1
Woodford	40	16.0	11.3	22.1	31	26.2	17.6	37.8	9	6.9	3.0	13.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	7,710	12.5	12.2	12.8	5,494	18.8	18.3	19.3	2,216	6.9	6.6	7.2
Champaign	104	12.5	10.2	15.3	80	21.1	16.6	26.5	24	5.1	3.2	7.7
Cook	2,251	11.3	10.9	11.8	1,560	16.9	16.0	17.8	691	6.5	6.0	7.0
DuPage	568	11.9	10.9	12.9	397	17.9	16.1	19.8	171	6.8	5.8	8.0
Kane	290	11.0	9.8	12.4	207	16.1	13.9	18.6	83	6.2	5.0	7.8
Kankakee	66	11.6	8.9	14.9	48	17.5	12.8	23.6	18	6.1	3.5	9.8
Lake	369	10.3	9.3	11.5	244	14.2	12.4	16.2	125	6.8	5.6	8.1
Macon	111	17.8	14.5	21.6	68	23.5	18.0	30.2	43	12.4	8.9	17.2
Madison	216	13.8	11.9	15.8	154	20.6	17.4	24.2	62	7.9	6.0	10.3
Peoria	119	12.9	10.6	15.6	78	18.3	14.4	23.1	41	8.4	6.0	11.6
Rock Island	110	13.0	10.5	15.8	74	18.4	14.3	23.5	36	8.4	5.7	11.9
Sangamon	178	15.7	13.4	18.4	137	26.2	21.9	31.3	41	6.6	4.7	9.2
St Clair	176	15.3	13.0	17.8	128	23.2	19.2	27.8	48	8.2	6.0	11.0
Vermilion	64	13.9	10.6	18.0	44	19.9	14.3	27.1	20	8.2	4.9	13.3
Will	387	12.6	11.3	13.9	283	18.8	16.6	21.2	104	6.7	5.5	8.2
Winnebago	213	13.2	11.5	15.2	157	20.3	17.1	23.9	56	6.7	5.0	8.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	1,043	10.6	9.9	11.3	707	17.0	15.7	18.3	336	6.0	5.4	6.7
Champaign	5	4.3	1.4	10.4	3	6.0	1.2	18.6	2	3.0	0.4	11.3
Cook	795	11.0	10.2	11.8	538	18.1	16.5	19.7	257	6.1	5.4	6.9
DuPage	9	6.0	2.4	12.1	7	12.8	4.1	28.4	2	1.6	0.2	6.4
Kane	14	10.5	5.5	18.0	11	19.2	8.7	35.9	3	3.6	0.7	11.1
Kankakee	10	9.2	4.4	17.5	6	11.8	4.3	27.3	4	6.9	1.9	19.0
Lake	18	8.2	4.7	13.2	9	7.9	3.5	15.5	9	7.7	3.4	14.7
Macon	17	21.4	11.9	34.9	12	39.4	18.4	71.5	5	10.4	3.2	24.5
Madison	11	11.3	5.5	20.5	3	6.2	1.3	19.3	8	15.2	6.3	30.3
Peoria	14	10.2	5.3	17.6	12	19.7	9.4	35.7	2	3.2	0.3	11.1
Rock Island	7	10.8	4.1	22.6	7	23.6	8.8	49.9	0			
Sangamon	11	11.2	5.4	20.2	9	24.1	9.6	48.3	2	3.1	0.4	11.6
St Clair	43	11.0	7.9	14.9	28	17.0	11.1	24.9	15	6.8	3.7	11.3
Vermilion	5	13.5	4.1	31.2	3	21.0	3.9	58.7	2	8.9	1.0	32.1
Will	28	8.7	5.5	12.9	18	13.5	7.3	22.5	10	5.3	2.4	10.0
Winnebago	12	6.6	3.3	11.7	9	10.9	4.9	21.3	3	2.9	0.6	9.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	435	6.7	6.0	7.4	286	9.2	8.0	10.4	149	4.5	3.8	5.3
Cook	297	7.0	6.2	7.9	195	9.8	8.3	11.4	102	4.6	3.7	5.6
DuPage	23	7.3	4.3	11.2	15	11.5	5.9	19.6	8	4.1	1.6	8.4
Kane	19	4.1	2.3	6.7	11	4.9	2.0	9.5	8	3.6	1.5	7.2
Lake	20	3.7	2.1	6.1	13	4.7	2.3	8.8	7	2.7	1.0	6.1
Will	25	8.4	5.3	12.7	19	12.8	7.3	20.6	6	4.2	1.4	9.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Oral Cavity and Pharynx, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	8,736	12.8	12.6	13.1	6,205	19.6	19.1	20.1	2,531	7.0	6.7	7.3
Cook	2,968	12.1	11.6	12.5	2,059	18.7	17.9	19.5	909	6.7	6.3	7.2
DuPage	613	11.9	10.9	12.9	431	18.1	16.3	19.9	182	6.7	5.7	7.8
Kane	290	12.2	10.8	13.7	211	18.3	15.9	21.1	79	6.5	5.1	8.2
Lake	395	10.7	9.7	11.9	261	14.9	13.1	17.0	134	6.9	5.8	8.3
Will	411	12.5	11.3	13.9	297	18.7	16.6	21.1	114	6.9	5.7	8.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	31,207	42.5	42.0	43.0	16,367	49.5	48.7	50.3	14,840	36.8	36.2	37.4
Adams	207	45.3	39.1	52.3	98	47.7	38.4	58.6	109	43.4	35.2	53.2
Alexander	26	54.6	34.8	82.6	13	59.4	31.0	105.8	13	49.0	25.0	89.2
Bond	54	48.5	36.1	64.1	31	58.7	39.5	84.6	23	42.8	26.3	66.5
Boone	120	40.8	33.7	48.9	50	35.6	26.2	47.4	70	45.6	35.4	58.0
Brown	15	41.9	23.3	70.0	10	60.3	28.6	111.3	5	27.8	8.1	73.7
Bureau	106	42.1	34.1	51.7	59	52.3	39.5	68.4	47	32.4	23.0	44.8
Calhoun	24	58.0	37.0	89.6	13	67.4	35.7	122.0	11	52.1	25.6	101.6
Carroll	48	39.1	28.4	53.3	22	36.3	22.5	57.3	26	40.4	25.2	63.1
Cass	45	56.0	40.5	75.8	22	58.6	36.2	90.0	23	52.9	32.9	81.4
Champaign	346	35.7	31.9	39.7	203	45.3	39.1	52.2	143	27.2	22.8	32.3
Christian	128	55.0	45.6	65.9	73	68.0	53.0	86.2	55	42.1	31.2	56.2
Clark	50	44.7	32.7	60.1	19	35.8	21.2	57.6	31	49.7	32.4	73.7
Clay	51	50.6	37.3	67.6	26	55.3	35.7	83.0	25	44.9	28.3	69.4
Clinton	96	40.1	32.3	49.4	52	46.8	34.7	61.9	44	34.5	24.7	47.3
Coles	143	47.3	39.6	56.0	71	55.2	43.0	70.0	72	41.9	32.4	53.7
Cook	12,246	42.7	42.0	43.5	6,296	50.2	49.0	51.5	5,950	37.1	36.2	38.1
Crawford	52	39.6	29.4	52.6	30	52.5	35.2	75.7	22	29.6	18.0	46.9
Cumberland	41	55.6	39.5	76.7	24	71.8	45.2	109.0	17	40.5	23.3	67.5
DeKalb	206	43.4	37.5	49.9	100	45.8	37.0	56.1	106	41.6	33.9	50.6
DeWitt	61	55.7	42.3	72.5	37	72.4	50.4	101.3	24	39.9	25.1	61.3
Douglas	50	41.0	30.1	54.7	27	47.0	30.8	69.2	23	37.1	22.8	57.2
DuPage	2,063	38.8	37.1	40.5	1,085	45.1	42.4	48.0	978	33.5	31.4	35.8
Edgar	67	49.9	38.4	64.3	37	66.2	46.1	92.7	30	35.7	23.9	53.0
Edwards	31	67.2	45.1	97.4	15	75.1	41.5	126.9	16	63.8	35.4	108.9
Effingham	124	57.1	47.2	68.4	63	65.9	50.2	85.0	61	50.4	38.2	65.6
Fayette	55	37.2	27.9	48.9	30	42.9	28.8	61.8	25	30.1	19.1	46.3
Ford	47	48.6	35.4	65.7	17	37.0	21.3	61.1	30	59.1	38.9	87.1
Franklin	125	45.9	38.0	55.1	76	61.0	47.8	77.0	49	33.2	24.2	44.8
Fulton	134	52.7	43.9	62.9	66	56.9	43.8	72.9	68	48.6	37.3	62.8
Gallatin	19	44.1	26.3	72.0	14	68.5	36.7	121.9	5	20.8	6.7	57.5
Greene	38	43.3	30.3	60.5	23	58.5	36.6	89.2	15	27.7	15.4	48.2
Grundy	129	48.7	40.5	58.1	69	59.5	45.7	76.0	60	41.6	31.6	53.9
Hamilton	35	55.6	38.2	79.3	13	49.7	25.8	88.3	22	59.2	36.5	94.2
Hancock	56	39.6	29.3	52.9	27	40.5	26.0	61.1	29	38.5	24.6	58.5
Hardin	12	38.2	18.5	73.3	9	60.4	25.3	127.3	3	17.0	3.5	65.5
Henderson	22	36.5	22.6	58.2	7	22.9	9.0	54.7	15	49.9	27.3	88.7
Henry	141	40.0	33.5	47.5	75	45.9	35.9	58.1	66	34.7	26.5	45.0
Iroquois	108	52.5	42.7	64.2	48	47.2	34.5	63.6	60	55.4	41.3	73.2
Jackson	135	42.0	35.0	49.9	78	53.8	42.2	67.6	57	32.5	24.3	42.8
Jasper	36	53.0	36.8	74.7	18	57.1	33.5	92.5	18	50.4	29.5	82.7
Jefferson	135	52.4	43.7	62.3	66	53.5	41.1	68.6	69	51.5	39.6	66.3
Jersey	50	34.3	25.2	45.9	26	35.9	23.3	53.6	24	33.8	21.1	51.7
Jo Daviess	71	37.2	28.7	48.1	42	44.0	31.4	61.4	29	31.7	20.6	48.1
Johnson	42	47.9	34.2	66.0	30	69.6	46.4	101.1	12	24.3	12.4	46.3
Kane	967	36.1	33.8	38.5	520	42.1	38.4	46.1	447	30.9	28.1	34.0
Kankakee	303	44.4	39.5	49.9	159	49.9	42.3	58.6	144	39.2	32.9	46.4
Kendall	212	42.0	36.3	48.3	118	48.1	39.3	58.2	94	36.0	28.9	44.3
Knox	177	48.7	41.5	56.9	98	56.9	45.9	70.0	79	40.7	31.6	51.9
Lake	1,365	36.1	34.1	38.1	732	41.6	38.5	44.8	633	31.5	29.0	34.1
LaSalle	351	46.2	41.3	51.5	184	53.4	45.8	61.9	167	39.6	33.6	46.6
Lawrence	44	42.1	30.4	57.1	26	52.7	34.3	78.0	18	31.2	18.3	51.4
Lee	91	37.6	30.1	46.5	43	35.1	25.2	47.9	48	39.4	28.5	53.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Livingston	131	54.3	45.1	64.9	70	61.4	47.6	78.2	61	48.7	36.7	63.7
Logan	112	58.8	48.2	71.2	53	59.7	44.4	78.8	59	57.7	43.4	75.7
Macon	378	52.2	46.8	58.0	205	62.2	53.7	71.8	173	44.8	38.0	52.6
Macoupin	152	49.3	41.5	58.2	82	59.4	46.9	74.3	70	41.8	32.2	53.8
Madison	706	42.0	38.9	45.3	353	47.9	42.9	53.3	353	38.1	34.1	42.5
Marion	139	55.7	46.4	66.3	68	58.5	45.0	74.9	71	52.3	40.1	67.2
Marshall	46	50.9	36.7	69.4	24	57.3	36.2	87.8	22	46.2	28.0	73.5
Mason	53	49.6	36.6	66.4	30	58.8	39.2	86.2	23	42.3	25.6	67.1
Massac	46	46.2	33.4	62.8	23	51.0	31.7	78.5	23	41.2	25.5	64.2
McDonough	108	60.1	48.9	73.2	54	65.2	48.5	86.0	54	54.4	40.1	72.4
McHenry	663	39.2	36.2	42.5	353	44.9	40.1	50.2	310	34.3	30.5	38.4
McLean	334	39.7	35.5	44.3	173	45.0	38.4	52.5	161	35.5	30.1	41.6
Menard	46	55.7	40.3	75.6	23	62.9	39.0	96.6	23	49.1	30.4	76.4
Mercer	52	43.6	32.3	58.1	30	51.3	34.3	75.0	22	36.7	22.4	57.9
Monroe	79	35.7	28.1	45.0	47	44.6	32.4	60.1	32	28.0	18.8	40.4
Montgomery	121	59.8	49.2	72.1	65	70.3	54.0	90.3	56	49.9	36.8	66.7
Morgan	107	44.3	36.1	54.0	63	58.8	44.9	75.8	44	31.9	22.8	44.0
Moultrie	51	51.4	37.9	68.6	25	57.0	36.6	85.4	26	46.6	29.7	70.6
Ogle	147	43.2	36.4	51.1	76	47.3	37.0	59.8	71	38.8	30.0	49.6
Peoria	493	44.7	40.7	48.9	263	53.8	47.3	60.9	230	37.0	32.2	42.3
Perry	71	50.9	39.5	64.8	35	52.6	36.4	73.9	36	47.5	32.7	67.8
Piatt	49	45.1	33.0	60.5	28	52.8	34.7	77.8	21	37.9	22.8	59.9
Pike	58	50.8	37.7	67.3	34	65.0	44.3	92.6	24	39.8	23.6	63.5
Pope	13	36.2	17.1	71.4	9	54.0	20.4	120.5	4	20.4	5.5	74.1
Pulaski	13	31.0	15.8	56.3	8	49.1	20.1	101.5	5	18.0	5.8	50.4
Putnam	16	35.0	19.5	60.3	12	55.8	27.8	104.0	4	13.9	3.8	47.2
Randolph	110	49.7	40.6	60.4	59	57.7	43.7	75.0	51	39.0	28.5	52.9
Richland	67	65.1	49.7	84.0	36	73.1	50.6	102.6	31	60.0	39.5	87.8
Rock Island	347	36.3	32.5	40.5	189	43.6	37.5	50.5	158	30.1	25.3	35.5
Saline	87	53.8	42.7	67.0	49	66.6	48.9	88.9	38	42.6	29.5	60.1
Sangamon	559	45.6	41.8	49.7	278	51.6	45.6	58.3	281	40.5	35.7	45.7
Schuyler	23	41.7	26.0	65.0	13	45.7	24.1	82.6	10	36.8	16.4	74.9
Scott	20	55.6	33.2	89.1	12	77.8	38.8	141.3	8	34.0	14.5	75.4
Shelby	100	59.3	47.8	73.2	54	71.1	52.7	94.3	46	48.4	34.8	66.6
St Clair	635	41.8	38.6	45.3	334	49.8	44.5	55.7	301	34.9	30.9	39.2
Stark	28	67.8	44.2	101.2	14	68.9	36.9	121.5	14	69.6	36.4	123.6
Stephenson	134	38.1	31.7	45.6	74	46.5	36.3	59.0	60	31.2	23.3	41.3
Tazewell	399	45.7	41.2	50.6	222	56.3	49.0	64.4	177	37.5	32.0	43.8
Union	65	50.9	38.8	65.9	33	55.2	37.4	79.3	32	46.6	31.2	68.2
Vermilion	266	53.3	46.9	60.4	142	60.8	51.0	72.0	124	47.1	38.7	56.9
Wabash	46	54.7	39.6	74.4	23	56.1	35.3	86.2	23	55.2	33.6	86.5
Warren	65	57.1	43.6	73.7	37	71.7	50.0	100.2	28	48.7	31.2	72.7
Washington	53	53.2	39.5	70.7	31	64.5	43.1	93.6	22	41.8	25.9	65.2
Wayne	46	36.5	26.5	49.5	26	42.1	27.4	63.2	20	31.6	18.8	50.9
White	49	45.2	32.9	61.1	25	51.1	32.7	77.3	24	41.5	25.5	65.0
Whiteside	155	38.9	32.8	45.8	91	49.4	39.6	61.1	64	29.3	22.2	38.2
Will	1,477	43.5	41.2	45.8	817	52.6	48.8	56.5	660	36.0	33.3	38.9
Williamson	248	56.0	49.1	63.6	127	61.4	51.0	73.4	121	50.0	41.3	60.1
Winnebago	643	36.5	33.6	39.5	328	40.1	35.8	44.9	315	33.5	29.7	37.5
Woodford	101	41.0	33.2	50.3	57	50.3	37.8	65.7	44	32.6	23.1	44.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	25,101	41.5	41.0	42.0	13,250	48.2	47.3	49.0	11,851	35.9	35.3	36.6
Champaign	293	35.7	31.6	40.2	175	46.5	39.7	54.2	118	26.1	21.4	31.6
Cook	7,922	40.3	39.4	41.2	4,160	47.2	45.7	48.7	3,762	34.8	33.7	36.0
DuPage	1,823	39.6	37.8	41.6	944	45.7	42.7	48.8	879	34.7	32.4	37.2
Kane	880	36.1	33.7	38.6	466	41.5	37.7	45.7	414	31.5	28.5	34.8
Kankakee	243	40.7	35.6	46.3	127	46.1	38.2	55.1	116	35.4	29.1	42.8
Lake	1,165	35.0	33.0	37.2	616	39.5	36.3	42.9	549	31.2	28.6	34.0
Macon	321	51.1	45.4	57.5	176	61.2	52.1	71.5	145	43.5	36.2	52.0
Madison	655	41.6	38.4	45.0	325	46.7	41.7	52.2	330	38.3	34.1	42.8
Peoria	402	42.8	38.6	47.4	215	51.7	44.9	59.4	187	34.7	29.6	40.4
Rock Island	318	36.6	32.5	41.1	168	43.0	36.5	50.4	150	31.3	26.2	37.2
Sangamon	493	43.9	40.0	48.1	247	50.3	44.0	57.2	246	38.5	33.6	43.9
St Clair	426	38.7	35.0	42.7	228	46.4	40.4	53.1	198	31.2	26.9	36.2
Vermilion	237	52.9	46.1	60.6	125	59.2	48.9	71.1	112	47.8	38.7	58.4
Will	1,244	43.0	40.6	45.5	696	52.2	48.2	56.4	548	35.2	32.3	38.4
Winnebago	545	34.8	31.8	37.9	277	38.0	33.5	42.9	268	32.1	28.2	36.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	4,789	51.2	49.7	52.7	2,372	62.0	59.4	64.6	2,417	44.3	42.5	46.2
Champaign	35	35.7	24.4	50.3	19	43.2	24.9	69.3	16	29.6	16.6	48.4
Cook	3,545	50.9	49.2	52.7	1,717	61.8	58.8	64.8	1,828	44.1	42.1	46.2
DuPage	90	51.2	39.8	64.6	42	58.5	39.7	82.7	48	45.5	32.3	62.0
Kane	51	40.9	29.8	54.7	30	58.2	37.6	85.2	21	28.3	17.0	44.0
Kankakee	55	67.5	50.3	88.7	28	73.8	47.9	108.4	27	61.1	39.8	89.6
Lake	96	46.5	37.1	57.3	51	60.1	43.1	81.0	45	38.6	27.8	52.0
Macon	52	63.8	47.0	84.5	27	81.1	51.2	120.9	25	53.7	34.3	79.8
Madison	48	55.1	40.0	73.8	27	79.2	50.4	117.2	21	39.0	23.7	60.1
Peoria	71	54.5	41.9	69.5	38	76.8	53.0	106.9	33	39.6	26.8	56.3
Rock Island	23	37.0	23.0	55.9	17	54.5	30.7	88.7	6	18.4	6.5	40.1
Sangamon	56	53.2	39.7	69.7	27	55.2	34.8	83.3	29	52.4	34.5	75.9
St Clair	201	53.2	45.9	61.4	101	63.4	51.0	77.8	100	46.7	37.8	57.0
Vermilion	23	56.6	35.1	85.7	13	66.0	32.9	116.3	10	46.5	21.9	85.5
Will	183	56.8	48.1	66.5	94	70.6	54.8	89.1	89	47.8	37.7	59.6
Winnebago	85	55.2	43.6	68.8	43	66.7	46.6	91.8	42	48.5	34.6	65.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,075	32.8	31.3	34.4	1,145	38.0	35.6	40.6	930	28.4	26.5	30.4
Cook	1,366	32.8	31.0	34.7	751	38.2	35.3	41.4	615	28.3	26.0	30.7
DuPage	124	36.4	29.5	44.3	69	42.9	31.6	56.4	55	31.2	22.7	41.5
Kane	101	23.4	18.4	29.2	62	31.5	22.8	42.1	39	16.3	11.1	23.0
Lake	131	34.6	28.0	42.2	70	38.8	28.7	51.1	61	30.8	22.5	41.0
Will	115	44.9	36.1	55.0	57	50.4	36.2	67.5	58	41.5	30.6	54.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Colon and Rectum, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	29,132	43.4	42.9	43.9	15,222	50.7	49.9	51.6	13,910	37.5	36.9	38.2
Cook	10,880	44.4	43.6	45.3	5,545	52.4	51.0	53.9	5,335	38.5	37.4	39.6
DuPage	1,939	39.0	37.3	40.9	1,016	45.4	42.6	48.4	923	33.8	31.5	36.1
Kane	866	38.1	35.5	40.8	458	44.3	40.2	48.7	408	32.9	29.7	36.4
Lake	1,234	36.4	34.4	38.6	662	42.4	39.1	45.9	572	31.5	28.8	34.3
Will	1,362	43.7	41.3	46.1	760	53.2	49.3	57.3	602	35.7	32.8	38.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	47,286	63.7	63.1	64.2	24,245	73.8	72.9	74.8	23,041	56.3	55.5	57.0
Adams	333	69.1	61.7	77.3	175	78.6	67.1	91.6	158	61.4	51.8	72.4
Alexander	49	92.1	67.7	123.9	31	127.6	86.0	185.5	18	66.9	38.9	110.3
Bond	72	61.0	47.6	77.5	38	72.2	50.7	100.3	34	53.7	37.0	76.7
Boone	212	68.8	59.7	78.9	116	81.4	66.9	98.2	96	59.1	47.7	72.5
Brown	39	108.9	77.3	149.8	24	131.0	83.0	197.0	15	82.4	46.1	141.2
Bureau	200	79.1	68.3	91.4	101	85.9	69.8	105.1	99	76.8	62.0	94.5
Calhoun	22	50.4	31.6	79.7	12	62.0	31.9	115.1	10	44.0	21.1	89.8
Carroll	70	53.2	41.2	68.4	36	54.9	38.2	78.3	34	52.4	35.8	76.0
Cass	73	90.2	70.5	114.0	49	130.9	96.4	174.2	24	57.1	36.3	86.5
Champaign	497	50.6	46.2	55.4	231	52.7	45.9	60.1	266	49.1	43.3	55.6
Christian	241	99.4	87.0	113.2	131	118.4	98.7	141.1	110	84.3	69.0	102.5
Clark	83	74.3	58.8	93.0	39	78.8	55.5	109.2	44	73.5	53.0	100.3
Clay	87	85.7	68.4	106.8	51	111.1	82.2	147.9	36	66.0	45.7	93.7
Clinton	158	66.4	56.3	78.0	83	76.0	60.2	94.7	75	59.6	46.5	75.6
Coles	222	71.2	62.0	81.5	116	82.1	67.6	99.0	106	63.3	51.5	77.1
Cook	16,495	57.8	56.9	58.7	8,233	67.2	65.7	68.7	8,262	51.1	50.0	52.3
Crawford	105	77.9	63.5	94.9	58	93.2	70.5	121.5	47	65.7	47.7	89.3
Cumberland	59	74.5	56.5	97.1	33	91.0	62.2	129.8	26	62.0	40.2	93.3
DeKalb	319	66.5	59.3	74.4	167	77.1	65.5	90.1	152	57.9	48.9	68.1
DeWitt	110	95.8	78.5	116.3	56	112.2	84.2	147.1	54	85.6	64.0	113.3
Douglas	87	67.5	53.8	83.7	46	76.2	55.5	102.5	41	60.1	42.7	82.8
DuPage	2,700	51.7	49.7	53.7	1,307	56.9	53.8	60.2	1,393	48.4	45.8	51.1
Edgar	97	71.6	57.7	88.3	48	78.8	57.7	106.0	49	68.0	49.6	92.1
Edwards	44	85.2	61.6	116.4	20	83.5	50.3	133.4	24	87.1	55.3	134.3
Effingham	144	65.3	54.9	77.3	76	75.1	58.7	94.7	68	56.9	44.1	72.8
Fayette	94	62.8	50.6	77.3	59	81.4	61.7	105.7	35	46.3	31.8	65.9
Ford	66	68.2	52.4	87.8	34	77.1	52.9	109.5	32	60.5	40.8	87.8
Franklin	310	108.3	96.3	121.5	168	129.9	110.6	151.8	142	90.8	76.1	107.8
Fulton	191	71.9	61.9	83.3	106	85.5	69.8	103.9	85	61.8	48.9	77.6
Gallatin	42	97.8	69.6	135.6	22	118.8	72.6	186.8	20	87.0	51.7	142.4
Greene	84	88.2	70.1	110.3	39	87.7	62.0	121.5	45	90.0	64.9	122.9
Grundy	217	79.5	69.1	91.2	115	91.8	75.1	111.0	102	69.1	56.2	84.2
Hamilton	54	82.0	61.4	108.5	36	120.4	83.9	169.8	18	50.3	29.3	83.8
Hancock	94	64.8	51.9	80.3	58	82.7	62.6	108.3	36	50.5	34.3	72.6
Hardin	46	133.6	96.4	183.8	26	146.5	94.4	225.2	20	125.2	74.0	205.5
Henderson	45	71.0	51.2	98.1	28	87.7	57.9	132.5	17	54.1	29.9	94.7
Henry	248	68.4	60.0	77.8	147	87.1	73.3	102.9	101	52.8	42.8	64.7
Iroquois	177	80.0	68.5	93.3	101	98.6	80.1	120.8	76	65.2	51.0	82.9
Jackson	228	73.2	63.7	83.6	116	82.5	67.8	99.5	112	66.6	54.4	80.8
Jasper	44	63.8	46.0	87.1	19	53.5	32.0	86.3	25	72.2	45.7	110.2
Jefferson	209	79.5	68.9	91.4	109	90.3	73.9	109.5	100	72.7	58.8	89.2
Jersey	115	72.7	59.9	87.7	66	93.2	71.8	119.6	49	55.8	41.1	74.8
Jo Daviess	132	64.9	54.1	77.8	81	84.8	67.1	107.0	51	48.9	36.1	66.3
Johnson	90	94.5	75.7	117.3	61	135.0	102.6	175.3	29	57.4	38.0	85.9
Kane	1,317	50.2	47.4	53.0	666	57.6	53.2	62.4	651	45.0	41.5	48.6
Kankakee	532	78.7	72.1	85.9	270	86.9	76.6	98.2	262	72.2	63.6	81.8
Kendall	291	63.3	55.9	71.3	152	75.3	63.1	89.0	139	54.5	45.5	64.6
Knox	270	72.0	63.5	81.5	145	84.0	70.6	99.3	125	62.0	51.4	74.6
Lake	2,013	54.5	52.1	57.0	972	58.5	54.7	62.4	1,041	51.8	48.6	55.1
LaSalle	625	80.7	74.4	87.5	328	91.9	82.1	102.7	297	71.9	63.8	80.9
Lawrence	77	72.7	57.2	91.5	43	87.7	63.2	118.9	34	60.2	40.9	86.7
Lee	171	67.5	57.6	78.8	89	72.6	58.1	90.1	82	63.3	50.1	79.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	210	84.0	72.8	96.6	111	97.3	79.8	117.8	99	76.7	62.0	94.3
Logan	208	106.7	92.5	122.7	109	126.5	103.6	153.3	99	92.3	74.6	113.5
Macon	714	94.5	87.6	101.9	372	109.7	98.6	121.7	342	83.7	74.8	93.5
Macoupin	326	94.9	84.7	106.2	197	127.0	109.6	146.7	129	70.6	58.6	84.7
Madison	1,373	80.7	76.4	85.2	678	91.0	84.1	98.3	695	74.0	68.4	79.8
Marion	225	81.7	71.1	93.6	128	101.5	84.4	121.4	97	67.2	54.0	82.9
Marshall	79	78.7	62.2	99.2	44	96.8	70.1	132.1	35	65.5	45.4	93.9
Mason	107	97.2	79.5	118.5	56	108.4	81.5	142.9	51	90.5	67.1	121.0
Massac	103	93.9	76.3	114.9	50	96.3	71.1	128.7	53	92.3	68.4	123.1
McDonough	146	74.3	62.5	87.9	68	80.1	61.9	102.3	78	70.1	55.0	88.6
McHenry	1,004	61.0	57.2	65.1	499	67.5	61.4	74.0	505	56.5	51.6	61.9
McLean	507	60.7	55.4	66.3	253	67.1	58.8	76.2	254	55.2	48.5	62.7
Menard	71	80.2	62.2	102.3	41	104.3	74.1	143.8	30	61.5	41.1	90.2
Mercer	95	76.0	61.3	94.0	54	90.5	67.5	120.0	41	62.8	44.7	87.2
Monroe	118	52.0	42.9	62.7	60	57.0	43.1	74.2	58	48.9	36.9	64.1
Montgomery	184	89.5	76.8	104.0	101	105.6	85.7	129.0	83	77.4	60.9	97.5
Morgan	213	88.0	76.3	101.2	116	104.4	85.9	125.9	97	76.6	61.5	94.7
Moultrie	67	69.9	53.8	89.5	36	81.3	56.7	113.7	31	61.2	41.0	88.7
Ogle	238	67.9	59.4	77.3	135	83.1	69.4	98.8	103	55.3	45.0	67.6
Peoria	943	82.5	77.2	88.1	520	101.9	93.1	111.2	423	67.6	61.1	74.5
Perry	105	73.5	59.9	89.5	56	81.4	61.2	106.5	49	68.1	49.7	92.0
Piatt	83	70.0	55.5	87.6	43	79.5	57.1	108.6	40	62.5	44.3	86.8
Pike	92	77.2	62.0	95.5	56	104.8	78.9	137.3	36	56.3	39.1	80.0
Pope	29	72.1	47.4	110.3	15	70.6	39.2	129.0	14	75.1	39.1	144.1
Pulaski	51	112.1	83.2	149.7	30	147.0	98.6	214.5	21	85.6	52.8	136.1
Putnam	44	91.7	66.3	125.9	30	135.0	89.7	198.9	14	58.2	31.4	104.9
Randolph	162	71.5	60.7	83.8	92	88.1	70.7	108.8	70	62.4	47.9	80.4
Richland	105	93.7	76.2	114.4	59	109.7	83.2	142.8	46	79.3	57.0	108.3
Rock Island	671	66.4	61.4	71.7	365	79.0	71.0	87.8	306	56.1	49.9	63.0
Saline	151	83.9	71.0	98.9	77	96.4	75.8	121.4	74	75.7	59.3	96.1
Sangamon	1,016	79.9	74.9	85.1	525	95.8	87.6	104.7	491	68.8	62.7	75.3
Schuyler	51	90.6	66.9	121.6	31	109.8	73.7	160.3	20	68.6	41.5	111.2
Scott	30	78.0	52.5	113.6	17	98.2	56.8	161.9	13	62.4	33.1	112.9
Shelby	131	76.5	63.7	91.5	73	92.0	71.8	116.8	58	64.0	48.3	84.1
St Clair	1,189	76.4	72.0	80.9	602	88.4	81.2	96.0	587	67.9	62.4	73.7
Stark	25	54.1	34.9	82.5	13	59.0	31.2	106.8	12	46.6	23.9	88.3
Stephenson	191	52.5	45.2	60.9	106	62.6	51.1	76.3	85	45.1	35.6	56.7
Tazewell	726	79.9	74.1	86.1	374	90.7	81.6	100.6	352	71.8	64.3	79.9
Union	117	87.0	71.6	105.3	77	120.3	94.3	152.2	40	57.2	40.6	79.7
Vermilion	467	85.6	77.9	94.0	247	98.9	86.7	112.4	220	75.6	65.7	86.7
Wabash	57	66.5	50.0	87.3	30	73.1	49.0	106.3	27	60.7	39.3	91.2
Warren	83	67.4	53.4	84.2	49	88.6	65.0	118.6	34	50.3	34.7	71.7
Washington	68	64.8	50.2	82.9	33	66.4	45.4	94.9	35	63.1	43.8	89.5
Wayne	93	72.0	58.0	88.9	55	92.5	69.5	121.7	38	55.9	39.3	78.4
White	99	88.5	71.5	108.9	61	121.5	92.3	158.1	38	60.3	42.5	85.0
Whiteside	253	61.0	53.6	69.3	148	79.1	66.6	93.5	105	45.2	36.8	55.2
Will	2,126	64.2	61.4	67.1	1,074	72.9	68.4	77.6	1,052	58.0	54.5	61.7
Williamson	417	89.5	81.0	98.7	229	109.8	95.8	125.4	188	74.2	63.8	86.0
Winnebago	1,279	69.5	65.7	73.5	642	77.2	71.2	83.5	637	64.5	59.5	69.9
Woodford	144	57.6	48.3	68.1	75	65.5	51.3	82.7	69	51.6	39.7	66.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	39,312	64.0	63.4	64.7	20,091	73.1	72.0	74.1	19,221	57.4	56.6	58.3
Champaign	440	51.7	46.9	57.0	206	54.1	46.8	62.3	234	50.2	43.8	57.3
Cook	10,660	54.8	53.7	55.9	5,236	61.4	59.7	63.1	5,424	50.2	48.8	51.5
DuPage	2,505	55.0	52.8	57.3	1,195	59.8	56.4	63.5	1,310	52.2	49.4	55.2
Kane	1,225	50.9	48.0	53.9	615	58.1	53.4	63.1	610	46.0	42.4	49.9
Kankakee	464	78.3	71.2	86.0	233	84.7	74.0	96.7	231	73.3	64.0	83.7
Lake	1,802	55.2	52.6	57.9	861	58.3	54.3	62.5	941	53.1	49.7	56.8
Macon	621	93.8	86.4	101.8	316	104.7	93.3	117.2	305	86.6	76.7	97.5
Madison	1,278	79.9	75.5	84.5	644	91.4	84.3	98.9	634	72.0	66.4	78.0
Peoria	796	81.0	75.4	87.0	441	99.8	90.5	109.8	355	66.4	59.5	73.9
Rock Island	605	64.5	59.3	70.0	330	77.3	69.0	86.4	275	54.1	47.7	61.1
Sangamon	925	79.6	74.4	85.0	475	94.8	86.2	104.0	450	69.2	62.8	76.1
St Clair	866	75.0	70.0	80.3	442	85.5	77.5	94.1	424	67.4	61.0	74.4
Vermilion	419	83.9	75.8	92.6	218	95.0	82.5	109.0	201	75.8	65.4	87.6
Will	1,877	65.8	62.8	69.0	933	73.5	68.6	78.5	944	60.7	56.8	64.7
Winnebago	1,150	69.7	65.6	73.9	572	76.0	69.8	82.7	578	65.7	60.3	71.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	6,913	73.6	71.9	75.4	3,522	93.0	89.8	96.2	3,391	61.1	59.1	63.3
Champaign	52	60.4	44.2	80.0	24	57.9	35.6	88.3	28	60.6	39.4	88.0
Cook	5,173	73.1	71.1	75.1	2,587	92.5	88.9	96.3	2,586	60.9	58.5	63.3
DuPage	64	45.2	33.5	59.2	31	59.6	37.7	88.1	33	36.3	23.8	52.6
Kane	67	55.4	42.0	71.4	37	69.4	46.7	98.4	30	44.7	29.4	64.8
Kankakee	66	87.4	66.8	112.1	37	114.6	78.8	160.1	29	67.2	44.4	97.3
Lake	146	71.1	59.3	84.3	76	87.3	67.0	111.4	70	59.4	45.8	75.6
Macon	90	100.3	79.8	124.2	55	148.5	108.2	198.3	35	66.9	46.1	93.9
Madison	90	104.6	83.1	129.5	33	98.8	66.4	140.2	57	108.6	81.2	141.9
Peoria	132	97.9	81.0	117.0	72	129.3	99.1	165.2	60	75.5	56.8	98.1
Rock Island	59	97.9	73.6	127.1	31	107.8	71.0	155.6	28	89.8	58.9	130.5
Sangamon	85	94.0	73.9	117.5	45	111.5	77.7	154.1	40	78.6	55.2	107.8
St Clair	314	82.7	73.5	92.7	158	101.4	85.3	119.4	156	70.8	59.9	83.2
Vermilion	44	109.7	78.5	148.5	27	162.5	103.1	240.5	17	75.4	43.0	121.9
Will	200	67.8	57.9	78.8	112	90.9	72.7	111.9	88	51.1	40.3	63.7
Winnebago	112	79.0	64.3	95.7	60	104.6	77.5	137.3	52	63.2	46.8	83.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	1,438	27.2	25.7	28.7	766	32.2	29.7	34.7	672	23.4	21.6	25.3
Cook	943	26.4	24.7	28.3	524	32.5	29.5	35.6	419	21.6	19.5	23.9
DuPage	67	25.8	19.4	33.2	34	30.5	20.2	43.6	33	22.6	15.0	32.2
Kane	80	23.7	18.2	30.1	39	28.2	19.2	39.5	41	20.4	14.1	28.2
Lake	60	22.7	16.8	29.7	28	23.9	15.0	35.4	32	22.0	14.5	31.5
Will	85	36.4	28.4	45.6	52	51.8	37.3	69.3	33	24.5	16.4	34.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Lung and Bronchus, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	45,848	66.7	66.0	67.3	23,479	77.4	76.3	78.4	22,369	58.9	58.1	59.7
Cook	15,552	62.5	61.5	63.5	7,709	72.7	71.1	74.4	7,843	55.3	54.1	56.6
DuPage	2,633	53.1	51.0	55.2	1,273	58.5	55.2	61.9	1,360	49.7	47.0	52.5
Kane	1,237	53.9	50.8	57.0	627	62.1	57.1	67.3	610	48.1	44.3	52.2
Lake	1,953	57.1	54.5	59.7	944	61.3	57.3	65.5	1,009	54.1	50.7	57.6
Will	2,041	66.2	63.2	69.2	1,022	74.4	69.7	79.4	1,019	60.2	56.5	64.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	14,634	20.4	20.1	20.8	8,260	25.2	24.7	25.8	6,374	17.2	16.8	17.7
Adams	126	31.6	26.0	38.0	64	32.2	24.5	41.5	62	31.9	23.9	41.7
Alexander	3	11.2	2.1	32.1	1	5.1	0.1	33.0	2	17.0	2.1	55.8
Bond	26	23.9	15.5	35.7	16	32.2	18.2	53.2	10	18.6	8.7	35.9
Boone	66	22.0	17.0	28.2	45	31.0	22.4	42.0	21	14.5	8.9	22.4
Brown	6	16.1	5.8	36.4	5	27.7	8.6	66.4	1	4.8	0.1	38.9
Bureau	72	31.5	24.2	40.4	44	42.3	30.3	57.7	28	23.2	14.7	35.0
Calhoun	6	16.8	5.3	41.5	4	18.6	5.0	57.8	2	15.3	1.1	62.4
Carroll	24	23.9	14.8	37.1	14	23.2	12.5	41.5	10	26.0	11.8	49.5
Cass	20	25.4	15.3	40.0	10	26.1	12.2	49.4	10	25.6	11.9	48.6
Champaign	285	29.6	26.1	33.3	163	36.8	31.2	43.1	122	24.6	20.3	29.6
Christian	55	25.5	19.0	33.6	32	31.7	21.6	45.2	23	20.4	12.4	31.9
Clark	27	26.0	16.8	38.7	20	41.8	25.0	66.0	7	13.3	4.9	29.4
Clay	23	28.7	17.7	44.3	13	31.3	16.4	55.0	10	28.6	12.7	54.7
Clinton	59	27.8	21.0	36.1	25	24.0	15.4	35.7	34	33.3	22.6	47.3
Coles	89	29.7	23.7	36.9	52	38.3	28.4	50.8	37	23.1	15.9	32.5
Cook	4,009	14.2	13.8	14.7	2,322	18.8	18.0	19.6	1,687	11.2	10.6	11.7
Crawford	29	22.3	14.7	32.8	17	28.3	16.4	46.2	12	20.8	10.0	38.3
Cumberland	20	26.5	15.9	42.4	13	34.3	18.0	61.0	7	19.3	6.8	43.6
DeKalb	93	18.9	15.2	23.3	46	20.9	15.2	28.1	47	18.4	13.4	24.6
DeWitt	42	43.3	30.6	59.7	24	52.9	33.3	80.1	18	36.3	20.5	59.6
Douglas	41	34.4	24.3	47.3	17	28.9	16.6	47.1	24	41.4	25.8	63.0
DuPage	1,170	22.2	20.9	23.6	677	27.7	25.5	29.9	493	18.4	16.7	20.1
Edgar	31	28.4	18.7	41.4	15	29.3	16.0	49.6	16	30.4	16.4	51.6
Edwards	6	13.5	4.6	32.0	3	14.8	2.9	47.2	3	15.0	2.4	48.9
Effingham	54	27.7	20.6	36.6	25	26.4	16.9	39.4	29	32.1	21.0	46.9
Fayette	28	20.3	13.4	29.7	13	20.2	10.7	35.0	15	21.4	11.7	36.8
Ford	40	45.4	31.8	63.1	23	51.1	32.1	78.2	17	42.1	23.3	70.3
Franklin	78	29.3	23.0	37.1	47	37.2	27.1	50.1	31	23.6	15.7	34.4
Fulton	48	21.1	15.4	28.4	25	21.0	13.5	31.6	23	23.4	14.2	36.2
Gallatin	7	26.9	10.3	56.8	4	34.0	8.9	87.3	3	20.5	3.7	64.1
Greene	26	29.1	18.8	43.7	11	25.3	12.6	46.6	15	34.9	18.8	60.0
Grundy	57	21.3	16.1	27.8	30	22.2	14.6	32.2	27	21.2	13.9	31.0
Hamilton	20	35.0	20.9	56.0	14	50.8	27.3	88.4	6	23.1	7.6	54.4
Hancock	34	29.3	19.6	42.4	14	22.9	12.2	40.1	20	36.5	20.9	59.2
Hardin	5	13.5	4.1	39.0	1	4.0	0.1	46.4	4	21.0	5.3	70.7
Henderson	13	19.2	10.2	36.1	6	17.8	6.5	47.0	7	18.9	7.5	47.7
Henry	85	25.6	20.2	32.0	46	27.4	19.9	37.1	39	24.8	17.2	34.8
Iroquois	57	29.7	22.1	39.2	35	38.4	26.4	54.4	22	23.5	14.0	37.2
Jackson	71	22.7	17.5	28.9	43	30.7	22.0	41.9	28	17.0	11.0	25.2
Jasper	16	27.4	15.0	46.3	10	33.7	15.7	64.4	6	24.5	8.1	55.7
Jefferson	67	28.4	21.8	36.6	42	35.8	25.6	49.0	25	23.0	14.4	35.0
Jersey	35	25.2	17.2	35.7	17	23.4	13.4	38.6	18	27.8	15.9	45.2
Jo Daviess	42	27.0	18.6	38.1	27	31.9	20.1	49.0	15	22.7	11.5	40.4
Johnson	16	19.3	10.9	32.3	7	15.5	6.1	33.8	9	27.8	11.7	56.0
Kane	591	21.9	20.1	23.8	324	26.3	23.4	29.4	267	18.9	16.7	21.4
Kankakee	140	22.3	18.7	26.4	80	26.9	21.2	33.7	60	18.6	14.0	24.1
Kendall	109	19.6	16.0	23.8	51	21.0	15.3	28.1	58	19.4	14.6	25.2
Knox	80	23.2	18.1	29.4	41	24.7	17.5	34.2	39	22.6	15.5	32.0
Lake	930	24.6	23.0	26.3	515	29.7	27.1	32.5	415	21.3	19.2	23.5
LaSalle	180	26.4	22.5	30.7	111	33.9	27.7	41.1	69	20.2	15.4	26.0
Lawrence	23	21.6	13.6	33.0	11	23.0	11.4	41.7	12	24.2	12.0	44.6
Lee	68	31.4	24.0	40.4	36	30.8	21.4	43.4	32	35.0	23.0	50.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	67	29.7	22.7	38.2	41	36.8	26.1	50.7	26	24.4	15.5	36.6
Logan	44	24.3	17.5	33.0	29	32.7	21.7	47.6	15	16.9	9.1	28.9
Macon	170	25.4	21.5	29.7	93	29.1	23.3	35.9	77	23.0	17.8	29.2
Macoupin	67	21.6	16.5	27.8	42	28.7	20.5	39.3	25	16.2	10.1	24.8
Madison	336	21.6	19.2	24.1	180	24.5	21.0	28.5	156	20.3	17.1	23.9
Marion	72	31.9	24.6	40.8	39	35.2	24.6	48.9	33	30.3	20.2	43.6
Marshall	16	21.8	11.8	37.0	6	15.9	5.4	37.3	10	26.9	11.7	53.2
Mason	21	22.5	13.6	35.5	15	35.4	19.3	60.2	6	9.6	3.3	24.4
Massac	19	19.3	11.3	31.3	13	28.0	14.4	49.9	6	11.5	3.9	27.5
McDonough	42	24.2	17.0	33.4	23	30.3	18.9	46.1	19	19.6	11.1	32.4
McHenry	411	24.6	22.2	27.2	232	28.7	25.0	32.9	179	21.6	18.4	25.1
McLean	293	35.0	31.1	39.4	145	38.3	32.1	45.2	148	33.5	28.2	39.6
Menard	21	28.3	17.0	44.6	10	28.3	13.0	54.2	11	29.3	13.9	54.7
Mercer	37	35.0	24.1	49.4	22	39.5	24.5	61.5	15	31.8	17.1	54.6
Monroe	59	29.2	21.9	38.1	35	36.1	24.8	51.0	24	23.3	14.6	35.5
Montgomery	45	23.9	17.2	32.5	25	26.6	17.1	39.9	20	24.0	14.0	38.7
Morgan	65	27.2	20.7	35.1	49	45.2	33.1	60.4	16	13.4	7.3	23.0
Moultrie	22	24.3	14.9	37.7	16	37.4	20.8	62.4	6	12.2	4.2	28.4
Ogle	96	30.4	24.4	37.5	43	26.7	19.1	36.5	53	35.0	25.8	46.5
Peoria	299	27.8	24.6	31.2	177	36.6	31.3	42.5	122	21.8	18.0	26.2
Perry	31	24.1	16.2	34.7	18	29.1	17.1	46.5	13	21.5	10.9	38.5
Piatt	49	51.4	37.2	69.3	29	59.7	39.0	87.7	20	45.6	26.8	72.2
Pike	32	33.2	22.1	48.1	14	28.3	15.1	48.8	18	40.1	22.4	66.1
Pope	6	24.7	7.4	61.0	4	37.4	7.9	105.9	2	11.7	1.2	64.9
Pulaski	7	15.3	6.0	34.9	4	18.6	4.9	54.9	3	12.0	2.4	43.4
Putnam	11	23.7	10.9	47.1	5	17.0	5.5	49.3	6	29.8	9.3	74.7
Randolph	45	21.5	15.5	29.2	27	25.8	16.8	38.1	18	20.6	11.6	33.9
Richland	18	17.1	9.9	27.8	11	20.1	10.0	37.2	7	15.1	5.7	32.6
Rock Island	240	26.5	23.1	30.2	125	28.6	23.7	34.3	115	26.3	21.4	31.8
Saline	39	24.2	16.8	33.8	24	32.2	20.2	49.1	15	16.9	9.0	29.4
Sangamon	330	28.3	25.2	31.6	171	31.9	27.1	37.2	159	26.7	22.5	31.4
Schuyler	14	27.1	14.4	47.8	10	39.5	18.4	76.7	4	13.1	3.6	41.2
Scott	9	28.6	12.3	57.3	3	15.8	3.2	54.0	6	40.4	13.4	94.1
Shelby	43	28.6	20.1	39.8	25	30.9	19.5	47.3	18	27.2	15.1	45.2
St Clair	298	20.6	18.2	23.1	177	27.3	23.3	31.8	121	15.9	13.1	19.1
Stark	7	15.1	6.0	34.4	3	14.7	2.9	50.2	4	17.7	4.8	52.5
Stephenson	70	22.0	16.8	28.4	38	25.0	17.4	35.2	32	20.1	13.2	29.6
Tazewell	220	27.3	23.7	31.3	113	29.4	24.1	35.5	107	26.8	21.8	32.8
Union	26	22.6	14.4	34.1	17	30.9	17.5	51.0	9	16.6	7.1	33.4
Vermilion	139	27.5	22.9	32.8	83	33.9	26.8	42.3	56	23.6	17.4	31.2
Wabash	8	8.9	3.8	18.9	7	16.7	6.6	36.8	1	2.6	0.1	17.5
Warren	30	28.9	19.1	42.2	16	33.1	18.4	55.0	14	26.9	14.0	46.9
Washington	23	22.5	13.9	34.9	10	17.3	8.2	34.1	13	27.8	14.2	49.7
Wayne	22	17.0	10.6	26.5	16	26.3	14.9	44.2	6	9.2	3.3	22.0
White	19	20.5	12.0	33.2	11	27.1	13.1	50.2	8	14.1	6.0	30.2
Whiteside	101	27.1	21.8	33.4	53	30.5	22.5	40.4	48	24.5	17.5	33.4
Will	723	20.5	19.0	22.1	404	24.8	22.4	27.5	319	17.3	15.5	19.4
Williamson	127	30.7	25.4	36.8	83	41.0	32.4	51.3	44	21.4	15.3	29.3
Winnebago	414	24.6	22.2	27.2	224	28.5	24.8	32.6	190	22.4	19.2	26.0
Woodford	83	36.8	29.0	46.1	49	43.2	31.7	57.8	34	31.8	21.6	45.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	13,969	24.0	23.6	24.4	7,932	29.1	28.4	29.7	6,037	20.6	20.0	21.1
Champaign	238	29.4	25.7	33.6	143	37.7	31.6	44.7	95	23.6	18.9	29.1
Cook	3,777	19.7	19.0	20.3	2,207	25.3	24.3	26.4	1,570	15.8	15.0	16.6
DuPage	1,140	25.6	24.0	27.1	665	31.6	29.2	34.2	475	21.4	19.4	23.5
Kane	576	23.6	21.6	25.6	317	28.2	25.0	31.6	259	20.5	18.0	23.2
Kankakee	134	24.8	20.7	29.5	78	30.2	23.7	38.0	56	20.4	15.2	26.8
Lake	885	27.0	25.2	28.9	492	32.0	29.2	35.1	393	23.8	21.4	26.4
Macon	160	27.7	23.3	32.7	88	31.1	24.7	38.7	72	25.6	19.6	33.1
Madison	319	22.3	19.8	25.0	169	24.5	20.9	28.7	150	21.6	18.1	25.6
Peoria	284	31.6	27.9	35.7	169	40.9	34.8	47.7	115	25.2	20.6	30.6
Rock Island	237	29.2	25.4	33.4	122	30.8	25.4	37.0	115	29.5	24.0	35.8
Sangamon	327	31.6	28.1	35.4	171	35.0	29.8	41.0	156	30.3	25.5	35.8
St Clair	275	26.3	23.2	29.7	165	33.5	28.4	39.2	110	21.4	17.4	26.0
Vermilion	121	26.9	22.1	32.6	73	33.1	25.7	42.1	48	23.1	16.5	31.4
Will	700	23.5	21.7	25.3	391	28.1	25.3	31.2	309	20.2	18.0	22.7
Winnebago	407	27.8	25.0	30.7	223	31.9	27.7	36.5	184	25.5	21.8	29.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	71	0.8	0.6	1.0	30	0.8	0.5	1.1	41	0.8	0.6	1.1
Champaign	1	1.7	0.0	7.6	0				1	2.3	0.1	11.3
Cook	51	0.8	0.6	1.0	21	0.8	0.5	1.2	30	0.8	0.5	1.1
DuPage	4	3.1	0.7	8.2	2	4.9	0.3	17.9	2	2.3	0.3	8.3
Kane	1	0.7	0.0	4.1	1	1.4	0.0	9.2	0			
Kankakee	0				0				0			
Lake	3	1.5	0.3	4.3	1	0.9	0.0	5.7	2	1.6	0.2	5.9
Macon	0				0				0			
Madison	0				0				0			
Peoria	1	0.5	0.0	3.5	0				1	1.0	0.0	6.2
Rock Island	0				0				0			
Sangamon	1	0.9	0.0	5.3	0				1	1.6	0.0	9.3
St Clair	2	0.4	0.0	1.6	1	0.4	0.0	3.0	1	0.3	0.0	2.2
Vermilion	0				0				0			
Will	0				0				0			
Winnebago	3	2.0	0.4	5.8	0				3	3.7	0.7	10.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	304	4.7	4.2	5.3	140	5.1	4.2	6.2	164	4.6	3.9	5.4
Cook	170	4.0	3.4	4.7	86	4.7	3.7	5.9	84	3.5	2.8	4.4
DuPage	21	6.5	3.7	10.3	8	7.0	2.6	14.1	13	6.4	3.1	11.3
Kane	22	4.1	2.4	6.5	6	1.8	0.7	4.4	16	6.2	3.2	10.7
Lake	14	3.7	1.8	6.5	9	6.1	2.4	12.2	5	1.6	0.5	4.2
Will	21	7.2	4.0	11.6	7	5.1	1.5	11.7	14	9.0	4.5	15.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Melanoma of the Skin, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Both Sexes				Male				Female			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	14,330	22.4	22.0	22.8	8,120	27.4	26.8	28.0	6,210	19.1	18.6	19.6
Cook	3,839	16.3	15.8	16.9	2,236	21.5	20.6	22.4	1,603	12.9	12.3	13.6
DuPage	1,149	23.9	22.5	25.3	669	29.5	27.2	31.9	480	19.9	18.1	21.9
Kane	569	26.0	23.8	28.3	318	31.1	27.6	34.8	251	22.5	19.7	25.6
Lake	916	27.6	25.8	29.6	506	32.4	29.5	35.5	410	24.6	22.2	27.2
Will	702	22.1	20.4	23.8	397	26.8	24.2	29.8	305	18.6	16.5	20.9

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	51,346	133.1	131.9	134.2	41,683	134.1	132.8	135.5	7,339	135.2	132.1	138.4
Adams	313	139.0	123.1	156.5								
Alexander	29	115.8	75.4	171.9								
Bond	82	148.0	116.0	186.8								
Boone	185	117.7	101.1	136.4								
Brown	17	110.8	62.9	183.3								
Bureau	152	125.2	105.0	148.4								
Calhoun	21	99.8	60.9	160.5								
Carroll	71	149.7	113.7	193.9								
Cass	47	113.7	82.6	153.3								
Champaign	656	129.6	119.5	140.2	550	129.9	118.8	141.8	74	135.2	105.3	170.6
Christian	146	125.0	104.5	148.6								
Clark	52	93.5	68.7	125.1								
Clay	65	129.1	97.6	168.6								
Clinton	153	129.9	109.4	153.3								
Coles	173	113.0	95.9	132.4								
Cook	20,229	131.7	129.9	133.6	13,294	131.3	129.1	133.6	5,612	138.5	134.8	142.3
Crawford	65	102.1	77.0	133.2								
Cumberland	36	106.5	72.7	151.2								
DeKalb	340	129.5	115.8	144.4								
DeWitt	77	140.6	109.6	178.2								
Douglas	85	137.0	108.0	171.7								
DuPage	4,053	142.2	137.7	146.8	3,553	146.5	141.5	151.6	142	138.5	114.0	166.4
Edgar	57	80.3	59.5	106.9								
Edwards	32	131.1	87.9	190.4								
Effingham	143	127.8	106.8	151.9								
Fayette	77	106.1	82.7	134.6								
Ford	80	167.6	131.3	211.8								
Franklin	180	130.0	110.7	152.1								
Fulton	167	141.5	119.3	166.8								
Gallatin	23	123.3	74.9	193.5								
Greene	81	167.0	131.4	210.4								
Grundy	220	158.3	137.7	181.2								
Hamilton	31	100.0	65.9	147.3								
Hancock	88	128.3	100.9	161.5								
Hardin	10	60.7	27.0	125.9								
Henderson	41	144.5	101.8	202.6								
Henry	215	125.1	107.9	144.4								
Iroquois	120	113.7	93.1	138.0								
Jackson	199	130.5	112.1	151.0								
Jasper	34	99.7	67.6	143.3								
Jefferson	177	141.8	120.6	165.9								
Jersey	94	124.5	99.5	154.3								
Jo Daviess	102	117.9	93.3	147.7								
Johnson	47	109.1	78.4	149.5								
Kane	1,751	120.6	114.9	126.5	1,594	121.6	115.6	127.8	95	129.3	103.9	158.9
Kankakee	477	142.5	129.6	156.4	404	139.9	126.1	154.9	67	164.8	126.9	210.1
Kendall	408	136.2	123.1	150.4								
Knox	249	138.7	120.6	158.8								
Lake	2,905	142.8	137.5	148.3	2,565	146.3	140.5	152.2	158	127.0	107.3	149.1
LaSalle	432	116.0	104.7	128.2								
Lawrence	61	113.9	85.6	149.6								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	141	125.0	104.0	149.3								
Livingston	182	148.7	126.8	173.4								
Logan	128	128.9	106.6	154.8								
Macon	451	121.6	110.0	134.1	404	128.0	114.9	142.4	44	86.6	62.4	116.9
Macoupin	209	128.9	111.1	149.0								
Madison	1,159	133.9	126.0	142.2	1,076	134.4	126.1	143.1	71	133.5	103.2	169.5
Marion	182	144.4	122.8	168.8								
Marshall	50	108.6	78.9	147.2								
Mason	52	112.7	82.3	151.3								
Massac	61	123.3	92.8	161.1								
McDonough	123	141.7	116.4	171.1								
McHenry	1,252	137.7	130.0	145.8								
McLean	644	144.2	133.0	156.1								
Menard	62	136.5	103.1	178.2								
Mercer	88	162.3	128.2	203.4								
Monroe	140	124.2	103.9	147.7								
Montgomery	104	101.1	81.7	124.3								
Morgan	167	149.2	125.9	175.8								
Moultrie	44	86.3	61.8	118.0								
Ogle	203	119.5	103.0	138.1								
Peoria	806	142.1	132.0	152.7	660	138.3	127.4	150.0	122	165.8	136.6	199.0
Perry	91	143.4	113.6	178.9								
Piatt	70	122.6	94.5	157.3								
Pike	65	117.1	88.6	152.6								
Pope	15	87.6	46.2	162.2								
Pulaski	22	107.7	64.7	170.7								
Putnam	28	124.6	80.9	187.9								
Randolph	128	129.7	106.6	156.6								
Richland	64	120.7	91.5	156.9								
Rock Island	591	123.8	113.5	134.8	547	125.5	114.5	137.3	36	106.9	74.1	148.8
Saline	106	117.2	94.9	143.6								
Sangamon	980	148.9	139.3	159.0	894	150.7	140.4	161.5	70	132.2	101.9	168.1
Schuyler	28	103.0	66.9	155.0								
Scott	34	169.5	115.9	243.3								
Shelby	114	152.1	123.3	186.0								
St Clair	1,074	130.8	122.9	139.2	805	139.4	129.6	149.9	250	112.6	98.8	127.8
Stark	20	97.3	56.5	158.6								
Stephenson	211	124.2	106.7	143.8								
Tazewell	669	151.7	139.9	164.2								
Union	96	151.5	120.9	188.2								
Vermilion	282	105.5	92.9	119.5	266	110.7	96.9	126.0	12	55.5	28.1	97.4
Wabash	45	110.6	78.8	151.9								
Warren	87	173.1	136.3	216.8								
Washington	55	110.2	82.1	145.6								
Wayne	80	134.3	104.7	170.2								
White	80	153.6	119.1	195.6								
Whiteside	266	138.9	121.8	157.8								
Will	2,609	138.0	132.7	143.5	2,223	140.6	134.7	146.7	256	126.6	110.7	144.1
Williamson	271	122.2	107.4	138.4								
Winnebago	1,217	133.5	125.8	141.5	1,081	134.7	126.4	143.5	120	136.3	112.5	163.6
Woodford	152	122.8	103.4	145.0								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Non-Hispanic				Hispanic			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	47,834	137.1	135.8	138.4	3,512	95.4	92.1	98.8
Cook	17,937	138.6	136.5	140.7	2,292	95.4	91.3	99.5
DuPage	3,825	145.0	140.2	149.9	228	105.3	90.8	121.2
Kane	1,556	129.8	123.3	136.7	195	77.2	65.8	90.0
Lake	2,720	150.9	145.0	156.9	185	80.3	67.9	94.1
Will	2,391	139.4	133.7	145.2	218	116.3	100.1	134.4

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,657	7.7	7.4	8.0	2,001	7.5	7.2	7.8	539	10.4	9.5	11.3
Adams	13	7.5	3.9	13.1								
Alexander	2	10.4	1.0	40.6								
Bond	7	19.3	7.5	40.0								
Boone	14	10.6	5.7	17.9								
Brown	1	5.8	0.1	41.1								
Bureau	10	12.1	5.4	22.9								
Calhoun	2	8.6	1.0	44.3								
Carroll	1	4.5	0.1	21.4								
Cass	2	6.4	0.7	23.4								
Champaign	24	5.4	3.4	8.1	18	5.5	3.2	8.7	4	6.7	1.8	17.2
Christian	9	9.1	4.0	18.1								
Clark	4	10.7	2.6	27.9								
Clay	5	15.1	4.7	35.9								
Clinton	11	11.1	5.4	20.3								
Coles	7	5.0	2.0	10.6								
Cook	1,192	8.3	7.8	8.8	710	7.6	7.0	8.2	412	11.0	9.9	12.1
Crawford	2	4.0	0.4	15.4								
Cumberland	2	7.3	0.7	27.6								
DeKalb	16	6.6	3.7	10.9								
DeWitt	5	10.8	3.2	26.7								
Douglas	2	4.7	0.6	16.2								
DuPage	139	5.2	4.3	6.2	121	5.7	4.6	6.8	9	6.3	2.9	12.6
Edgar	5	8.4	2.3	21.8								
Edwards	2	7.2	0.9	33.4								
Effingham	10	12.8	5.8	23.8								
Fayette	6	13.0	4.5	28.5								
Ford	2	5.1	0.5	20.2								
Franklin	8	9.3	3.9	18.2								
Fulton	9	10.6	4.4	20.9								
Gallatin	1	9.7	0.2	49.4								
Greene	1	4.2	0.1	20.7								
Grundy	12	9.4	4.8	16.6								
Hamilton	2	7.2	0.8	30.2								
Hancock	7	17.1	6.2	36.5								
Hardin	1	5.7	0.1	51.0								
Henderson	1	3.0	0.1	28.0								
Henry	21	14.5	8.6	22.9								
Iroquois	1	0.8	0.0	6.6								
Jackson	10	6.8	3.2	12.7								
Jasper	4	14.6	3.6	39.8								
Jefferson	13	11.5	5.9	20.5								
Jersey	0											
Jo Daviess	3	4.8	0.8	16.0								
Johnson	2	7.7	0.7	29.2								
Kane	83	6.2	4.9	7.7	71	6.1	4.7	7.7	9	11.0	5.0	21.2
Kankakee	21	7.8	4.7	12.0	20	9.0	5.4	14.1	0			
Kendall	16	4.8	2.7	7.9								
Knox	9	8.1	3.5	15.7								
Lake	107	5.9	4.8	7.1	87	5.8	4.6	7.3	14	10.9	5.8	18.6
LaSalle	24	7.6	4.8	11.6								
Lawrence	3	5.0	1.0	17.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	9	10.5	4.6	20.5								
Livingston	14	15.4	8.2	26.3								
Logan	13	19.0	9.9	32.7								
Macon	27	9.7	6.2	14.3	24	10.6	6.6	16.1	3	6.7	1.4	19.3
Macoupin	16	12.4	6.8	20.9								
Madison	53	7.1	5.3	9.4	47	7.1	5.1	9.6	6	10.9	3.9	23.9
Marion	6	6.0	2.1	13.4								
Marshall	2	5.7	0.5	23.1								
Mason	4	10.0	2.5	27.2								
Massac	3	10.7	2.2	29.5								
McDonough	9	13.8	6.1	26.6								
McHenry	45	5.3	3.8	7.2								
McLean	26	6.0	3.9	8.9								
Menard	2	5.8	0.5	22.8								
Mercer	2	5.7	0.6	20.6								
Monroe	3	3.2	0.6	9.9								
Montgomery	8	11.5	4.6	23.4								
Morgan	8	8.4	3.3	17.4								
Moultrie	6	17.4	5.9	38.4								
Ogle	9	6.8	3.0	13.2								
Peoria	47	9.8	7.1	13.2	37	10.1	7.0	14.2	9	10.5	4.7	20.2
Perry	9	18.7	8.3	36.1								
Piatt	5	8.9	2.7	22.6								
Pike	3	6.6	1.0	21.4								
Pope	3	34.2	6.1	107.0								
Pulaski	1	10.3	0.3	49.3								
Putnam	1	3.6	0.1	34.3								
Randolph	3	4.3	0.8	12.7								
Richland	4	8.9	2.3	23.8								
Rock Island	37	11.1	7.6	15.4	32	10.8	7.2	15.4	2	6.8	0.8	23.3
Saline	5	7.4	2.2	18.2								
Sangamon	38	7.3	5.1	10.2	27	6.2	4.0	9.1	7	11.8	4.7	24.5
Schuyler	1	6.7	0.2	36.7								
Scott	1	4.4	0.1	36.7								
Shelby	2	3.3	0.3	12.8								
St Clair	70	9.7	7.5	12.3	41	8.8	6.3	12.1	27	12.0	7.8	17.5
Stark	5	38.3	12.3	89.1								
Stephenson	12	10.8	5.3	19.4								
Tazewell	36	10.3	7.1	14.4								
Union	4	10.4	2.8	26.3								
Vermilion	26	12.1	7.6	18.1	24	12.9	7.9	19.8	2	7.9	0.9	29.5
Wabash	3	15.1	3.1	41.2								
Warren	6	17.3	6.2	37.0								
Washington	2	5.5	0.6	20.4								
Wayne	6	12.9	4.3	29.5								
White	0											
Whiteside	13	7.5	3.8	13.5								
Will	116	6.4	5.3	7.8	98	6.7	5.4	8.2	12	5.3	2.7	9.5
Williamson	13	7.7	4.0	13.5								
Winnebago	61	8.5	6.4	11.0	51	8.7	6.4	11.5	9	10.2	4.6	19.4
Woodford	5	5.6	1.7	13.2								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Non-Hispanic				Hispanic			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,269	7.6	7.3	7.9	388	9.4	8.5	10.4
Cook	919	7.8	7.3	8.4	273	10.4	9.1	11.7
DuPage	124	5.1	4.2	6.2	15	6.5	3.4	11.3
Kane	66	6.6	5.1	8.5	17	6.4	3.5	10.6
Lake	84	5.6	4.4	7.0	23	7.9	5.0	12.1
Will	98	6.2	5.0	7.5	18	7.8	4.4	13.0

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	12,438	33.0	32.4	33.6	9,770	32.6	31.9	33.3	1,962	35.6	34.0	37.2
Adams	57	26.6	19.8	35.0								
Alexander	5	19.3	6.2	49.6								
Bond	13	24.2	12.3	43.7								
Boone	51	31.4	23.2	41.6								
Brown	3	15.0	3.1	53.0								
Bureau	40	34.7	24.2	48.6								
Calhoun	2	11.6	1.3	50.7								
Carroll	14	26.5	13.0	48.7								
Cass	10	24.8	11.6	47.3								
Champaign	147	29.7	24.9	35.0	121	29.4	24.2	35.4	17	32.7	18.6	52.7
Christian	26	24.5	15.6	37.0								
Clark	12	22.3	11.2	40.8								
Clay	14	28.9	15.4	50.8								
Clinton	34	30.5	20.7	43.4								
Coles	20	14.7	8.7	23.3								
Cook	4,984	33.3	32.3	34.2	3,192	33.1	31.9	34.2	1,442	34.9	33.1	36.8
Crawford	4	5.6	1.5	16.3								
Cumberland	4	12.8	3.0	35.2								
DeKalb	72	28.8	22.4	36.4								
DeWitt	11	17.7	8.7	33.4								
Douglas	13	24.4	12.5	42.8								
DuPage	1,271	45.0	42.5	47.7	1,075	45.1	42.4	48.0	54	42.8	31.6	56.7
Edgar	16	28.9	15.8	48.9								
Edwards	5	17.0	5.5	46.1								
Effingham	29	28.9	18.8	42.5								
Fayette	14	19.4	10.2	34.3								
Ford	17	39.5	22.5	65.2								
Franklin	25	19.2	12.0	29.3								
Fulton	29	26.2	17.3	38.6								
Gallatin	3	12.1	2.5	45.7								
Greene	9	17.8	7.9	36.4								
Grundy	34	24.0	16.5	33.8								
Hamilton	5	21.5	6.2	53.3								
Hancock	16	20.1	11.4	34.7								
Hardin	4	22.9	6.1	73.4								
Henderson	7	20.0	8.0	49.3								
Henry	46	27.7	20.0	37.7								
Iroquois	23	21.4	13.4	33.1								
Jackson	44	31.2	22.2	42.4								
Jasper	5	13.3	4.2	34.8								
Jefferson	31	28.1	18.7	40.7								
Jersey	15	19.7	10.7	33.9								
Jo Daviess	27	33.9	21.5	51.7								
Johnson	6	13.6	4.9	33.2								
Kane	451	30.8	28.0	33.9	414	31.3	28.3	34.6	24	33.1	20.9	49.7
Kankakee	72	21.4	16.6	27.2	55	19.1	14.2	25.1	17	40.9	23.4	66.0
Kendall	132	43.9	36.6	52.2								
Knox	49	29.7	21.5	40.3								
Lake	743	35.8	33.2	38.5	638	36.0	33.2	39.0	36	29.2	20.2	40.8
LaSalle	87	24.3	19.2	30.4								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	6	13.0	4.4	30.5								
Lee	24	20.1	12.6	31.0								
Livingston	47	40.1	29.0	54.2								
Logan	25	25.5	16.3	38.7								
Macon	123	33.8	27.8	40.8	102	32.8	26.3	40.5	20	39.9	24.0	62.1
Macoupin	41	27.9	19.6	38.7								
Madison	265	32.7	28.7	37.1	237	31.6	27.5	36.1	24	43.1	27.4	64.6
Marion	31	23.2	15.4	33.9								
Marshall	11	26.4	12.2	51.0								
Mason	10	19.9	9.1	39.4								
Massac	14	26.1	13.8	45.9								
McDonough	28	30.8	19.9	45.9								
McHenry	279	30.2	26.6	34.1								
McLean	128	29.4	24.4	35.1								
Menard	15	32.8	17.7	57.0								
Mercer	11	19.4	9.5	36.7								
Monroe	37	36.8	25.6	51.5								
Montgomery	14	18.1	9.5	31.3								
Morgan	39	37.7	26.0	53.0								
Moultrie	15	30.0	16.2	51.4								
Ogle	40	24.6	17.4	34.0								
Peoria	181	31.5	27.0	36.7	156	32.7	27.5	38.6	19	26.7	15.6	42.1
Perry	13	17.3	8.9	31.4								
Piatt	17	32.6	18.4	54.1								
Pike	10	18.9	8.8	36.5								
Pope	4	26.3	7.0	84.3								
Pulaski	0											
Putnam	8	27.9	12.0	64.8								
Randolph	31	31.7	21.0	46.2								
Richland	8	13.1	5.6	27.7								
Rock Island	125	26.5	21.9	31.9	116	27.1	22.1	32.9	8	26.3	11.1	51.6
Saline	15	16.0	8.7	27.9								
Sangamon	251	39.7	34.7	45.2	209	37.5	32.3	43.3	36	62.0	42.8	86.6
Schuyler	10	40.8	18.6	80.9								
Scott	5	31.1	9.3	78.5								
Shelby	22	24.3	15.1	38.3								
St Clair	300	37.5	33.3	42.2	204	36.6	31.6	42.3	87	39.2	31.2	48.5
Stark	0											
Stephenson	35	20.6	14.0	29.5								
Tazewell	142	33.5	27.9	39.8								
Union	17	29.2	16.4	48.7								
Vermilion	66	28.9	21.9	37.3	56	28.3	20.9	37.5	9	44.8	20.1	84.5
Wabash	14	33.2	17.6	58.5								
Warren	14	24.6	12.9	43.1								
Washington	13	28.2	14.5	50.3								
Wayne	11	20.6	9.8	38.6								
White	7	17.3	6.2	38.2								
Whiteside	46	25.0	18.0	34.0								
Will	756	39.1	36.3	42.0	609	38.1	35.0	41.3	95	43.6	34.9	53.8
Williamson	40	17.7	12.5	24.5								
Winnebago	271	30.5	26.9	34.6	249	32.3	28.2	36.8	14	14.8	8.0	25.0
Woodford	52	44.9	33.0	59.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Non-Hispanic				Hispanic			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	11,538	34.1	33.5	34.8	900	24.0	22.4	25.6
Cook	4,413	35.4	34.3	36.5	571	23.5	21.5	25.5
DuPage	1,195	45.9	43.3	48.7	76	33.6	26.0	42.7
Kane	397	33.2	29.9	36.8	54	19.9	14.6	26.6
Lake	679	37.2	34.4	40.3	64	26.0	19.6	33.7
Will	712	40.9	37.9	44.1	44	21.6	15.4	29.4

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	39,215	109.1	108.0	110.2	30,296	101.2	100.0	102.3	7,202	170.2	166.1	174.4
Adams	214	95.3	82.8	109.4								
Alexander	32	124.1	84.2	180.0								
Bond	54	94.3	70.4	124.5								
Boone	137	87.3	73.0	103.8								
Brown	20	102.0	61.6	159.9								
Bureau	137	107.3	89.9	127.7								
Calhoun	24	115.2	73.6	178.0								
Carroll	63	104.9	79.9	136.9								
Cass	38	92.9	65.3	128.9								
Champaign	560	118.3	108.4	128.8	461	113.2	102.8	124.3	83	191.7	149.3	241.8
Christian	136	117.1	98.0	139.1								
Clark	45	80.0	58.1	108.4								
Clay	58	123.1	92.9	161.2								
Clinton	125	105.7	87.7	126.6								
Coles	100	66.1	53.6	80.9								
Cook	15,341	113.6	111.8	115.5	9,297	98.7	96.6	100.8	5,237	171.6	166.9	176.5
Crawford	59	88.3	66.9	115.2								
Cumberland	32	91.1	61.7	130.8								
DeKalb	299	125.2	111.0	140.7								
DeWitt	54	99.7	74.4	131.6								
Douglas	75	121.7	95.2	153.7								
DuPage	2,890	108.6	104.5	112.8	2,520	109.9	105.5	114.5	139	168.4	137.9	203.6
Edgar	58	88.7	67.0	116.3								
Edwards	23	90.4	56.7	140.3								
Effingham	148	137.5	115.7	162.4								
Fayette	85	116.3	92.7	144.6								
Ford	43	95.9	68.9	131.0								
Franklin	150	108.1	91.3	127.5								
Fulton	113	89.2	73.4	107.9								
Gallatin	14	65.8	35.1	118.0								
Greene	46	101.3	73.9	136.5								
Grundy	202	149.5	128.9	172.6								
Hamilton	35	112.9	78.3	160.2								
Hancock	65	87.4	67.2	112.9								
Hardin	15	77.4	42.7	139.6								
Henderson	20	66.0	40.1	107.7								
Henry	193	105.8	91.2	122.3								
Iroquois	103	98.4	80.1	120.2								
Jackson	123	84.7	70.0	101.6								
Jasper	36	104.6	72.8	147.3								
Jefferson	176	137.9	117.9	160.5								
Jersey	84	112.9	89.6	141.1								
Jo Daviess	106	103.8	84.5	127.4								
Johnson	39	79.8	56.5	111.0								
Kane	1,434	104.9	99.3	110.7	1,265	101.7	96.0	107.7	115	181.3	147.5	220.5
Kankakee	359	107.3	96.3	119.4	271	93.1	82.1	105.2	82	213.1	167.5	267.1
Kendall	320	129.3	114.7	145.1								
Knox	159	85.9	72.9	100.9								
Lake	1,950	99.9	95.4	104.7	1,683	98.1	93.3	103.1	161	140.3	117.8	165.7
LaSalle	448	121.1	109.9	133.2								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	59	116.8	88.6	151.6								
Lee	121	94.1	77.8	113.2								
Livingston	137	111.4	93.1	132.5								
Logan	100	108.1	87.7	132.2								
Macon	424	120.0	108.5	132.4	329	105.7	94.3	118.3	87	211.0	166.5	263.7
Macoupin	177	110.0	94.1	128.2								
Madison	686	84.7	78.4	91.5	614	81.3	74.8	88.1	64	142.8	108.2	184.7
Marion	184	139.7	120.0	162.0								
Marshall	54	112.2	83.6	149.3								
Mason	53	95.5	71.2	127.1								
Massac	51	103.0	76.3	137.1								
McDonough	93	102.7	82.3	127.0								
McHenry	881	101.2	94.3	108.5								
McLean	434	101.7	92.1	112.1								
Menard	50	113.3	83.2	152.0								
Mercer	46	78.5	57.0	106.7								
Monroe	124	110.8	91.6	133.2								
Montgomery	89	88.4	70.7	109.5								
Morgan	155	136.5	115.5	160.6								
Moultrie	34	72.6	49.9	102.9								
Ogle	158	90.7	76.9	106.5								
Peoria	646	118.0	108.8	127.7	501	106.2	97.0	116.2	123	183.5	151.1	220.7
Perry	63	88.4	67.6	113.9								
Piatt	64	109.4	83.9	141.3								
Pike	58	101.1	76.2	132.4								
Pope	22	104.9	65.1	170.6								
Pulaski	24	113.0	71.1	174.3								
Putnam	28	106.3	69.9	160.2								
Randolph	91	79.6	63.8	98.6								
Richland	60	105.7	80.5	137.3								
Rock Island	482	100.1	91.2	109.7	410	92.4	83.5	102.1	46	164.8	118.4	222.2
Saline	87	104.9	83.7	130.4								
Sangamon	741	123.5	114.5	133.1	671	122.3	113.0	132.3	64	153.1	114.4	200.1
Schuyler	39	134.3	94.7	187.9								
Scott	24	137.9	87.6	210.0								
Shelby	96	114.2	92.2	140.7								
St Clair	726	97.7	90.5	105.4	491	87.8	80.0	96.3	220	125.6	108.8	144.2
Stark	21	98.1	60.0	155.9								
Stephenson	141	81.6	68.6	96.8								
Tazewell	461	106.0	96.4	116.3								
Union	60	89.9	68.4	117.2								
Vermilion	289	111.1	98.5	125.1	250	105.4	92.5	119.9	36	177.9	122.4	249.1
Wabash	39	90.1	63.7	125.2								
Warren	43	69.4	49.9	94.9								
Washington	80	159.1	125.2	200.3								
Wayne	73	121.8	95.0	154.7								
White	63	121.2	92.6	157.0								
Whiteside	200	98.6	85.2	113.8								
Will	2,169	125.2	119.7	130.8	1,705	115.1	109.5	121.0	358	214.5	190.3	240.9
Williamson	210	95.4	82.7	109.6								
Winnebago	806	91.1	84.8	97.8	686	86.5	80.1	93.4	112	157.0	127.5	191.0
Woodford	159	120.7	102.2	141.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2013-2017

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Non-Hispanic				Hispanic			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	36,746	111.4	110.3	112.6	2,469	86.8	83.1	90.6
Cook	13,705	119.0	117.0	121.1	1,636	85.9	81.4	90.5
DuPage	2,736	109.1	104.9	113.5	154	108.6	90.3	129.1
Kane	1,274	108.8	102.7	115.2	160	86.1	71.5	102.5
Lake	1,830	102.9	98.1	108.0	120	72.4	58.2	88.7
Will	2,048	127.7	122.0	133.7	121	97.4	78.8	118.5

SECTION II
Percent Distribution of Stage at Diagnosis by County
Illinois, 2013-2017

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	31.5	51.2	13.3	4.0	32.3	51.5	12.3	3.8	23.1	52.8	20.2	3.8
Adams	40.7	39.0	18.6	1.7								
Alexander	50.0	12.5	25.0	12.5								
Bond	14.3	35.7	35.7	14.3								
Boone	45.7	40.0	2.9	11.4								
Brown	50.0	25.0	25.0	0.0								
Bureau	27.6	37.9	20.7	13.8								
Calhoun	50.0	25.0	25.0	0.0								
Carroll	11.8	52.9	35.3	0.0								
Cass	13.3	80.0	6.7	0.0								
Champaign	39.3	50.9	8.9	0.9	37.5	51.9	9.6	1.0	80.0	20.0	0.0	0.0
Christian	18.4	71.1	10.5	0.0								
Clark	25.0	68.8	0.0	6.3								
Clay	28.6	61.9	9.5	0.0								
Clinton	28.1	56.3	9.4	6.3								
Coles	24.4	48.9	17.8	8.9								
Cook	30.6	51.5	13.9	4.0	32.7	51.2	12.1	4.0	23.4	53.7	19.2	3.6
Crawford	41.7	41.7	8.3	8.3								
Cumberland	11.1	55.6	22.2	11.1								
DeKalb	21.9	65.6	7.8	4.7								
DeWitt	43.8	37.5	12.5	6.3								
Douglas	62.5	37.5	0.0	0.0								
DuPage	34.3	51.4	10.7	3.6	33.8	52.3	10.2	3.7	33.3	55.6	0.0	11.1
Edgar	43.8	43.8	12.5	0.0								
Edwards	50.0	50.0	0.0	0.0								
Effingham	16.7	66.7	6.7	10.0								
Fayette	34.6	46.2	15.4	3.8								
Ford	55.6	44.4	0.0	0.0								
Franklin	31.8	52.3	9.1	6.8								
Fulton	31.7	56.1	9.8	2.4								
Gallatin	25.0	50.0	25.0	0.0								
Greene	30.8	61.5	7.7	0.0								
Grundy	26.2	47.6	16.7	9.5								
Hamilton	36.4	54.5	9.1	0.0								
Hancock	45.8	33.3	8.3	12.5								
Hardin	0.0	66.7	33.3	0.0								
Henderson	42.9	42.9	14.3	0.0								
Henry	34.0	44.0	16.0	6.0								
Iroquois	20.0	53.3	16.7	10.0								
Jackson	29.7	45.9	16.2	8.1								

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	60.0	40.0	0.0	0.0								
Jefferson	28.6	59.5	4.8	7.1								
Jersey	28.6	52.4	19.0	0.0								
Jo Daviess	34.8	47.8	4.3	13.0								
Johnson	54.5	45.5	0.0	0.0								
Kane	33.0	51.5	10.7	4.9	33.8	51.7	9.7	4.8	14.3	50.0	28.6	7.1
Kankakee	30.3	51.3	17.1	1.3	31.8	48.5	18.2	1.5	20.0	70.0	10.0	0.0
Kendall	29.6	56.3	9.9	4.2								
Knox	30.4	52.2	13.0	4.3								
Lake	33.5	48.9	14.2	3.4	33.1	49.6	13.8	3.5	27.8	38.9	27.8	5.6
LaSalle	33.3	46.3	11.4	8.9								
Lawrence	44.4	33.3	22.2	0.0								
Lee	25.0	44.4	25.0	5.6								
Livingston	24.2	60.6	12.1	3.0								
Logan	40.7	51.9	7.4	0.0								
Macon	44.2	39.5	14.7	1.6	49.5	36.9	11.7	1.8	11.8	52.9	35.3	0.0
Macoupin	30.0	50.0	20.0	0.0								
Madison	28.9	53.0	13.8	4.3	29.6	53.2	13.0	4.2	18.2	63.6	18.2	0.0
Marion	35.5	48.4	9.7	6.5								
Marshall	27.8	44.4	22.2	5.6								
Mason	42.1	31.6	21.1	5.3								
Massac	41.2	35.3	23.5	0.0								
McDonough	25.0	50.0	15.0	10.0								
McHenry	26.9	60.3	12.3	0.5								
McLean	31.9	54.6	10.9	2.5								
Menard	35.3	58.8	5.9	0.0								
Mercer	52.9	41.2	0.0	5.9								
Monroe	37.0	45.7	10.9	6.5								
Montgomery	42.4	48.5	9.1	0.0								
Morgan	37.8	54.1	8.1	0.0								
Moultrie	28.6	57.1	14.3	0.0								
Ogle	38.5	42.3	15.4	3.8								
Peoria	29.7	49.3	13.8	7.2	32.8	50.4	11.8	5.0	0.0	57.1	35.7	7.1
Perry	11.8	64.7	11.8	11.8								
Piatt	26.7	46.7	26.7	0.0								
Pike	31.6	68.4	0.0	0.0								
Pope	20.0	70.0	10.0	0.0								
Pulaski	20.0	60.0	20.0	0.0								
Putnam	25.0	75.0	0.0	0.0								
Randolph	21.4	64.3	10.7	3.6								

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	50.0	12.5	37.5	0.0								
Rock Island	33.9	49.2	15.3	1.6	32.7	50.9	14.5	1.8	0.0	57.1	42.9	0.0
Saline	36.0	52.0	4.0	8.0								
Sangamon	28.3	57.6	12.6	1.6	29.2	56.7	12.9	1.1	9.1	81.8	9.1	0.0
Schuyler	12.5	62.5	12.5	12.5								
Scott	33.3	33.3	33.3	0.0								
Shelby	50.0	33.3	11.1	5.6								
St Clair	28.7	48.0	19.3	4.0	29.5	47.7	17.6	5.1	23.3	48.8	27.9	0.0
Stark	50.0	16.7	16.7	16.7								
Stephenson	32.4	47.1	17.6	2.9								
Tazewell	28.1	54.0	11.5	6.5								
Union	23.1	61.5	15.4	0.0								
Vermilion	27.1	57.1	10.0	5.7	28.1	59.4	7.8	4.7	0.0	40.0	40.0	20.0
Wabash	50.0	12.5	37.5	0.0								
Warren	40.0	53.3	0.0	6.7								
Washington	55.6	27.8	16.7	0.0								
Wayne	20.0	53.3	26.7	0.0								
White	38.5	53.8	7.7	0.0								
Whiteside	41.8	43.6	3.6	10.9								
Will	31.2	50.2	14.9	3.7	29.7	52.5	14.0	3.9	39.3	35.7	21.4	3.6
Williamson	22.4	59.7	11.9	6.0								
Winnebago	29.1	54.2	14.1	2.6	28.6	55.9	13.6	1.9	33.3	25.0	25.0	16.7
Woodford	40.0	45.0	7.5	7.5								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic				Non-Hispanic			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	34.9	45.3	14.7	5.1	31.3	51.5	13.2	3.9
Cook	35.7	45.5	14.1	4.7	30.1	52.2	13.9	3.9
DuPage	26.1	60.9	13.0	0.0	34.6	51.1	10.6	3.8
Kane	47.4	47.4	0.0	5.3	32.1	51.7	11.4	4.8
Lake	30.0	65.0	5.0	0.0	33.7	48.1	14.7	3.5
Will	16.0	40.0	32.0	12.0	32.1	50.9	13.9	3.2

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	36.6	36.3	20.6	6.5	37.0	36.9	20.0	6.1	34.3	33.1	24.7	7.9
Adams	28.5	44.0	19.8	7.7								
Alexander	46.2	26.9	19.2	7.7								
Bond	42.6	25.9	16.7	14.8								
Boone	35.0	36.7	19.2	9.2								
Brown	33.3	53.3	13.3	0.0								
Bureau	44.3	34.0	17.0	4.7								
Calhoun	25.0	50.0	12.5	12.5								
Carroll	47.9	35.4	12.5	4.2								
Cass	35.6	40.0	17.8	6.7								
Champaign	40.5	31.8	19.4	8.4	38.9	32.8	19.5	8.9	48.6	22.9	25.7	2.9
Christian	36.7	38.3	19.5	5.5								
Clark	26.0	42.0	24.0	8.0								
Clay	37.3	39.2	17.6	5.9								
Clinton	35.4	31.3	29.2	4.2								
Coles	37.1	32.2	21.0	9.8								
Cook	36.6	36.1	21.2	6.1	37.6	37.0	20.1	5.3	33.6	33.3	24.9	8.2
Crawford	42.3	42.3	11.5	3.8								
Cumberland	41.5	36.6	9.8	12.2								
DeKalb	38.3	34.0	21.8	5.8								
DeWitt	32.8	42.6	13.1	11.5								
Douglas	44.0	32.0	18.0	6.0								
DuPage	35.3	38.7	20.6	5.3	34.8	38.7	21.1	5.4	37.8	34.4	20.0	7.8
Edgar	31.3	44.8	17.9	6.0								
Edwards	38.7	45.2	12.9	3.2								
Effingham	33.1	39.5	18.5	8.9								
Fayette	43.6	30.9	21.8	3.6								
Ford	42.6	34.0	14.9	8.5								
Franklin	29.6	40.8	20.0	9.6								
Fulton	33.6	42.5	15.7	8.2								
Gallatin	31.6	57.9	5.3	5.3								
Greene	39.5	28.9	23.7	7.9								
Grundy	39.5	31.8	19.4	9.3								
Hamilton	37.1	42.9	17.1	2.9								
Hancock	17.9	48.2	28.6	5.4								
Hardin	33.3	41.7	16.7	8.3								
Henderson	31.8	31.8	22.7	13.6								
Henry	43.3	31.9	16.3	8.5								
Iroquois	38.0	35.2	21.3	5.6								
Jackson	41.5	38.5	11.9	8.1								

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	30.6	44.4	16.7	8.3								
Jefferson	37.0	38.5	17.8	6.7								
Jersey	36.0	24.0	34.0	6.0								
Jo Daviess	29.6	28.2	21.1	21.1								
Johnson	38.1	35.7	23.8	2.4								
Kane	38.1	34.2	22.0	5.7	38.3	34.5	21.4	5.8	39.2	25.5	31.4	3.9
Kankakee	37.3	32.7	21.1	8.9	36.6	33.3	21.8	8.2	41.8	29.1	16.4	12.7
Kendall	39.2	35.8	20.3	4.7								
Knox	39.0	31.1	26.0	4.0								
Lake	35.5	38.7	19.8	6.1	36.2	38.7	19.7	5.3	34.4	33.3	26.0	6.3
LaSalle	33.9	35.3	22.2	8.5								
Lawrence	38.6	43.2	15.9	2.3								
Lee	26.4	46.2	22.0	5.5								
Livingston	29.8	46.6	19.1	4.6								
Logan	39.3	36.6	20.5	3.6								
Macon	38.9	35.2	20.9	5.0	38.3	35.2	21.2	5.3	40.4	36.5	19.2	3.8
Macoupin	33.6	43.4	19.1	3.9								
Madison	37.4	34.1	20.1	8.4	37.1	34.7	20.3	7.9	39.6	27.1	18.8	14.6
Marion	33.1	37.4	23.7	5.8								
Marshall	39.1	26.1	23.9	10.9								
Mason	45.3	24.5	18.9	11.3								
Massac	45.7	30.4	15.2	8.7								
McDonough	39.8	40.7	13.0	6.5								
McHenry	35.9	37.4	21.9	4.8								
McLean	41.3	34.4	18.6	5.7								
Menard	39.1	39.1	15.2	6.5								
Mercer	30.8	36.5	26.9	5.8								
Monroe	36.7	36.7	22.8	3.8								
Montgomery	38.8	38.8	16.5	5.8								
Morgan	44.9	34.6	15.9	4.7								
Moultrie	35.3	33.3	21.6	9.8								
Ogle	37.4	42.2	12.9	7.5								
Peoria	33.7	36.5	21.3	8.5	32.8	38.3	21.6	7.2	33.8	32.4	23.9	9.9
Perry	43.7	26.8	21.1	8.5								
Piatt	44.9	26.5	18.4	10.2								
Pike	27.6	41.4	25.9	5.2								
Pope	38.5	46.2	15.4	0.0								
Pulaski	15.4	23.1	46.2	15.4								
Putnam	50.0	18.8	18.8	12.5								
Randolph	31.8	40.9	20.0	7.3								

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	28.4	43.3	26.9	1.5								
Rock Island	36.6	35.7	19.3	8.4	36.5	35.5	19.2	8.8	30.4	43.5	21.7	4.3
Saline	37.9	31.0	21.8	9.2								
Sangamon	36.7	41.0	18.8	3.6	36.7	41.2	18.3	3.9	35.7	41.1	23.2	0.0
Schuyler	26.1	56.5	8.7	8.7								
Scott	50.0	25.0	10.0	15.0								
Shelby	35.0	39.0	17.0	9.0								
St Clair	35.0	34.0	23.5	7.6	35.4	36.2	22.1	6.3	35.3	29.4	26.9	8.5
Stark	28.6	50.0	17.9	3.6								
Stephenson	46.3	32.1	12.7	9.0								
Tazewell	33.6	35.3	22.3	8.8								
Union	33.8	33.8	26.2	6.2								
Vermilion	39.5	37.6	16.5	6.4	38.8	38.8	16.0	6.3	43.5	30.4	26.1	0.0
Wabash	37.0	34.8	17.4	10.9								
Warren	32.3	44.6	15.4	7.7								
Washington	22.6	45.3	17.0	15.1								
Wayne	34.8	39.1	19.6	6.5								
White	42.9	32.7	16.3	8.2								
Whiteside	45.8	28.4	16.1	9.7								
Will	38.4	35.0	20.4	6.2	37.6	36.3	19.9	6.1	43.2	25.1	25.7	6.0
Williamson	42.3	31.0	17.3	9.3								
Winnebago	34.8	35.5	21.8	7.9	36.9	34.5	20.7	7.9	23.5	38.8	29.4	8.2
Woodford	30.7	39.6	22.8	6.9								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic				Non-Hispanic			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	36.1	37.0	21.3	5.5	36.6	36.3	20.5	6.6
Cook	36.9	37.0	21.4	4.7	36.5	36.0	21.2	6.3
DuPage	33.9	34.7	27.4	4.0	35.4	38.9	20.2	5.4
Kane	36.6	37.6	14.9	10.9	38.2	33.8	22.9	5.1
Lake	31.3	38.9	23.7	6.1	35.9	38.7	19.4	6.1
Will	35.7	37.4	18.3	8.7	38.6	34.8	20.6	6.0

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	81.1	9.9	4.6	4.3	81.3	10.1	4.7	3.9	60.6	16.9	16.9	5.6
Adams	84.9	7.1	6.3	1.6								
Alexander	66.7	0.0	0.0	33.3								
Bond	80.8	7.7	0.0	11.5								
Boone	83.3	7.6	4.5	4.5								
Brown	50.0	33.3	16.7	0.0								
Bureau	77.8	13.9	5.6	2.8								
Calhoun	66.7	16.7	0.0	16.7								
Carroll	66.7	12.5	12.5	8.3								
Cass	95.0	5.0	0.0	0.0								
Champaign	87.7	8.4	1.4	2.5	85.3	10.1	1.7	2.9	100.0	0.0	0.0	0.0
Christian	87.3	9.1	0.0	3.6								
Clark	74.1	22.2	3.7	0.0								
Clay	78.3	13.0	0.0	8.7								
Clinton	86.4	5.1	6.8	1.7								
Coles	64.0	14.6	4.5	16.9								
Cook	80.6	9.9	5.3	4.2	81.3	9.9	5.3	3.5	52.9	21.6	19.6	5.9
Crawford	82.8	10.3	6.9	0.0								
Cumberland	70.0	10.0	5.0	15.0								
DeKalb	81.7	8.6	6.5	3.2								
DeWitt	73.8	11.9	2.4	11.9								
Douglas	85.4	4.9	2.4	7.3								
DuPage	84.6	9.1	4.7	1.6	84.7	9.1	4.6	1.5	50.0	25.0	25.0	0.0
Edgar	83.9	9.7	3.2	3.2								
Edwards	100.0	0.0	0.0	0.0								
Effingham	77.8	14.8	1.9	5.6								
Fayette	92.9	7.1	0.0	0.0								
Ford	85.0	5.0	5.0	5.0								
Franklin	79.5	7.7	1.3	11.5								
Fulton	85.4	8.3	0.0	6.3								
Gallatin	100.0	0.0	0.0	0.0								
Greene	88.5	7.7	3.8	0.0								
Grundy	80.7	10.5	5.3	3.5								
Hamilton	80.0	15.0	5.0	0.0								
Hancock	79.4	11.8	2.9	5.9								
Hardin	80.0	20.0	0.0	0.0								
Henderson	84.6	0.0	0.0	15.4								
Henry	80.0	9.4	5.9	4.7								
Iroquois	70.2	14.0	7.0	8.8								
Jackson	77.5	8.5	4.2	9.9								

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	81.3	18.8	0.0	0.0								
Jefferson	67.2	17.9	7.5	7.5								
Jersey	77.1	5.7	5.7	11.4								
Jo Daviess	54.8	7.1	0.0	38.1								
Johnson	87.5	12.5	0.0	0.0								
Kane	81.7	10.0	3.6	4.7	82.3	9.7	3.6	4.3	100.0	0.0	0.0	0.0
Kankakee	82.9	10.0	5.7	1.4	82.8	10.4	6.0	0.7				
Kendall	81.7	13.8	2.8	1.8								
Knox	81.3	10.0	3.8	5.0								
Lake	80.3	10.1	4.4	5.2	80.8	10.4	4.6	4.2	100.0	0.0	0.0	0.0
LaSalle	75.0	10.6	3.9	10.6								
Lawrence	69.6	4.3	17.4	8.7								
Lee	86.8	4.4	4.4	4.4								
Livingston	80.6	13.4	3.0	3.0								
Logan	72.7	15.9	6.8	4.5								
Macon	84.7	7.6	3.5	4.1	84.4	8.1	3.8	3.8				
Macoupin	83.6	9.0	6.0	1.5								
Madison	86.0	7.4	4.5	2.1	85.6	7.8	4.7	1.9				
Marion	80.6	5.6	5.6	8.3								
Marshall	93.8	0.0	0.0	6.3								
Mason	85.7	14.3	0.0	0.0								
Massac	73.7	10.5	10.5	5.3								
McDonough	64.3	23.8	2.4	9.5								
McHenry	79.8	12.7	5.8	1.7								
McLean	81.9	8.2	1.7	8.2								
Menard	66.7	28.6	0.0	4.8								
Mercer	86.5	5.4	5.4	2.7								
Monroe	84.7	10.2	3.4	1.7								
Montgomery	73.3	26.7	0.0	0.0								
Morgan	67.7	26.2	6.2	0.0								
Moultrie	63.6	13.6	13.6	9.1								
Ogle	77.1	13.5	4.2	5.2								
Peoria	84.3	9.4	4.3	2.0	83.8	9.9	4.6	1.8	100.0	0.0	0.0	0.0
Perry	64.5	12.9	12.9	9.7								
Piatt	95.9	2.0	0.0	2.0								
Pike	84.4	6.3	6.3	3.1								
Pope	83.3	16.7	0.0	0.0								
Pulaski	57.1	28.6	0.0	14.3								
Putnam	72.7	9.1	18.2	0.0								
Randolph	88.9	6.7	2.2	2.2								

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	88.9	0.0	5.6	5.6								
Rock Island	79.2	10.4	3.8	6.7	78.9	10.5	3.8	6.8				
Saline	79.5	2.6	7.7	10.3								
Sangamon	81.2	12.1	3.6	3.0	81.3	12.2	3.4	3.1	0.0	0.0	100.0	0.0
Schuyler	78.6	7.1	14.3	0.0								
Scott	100.0	0.0	0.0	0.0								
Shelby	65.1	20.9	11.6	2.3								
St Clair	82.6	9.7	3.0	4.7	81.1	10.5	3.3	5.1	100.0	0.0	0.0	0.0
Stark	100.0	0.0	0.0	0.0								
Stephenson	82.9	1.4	8.6	7.1								
Tazewell	85.0	7.7	3.6	3.6								
Union	57.7	7.7	19.2	15.4								
Vermilion	88.5	6.5	2.9	2.2	87.6	7.4	3.3	1.7				
Wabash	87.5	0.0	0.0	12.5								
Warren	83.3	6.7	6.7	3.3								
Washington	91.3	8.7	0.0	0.0								
Wayne	72.7	13.6	9.1	4.5								
White	73.7	21.1	5.3	0.0								
Whiteside	80.2	5.9	3.0	10.9								
Will	82.0	9.3	5.0	3.7	81.9	9.4	5.1	3.6				
Williamson	81.9	7.9	3.1	7.1								
Winnebago	78.7	11.8	6.3	3.1	78.6	12.0	6.4	2.9	66.7	0.0	0.0	33.3
Woodford	80.7	9.6	4.8	4.8								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic				Non-Hispanic			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	65.1	20.4	9.2	5.3	81.5	9.7	4.5	4.3
Cook	60.6	24.1	10.0	5.3	81.5	9.2	5.1	4.2
DuPage	71.4	19.0	4.8	4.8	84.9	8.9	4.7	1.6
Kane	63.6	22.7	9.1	4.5	82.4	9.5	3.3	4.7
Lake	42.9	28.6	28.6	0.0	80.9	9.8	4.0	5.2
Will	66.7	14.3	9.5	9.5	82.5	9.1	4.8	3.6

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races					White					Black				
County	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	19.5	52.3	21.9	5.0	1.3	19.0	53.6	21.4	4.7	1.3	21.1	46.0	24.6	6.8	1.5
Adams	15.4	53.8	21.6	6.8	2.4										
Alexander	14.7	58.8	20.6	5.9	0.0										
Bond	13.7	52.6	18.9	6.3	8.4										
Boone	21.6	50.8	21.6	4.2	1.7										
Brown	15.0	50.0	30.0	5.0	0.0										
Bureau	20.8	54.7	19.3	3.6	1.6										
Calhoun	8.7	43.5	43.5	4.3	0.0										
Carroll	16.5	47.1	24.7	10.6	1.2										
Cass	17.5	57.9	21.1	3.5	0.0										
Champaign	18.3	53.2	21.9	5.4	1.2	18.0	54.2	21.2	5.4	1.2	18.7	45.1	29.7	4.4	2.2
Christian	15.1	54.7	23.8	5.8	0.6										
Clark	18.8	45.3	25.0	6.3	4.7										
Clay	17.7	51.9	20.3	8.9	1.3										
Clinton	18.2	54.5	24.1	2.7	0.5										
Coles	10.4	58.5	22.8	6.2	2.1										
Cook	19.8	51.2	22.3	5.5	1.3	19.4	53.1	21.3	5.1	1.1	20.4	46.7	24.5	6.9	1.5
Crawford	5.8	60.9	27.5	4.3	1.4										
Cumberland	10.0	47.5	37.5	5.0	0.0										
DeKalb	17.5	47.3	25.5	8.5	1.2										
DeWitt	12.5	44.3	29.5	9.1	4.5										
Douglas	13.3	52.0	25.5	7.1	2.0										
DuPage	23.9	51.1	19.5	3.7	1.8	23.2	52.2	19.1	3.6	1.8	27.6	38.8	25.5	7.1	1.0
Edgar	21.9	53.4	15.1	8.2	1.4										
Edwards	13.5	62.2	16.2	2.7	5.4										
Effingham	16.9	53.5	22.7	5.8	1.2										
Fayette	15.4	56.0	20.9	7.7	0.0										
Ford	17.5	52.6	22.7	2.1	5.2										
Franklin	12.2	56.6	25.9	4.4	1.0										
Fulton	14.8	54.6	22.4	6.6	1.5										
Gallatin	11.5	61.5	23.1	3.8	0.0										
Greene	10.0	64.4	18.9	3.3	3.3										
Grundy	13.4	55.1	23.6	6.7	1.2										
Hamilton	13.9	55.6	16.7	8.3	5.6										
Hancock	15.4	52.9	27.9	2.9	1.0										
Hardin	28.6	35.7	28.6	7.1	0.0										
Henderson	14.6	62.5	18.8	2.1	2.1										
Henry	17.6	55.9	17.2	4.6	4.6										
Iroquois	16.1	55.2	20.3	4.2	4.2										
Jackson	18.1	58.8	18.5	4.1	0.4										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races					White					Black				
County	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	12.8	59.0	15.4	7.7	5.1										
Jefferson	14.9	55.3	25.0	4.3	0.5										
Jersey	13.8	57.8	21.1	5.5	1.8										
Jo Daviess	20.9	46.5	17.8	3.9	10.9										
Johnson	11.3	66.0	11.3	7.5	3.8										
Kane	20.5	53.0	22.4	3.4	0.6	20.6	53.7	21.8	3.2	0.7	20.2	49.6	21.8	8.4	0.0
Kankakee	13.1	53.0	28.1	5.1	0.7	12.0	54.5	28.1	5.0	0.4	20.2	44.0	27.4	6.0	2.4
Kendall	24.4	48.1	23.0	3.9	0.6										
Knox	16.4	59.1	20.5	3.4	0.7										
Lake	20.4	53.5	21.4	3.5	1.2	19.9	54.4	21.1	3.3	1.2	18.6	46.4	27.8	5.2	2.1
LaSalle	16.8	50.3	23.7	6.7	2.5										
Lawrence	9.0	68.7	19.4	1.5	1.5										
Lee	14.5	47.9	28.5	9.1	0.0										
Livingston	20.5	57.2	17.9	3.9	0.4										
Logan	16.3	58.8	22.2	1.3	1.3										
Macon	21.4	46.7	24.7	6.1	1.0	20.2	48.4	24.5	6.1	0.8	31.3	34.4	28.1	6.3	0.0
Macoupin	16.4	53.2	25.2	3.2	2.0										
Madison	18.6	54.5	20.6	4.1	2.2	18.1	55.5	20.1	4.1	2.2	25.3	38.9	28.4	4.2	3.2
Marion	14.6	58.7	22.1	4.2	0.5										
Marshall	18.0	52.5	23.0	4.9	1.6										
Mason	16.1	46.8	24.2	8.1	4.8										
Massac	18.7	50.7	26.7	1.3	2.7										
McDonough	18.5	51.7	18.5	9.3	2.0										
McHenry	18.2	53.8	22.5	4.6	0.8										
McLean	16.6	56.2	23.2	3.1	0.9										
Menard	19.5	46.8	26.0	5.2	2.6										
Mercer	11.1	57.6	28.3	2.0	1.0										
Monroe	20.9	48.0	25.4	5.1	0.6										
Montgomery	11.9	67.8	15.3	4.2	0.8										
Morgan	18.9	59.7	19.9	1.0	0.5										
Moultrie	25.4	47.5	16.9	6.8	3.4										
Ogle	16.5	56.8	21.8	4.5	0.4										
Peoria	18.3	53.2	20.7	6.2	1.6	19.1	55.5	18.4	5.4	1.6	13.5	41.8	32.6	10.6	1.4
Perry	12.5	61.5	17.3	6.7	1.9										
Piatt	19.5	54.0	23.0	3.4	0.0										
Pike	13.3	61.3	20.0	4.0	1.3										
Pope	21.1	52.6	10.5	10.5	5.3										
Pulaski	0.0	50.0	31.8	13.6	4.5										
Putnam	22.2	58.3	11.1	5.6	2.8										
Randolph	19.5	44.7	29.6	3.8	2.5										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races					White					Black				
County	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	11.1	52.8	29.2	5.6	1.4										
Rock Island	17.5	56.0	21.9	4.2	0.4	17.5	56.7	21.7	3.6	0.5	18.2	45.5	22.7	13.6	0.0
Saline	12.4	57.0	21.5	5.0	4.1										
Sangamon	20.4	54.9	19.8	4.4	0.5	18.9	56.1	20.3	4.1	0.5	34.0	43.4	14.2	8.5	0.0
Schuyler	26.3	50.0	15.8	7.9	0.0										
Scott	12.8	64.1	23.1	0.0	0.0										
Shelby	16.2	58.1	20.6	4.4	0.7										
St Clair	21.8	49.4	22.1	4.9	1.7	20.2	51.6	21.9	4.8	1.5	25.8	42.4	24.0	5.6	2.1
Stark	0.0	65.0	30.0	5.0	0.0										
Stephenson	14.2	54.9	25.6	4.9	0.4										
Tazewell	17.5	59.8	17.6	4.2	0.9										
Union	15.0	59.3	20.4	4.4	0.9										
Vermilion	19.0	50.6	21.3	6.9	2.3	17.4	50.9	22.4	7.1	2.2	42.9	42.9	4.8	4.8	4.8
Wabash	23.7	44.1	25.4	3.4	3.4										
Warren	13.9	58.4	26.7	1.0	0.0										
Washington	19.1	48.5	29.4	2.9	0.0										
Wayne	12.1	56.0	24.2	6.6	1.1										
White	8.0	59.8	24.1	8.0	0.0										
Whiteside	14.7	52.6	24.4	5.8	2.6										
Will	22.5	48.9	22.6	5.2	0.9	21.5	50.2	22.2	5.2	0.9	27.1	41.0	24.8	6.3	0.9
Williamson	12.9	59.8	18.3	7.7	1.3										
Winnebago	18.2	53.8	21.5	4.9	1.6	18.7	53.5	21.5	4.5	1.7	10.4	59.7	20.9	8.2	0.7
Woodford	25.5	52.0	18.1	2.9	1.5										

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Female Breast, Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic					Non-Hispanic				
County	***in Situ***	**Localized**	**Regional**	**Distant**	**Unknown**	***in situ***	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	20.4	46.6	27.4	4.3	1.2	19.4	52.7	21.5	5.0	1.3
Cook	19.9	46.5	27.2	4.9	1.5	19.7	51.8	21.7	5.6	1.2
DuPage	25.0	46.4	23.0	4.3	1.3	23.8	51.4	19.3	3.6	1.9
Kane	21.7	43.8	30.5	3.2	0.8	20.3	54.2	21.4	3.4	0.6
Lake	25.7	43.4	26.5	2.8	1.6	20.0	54.3	21.0	3.6	1.2
Will	16.8	46.2	33.2	3.1	0.8	22.9	49.1	21.7	5.4	0.9

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	44.1	34.5	17.2	4.1	45.6	33.4	16.9	4.1	41.0	35.4	20.4	3.2
Adams	38.5	23.1	30.8	7.7								
Alexander	100.0	0.0	0.0	0.0								
Bond	42.9	14.3	28.6	14.3								
Boone	14.3	64.3	21.4	0.0								
Brown	100.0	0.0	0.0	0.0								
Bureau	70.0	10.0	10.0	10.0								
Calhoun	50.0	50.0	0.0	0.0								
Carroll	100.0	0.0	0.0	0.0								
Cass	50.0	50.0	0.0	0.0								
Champaign	45.8	33.3	16.7	4.2	44.4	38.9	11.1	5.6	50.0	0.0	50.0	0.0
Christian	22.2	33.3	44.4	0.0								
Clark	25.0	50.0	25.0	0.0								
Clay	20.0	80.0	0.0	0.0								
Clinton	63.6	18.2	18.2	0.0								
Coles	28.6	57.1	14.3	0.0								
Cook	43.3	35.9	16.8	4.0	46.6	33.9	15.2	4.2	40.0	35.7	20.6	3.6
Crawford	100.0	0.0	0.0	0.0								
Cumberland	50.0	0.0	50.0	0.0								
DeKalb	62.5	18.8	12.5	6.3								
DeWitt	0.0	60.0	40.0	0.0								
Douglas	50.0	0.0	50.0	0.0								
DuPage	37.4	35.3	22.3	5.0	40.5	32.2	22.3	5.0	33.3	44.4	22.2	0.0
Edgar	60.0	40.0	0.0	0.0								
Edwards	50.0	50.0	0.0	0.0								
Effingham	70.0	10.0	20.0	0.0								
Fayette	50.0	16.7	33.3	0.0								
Ford	50.0	50.0	0.0	0.0								
Franklin	37.5	37.5	25.0	0.0								
Fulton	66.7	22.2	0.0	11.1								
Gallatin	0.0	100.0	0.0	0.0								
Greene	100.0	0.0	0.0	0.0								
Grundy	58.3	16.7	25.0	0.0								
Hamilton	50.0	50.0	0.0	0.0								
Hancock	42.9	14.3	28.6	14.3								
Hardin	0.0	0.0	0.0	100.0								
Henderson	100.0	0.0	0.0	0.0								
Henry	47.6	23.8	19.0	9.5								
Iroquois	0.0	100.0	0.0	0.0								
Jackson	50.0	40.0	10.0	0.0								

Percent Distribution of Stage at Diagnosis by County
Cervical Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	50.0	50.0	0.0	0.0								
Jefferson	53.8	30.8	15.4	0.0								
Jersey												
Jo Daviess	33.3	0.0	33.3	33.3								
Johnson	0.0	0.0	50.0	50.0								
Kane	41.0	36.1	21.7	1.2	42.3	33.8	22.5	1.4	22.2	55.6	22.2	0.0
Kankakee	28.6	28.6	33.3	9.5	30.0	30.0	35.0	5.0				
Kendall	37.5	43.8	12.5	6.3								
Knox	55.6	33.3	11.1	0.0								
Lake	47.7	26.2	20.6	5.6	46.0	29.9	19.5	4.6	50.0	7.1	35.7	7.1
LaSalle	29.2	37.5	20.8	12.5								
Lawrence	33.3	0.0	66.7	0.0								
Lee	55.6	33.3	11.1	0.0								
Livingston	71.4	14.3	14.3	0.0								
Logan	61.5	38.5	0.0	0.0								
Macon	48.1	37.0	14.8	0.0	54.2	33.3	12.5	0.0	0.0	66.7	33.3	0.0
Macoupin	43.8	37.5	18.8	0.0								
Madison	49.1	30.2	15.1	5.7	46.8	31.9	14.9	6.4	66.7	16.7	16.7	0.0
Marion	33.3	0.0	50.0	16.7								
Marshall	100.0	0.0	0.0	0.0								
Mason	75.0	25.0	0.0	0.0								
Massac	33.3	66.7	0.0	0.0								
McDonough	33.3	55.6	0.0	11.1								
McHenry	44.4	33.3	17.8	4.4								
McLean	42.3	42.3	15.4	0.0								
Menard	50.0	50.0	0.0	0.0								
Mercer	50.0	0.0	50.0	0.0								
Monroe	33.3	66.7	0.0	0.0								
Montgomery	50.0	37.5	12.5	0.0								
Morgan	50.0	25.0	12.5	12.5								
Moultrie	66.7	33.3	0.0	0.0								
Ogle	44.4	33.3	22.2	0.0								
Peoria	36.2	40.4	14.9	8.5	43.2	40.5	10.8	5.4	11.1	44.4	33.3	11.1
Perry	33.3	33.3	33.3	0.0								
Piatt	20.0	40.0	20.0	20.0								
Pike	0.0	66.7	33.3	0.0								
Pope	33.3	33.3	33.3	0.0								
Pulaski	100.0	0.0	0.0	0.0								
Putnam	0.0	100.0	0.0	0.0								
Randolph	0.0	66.7	33.3	0.0								

Percent Distribution of Stage at Diagnosis by County
Cervical Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	25.0	25.0	50.0	0.0								
Rock Island	59.5	32.4	8.1	0.0	56.3	34.4	9.4	0.0	50.0	50.0	0.0	0.0
Saline	60.0	0.0	40.0	0.0								
Sangamon	57.9	28.9	10.5	2.6	63.0	29.6	7.4	0.0	42.9	28.6	28.6	0.0
Schuyler	0.0	0.0	100.0	0.0								
Scott	0.0	100.0	0.0	0.0								
Shelby	0.0	50.0	50.0	0.0								
St Clair	47.1	37.1	11.4	4.3	51.2	34.1	9.8	4.9	40.7	44.4	14.8	0.0
Stark	40.0	40.0	20.0	0.0								
Stephenson	33.3	33.3	25.0	8.3								
Tazewell	58.3	16.7	19.4	5.6								
Union	75.0	25.0	0.0	0.0								
Vermilion	38.5	26.9	23.1	11.5	33.3	29.2	25.0	12.5	100.0	0.0	0.0	0.0
Wabash	66.7	0.0	33.3	0.0								
Warren	33.3	33.3	16.7	16.7								
Washington	50.0	0.0	50.0	0.0								
Wayne	16.7	33.3	50.0	0.0								
White												
Whiteside	15.4	53.8	30.8	0.0								
Will	45.7	40.5	10.3	3.4	42.9	41.8	11.2	4.1	75.0	16.7	8.3	0.0
Williamson	53.8	23.1	23.1	0.0								
Winnebago	45.9	39.3	11.5	3.3	45.1	37.3	13.7	3.9	44.4	55.6	0.0	0.0
Woodford	40.0	60.0	0.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County
Cervical Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic				Non-Hispanic			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	48.5	35.1	13.1	3.4	43.4	34.4	17.9	4.3
Cook	47.3	37.0	13.2	2.6	42.1	35.6	17.8	4.5
DuPage	26.7	40.0	26.7	6.7	38.7	34.7	21.8	4.8
Kane	29.4	41.2	29.4	0.0	43.9	34.8	19.7	1.5
Lake	65.2	21.7	8.7	4.3	42.9	27.4	23.8	6.0
Will	55.6	22.2	11.1	11.1	43.9	43.9	10.2	2.0

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	73.4	14.5	7.3	4.8	74.0	15.2	6.9	3.8	73.7	12.1	9.5	4.6
Adams	69.6	14.0	11.7	4.7								
Alexander	62.5	12.5	15.6	9.4								
Bond	70.4	5.6	11.1	13.0								
Boone	73.0	16.8	7.3	2.9								
Brown	75.0	20.0	5.0	0.0								
Bureau	75.2	12.4	5.8	6.6								
Calhoun	79.2	8.3	12.5	0.0								
Carroll	82.5	4.8	9.5	3.2								
Cass	76.3	7.9	5.3	10.5								
Champaign	78.0	12.5	7.5	2.0	79.6	12.6	6.1	1.7	72.3	12.0	12.0	3.6
Christian	76.5	11.8	9.6	2.2								
Clark	57.8	22.2	11.1	8.9								
Clay	60.3	20.7	5.2	13.8								
Clinton	76.8	12.8	4.8	5.6								
Coles	65.0	21.0	8.0	6.0								
Cook	72.5	14.6	8.2	4.7	72.7	16.3	7.4	3.6	72.8	12.1	9.8	5.3
Crawford	76.3	6.8	8.5	8.5								
Cumberland	56.3	21.9	12.5	9.4								
DeKalb	75.9	15.4	7.7	1.0								
DeWitt	85.2	7.4	5.6	1.9								
Douglas	77.3	16.0	5.3	1.3								
DuPage	76.3	14.4	7.0	2.3	76.5	14.5	6.9	2.1	82.0	15.1	2.9	0.0
Edgar	72.4	13.8	8.6	5.2								
Edwards	60.9	8.7	4.3	26.1								
Effingham	60.1	17.6	4.1	18.2								
Fayette	69.4	10.6	2.4	17.6								
Ford	79.1	14.0	7.0	0.0								
Franklin	76.7	10.7	6.0	6.7								
Fulton	74.3	9.7	7.1	8.8								
Gallatin	85.7	7.1	7.1	0.0								
Greene	71.7	15.2	13.0	0.0								
Grundy	76.7	12.9	5.0	5.4								
Hamilton	80.0	8.6	5.7	5.7								
Hancock	72.3	15.4	7.7	4.6								
Hardin	80.0	6.7	0.0	13.3								
Henderson	75.0	10.0	10.0	5.0								
Henry	67.9	14.5	6.7	10.9								
Iroquois	70.9	13.6	10.7	4.9								
Jackson	72.4	9.8	12.2	5.7								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Jasper	61.1	19.4	2.8	16.7								
Jefferson	75.6	9.7	9.1	5.7								
Jersey	76.2	11.9	8.3	3.6								
Jo Daviess	62.3	15.1	2.8	19.8								
Johnson	76.9	23.1	0.0	0.0								
Kane	74.7	15.8	6.1	3.5	75.5	16.3	5.8	2.4	73.0	13.0	8.7	5.2
Kankakee	72.7	15.0	8.6	3.6	72.3	15.9	8.5	3.3	75.6	13.4	9.8	1.2
Kendall	76.9	14.4	7.2	1.6								
Knox	64.8	18.2	8.8	8.2								
Lake	70.6	20.4	5.6	3.4	71.1	20.4	5.5	3.0	67.7	19.9	9.3	3.1
LaSalle	73.2	15.0	8.5	3.3								
Lawrence	78.0	6.8	8.5	6.8								
Lee	78.5	12.4	5.8	3.3								
Livingston	72.3	16.1	8.0	3.6								
Logan	81.0	10.0	4.0	5.0								
Macon	77.8	11.8	7.3	3.1	78.4	12.2	7.3	2.1	79.3	11.5	8.0	1.1
Macoupin	78.5	11.3	6.8	3.4								
Madison	73.0	16.2	5.8	5.0	73.6	16.8	5.4	4.2	73.4	10.9	10.9	4.7
Marion	77.2	9.8	2.7	10.3								
Marshall	70.4	9.3	0.0	20.4								
Mason	67.9	9.4	13.2	9.4								
Massac	82.4	5.9	3.9	7.8								
McDonough	74.2	11.8	8.6	5.4								
McHenry	64.6	24.6	6.1	4.7								
McLean	77.9	13.4	6.0	2.8								
Menard	96.0	2.0	2.0	0.0								
Mercer	60.9	10.9	15.2	13.0								
Monroe	71.0	18.5	5.6	4.8								
Montgomery	76.4	10.1	7.9	5.6								
Morgan	83.2	11.0	3.9	1.9								
Moultrie	70.6	20.6	5.9	2.9								
Ogle	70.9	19.0	7.6	2.5								
Peoria	72.8	6.7	6.8	13.8	75.0	5.8	5.8	13.4	68.3	10.6	12.2	8.9
Perry	73.0	15.9	4.8	6.3								
Piatt	81.3	10.9	3.1	4.7								
Pike	82.8	6.9	8.6	1.7								
Pope	77.3	4.5	4.5	13.6								
Pulaski	66.7	16.7	8.3	8.3								
Putnam	67.9	14.3	3.6	14.3								
Randolph	65.9	22.0	5.5	6.6								

Percent Distribution of Stage at Diagnosis by County
Prostate Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	All Races				White				Black			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Richland	76.7	16.7	0.0	6.7								
Rock Island	67.4	11.4	7.1	14.1	71.2	11.5	7.1	10.2	60.9	15.2	10.9	13.0
Saline	78.2	6.9	2.3	12.6								
Sangamon	78.9	13.1	6.6	1.3	79.4	13.6	6.0	1.0	75.0	7.8	14.1	3.1
Schuyler	84.6	7.7	5.1	2.6								
Scott	79.2	8.3	8.3	4.2								
Shelby	65.6	19.8	7.3	7.3								
St Clair	70.5	15.0	9.4	5.1	69.7	17.1	8.4	4.9	74.1	10.0	11.8	4.1
Stark	61.9	4.8	4.8	28.6								
Stephenson	73.0	14.9	7.8	4.3								
Tazewell	74.2	7.2	4.8	13.9								
Union	63.3	10.0	15.0	11.7								
Vermilion	78.2	15.6	6.2	0.0	77.6	15.2	7.2	0.0	83.3	16.7	0.0	0.0
Wabash	82.1	7.7	5.1	5.1								
Warren	83.7	9.3	2.3	4.7								
Washington	80.0	12.5	5.0	2.5								
Wayne	78.1	9.6	4.1	8.2								
White	81.0	4.8	7.9	6.3								
Whiteside	78.0	5.5	8.0	8.5								
Will	79.9	11.9	6.2	2.0	79.9	12.6	6.2	1.4	81.8	10.3	7.0	0.8
Williamson	73.8	11.4	10.0	4.8								
Winnebago	65.8	20.2	9.7	4.3	64.7	20.7	9.8	4.8	74.1	16.1	8.9	0.9
Woodford	74.2	13.2	1.3	11.3								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County
Prostate Cancer (invasive), Illinois 2013-2017

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

	Hispanic				Non-Hispanic			
County	**Localized**	**Regional**	**Distant**	**Unknown**	**Localized**	**Regional**	**Distant**	**Unknown**
Illinois	72.6	15.6	6.9	4.9	73.5	14.4	7.4	4.8
Cook	73.1	14.8	7.2	4.9	72.4	14.6	8.3	4.7
DuPage	70.8	18.2	7.1	3.9	76.6	14.1	7.0	2.2
Kane	70.0	20.6	3.8	5.6	75.3	15.1	6.4	3.2
Lake	65.0	21.7	7.5	5.8	70.9	20.3	5.5	3.3
Will	73.6	10.7	10.7	5.0	80.3	12.0	5.9	1.8

SECTION III
County-specific Cancer Incidence Rates
All Races, Illinois, 2013-2017

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	342,510	465.5	463.9	467.1	169,222	504.2	501.7	506.6	173,288	442.0	439.9	444.1
Oral Cavity and Pharynx	9,171	12.2	11.9	12.4	6,491	18.5	18.0	19.0	2,680	6.7	6.5	7.0
Esophagus	3,610	4.8	4.6	4.9	2,854	8.3	8.0	8.7	756	1.8	1.7	1.9
Stomach	5,273	7.2	7.0	7.4	3,192	9.8	9.4	10.1	2,081	5.2	4.9	5.4
Colon and Rectum	31,207	42.5	42.0	43.0	16,367	49.5	48.7	50.3	14,840	36.8	36.2	37.4
Liver	4,898	6.3	6.1	6.5	3,564	9.9	9.6	10.2	1,334	3.2	3.1	3.4
Pancreas	10,102	13.5	13.3	13.8	5,199	15.7	15.3	16.2	4,903	11.8	11.5	12.1
Lung and Bronchus	47,286	63.7	63.1	64.2	24,245	73.8	72.9	74.8	23,041	56.3	55.5	57.0
Bones and Joints	609	0.9	0.8	1.0	338	1.0	0.9	1.2	271	0.8	0.7	0.9
Melanoma of the Skin	14,634	20.4	20.1	20.8	8,260	25.2	24.7	25.8	6,374	17.2	16.8	17.7
Breast (invasive)	51,792	71.4	70.8	72.1	446	1.3	1.2	1.5	51,346	133.1	131.9	134.2
Cervix									2,657	7.7	7.4	8.0
Corpus and Uterus, NOS									12,196	30.0	29.4	30.5
Ovary									4,286	11.0	10.7	11.4
Prostate					39,215	109.1	108.0	110.2				
Testis					1,912	6.2	5.9	6.4				
Urinary Bladder (includes in situ)	15,563	21.1	20.8	21.4	11,715	36.9	36.2	37.6	3,848	9.2	8.9	9.5
Kidney and Renal Pelvis	13,247	18.0	17.7	18.4	8,404	24.7	24.2	25.3	4,843	12.3	12.0	12.7
Brain and Nervous System	4,394	6.3	6.1	6.5	2,437	7.4	7.1	7.7	1,957	5.3	5.1	5.6
Hodgkin Lymphoma	1,823	2.8	2.7	2.9	1,025	3.2	3.0	3.4	798	2.4	2.3	2.6
Non-Hodgkin Lymphoma	14,091	19.5	19.2	19.8	7,673	23.7	23.1	24.2	6,418	16.2	15.8	16.6
Myeloma	4,865	6.5	6.3	6.7	2,600	7.8	7.5	8.2	2,265	5.5	5.3	5.8
Leukemia	9,512	13.4	13.1	13.7	5,454	17.1	16.6	17.6	4,058	10.5	10.2	10.8
All Other Sites	40,167	56.2	55.6	56.8	17,831	54.9	54.0	55.7	22,336	58.8	58.0	59.6
Breast in Situ (not in total)									12,438	33.0	32.4	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Adams

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,107	467.2	446.6	488.7	1,046	490.2	460.1	521.9	1,061	454.0	425.4	484.2
Oral Cavity and Pharynx	59	12.8	9.6	16.8	44	19.7	14.2	27.0	15	6.5	3.4	11.3
Esophagus	30	7.2	4.8	10.5	25	12.8	8.2	19.2	5	2.3	0.7	6.0
Stomach	9	2.0	0.8	4.0	7	3.0	1.2	6.6	2	1.1	0.1	4.5
Colon and Rectum	207	45.3	39.1	52.3	98	47.7	38.4	58.6	109	43.4	35.2	53.2
Liver	31	6.5	4.3	9.5	18	8.2	4.8	13.3	13	4.8	2.4	9.0
Pancreas	60	12.1	9.2	15.8	29	13.4	8.9	19.5	31	11.1	7.5	16.3
Lung and Bronchus	333	69.1	61.7	77.3	175	78.6	67.1	91.6	158	61.4	51.8	72.4
Bones and Joints	3	0.8	0.2	2.5	1	0.7	0.0	3.7	2	0.9	0.1	3.6
Melanoma of the Skin	126	31.6	26.0	38.0	64	32.2	24.5	41.5	62	31.9	23.9	41.7
Breast (invasive)	318	73.9	65.6	83.0	5	1.9	0.6	4.9	313	139.0	123.1	156.5
Cervix									13	7.5	3.9	13.1
Corpus and Uterus, NOS									63	26.5	20.1	34.4
Ovary									30	13.3	8.7	19.5
Prostate					214	95.3	82.8	109.4				
Testis					9	5.9	2.6	11.3				
Urinary Bladder (includes in situ)	100	20.5	16.5	25.1	76	34.9	27.4	44.1	24	8.8	5.5	13.7
Kidney and Renal Pelvis	77	18.0	14.0	22.9	50	25.4	18.6	34.0	27	11.6	7.4	17.3
Brain and Nervous System	23	5.8	3.6	8.9	16	8.9	4.9	14.8	7	2.6	0.9	6.1
Hodgkin Lymphoma	6	1.9	0.7	4.1	3	1.9	0.4	5.6	3	1.9	0.4	5.5
Non-Hodgkin Lymphoma	77	15.3	12.0	19.4	45	20.3	14.7	27.6	32	11.6	7.9	16.7
Myeloma	26	6.1	4.0	9.2	15	8.0	4.4	13.4	11	4.5	2.2	8.4
Leukemia	43	8.5	6.1	11.8	25	11.4	7.3	17.2	18	5.8	3.4	9.8
All Other Sites	250	57.9	50.6	66.1	127	60.0	49.7	72.0	123	57.4	47.0	69.5
Breast in Situ (not in total)									57	26.6	19.8	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Alexander

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	248	505.6	441.1	577.6	135	564.0	469.6	674.1	113	458.6	371.9	560.6
Oral Cavity and Pharynx	8	14.2	6.1	30.7	6	22.8	8.3	55.8	2	6.8	0.8	31.5
Esophagus	3	5.5	1.1	19.3	3	13.1	2.6	43.9	0			
Stomach	2	3.6	0.4	16.7	1	4.9	0.1	32.4	1	2.9	0.1	25.7
Colon and Rectum	26	54.6	34.8	82.6	13	59.4	31.0	105.8	13	49.0	25.0	89.2
Liver	3	5.8	1.2	19.9	1	3.7	0.1	29.6	2	7.6	0.9	33.0
Pancreas	10	17.7	8.5	35.2	5	19.4	6.2	51.6	5	15.9	5.1	43.4
Lung and Bronchus	49	92.1	67.7	123.9	31	127.6	86.0	185.5	18	66.9	38.9	110.3
Bones and Joints	0				0				0			
Melanoma of the Skin	3	11.2	2.1	32.1	1	5.1	0.1	33.0	2	17.0	2.1	55.8
Breast (invasive)	29	61.0	39.8	90.5	0				29	115.8	75.4	171.9
Cervix									2	10.4	1.0	40.6
Corpus and Uterus, NOS									6	20.3	7.4	49.7
Ovary									2	7.1	0.9	32.1
Prostate					32	124.1	84.2	180.0				
Testis					0							
Urinary Bladder (includes in situ)	9	15.6	7.1	32.4	5	19.7	6.2	52.4	4	12.2	3.3	38.2
Kidney and Renal Pelvis	9	26.8	11.1	53.4	5	22.4	6.6	58.3	4	29.0	7.1	73.9
Brain and Nervous System	3	6.0	1.2	20.3	2	8.8	1.0	37.9	1	3.1	0.1	26.2
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	12	29.1	14.1	53.4	9	51.5	21.4	103.2	3	10.9	2.2	37.4
Myeloma	5	8.7	2.8	23.4	3	12.2	2.4	42.2	2	5.6	0.7	29.2
Leukemia	10	19.5	9.1	38.2	6	23.4	8.3	57.0	4	15.6	4.0	45.1
All Other Sites	25	55.7	34.7	85.5	12	45.8	23.4	85.5	13	62.4	31.4	111.5
Breast in Situ (not in total)									5	19.3	6.2	49.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Bond

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	542	486.9	445.8	531.1	280	524.7	463.7	592.0	262	474.7	416.0	540.0
Oral Cavity and Pharynx	14	11.3	6.2	19.8	13	22.0	11.6	39.1	1	1.6	0.0	11.9
Esophagus	8	7.1	2.9	14.9	7	12.8	4.9	27.9	1	1.0	0.0	10.9
Stomach	4	3.4	0.9	9.5	2	3.4	0.4	14.3	2	3.4	0.4	14.7
Colon and Rectum	54	48.5	36.1	64.1	31	58.7	39.5	84.6	23	42.8	26.3	66.5
Liver	11	9.5	4.7	17.7	7	12.0	4.8	26.2	4	6.6	1.8	19.1
Pancreas	14	12.3	6.6	21.3	5	9.2	2.9	22.9	9	14.9	6.7	30.3
Lung and Bronchus	72	61.0	47.6	77.5	38	72.2	50.7	100.3	34	53.7	37.0	76.7
Bones and Joints	1	1.0	0.0	6.3	1	1.9	0.0	12.2	0			
Melanoma of the Skin	26	23.9	15.5	35.7	16	32.2	18.2	53.2	10	18.6	8.7	35.9
Breast (invasive)	82	74.3	58.6	93.2	0				82	148.0	116.0	186.8
Cervix									7	19.3	7.5	40.0
Corpus and Uterus, NOS									16	29.7	16.4	50.2
Ovary									6	11.1	3.8	26.2
Prostate					54	94.3	70.4	124.5				
Testis					3	7.5	1.5	21.8				
Urinary Bladder (includes in situ)	39	34.1	24.1	47.2	29	56.6	37.5	82.5	10	14.9	7.0	29.7
Kidney and Renal Pelvis	19	16.4	9.7	26.4	16	28.7	16.2	48.0	3	6.3	1.1	20.2
Brain and Nervous System	8	8.0	3.3	16.3	5	10.1	3.2	24.7	3	6.4	1.1	20.3
Hodgkin Lymphoma	5	4.6	1.4	11.6	4	6.5	1.7	18.6	1	3.2	0.1	16.3
Non-Hodgkin Lymphoma	26	23.9	15.5	35.6	15	30.4	16.8	51.1	11	20.1	9.7	37.9
Myeloma	6	4.4	1.6	10.7	2	3.7	0.4	15.1	4	5.5	1.5	17.2
Leukemia	8	7.4	3.1	15.3	5	8.9	2.8	22.4	3	6.0	1.2	19.1
All Other Sites	59	56.8	42.8	74.2	27	53.3	34.7	78.8	32	61.7	41.2	89.4
Breast in Situ (not in total)									13	24.2	12.3	43.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Boone

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,382	456.8	432.6	482.0	682	473.6	437.7	511.6	700	449.6	416.3	485.0
Oral Cavity and Pharynx	35	11.2	7.8	15.8	26	17.6	11.3	26.2	9	5.7	2.5	11.0
Esophagus	11	3.2	1.6	6.0	7	3.9	1.6	8.6	4	2.3	0.6	6.4
Stomach	18	6.2	3.7	9.9	14	10.6	5.7	18.0	4	2.6	0.7	6.9
Colon and Rectum	120	40.8	33.7	48.9	50	35.6	26.2	47.4	70	45.6	35.4	58.0
Liver	15	5.2	2.9	8.7	9	6.7	3.0	12.8	6	3.9	1.4	8.7
Pancreas	38	12.1	8.5	16.7	23	15.7	9.8	24.0	15	9.0	5.0	15.2
Lung and Bronchus	212	68.8	59.7	78.9	116	81.4	66.9	98.2	96	59.1	47.7	72.5
Bones and Joints	2	0.8	0.1	2.8	1	0.7	0.0	4.1	1	0.9	0.0	4.6
Melanoma of the Skin	66	22.0	17.0	28.2	45	31.0	22.4	42.0	21	14.5	8.9	22.4
Breast (invasive)	187	61.1	52.5	70.8	2	1.5	0.2	5.7	185	117.7	101.1	136.4
Cervix									14	10.6	5.7	17.9
Corpus and Uterus, NOS									59	35.7	27.1	46.4
Ovary									19	12.5	7.4	19.9
Prostate					137	87.3	73.0	103.8				
Testis					11	9.1	4.5	16.3				
Urinary Bladder (includes in situ)	63	20.7	15.8	26.6	49	34.7	25.4	46.2	14	8.1	4.4	13.8
Kidney and Renal Pelvis	55	18.6	13.9	24.4	30	20.9	13.9	30.2	25	16.2	10.4	24.2
Brain and Nervous System	17	6.2	3.6	10.0	10	7.5	3.5	13.9	7	4.8	1.9	10.1
Hodgkin Lymphoma	8	2.7	1.1	5.4	4	2.5	0.7	6.8	4	2.8	0.7	7.4
Non-Hodgkin Lymphoma	62	21.0	16.0	27.1	37	26.0	18.1	36.2	25	16.4	10.5	24.5
Myeloma	19	6.1	3.6	9.6	10	6.8	3.2	12.8	9	5.2	2.4	10.3
Leukemia	45	15.6	11.3	21.0	26	19.1	12.3	28.3	19	12.4	7.4	19.6
All Other Sites	169	58.3	49.7	68.0	75	55.0	42.9	69.4	94	63.6	51.2	78.3
Breast in Situ (not in total)									51	31.4	23.2	41.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Brown

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	171	464.2	396.6	540.5	108	587.1	478.8	712.6	63	368.6	280.0	479.2
Oral Cavity and Pharynx	4	10.9	2.9	29.3	3	17.3	3.4	51.8	1	5.1	0.1	39.6
Esophagus	2	5.1	0.6	20.4	2	11.6	1.2	43.4	0			
Stomach	1	3.1	0.1	17.9	1	4.6	0.1	30.1	0			
Colon and Rectum	15	41.9	23.3	70.0	10	60.3	28.6	111.3	5	27.8	8.1	73.7
Liver	4	10.5	2.8	28.5	4	20.0	5.2	54.3	0			
Pancreas	4	11.8	3.2	31.0	4	24.2	6.6	62.1	0			
Lung and Bronchus	39	108.9	77.3	149.8	24	131.0	83.0	197.0	15	82.4	46.1	141.2
Bones and Joints	0				0				0			
Melanoma of the Skin	6	16.1	5.8	36.4	5	27.7	8.6	66.4	1	4.8	0.1	38.9
Breast (invasive)	17	46.2	26.8	75.1	0				17	110.8	62.9	183.3
Cervix									1	5.8	0.1	41.1
Corpus and Uterus, NOS									4	28.5	6.7	78.8
Ovary									0			
Prostate					20	102.0	61.6	159.9				
Testis					1	3.8	0.1	28.4				
Urinary Bladder (includes in situ)	9	24.2	11.0	47.2	9	53.0	23.8	101.8	0			
Kidney and Renal Pelvis	5	12.4	4.0	30.8	4	17.7	4.4	50.1	1	3.6	0.1	36.6
Brain and Nervous System	2	5.4	0.6	21.1	2	10.1	1.0	40.1	0			
Hodgkin Lymphoma	1	2.3	0.1	16.0	1	4.5	0.1	29.9	0			
Non-Hodgkin Lymphoma	10	25.7	12.3	48.6	4	24.7	6.5	63.8	6	33.9	12.3	80.3
Myeloma	3	8.7	1.8	26.6	1	4.6	0.1	30.1	2	10.9	1.3	48.1
Leukemia	6	16.1	5.9	36.4	4	20.5	5.4	54.8	2	11.2	1.3	48.7
All Other Sites	17	46.3	26.5	75.8	9	49.5	21.6	96.9	8	43.9	17.8	94.6
Breast in Situ (not in total)									3	15.0	3.1	53.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Bureau

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,210	501.3	472.2	532.0	642	558.6	514.9	605.2	568	462.4	422.7	505.2
Oral Cavity and Pharynx	29	11.4	7.5	16.9	23	18.4	11.5	28.5	6	5.5	1.9	12.7
Esophagus	21	7.6	4.7	12.0	20	15.8	9.6	25.3	1	0.7	0.0	5.5
Stomach	18	6.8	4.0	11.3	11	9.4	4.7	17.5	7	4.9	1.8	11.5
Colon and Rectum	106	42.1	34.1	51.7	59	52.3	39.5	68.4	47	32.4	23.0	44.8
Liver	10	3.5	1.6	6.9	7	5.8	2.3	12.8	3	2.0	0.4	7.3
Pancreas	34	13.5	9.2	19.3	23	20.8	13.1	31.9	11	6.7	3.2	13.3
Lung and Bronchus	200	79.1	68.3	91.4	101	85.9	69.8	105.1	99	76.8	62.0	94.5
Bones and Joints	4	2.0	0.5	5.5	2	1.7	0.2	7.3	2	2.3	0.2	8.7
Melanoma of the Skin	72	31.5	24.2	40.4	44	42.3	30.3	57.7	28	23.2	14.7	35.0
Breast (invasive)	152	65.2	54.8	77.2	0				152	125.2	105.0	148.4
Cervix									10	12.1	5.4	22.9
Corpus and Uterus, NOS									31	24.6	16.4	36.1
Ovary									7	6.1	2.4	13.4
Prostate					137	107.3	89.9	127.7				
Testis					6	8.8	3.2	18.8				
Urinary Bladder (includes in situ)	68	26.4	20.3	34.0	50	41.9	31.0	55.9	18	14.8	8.3	24.6
Kidney and Renal Pelvis	50	21.1	15.5	28.3	34	30.3	20.8	43.1	16	12.9	7.1	21.9
Brain and Nervous System	11	5.3	2.5	9.9	8	8.5	3.5	17.4	3	2.0	0.4	7.3
Hodgkin Lymphoma	7	4.6	1.8	9.5	5	6.7	2.1	15.7	2	2.5	0.3	9.2
Non-Hodgkin Lymphoma	59	24.9	18.6	32.7	32	28.6	19.2	41.3	27	22.5	14.5	33.9
Myeloma	14	5.2	2.8	9.2	7	5.6	2.2	12.4	7	4.9	1.9	11.3
Leukemia	27	13.7	8.7	20.6	13	13.0	6.7	23.0	14	14.6	7.5	25.7
All Other Sites	137	60.0	49.8	71.7	60	55.4	41.7	72.3	77	65.9	51.1	84.1
Breast in Situ (not in total)									40	34.7	24.2	48.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Calhoun

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	181	455.8	389.1	532.5	109	573.6	468.6	698.9	72	363.9	278.6	470.8
Oral Cavity and Pharynx	4	10.0	2.6	30.3	3	16.0	3.2	55.6	1	3.1	0.1	36.6
Esophagus	3	8.2	1.6	28.2	3	16.2	3.2	56.1	0			
Stomach	1	2.2	0.1	19.2	1	4.2	0.1	38.2	0			
Colon and Rectum	24	58.0	37.0	89.6	13	67.4	35.7	122.0	11	52.1	25.6	101.6
Liver	1	2.1	0.1	19.0	1	6.4	0.2	42.8	0			
Pancreas	4	12.6	3.3	35.5	3	20.5	4.0	65.1	1	5.5	0.1	41.1
Lung and Bronchus	22	50.4	31.6	79.7	12	62.0	31.9	115.1	10	44.0	21.1	89.8
Bones and Joints	0				0				0			
Melanoma of the Skin	6	16.8	5.3	41.5	4	18.6	5.0	57.8	2	15.3	1.1	62.4
Breast (invasive)	21	51.4	31.5	82.0	0				21	99.8	60.9	160.5
Cervix									2	8.6	1.0	44.3
Corpus and Uterus, NOS									6	31.1	11.1	76.0
Ovary									1	4.5	0.1	39.0
Prostate					24	115.2	73.6	178.0				
Testis					0							
Urinary Bladder (includes in situ)	11	30.6	14.3	59.2	8	45.6	18.4	98.1	3	15.7	2.6	56.8
Kidney and Renal Pelvis	11	29.5	13.5	57.8	10	50.9	24.2	100.9	1	12.9	0.3	61.5
Brain and Nervous System	2	4.9	0.6	23.0	1	5.6	0.1	41.0	1	4.8	0.1	39.6
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	12.0	3.9	32.5	4	19.3	5.2	58.9	1	5.5	0.1	41.1
Myeloma	4	9.0	2.4	28.3	2	11.0	1.3	48.8	2	7.2	0.8	41.7
Leukemia	10	29.6	13.0	59.1	7	42.9	16.6	94.7	3	20.8	2.7	70.6
All Other Sites	19	50.7	29.3	83.7	13	71.9	37.3	130.1	6	33.1	10.1	83.5
Breast in Situ (not in total)									2	11.6	1.3	50.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Carroll

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	520	458.4	416.9	503.4	266	455.4	399.8	517.7	254	472.9	411.0	542.2
Oral Cavity and Pharynx	17	15.3	8.7	25.7	12	21.8	10.9	40.6	5	9.2	2.9	24.1
Esophagus	8	6.6	2.8	14.4	7	11.6	4.5	26.7	1	1.5	0.0	13.3
Stomach	3	3.5	0.5	11.6	3	7.1	1.1	23.3	0			
Colon and Rectum	48	39.1	28.4	53.3	22	36.3	22.5	57.3	26	40.4	25.2	63.1
Liver	4	2.7	0.7	9.0	3	4.2	0.8	16.4	1	1.0	0.0	12.3
Pancreas	7	6.4	2.3	14.8	5	9.8	2.8	25.7	2	3.6	0.4	16.7
Lung and Bronchus	70	53.2	41.2	68.4	36	54.9	38.2	78.3	34	52.4	35.8	76.0
Bones and Joints	1	0.7	0.0	6.4	1	1.3	0.0	12.6	0			
Melanoma of the Skin	24	23.9	14.8	37.1	14	23.2	12.5	41.5	10	26.0	11.8	49.5
Breast (invasive)	72	75.8	57.8	97.9	1	1.2	0.0	12.5	71	149.7	113.7	193.9
Cervix									1	4.5	0.1	21.4
Corpus and Uterus, NOS									20	31.2	18.8	50.9
Ovary									5	9.8	2.7	26.2
Prostate					63	104.9	79.9	136.9				
Testis					8	21.4	8.7	43.7				
Urinary Bladder (includes in situ)	28	22.8	14.5	34.8	23	38.3	23.5	60.6	5	9.8	2.8	26.1
Kidney and Renal Pelvis	16	12.5	6.7	22.1	7	11.1	4.4	25.8	9	15.5	6.3	33.3
Brain and Nervous System	6	8.0	2.8	17.9	4	9.9	2.6	26.8	2	6.4	0.7	23.0
Hodgkin Lymphoma	5	4.6	1.3	12.4	4	7.3	1.7	22.0	1	1.8	0.0	13.8
Non-Hodgkin Lymphoma	27	23.8	15.1	36.4	18	33.7	19.4	55.8	9	17.4	7.4	36.1
Myeloma	8	7.1	2.9	15.5	4	6.5	1.8	20.0	4	7.5	1.7	22.8
Leukemia	17	13.5	7.6	23.2	10	15.3	7.3	31.1	7	12.4	4.4	29.4
All Other Sites	62	54.1	40.4	71.4	21	35.6	21.4	57.3	41	72.8	50.3	103.2
Breast in Situ (not in total)									14	26.5	13.0	48.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cass

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	436	533.4	483.5	587.4	241	626.6	548.3	713.2	195	458.0	393.9	530.3
Oral Cavity and Pharynx	15	17.7	9.7	30.1	14	35.3	19.0	60.7	1	1.4	0.0	13.3
Esophagus	5	6.9	2.1	16.7	4	12.0	3.1	31.4	1	2.4	0.1	15.7
Stomach	5	5.7	1.8	14.2	2	3.9	0.5	17.1	3	6.9	1.4	22.2
Colon and Rectum	45	56.0	40.5	75.8	22	58.6	36.2	90.0	23	52.9	32.9	81.4
Liver	5	5.4	1.7	13.7	2	4.1	0.5	17.6	3	6.6	1.3	21.5
Pancreas	17	18.8	10.9	31.0	12	28.9	14.7	52.1	5	9.9	3.2	25.8
Lung and Bronchus	73	90.2	70.5	114.0	49	130.9	96.4	174.2	24	57.1	36.3	86.5
Bones and Joints	1	1.4	0.0	8.2	1	2.7	0.1	16.2	0			
Melanoma of the Skin	20	25.4	15.3	40.0	10	26.1	12.2	49.4	10	25.6	11.9	48.6
Breast (invasive)	47	58.7	42.7	78.9	0				47	113.7	82.6	153.3
Cervix									2	6.4	0.7	23.4
Corpus and Uterus, NOS									13	29.8	15.4	53.0
Ovary									5	13.1	4.2	31.9
Prostate					38	92.9	65.3	128.9				
Testis					4	12.5	3.3	32.2				
Urinary Bladder (includes in situ)	25	29.1	18.7	43.7	18	47.4	27.9	76.0	7	14.4	5.5	32.3
Kidney and Renal Pelvis	30	38.7	25.7	56.0	20	52.7	31.5	83.1	10	26.7	12.6	50.3
Brain and Nervous System	2	2.5	0.3	9.7	1	2.7	0.1	16.2	1	2.1	0.1	14.9
Hodgkin Lymphoma	6	9.4	3.3	20.7	3	8.3	1.5	25.7	3	10.5	2.1	30.0
Non-Hodgkin Lymphoma	17	19.6	11.4	32.1	10	26.2	12.4	49.3	7	15.1	6.0	33.3
Myeloma	4	4.4	1.2	12.2	3	7.0	1.4	22.5	1	2.0	0.1	14.6
Leukemia	12	14.0	7.0	25.4	7	18.8	7.3	40.0	5	9.3	2.9	24.7
All Other Sites	45	54.2	39.2	73.4	21	55.7	34.2	86.3	24	52.1	32.6	80.0
Breast in Situ (not in total)									10	24.8	11.6	47.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,315	441.8	428.4	455.6	2,194	486.6	465.8	508.0	2,121	411.2	393.3	429.7
Oral Cavity and Pharynx	112	11.4	9.3	13.7	85	19.1	15.2	23.7	27	4.8	3.2	7.1
Esophagus	49	4.8	3.5	6.4	37	7.8	5.4	10.9	12	2.2	1.1	3.9
Stomach	58	6.0	4.5	7.8	33	7.6	5.1	10.7	25	4.7	3.0	7.0
Colon and Rectum	346	35.7	31.9	39.7	203	45.3	39.1	52.2	143	27.2	22.8	32.3
Liver	62	6.1	4.7	7.9	46	9.8	7.1	13.2	16	3.0	1.7	4.9
Pancreas	114	11.6	9.5	14.0	65	15.0	11.5	19.2	49	8.8	6.5	11.8
Lung and Bronchus	497	50.6	46.2	55.4	231	52.7	45.9	60.1	266	49.1	43.3	55.6
Bones and Joints	7	0.9	0.3	1.8	4	1.0	0.3	2.6	3	0.7	0.1	2.0
Melanoma of the Skin	285	29.6	26.1	33.3	163	36.8	31.2	43.1	122	24.6	20.3	29.6
Breast (invasive)	666	70.2	64.8	75.9	10	2.3	1.1	4.3	656	129.6	119.5	140.2
Cervix									24	5.4	3.4	8.1
Corpus and Uterus, NOS									132	24.1	20.1	28.7
Ovary									71	14.1	10.9	17.9
Prostate					560	118.3	108.4	128.8				
Testis					31	5.4	3.5	8.0				
Urinary Bladder (includes in situ)	170	17.2	14.7	20.1	123	28.8	23.8	34.5	47	8.9	6.5	12.0
Kidney and Renal Pelvis	149	15.6	13.2	18.4	99	22.6	18.2	27.7	50	9.7	7.2	12.9
Brain and Nervous System	62	6.6	5.0	8.6	39	8.9	6.3	12.3	23	4.9	3.0	7.4
Hodgkin Lymphoma	19	1.9	1.1	3.1	15	3.1	1.6	5.3	4	0.7	0.2	1.9
Non-Hodgkin Lymphoma	185	18.7	16.0	21.7	111	24.2	19.7	29.3	74	14.5	11.3	18.3
Myeloma	71	7.4	5.8	9.4	43	9.9	7.1	13.4	28	5.5	3.6	8.1
Leukemia	110	11.3	9.2	13.7	65	14.2	10.9	18.2	45	8.7	6.3	11.8
All Other Sites	535	56.1	51.3	61.2	231	53.7	46.8	61.3	304	60.0	53.2	67.4
Breast in Situ (not in total)									147	29.7	24.9	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Christian

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,280	551.7	521.1	583.9	697	640.6	593.1	691.1	583	480.9	440.6	524.3
Oral Cavity and Pharynx	38	16.6	11.6	23.3	31	28.1	18.8	40.7	7	5.0	2.0	11.5
Esophagus	15	6.5	3.5	11.1	12	10.5	5.4	19.0	3	2.9	0.4	9.9
Stomach	17	7.3	4.2	12.1	9	7.9	3.6	15.6	8	6.8	2.7	14.6
Colon and Rectum	128	55.0	45.6	65.9	73	68.0	53.0	86.2	55	42.1	31.2	56.2
Liver	26	11.2	7.2	16.8	15	14.2	7.8	24.0	11	8.2	4.0	15.7
Pancreas	31	12.5	8.5	18.2	20	17.8	10.8	28.1	11	7.2	3.6	14.2
Lung and Bronchus	241	99.4	87.0	113.2	131	118.4	98.7	141.1	110	84.3	69.0	102.5
Bones and Joints	0				0				0			
Melanoma of the Skin	55	25.5	19.0	33.6	32	31.7	21.6	45.2	23	20.4	12.4	31.9
Breast (invasive)	146	64.2	53.9	76.0	0				146	125.0	104.5	148.6
Cervix									9	9.1	4.0	18.1
Corpus and Uterus, NOS									24	18.6	11.8	28.5
Ovary									11	9.9	4.7	18.8
Prostate					136	117.1	98.0	139.1				
Testis					3	3.8	0.8	11.1				
Urinary Bladder (includes in situ)	60	24.4	18.5	31.8	52	47.8	35.6	63.2	8	5.7	2.4	12.5
Kidney and Renal Pelvis	63	28.1	21.4	36.4	39	37.1	26.2	51.2	24	20.3	12.5	31.5
Brain and Nervous System	18	9.0	5.2	14.7	7	6.9	2.7	14.7	11	11.9	5.6	22.2
Hodgkin Lymphoma	4	2.2	0.6	5.8	4	4.3	1.1	11.4	0			
Non-Hodgkin Lymphoma	53	23.2	17.2	30.7	27	25.5	16.7	37.6	26	20.6	13.3	31.1
Myeloma	14	5.5	3.0	9.6	11	10.1	5.0	18.6	3	2.3	0.5	8.0
Leukemia	34	15.2	10.3	21.8	19	19.1	11.3	30.4	15	11.5	6.1	20.2
All Other Sites	154	69.7	58.7	82.3	76	72.4	56.8	91.3	78	69.0	53.6	87.9
Breast in Situ (not in total)									26	24.5	15.6	37.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Clark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	532	484.0	442.2	528.9	276	552.0	487.0	623.8	256	448.2	391.8	511.0
Oral Cavity and Pharynx	16	13.9	7.7	23.7	11	22.9	11.0	42.7	5	7.0	2.2	19.1
Esophagus	7	6.2	2.5	13.7	7	14.4	5.7	31.0	0			
Stomach	5	4.3	1.4	10.9	2	3.7	0.4	15.4	3	4.5	0.9	15.8
Colon and Rectum	50	44.7	32.7	60.1	19	35.8	21.2	57.6	31	49.7	32.4	73.7
Liver	8	6.9	3.0	14.4	6	12.6	4.5	28.6	2	2.6	0.3	13.0
Pancreas	26	22.0	14.3	33.0	16	30.2	17.0	50.5	10	17.1	8.0	33.2
Lung and Bronchus	83	74.3	58.8	93.0	39	78.8	55.5	109.2	44	73.5	53.0	100.3
Bones and Joints	1	0.7	0.0	5.7	1	2.4	0.1	13.9	0			
Melanoma of the Skin	27	26.0	16.8	38.7	20	41.8	25.0	66.0	7	13.3	4.9	29.4
Breast (invasive)	52	49.2	36.3	65.5	0				52	93.5	68.7	125.1
Cervix									4	10.7	2.6	27.9
Corpus and Uterus, NOS									21	35.7	21.6	56.7
Ovary									5	8.5	2.7	21.7
Prostate					45	80.0	58.1	108.4				
Testis					4	10.4	2.7	26.9				
Urinary Bladder (includes in situ)	32	26.5	18.1	38.2	23	45.1	28.4	68.9	9	13.6	6.0	28.1
Kidney and Renal Pelvis	25	22.2	14.1	33.6	16	31.7	17.9	52.9	9	15.9	6.9	32.4
Brain and Nervous System	7	6.7	2.6	14.6	3	6.8	1.3	21.0	4	6.4	1.6	18.8
Hodgkin Lymphoma	4	5.8	1.5	14.7	1	3.6	0.1	17.5	3	8.0	1.4	23.7
Non-Hodgkin Lymphoma	30	25.4	17.1	36.9	14	27.1	14.7	46.8	16	23.8	13.5	40.6
Myeloma	6	5.1	1.8	11.9	4	8.0	2.2	21.9	2	3.4	0.4	14.5
Leukemia	14	14.2	7.5	24.8	10	22.1	10.1	42.2	4	7.5	1.8	21.1
All Other Sites	60	59.4	44.6	77.7	35	74.6	51.3	105.3	25	53.5	33.3	81.5
Breast in Situ (not in total)									12	22.3	11.2	40.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Clay

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	514	541.5	493.8	592.9	279	626.9	553.4	708.2	235	473.4	410.7	543.8
Oral Cavity and Pharynx	21	21.8	13.3	34.3	15	34.1	18.8	58.0	6	10.4	3.8	25.6
Esophagus	15	15.3	8.4	26.3	14	30.6	16.4	53.4	1	2.1	0.1	14.7
Stomach	8	7.2	3.1	15.5	4	8.3	2.2	23.7	4	5.7	1.4	18.8
Colon and Rectum	51	50.6	37.3	67.6	26	55.3	35.7	83.0	25	44.9	28.3	69.4
Liver	7	7.0	2.8	15.5	7	15.3	6.0	33.5	0			
Pancreas	12	11.9	6.1	21.9	9	20.1	9.0	40.1	3	4.3	0.8	17.1
Lung and Bronchus	87	85.7	68.4	106.8	51	111.1	82.2	147.9	36	66.0	45.7	93.7
Bones and Joints	1	1.0	0.0	7.1	1	1.9	0.0	14.2	0			
Melanoma of the Skin	23	28.7	17.7	44.3	13	31.3	16.4	55.0	10	28.6	12.7	54.7
Breast (invasive)	65	68.5	52.1	88.9	0				65	129.1	97.6	168.6
Cervix									5	15.1	4.7	35.9
Corpus and Uterus, NOS									13	26.1	13.5	47.0
Ovary									8	17.3	6.7	37.1
Prostate					58	123.1	92.9	161.2				
Testis					2	7.3	0.9	25.0				
Urinary Bladder (includes in situ)	27	26.1	17.1	39.0	23	50.2	31.6	77.1	4	7.1	1.9	21.3
Kidney and Renal Pelvis	28	33.6	21.6	50.1	16	41.0	22.5	68.9	12	26.9	13.1	49.7
Brain and Nervous System	3	3.4	0.6	11.2	2	3.4	0.4	16.1	1	3.6	0.1	18.7
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	14	15.1	8.0	26.5	8	16.0	6.8	33.7	6	14.3	4.8	33.5
Myeloma	4	3.7	1.0	10.9	2	4.4	0.5	18.4	2	3.3	0.4	15.9
Leukemia	20	21.4	12.7	34.2	13	33.6	17.5	58.8	7	10.9	4.3	25.8
All Other Sites	42	49.1	34.7	67.7	15	39.9	21.7	67.4	27	57.8	36.8	87.1
Breast in Situ (not in total)									14	28.9	15.4	50.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Clinton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,095	466.7	438.8	496.0	533	476.9	436.4	520.2	562	473.8	433.9	516.7
Oral Cavity and Pharynx	32	14.2	9.6	20.3	22	20.5	12.7	31.4	10	8.3	3.8	16.1
Esophagus	13	6.0	3.1	10.5	7	5.8	2.3	12.5	6	5.9	1.9	13.6
Stomach	17	7.0	4.0	11.4	13	11.1	5.8	19.4	4	3.1	0.8	8.7
Colon and Rectum	96	40.1	32.3	49.4	52	46.8	34.7	61.9	44	34.5	24.7	47.3
Liver	10	4.2	2.0	8.0	5	4.4	1.4	10.7	5	4.1	1.3	10.2
Pancreas	31	12.8	8.6	18.4	19	18.0	10.7	28.3	12	9.3	4.7	16.9
Lung and Bronchus	158	66.4	56.3	78.0	83	76.0	60.2	94.7	75	59.6	46.5	75.6
Bones and Joints	2	1.0	0.1	3.9	1	1.2	0.0	6.3	1	0.7	0.0	5.3
Melanoma of the Skin	59	27.8	21.0	36.1	25	24.0	15.4	35.7	34	33.3	22.6	47.3
Breast (invasive)	154	66.1	55.8	77.8	1	1.3	0.0	6.7	153	129.9	109.4	153.3
Cervix									11	11.1	5.4	20.3
Corpus and Uterus, NOS									46	37.5	27.2	50.8
Ovary									15	12.4	6.6	21.5
Prostate					125	105.7	87.7	126.6				
Testis					7	6.1	2.4	12.9				
Urinary Bladder (includes in situ)	51	20.6	15.3	27.4	34	30.8	21.2	43.5	17	12.5	7.2	20.7
Kidney and Renal Pelvis	54	22.3	16.6	29.4	34	28.7	19.6	40.7	20	15.6	9.4	24.7
Brain and Nervous System	18	9.2	5.3	14.7	12	13.0	6.6	22.7	6	4.9	1.7	11.4
Hodgkin Lymphoma	2	1.2	0.1	4.2	0				2	2.7	0.3	9.3
Non-Hodgkin Lymphoma	39	17.3	12.1	24.0	21	19.2	11.7	29.9	18	15.3	8.8	25.2
Myeloma	9	3.7	1.7	7.3	8	7.1	3.0	14.4	1	0.8	0.0	5.6
Leukemia	26	11.2	7.3	16.7	14	12.9	7.0	22.0	12	10.0	5.0	18.4
All Other Sites	120	51.4	42.4	61.8	50	44.3	32.7	58.8	70	62.2	47.9	79.7
Breast in Situ (not in total)									34	30.5	20.7	43.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Coles

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,340	444.2	419.9	469.5	702	507.5	469.7	547.6	638	399.3	367.4	433.5
Oral Cavity and Pharynx	45	15.0	10.8	20.5	39	27.5	19.3	38.2	6	4.1	1.4	9.5
Esophagus	17	5.4	3.1	8.9	12	8.5	4.3	15.3	5	2.9	0.9	7.2
Stomach	12	3.4	1.7	6.2	7	4.8	1.9	10.2	5	2.2	0.7	6.1
Colon and Rectum	143	47.3	39.6	56.0	71	55.2	43.0	70.0	72	41.9	32.4	53.7
Liver	21	7.0	4.2	10.9	20	14.3	8.5	22.5	1	0.6	0.0	4.1
Pancreas	27	8.9	5.8	13.2	13	9.3	4.9	16.2	14	8.8	4.6	15.4
Lung and Bronchus	222	71.2	62.0	81.5	116	82.1	67.6	99.0	106	63.3	51.5	77.1
Bones and Joints	4	1.8	0.5	4.6	3	2.9	0.6	8.4	1	0.6	0.0	4.2
Melanoma of the Skin	89	29.7	23.7	36.9	52	38.3	28.4	50.8	37	23.1	15.9	32.5
Breast (invasive)	175	60.7	51.7	70.9	2	1.3	0.2	5.3	173	113.0	95.9	132.4
Cervix									7	5.0	2.0	10.6
Corpus and Uterus, NOS									36	21.6	14.7	30.7
Ovary									18	12.7	7.2	20.7
Prostate					100	66.1	53.6	80.9				
Testis					8	7.1	2.9	14.2				
Urinary Bladder (includes in situ)	75	24.6	19.2	31.1	65	47.6	36.5	61.0	10	6.6	3.0	12.8
Kidney and Renal Pelvis	71	23.8	18.4	30.3	46	33.8	24.5	45.5	25	15.3	9.7	23.2
Brain and Nervous System	20	6.9	4.1	11.0	16	11.3	6.3	18.8	4	3.1	0.8	8.1
Hodgkin Lymphoma	4	1.3	0.3	3.6	3	2.2	0.4	6.9	1	0.4	0.0	3.5
Non-Hodgkin Lymphoma	59	19.5	14.7	25.5	33	25.6	17.5	36.3	26	14.3	9.3	21.5
Myeloma	19	5.8	3.5	9.3	13	8.5	4.5	14.9	6	3.4	1.2	8.1
Leukemia	33	10.9	7.4	15.4	17	12.0	6.9	19.6	16	10.0	5.6	16.7
All Other Sites	135	46.8	38.9	55.7	66	48.9	37.6	62.7	69	46.4	35.5	59.7
Breast in Situ (not in total)									20	14.7	8.7	23.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	128,741	448.9	446.4	451.4	61,894	486.6	482.7	490.6	66,847	427.4	424.1	430.7
Oral Cavity and Pharynx	3,265	11.2	10.8	11.6	2,254	17.1	16.4	17.8	1,011	6.4	6.0	6.8
Esophagus	1,223	4.1	3.9	4.4	918	7.1	6.6	7.6	305	1.8	1.6	2.0
Stomach	2,590	9.1	8.8	9.5	1,493	12.2	11.5	12.8	1,097	6.8	6.4	7.2
Colon and Rectum	12,246	42.7	42.0	43.5	6,296	50.2	49.0	51.5	5,950	37.1	36.2	38.1
Liver	2,183	7.3	7.0	7.6	1,554	11.5	10.9	12.1	629	3.8	3.5	4.1
Pancreas	4,094	14.2	13.7	14.6	2,028	16.3	15.6	17.0	2,066	12.6	12.0	13.2
Lung and Bronchus	16,495	57.8	56.9	58.7	8,233	67.2	65.7	68.7	8,262	51.1	50.0	52.3
Bones and Joints	245	0.9	0.8	1.0	134	1.1	0.9	1.3	111	0.8	0.6	0.9
Melanoma of the Skin	4,009	14.2	13.8	14.7	2,322	18.8	18.0	19.6	1,687	11.2	10.6	11.7
Breast (invasive)	20,404	72.0	71.0	73.1	175	1.4	1.2	1.6	20,229	131.7	129.9	133.6
Cervix									1,192	8.3	7.8	8.8
Corpus and Uterus, NOS									5,023	31.2	30.4	32.1
Ovary									1,737	11.3	10.7	11.8
Prostate					15,341	113.6	111.8	115.5				
Testis					744	5.6	5.2	6.0				
Urinary Bladder (includes in situ)	5,318	18.7	18.2	19.2	3,869	32.5	31.5	33.6	1,449	8.8	8.3	9.3
Kidney and Renal Pelvis	4,624	16.2	15.7	16.6	2,906	22.5	21.6	23.3	1,718	11.0	10.4	11.5
Brain and Nervous System	1,541	5.6	5.3	5.9	826	6.4	6.0	6.9	715	4.8	4.5	5.2
Hodgkin Lymphoma	770	2.9	2.7	3.1	429	3.3	3.0	3.7	341	2.4	2.2	2.7
Non-Hodgkin Lymphoma	5,312	18.9	18.4	19.5	2,821	23.0	22.1	23.8	2,491	15.9	15.3	16.6
Myeloma	2,082	7.3	7.0	7.6	1,058	8.5	7.9	9.0	1,024	6.4	6.0	6.8
Leukemia	3,498	12.6	12.2	13.0	1,989	16.3	15.6	17.1	1,509	9.8	9.3	10.3
All Other Sites	14,805	52.6	51.7	53.4	6,504	52.1	50.8	53.4	8,301	54.1	52.9	55.3
Breast in Situ (not in total)									4,984	33.3	32.3	34.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Crawford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	620	471.9	434.5	511.8	325	532.1	474.8	594.7	295	436.2	384.9	493.1
Oral Cavity and Pharynx	12	8.6	4.4	15.7	8	11.9	5.1	24.6	4	4.9	1.3	15.0
Esophagus	3	1.9	0.4	6.6	2	3.2	0.4	12.9	1	1.2	0.0	10.0
Stomach	13	11.2	5.9	19.6	11	19.1	9.5	34.8	2	4.1	0.4	15.7
Colon and Rectum	52	39.6	29.4	52.6	30	52.5	35.2	75.7	22	29.6	18.0	46.9
Liver	3	2.1	0.4	7.1	2	3.2	0.3	12.8	1	1.4	0.0	10.4
Pancreas	20	14.6	8.8	23.1	9	16.1	7.3	31.2	11	15.2	7.5	28.9
Lung and Bronchus	105	77.9	63.5	94.9	58	93.2	70.5	121.5	47	65.7	47.7	89.3
Bones and Joints	2	1.8	0.2	7.0	1	1.2	0.0	9.4	1	2.7	0.1	14.0
Melanoma of the Skin	29	22.3	14.7	32.8	17	28.3	16.4	46.2	12	20.8	10.0	38.3
Breast (invasive)	67	52.8	40.5	68.0	2	3.2	0.4	12.9	65	102.1	77.0	133.2
Cervix									2	4.0	0.4	15.4
Corpus and Uterus, NOS									24	31.5	19.9	48.7
Ovary									7	9.5	3.7	21.5
Prostate					59	88.3	66.9	115.2				
Testis					4	7.8	2.1	20.4				
Urinary Bladder (includes in situ)	27	20.0	13.1	29.7	24	38.3	24.4	58.0	3	4.8	1.0	15.5
Kidney and Renal Pelvis	22	17.5	10.8	27.1	8	12.3	5.2	25.3	14	22.2	11.4	39.4
Brain and Nervous System	11	8.4	4.1	15.7	5	8.5	2.7	20.8	6	8.3	3.0	19.9
Hodgkin Lymphoma	3	3.1	0.6	9.3	2	4.5	0.5	16.0	1	1.2	0.0	10.0
Non-Hodgkin Lymphoma	32	24.3	16.5	34.9	16	27.5	15.5	45.5	16	20.2	11.4	34.5
Myeloma	11	7.8	3.8	14.6	7	11.1	4.4	24.0	4	5.1	1.4	15.4
Leukemia	30	23.5	15.6	34.2	15	25.1	13.8	42.5	15	23.0	12.5	39.7
All Other Sites	82	65.1	51.3	81.6	45	76.7	55.6	103.5	37	58.8	40.1	83.6
Breast in Situ (not in total)									4	5.6	1.5	16.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cumberland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	343	469.9	419.5	525.0	178	506.0	432.2	589.6	165	438.2	370.1	516.0
Oral Cavity and Pharynx	9	13.1	5.7	26.2	7	21.1	8.0	46.0	2	4.2	0.5	20.1
Esophagus	6	7.1	2.6	16.9	4	10.0	2.7	28.6	2	3.8	0.4	19.1
Stomach	2	2.2	0.3	10.0	2	4.3	0.5	19.9	0			
Colon and Rectum	41	55.6	39.5	76.7	24	71.8	45.2	109.0	17	40.5	23.3	67.5
Liver	2	2.7	0.3	11.1	2	5.3	0.6	22.3	0			
Pancreas	8	10.6	4.5	22.0	6	17.8	6.4	40.4	2	5.1	0.6	21.8
Lung and Bronchus	59	74.5	56.5	97.1	33	91.0	62.2	129.8	26	62.0	40.2	93.3
Bones and Joints	1	1.1	0.0	8.5	1	2.2	0.1	17.1	0			
Melanoma of the Skin	20	26.5	15.9	42.4	13	34.3	18.0	61.0	7	19.3	6.8	43.6
Breast (invasive)	36	54.4	37.3	76.9	0				36	106.5	72.7	151.2
Cervix									2	7.3	0.7	27.6
Corpus and Uterus, NOS									14	35.6	18.9	62.7
Ovary									7	18.4	7.0	40.8
Prostate					32	91.1	61.7	130.8				
Testis					1	4.6	0.1	23.4				
Urinary Bladder (includes in situ)	14	18.1	9.7	31.5	10	24.5	11.6	47.8	4	12.1	3.1	33.1
Kidney and Renal Pelvis	10	13.3	6.2	25.9	8	23.0	9.6	47.6	2	4.8	0.6	21.1
Brain and Nervous System	4	7.8	2.0	20.1	3	12.6	2.5	36.2	1	2.5	0.1	17.8
Hodgkin Lymphoma	4	7.5	1.8	19.8	4	15.1	3.7	39.5	0			
Non-Hodgkin Lymphoma	12	16.2	8.3	29.5	9	24.2	10.8	48.4	3	9.0	1.8	28.1
Myeloma	3	4.0	0.8	13.0	0				3	6.9	1.3	24.1
Leukemia	10	14.6	6.7	28.1	3	10.4	2.1	31.2	7	17.6	6.2	40.5
All Other Sites	46	62.9	45.2	85.6	16	42.7	23.9	72.0	30	82.8	53.9	122.4
Breast in Situ (not in total)									4	12.8	3.0	35.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DeKalb

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,473	503.5	483.4	524.2	1,252	555.8	524.5	588.5	1,221	467.5	441.0	495.2
Oral Cavity and Pharynx	64	12.4	9.5	15.9	39	15.4	10.8	21.4	25	9.5	6.1	14.1
Esophagus	19	4.1	2.4	6.4	15	7.1	3.9	11.8	4	1.6	0.4	4.1
Stomach	26	5.0	3.3	7.4	20	8.8	5.2	13.7	6	2.1	0.8	4.7
Colon and Rectum	206	43.4	37.5	49.9	100	45.8	37.0	56.1	106	41.6	33.9	50.6
Liver	26	4.9	3.2	7.3	22	8.6	5.4	13.3	4	1.5	0.4	3.8
Pancreas	77	16.1	12.6	20.2	37	16.7	11.6	23.2	40	15.7	11.1	21.5
Lung and Bronchus	319	66.5	59.3	74.4	167	77.1	65.5	90.1	152	57.9	48.9	68.1
Bones and Joints	3	0.6	0.1	1.8	2	0.8	0.1	3.2	1	0.3	0.0	2.0
Melanoma of the Skin	93	18.9	15.2	23.3	46	20.9	15.2	28.1	47	18.4	13.4	24.6
Breast (invasive)	344	69.5	62.2	77.4	4	1.5	0.4	3.9	340	129.5	115.8	144.4
Cervix									16	6.6	3.7	10.9
Corpus and Uterus, NOS									65	24.5	18.8	31.4
Ovary									36	13.4	9.3	18.7
Prostate					299	125.2	111.0	140.7				
Testis					17	7.2	4.1	11.7				
Urinary Bladder (includes in situ)	128	25.7	21.4	30.6	99	46.5	37.6	56.8	29	9.8	6.5	14.2
Kidney and Renal Pelvis	107	22.2	18.1	26.9	75	33.9	26.5	42.7	32	12.3	8.3	17.5
Brain and Nervous System	27	5.4	3.5	8.0	21	9.2	5.6	14.2	6	2.2	0.8	5.0
Hodgkin Lymphoma	13	2.1	1.1	3.8	9	3.3	1.4	6.6	4	1.2	0.3	3.5
Non-Hodgkin Lymphoma	99	21.0	17.0	25.7	49	22.9	16.8	30.4	50	19.5	14.4	25.9
Myeloma	31	6.0	4.1	8.7	21	8.9	5.4	13.9	10	3.6	1.7	6.7
Leukemia	102	21.1	17.1	25.7	66	29.7	22.8	38.0	36	13.3	9.2	18.6
All Other Sites	356	73.4	65.8	81.6	144	66.1	55.4	78.1	212	83.1	72.0	95.5
Breast in Situ (not in total)									72	28.8	22.4	36.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DeWitt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	589	543.3	498.9	590.9	280	553.4	488.8	624.6	309	547.7	485.5	616.3
Oral Cavity and Pharynx	16	14.7	8.2	24.8	7	13.1	5.1	28.6	9	17.4	7.5	34.8
Esophagus	5	4.0	1.3	10.4	4	6.7	1.7	19.5	1	1.6	0.0	11.8
Stomach	8	7.3	3.1	15.1	1	1.9	0.0	12.6	7	12.2	4.8	27.1
Colon and Rectum	61	55.7	42.3	72.5	37	72.4	50.4	101.3	24	39.9	25.1	61.3
Liver	5	5.1	1.5	12.7	4	7.4	1.9	20.7	1	3.4	0.1	16.7
Pancreas	12	10.2	5.2	18.6	4	7.8	2.1	21.5	8	12.0	5.2	25.8
Lung and Bronchus	110	95.8	78.5	116.3	56	112.2	84.2	147.1	54	85.6	64.0	113.3
Bones and Joints	1	0.8	0.0	5.8	0				1	1.5	0.0	11.6
Melanoma of the Skin	42	43.3	30.6	59.7	24	52.9	33.3	80.1	18	36.3	20.5	59.6
Breast (invasive)	77	72.7	56.9	92.0	0				77	140.6	109.6	178.2
Cervix									5	10.8	3.2	26.7
Corpus and Uterus, NOS									17	31.1	17.5	51.7
Ovary									5	8.7	2.8	22.1
Prostate					54	99.7	74.4	131.6				
Testis					1	2.9	0.1	15.2				
Urinary Bladder (includes in situ)	23	20.4	12.8	31.3	14	25.9	14.0	44.9	9	16.2	7.2	32.5
Kidney and Renal Pelvis	16	15.7	8.7	26.5	12	24.0	12.0	43.6	4	8.2	2.0	22.8
Brain and Nervous System	4	3.8	1.0	10.6	2	4.8	0.6	17.9	2	3.0	0.4	13.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	27	25.6	16.6	38.1	14	29.9	16.1	51.2	13	21.9	11.2	39.8
Myeloma	6	5.3	1.9	12.3	3	5.1	1.0	17.1	3	4.7	0.9	16.3
Leukemia	16	14.5	8.1	24.4	8	17.5	7.3	35.6	8	11.6	5.0	25.2
All Other Sites	78	73.9	57.8	93.4	35	69.2	47.7	97.8	43	81.0	57.3	111.7
Breast in Situ (not in total)									11	17.7	8.7	33.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Douglas

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	612	493.3	453.8	535.4	302	512.1	454.9	574.9	310	488.7	433.3	549.6
Oral Cavity and Pharynx	8	6.6	2.7	13.5	8	14.3	6.0	29.0	0			
Esophagus	13	10.1	5.3	17.8	11	18.4	9.0	33.9	2	2.9	0.3	11.9
Stomach	9	7.1	3.2	14.0	5	7.7	2.5	19.2	4	6.5	1.7	17.7
Colon and Rectum	50	41.0	30.1	54.7	27	47.0	30.8	69.2	23	37.1	22.8	57.2
Liver	6	4.3	1.6	10.0	4	5.8	1.6	16.3	2	2.4	0.3	11.0
Pancreas	21	15.9	9.8	24.8	10	17.0	8.0	32.1	11	14.3	7.1	27.0
Lung and Bronchus	87	67.5	53.8	83.7	46	76.2	55.5	102.5	41	60.1	42.7	82.8
Bones and Joints	3	2.0	0.4	6.7	1	1.9	0.0	11.1	2	2.2	0.3	10.4
Melanoma of the Skin	41	34.4	24.3	47.3	17	28.9	16.6	47.1	24	41.4	25.8	63.0
Breast (invasive)	87	73.0	57.9	91.0	2	2.5	0.3	11.3	85	137.0	108.0	171.7
Cervix									2	4.7	0.6	16.2
Corpus and Uterus, NOS									18	27.2	15.7	44.3
Ovary									6	10.3	3.5	23.5
Prostate					75	121.7	95.2	153.7				
Testis					3	5.8	1.1	17.4				
Urinary Bladder (includes in situ)	29	21.7	14.5	31.7	21	34.5	21.2	53.6	8	11.8	5.0	24.5
Kidney and Renal Pelvis	14	11.0	5.9	19.0	9	15.2	6.7	30.0	5	6.1	1.9	16.1
Brain and Nervous System	11	9.7	4.7	17.8	6	10.1	3.6	22.9	5	8.9	2.7	21.8
Hodgkin Lymphoma	3	3.4	0.7	9.7	2	4.8	0.5	16.7	1	1.9	0.0	11.0
Non-Hodgkin Lymphoma	27	23.1	15.0	34.1	14	25.5	13.7	43.5	13	21.4	11.1	37.7
Myeloma	8	6.2	2.6	12.7	6	11.1	4.0	24.8	2	2.9	0.4	12.0
Leukemia	20	15.4	9.3	24.3	7	11.7	4.7	25.0	13	19.3	10.0	34.4
All Other Sites	71	59.3	45.9	75.5	28	52.0	34.3	75.8	43	70.2	49.9	96.1
Breast in Situ (not in total)									13	24.4	12.5	42.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	24,589	461.2	455.3	467.2	11,859	490.6	481.5	499.9	12,730	447.0	439.0	455.1
Oral Cavity and Pharynx	636	11.5	10.6	12.4	446	17.3	15.7	19.1	190	6.5	5.6	7.6
Esophagus	239	4.4	3.9	5.1	178	7.3	6.3	8.5	61	2.1	1.6	2.7
Stomach	345	6.5	5.8	7.3	214	9.2	7.9	10.5	131	4.4	3.7	5.3
Colon and Rectum	2,063	38.8	37.1	40.5	1,085	45.1	42.4	48.0	978	33.5	31.4	35.8
Liver	275	5.0	4.4	5.6	195	7.7	6.6	9.0	80	2.7	2.1	3.4
Pancreas	649	12.1	11.2	13.1	328	14.2	12.7	15.9	321	10.5	9.4	11.8
Lung and Bronchus	2,700	51.7	49.7	53.7	1,307	56.9	53.8	60.2	1,393	48.4	45.8	51.1
Bones and Joints	54	1.1	0.8	1.5	34	1.5	1.0	2.1	20	0.8	0.5	1.2
Melanoma of the Skin	1,170	22.2	20.9	23.6	677	27.7	25.5	29.9	493	18.4	16.7	20.1
Breast (invasive)	4,081	76.3	73.9	78.7	28	1.2	0.8	1.8	4,053	142.2	137.7	146.8
Cervix									139	5.2	4.3	6.2
Corpus and Uterus, NOS									982	32.1	30.0	34.2
Ovary									338	11.9	10.7	13.3
Prostate					2,890	108.6	104.5	112.8				
Testis					157	7.2	6.1	8.4				
Urinary Bladder (includes in situ)	1,152	22.4	21.1	23.7	895	40.4	37.7	43.2	257	8.8	7.7	10.0
Kidney and Renal Pelvis	875	16.3	15.2	17.4	587	23.5	21.6	25.6	288	10.2	9.0	11.5
Brain and Nervous System	357	6.9	6.2	7.7	199	8.2	7.1	9.5	158	5.8	4.9	6.8
Hodgkin Lymphoma	136	2.9	2.4	3.5	68	3.0	2.3	3.8	68	2.9	2.2	3.7
Non-Hodgkin Lymphoma	1,116	21.4	20.1	22.7	627	27.1	25.0	29.4	489	16.9	15.4	18.5
Myeloma	355	6.7	6.0	7.4	193	8.3	7.1	9.6	162	5.6	4.7	6.5
Leukemia	765	15.1	14.0	16.2	453	20.1	18.2	22.1	312	11.3	10.1	12.7
All Other Sites	3,115	60.7	58.5	62.9	1,298	56.0	52.9	59.3	1,817	66.8	63.7	70.0
Breast in Situ (not in total)									1,271	45.0	42.5	47.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Edgar

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	560	431.9	395.2	471.4	301	509.7	451.9	573.5	259	376.8	328.7	430.5
Oral Cavity and Pharynx	16	13.8	7.6	23.3	8	13.8	5.7	29.1	8	14.2	5.6	30.0
Esophagus	10	6.4	3.0	12.8	9	12.4	5.6	25.7	1	1.4	0.0	10.7
Stomach	6	4.3	1.5	10.3	3	4.7	0.9	16.0	3	4.0	0.7	14.5
Colon and Rectum	67	49.9	38.4	64.3	37	66.2	46.1	92.7	30	35.7	23.9	53.0
Liver	6	4.3	1.6	10.4	6	10.0	3.6	23.4	0			
Pancreas	14	9.9	5.4	17.6	6	10.0	3.6	23.5	8	9.9	4.1	22.1
Lung and Bronchus	97	71.6	57.7	88.3	48	78.8	57.7	106.0	49	68.0	49.6	92.1
Bones and Joints	1	0.7	0.0	5.5	1	1.6	0.0	11.3	0			
Melanoma of the Skin	31	28.4	18.7	41.4	15	29.3	16.0	49.6	16	30.4	16.4	51.6
Breast (invasive)	58	43.8	32.8	57.8	1	2.0	0.1	12.3	57	80.3	59.5	106.9
Cervix									5	8.4	2.3	21.8
Corpus and Uterus, NOS									19	31.5	17.9	52.0
Ovary									4	5.7	1.5	17.0
Prostate					58	88.7	67.0	116.3				
Testis					7	18.3	7.1	37.9				
Urinary Bladder (includes in situ)	27	20.8	13.5	31.2	21	38.1	23.2	59.7	6	7.3	2.6	18.4
Kidney and Renal Pelvis	13	10.0	5.1	18.1	9	15.0	6.8	30.1	4	6.5	1.4	19.4
Brain and Nervous System	5	5.1	1.5	12.6	4	9.0	2.3	23.8	1	1.4	0.0	10.7
Hodgkin Lymphoma	4	3.5	0.8	9.8	2	2.7	0.3	12.7	2	4.2	0.4	16.1
Non-Hodgkin Lymphoma	22	14.7	9.2	23.2	16	24.7	14.0	41.8	6	7.0	2.5	18.1
Myeloma	9	6.0	2.7	12.4	5	6.9	2.2	18.4	4	4.8	1.3	15.3
Leukemia	15	15.9	8.6	26.8	10	20.4	9.4	38.7	5	12.2	3.7	29.0
All Other Sites	66	50.1	38.3	64.9	35	57.1	39.3	81.0	31	44.0	28.6	65.6
Breast in Situ (not in total)									16	28.9	15.8	48.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Edwards

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	216	449.4	389.5	516.9	101	459.5	371.7	563.7	115	455.2	371.9	553.7
Oral Cavity and Pharynx	2	3.8	0.5	17.2	1	3.4	0.1	28.3	1	3.4	0.1	27.8
Esophagus	1	1.7	0.0	13.9	0				1	3.3	0.1	27.7
Stomach	4	6.7	1.8	20.7	2	6.8	0.8	32.9	2	6.5	0.8	31.9
Colon and Rectum	31	67.2	45.1	97.4	15	75.1	41.5	126.9	16	63.8	35.4	108.9
Liver	4	7.3	2.0	21.8	2	7.1	0.9	33.6	2	6.5	0.7	32.1
Pancreas	3	6.7	1.3	22.0	3	14.3	2.8	46.1	0			
Lung and Bronchus	44	85.2	61.6	116.4	20	83.5	50.3	133.4	24	87.1	55.3	134.3
Bones and Joints	0				0				0			
Melanoma of the Skin	6	13.5	4.6	32.0	3	14.8	2.9	47.2	3	15.0	2.4	48.9
Breast (invasive)	32	68.1	45.9	98.5	0				32	131.1	87.9	190.4
Cervix									2	7.2	0.9	33.4
Corpus and Uterus, NOS									2	6.2	0.7	31.5
Ovary									0			
Prostate					23	90.4	56.7	140.3				
Testis					1	7.5	0.2	38.8				
Urinary Bladder (includes in situ)	7	14.8	5.8	32.6	2	9.0	1.1	37.6	5	18.6	5.7	49.7
Kidney and Renal Pelvis	9	18.9	8.5	38.0	6	25.8	9.2	61.0	3	13.5	2.7	43.8
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	1	1.6	0.0	13.7	0				1	2.3	0.1	25.8
Non-Hodgkin Lymphoma	9	19.2	8.2	39.4	5	27.2	8.1	67.3	4	12.7	3.4	40.2
Myeloma	2	4.4	0.5	18.4	2	11.4	1.4	43.1	0			
Leukemia	6	14.6	5.0	33.8	5	27.4	8.5	66.8	1	3.3	0.1	27.6
All Other Sites	27	62.4	40.2	93.2	11	55.8	27.6	102.5	16	74.6	40.8	126.6
Breast in Situ (not in total)									5	17.0	5.5	46.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Effingham

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,050	490.7	460.5	522.4	524	528.0	482.5	576.8	526	471.9	430.6	516.3
Oral Cavity and Pharynx	30	13.1	8.7	19.1	21	19.0	11.5	29.8	9	7.3	3.3	14.6
Esophagus	8	3.1	1.3	6.5	7	5.4	2.2	12.0	1	0.8	0.0	5.5
Stomach	9	3.8	1.7	7.6	7	7.8	3.1	16.4	2	1.7	0.2	7.1
Colon and Rectum	124	57.1	47.2	68.4	63	65.9	50.2	85.0	61	50.4	38.2	65.6
Liver	10	4.5	2.1	8.5	6	5.0	1.8	11.7	4	3.9	1.0	10.6
Pancreas	24	10.8	6.8	16.3	9	9.6	4.3	18.6	15	11.5	6.4	19.8
Lung and Bronchus	144	65.3	54.9	77.3	76	75.1	58.7	94.7	68	56.9	44.1	72.8
Bones and Joints	3	2.0	0.4	5.8	1	1.3	0.0	6.9	2	2.8	0.3	9.9
Melanoma of the Skin	54	27.7	20.6	36.6	25	26.4	16.9	39.4	29	32.1	21.0	46.9
Breast (invasive)	144	68.2	57.1	80.8	1	1.3	0.0	6.9	143	127.8	106.8	151.9
Cervix									10	12.8	5.8	23.8
Corpus and Uterus, NOS									33	29.0	19.7	41.6
Ovary									12	11.8	5.8	21.3
Prostate					148	137.5	115.7	162.4				
Testis					5	6.9	2.2	15.9				
Urinary Bladder (includes in situ)	56	26.2	19.6	34.3	42	45.9	32.9	62.5	14	12.7	6.6	22.3
Kidney and Renal Pelvis	40	19.0	13.4	26.2	22	20.6	12.7	31.9	18	17.5	10.0	28.6
Brain and Nervous System	15	7.3	4.0	12.4	7	8.8	3.5	18.1	8	5.5	2.3	11.9
Hodgkin Lymphoma	1	0.6	0.0	3.3	1	1.2	0.0	6.6	0			
Non-Hodgkin Lymphoma	32	15.8	10.6	22.6	16	18.8	10.5	30.9	16	13.1	7.4	21.9
Myeloma	13	5.7	3.0	10.2	6	6.5	2.3	14.6	7	5.2	2.1	11.8
Leukemia	26	12.9	8.3	19.2	13	14.4	7.5	25.1	13	12.2	6.3	21.6
All Other Sites	109	52.6	42.9	64.0	48	50.7	37.1	67.9	61	56.7	42.7	74.0
Breast in Situ (not in total)									29	28.9	18.8	42.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Fayette

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	634	432.5	398.8	468.5	348	494.0	442.8	549.7	286	382.5	337.2	432.6
Oral Cavity and Pharynx	26	17.8	11.5	26.5	20	27.8	16.8	43.7	6	7.4	2.7	17.6
Esophagus	6	4.2	1.5	9.6	6	8.9	3.3	20.0	0			
Stomach	8	5.6	2.4	11.4	7	10.6	4.3	22.3	1	1.3	0.0	9.3
Colon and Rectum	55	37.2	27.9	48.9	30	42.9	28.8	61.8	25	30.1	19.1	46.3
Liver	8	5.0	2.1	10.5	3	3.8	0.8	12.3	5	5.4	1.7	14.6
Pancreas	25	15.5	10.0	23.4	15	20.5	11.4	34.6	10	11.5	5.4	22.8
Lung and Bronchus	94	62.8	50.6	77.3	59	81.4	61.7	105.7	35	46.3	31.8	65.9
Bones and Joints	3	2.4	0.5	7.4	0				3	4.8	0.9	15.1
Melanoma of the Skin	28	20.3	13.4	29.7	13	20.2	10.7	35.0	15	21.4	11.7	36.8
Breast (invasive)	78	54.2	42.6	68.2	1	1.2	0.0	8.4	77	106.1	82.7	134.6
Cervix									6	13.0	4.5	28.5
Corpus and Uterus, NOS									21	25.5	15.7	40.4
Ovary									4	4.7	1.3	13.9
Prostate					85	116.3	92.7	144.6				
Testis					3	4.6	0.9	14.1				
Urinary Bladder (includes in situ)	22	14.3	8.9	22.1	17	23.6	13.6	38.4	5	5.5	1.7	14.9
Kidney and Renal Pelvis	26	18.1	11.6	27.1	16	21.7	12.3	36.1	10	14.9	6.6	29.3
Brain and Nervous System	3	2.9	0.6	8.5	2	4.1	0.5	14.2	1	1.3	0.0	9.3
Hodgkin Lymphoma	1	1.1	0.0	5.8	1	2.2	0.1	11.2	0			
Non-Hodgkin Lymphoma	27	17.5	11.5	26.0	13	18.7	9.9	32.5	14	16.6	9.0	29.3
Myeloma	5	3.1	1.0	7.9	3	4.1	0.8	13.0	2	2.5	0.3	11.0
Leukemia	19	13.6	8.1	21.7	13	19.8	10.5	34.4	6	8.9	3.1	20.7
All Other Sites	81	57.8	45.6	72.5	41	61.5	43.9	84.0	40	55.4	38.5	77.6
Breast in Situ (not in total)									14	19.4	10.2	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Ford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	495	538.7	490.5	590.8	235	544.8	475.7	621.9	260	543.2	475.0	619.1
Oral Cavity and Pharynx	18	17.7	10.2	29.2	12	27.2	13.9	49.1	6	10.1	2.9	26.7
Esophagus	6	6.1	2.2	14.4	3	7.3	1.5	22.9	3	6.0	1.2	20.1
Stomach	7	9.6	3.6	20.6	6	17.6	6.1	39.3	1	2.0	0.1	14.4
Colon and Rectum	47	48.6	35.4	65.7	17	37.0	21.3	61.1	30	59.1	38.9	87.1
Liver	5	4.2	1.3	11.4	3	6.4	1.3	21.1	2	2.5	0.3	14.6
Pancreas	13	14.4	7.4	25.8	8	20.0	8.3	41.1	5	8.4	2.5	23.1
Lung and Bronchus	66	68.2	52.4	87.8	34	77.1	52.9	109.5	32	60.5	40.8	87.8
Bones and Joints	2	2.3	0.2	9.5	0				2	4.3	0.3	19.0
Melanoma of the Skin	40	45.4	31.8	63.1	23	51.1	32.1	78.2	17	42.1	23.3	70.3
Breast (invasive)	80	88.3	69.3	111.2	0				80	167.6	131.3	211.8
Cervix									2	5.1	0.5	20.2
Corpus and Uterus, NOS									12	23.9	11.7	44.7
Ovary									10	20.8	9.5	40.8
Prostate					43	95.9	68.9	131.0				
Testis					0							
Urinary Bladder (includes in situ)	19	19.3	11.5	31.1	17	39.3	22.7	64.6	2	3.5	0.4	16.2
Kidney and Renal Pelvis	22	25.8	15.9	40.1	14	34.2	18.1	59.5	8	17.0	7.3	35.3
Brain and Nervous System	6	9.0	3.3	19.7	3	8.4	1.7	25.3	3	10.3	2.1	29.4
Hodgkin Lymphoma	3	4.7	0.9	13.7	0				3	9.5	1.8	27.8
Non-Hodgkin Lymphoma	16	16.5	9.2	27.9	9	21.2	9.4	42.0	7	13.1	4.9	30.0
Myeloma	7	7.1	2.9	15.7	4	10.0	2.7	26.8	3	5.0	1.0	18.2
Leukemia	26	30.4	19.5	45.5	19	48.8	29.0	77.5	7	14.9	5.7	32.9
All Other Sites	45	49.8	35.6	68.2	20	43.2	26.0	68.8	25	57.6	35.3	88.9
Breast in Situ (not in total)									17	39.5	22.5	65.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Franklin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,508	547.4	519.2	577.0	799	616.7	573.6	662.5	709	496.0	458.2	536.4
Oral Cavity and Pharynx	44	15.2	11.0	20.8	31	21.9	14.7	31.7	13	8.8	4.5	16.0
Esophagus	24	8.7	5.5	13.3	20	16.0	9.6	25.3	4	2.7	0.7	7.8
Stomach	20	6.8	4.1	10.9	14	10.3	5.6	17.8	6	4.2	1.5	9.9
Colon and Rectum	125	45.9	38.0	55.1	76	61.0	47.8	77.0	49	33.2	24.2	44.8
Liver	12	4.3	2.1	7.9	8	5.6	2.4	11.8	4	2.9	0.7	8.3
Pancreas	42	14.3	10.2	19.6	29	21.2	14.1	31.0	13	7.6	4.0	13.8
Lung and Bronchus	310	108.3	96.3	121.5	168	129.9	110.6	151.8	142	90.8	76.1	107.8
Bones and Joints	1	0.3	0.0	2.4	0				1	0.5	0.0	4.4
Melanoma of the Skin	78	29.3	23.0	37.1	47	37.2	27.1	50.1	31	23.6	15.7	34.4
Breast (invasive)	181	68.8	58.6	80.2	1	0.7	0.0	4.9	180	130.0	110.7	152.1
Cervix									8	9.3	3.9	18.2
Corpus and Uterus, NOS									49	34.4	25.1	46.4
Ovary									14	10.4	5.4	18.2
Prostate					150	108.1	91.3	127.5				
Testis					4	4.4	1.1	11.3				
Urinary Bladder (includes in situ)	75	25.1	19.7	31.7	55	41.4	31.0	54.4	20	11.5	6.9	18.6
Kidney and Renal Pelvis	66	24.3	18.6	31.5	38	29.4	20.4	41.2	28	19.4	12.5	29.0
Brain and Nervous System	23	10.8	6.7	16.5	14	14.3	7.6	24.3	9	7.6	3.3	15.2
Hodgkin Lymphoma	5	3.1	1.0	7.0	4	4.9	1.3	12.3	1	1.2	0.0	6.3
Non-Hodgkin Lymphoma	60	22.4	16.8	29.3	29	23.1	15.2	33.8	31	22.2	14.6	32.6
Myeloma	14	4.8	2.6	8.4	7	4.9	1.9	10.8	7	4.8	1.9	10.7
Leukemia	43	16.4	11.7	22.4	28	23.2	15.2	34.1	15	10.5	5.7	18.2
All Other Sites	160	59.4	50.2	69.9	76	59.6	46.5	75.4	84	60.4	47.4	76.1
Breast in Situ (not in total)									25	19.2	12.0	29.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Fulton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,188	478.9	451.1	508.0	622	522.5	481.5	566.2	566	459.1	419.2	502.0
Oral Cavity and Pharynx	41	16.5	11.7	22.8	34	28.1	19.4	39.8	7	6.0	2.2	13.5
Esophagus	16	6.6	3.7	11.2	14	11.8	6.3	20.4	2	1.3	0.2	6.3
Stomach	15	6.2	3.3	10.8	6	5.0	1.7	11.6	9	7.6	3.1	15.9
Colon and Rectum	134	52.7	43.9	62.9	66	56.9	43.8	72.9	68	48.6	37.3	62.8
Liver	16	6.0	3.4	10.1	15	12.0	6.7	20.4	1	0.6	0.0	5.5
Pancreas	31	11.6	7.8	16.8	14	12.2	6.6	20.9	17	10.8	6.0	18.6
Lung and Bronchus	191	71.9	61.9	83.3	106	85.5	69.8	103.9	85	61.8	48.9	77.6
Bones and Joints	3	1.4	0.2	4.6	2	2.3	0.3	8.4	1	0.4	0.0	5.1
Melanoma of the Skin	48	21.1	15.4	28.4	25	21.0	13.5	31.6	23	23.4	14.2	36.2
Breast (invasive)	168	70.8	60.1	83.0	1	0.9	0.0	5.7	167	141.5	119.3	166.8
Cervix									9	10.6	4.4	20.9
Corpus and Uterus, NOS									29	24.2	15.6	36.1
Ovary									18	15.0	8.5	24.9
Prostate					113	89.2	73.4	107.9				
Testis					6	6.2	2.2	13.8				
Urinary Bladder (includes in situ)	67	26.0	20.1	33.5	60	50.8	38.6	65.8	7	7.1	2.6	15.6
Kidney and Renal Pelvis	59	24.0	18.0	31.5	40	33.0	23.4	45.6	19	16.4	9.4	26.9
Brain and Nervous System	12	5.7	2.8	10.3	8	7.6	3.2	15.5	4	3.7	0.9	10.4
Hodgkin Lymphoma	6	3.0	1.1	6.9	4	4.0	1.1	10.7	2	2.0	0.2	8.2
Non-Hodgkin Lymphoma	52	21.7	16.1	28.9	33	30.0	20.5	42.5	19	14.7	8.6	24.1
Myeloma	18	6.8	4.0	11.2	9	7.6	3.4	15.1	9	6.5	2.8	13.7
Leukemia	29	12.3	8.1	18.2	16	15.0	8.5	24.8	13	8.7	4.3	16.5
All Other Sites	107	44.4	36.1	54.3	50	43.2	31.8	57.6	57	48.2	35.6	64.1
Breast in Situ (not in total)									29	26.2	17.3	38.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Gallatin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	188	498.6	425.4	581.8	100	560.4	449.7	692.3	88	446.3	351.0	561.7
Oral Cavity and Pharynx	4	11.2	2.7	32.2	4	23.1	5.7	66.0	0			
Esophagus	1	1.8	0.0	17.2	1	3.8	0.1	35.3	0			
Stomach	2	4.2	0.5	20.6	1	4.3	0.1	36.3	1	4.0	0.1	35.0
Colon and Rectum	19	44.1	26.3	72.0	14	68.5	36.7	121.9	5	20.8	6.7	57.5
Liver	1	2.6	0.1	18.9	1	5.6	0.1	39.1	0			
Pancreas	3	6.4	1.3	23.6	0				3	12.0	2.5	45.5
Lung and Bronchus	42	97.8	69.6	135.6	22	118.8	72.6	186.8	20	87.0	51.7	142.4
Bones and Joints	0				0				0			
Melanoma of the Skin	7	26.9	10.3	56.8	4	34.0	8.9	87.3	3	20.5	3.7	64.1
Breast (invasive)	23	65.8	40.3	102.5	0				23	123.3	74.9	193.5
Cervix									1	9.7	0.2	49.4
Corpus and Uterus, NOS									1	4.7	0.1	36.4
Ovary									2	13.7	1.3	54.1
Prostate					14	65.8	35.1	118.0				
Testis					0							
Urinary Bladder (includes in situ)	11	26.7	13.2	50.9	8	43.1	18.1	91.3	3	12.8	2.6	47.1
Kidney and Renal Pelvis	15	40.2	21.6	70.0	9	53.1	22.9	107.5	6	27.0	9.6	66.8
Brain and Nervous System	5	18.7	5.6	45.1	2	10.8	1.2	46.8	3	25.0	4.6	73.9
Hodgkin Lymphoma	1	5.4	0.1	26.3	1	10.8	0.3	53.4	0			
Non-Hodgkin Lymphoma	5	14.6	4.2	37.7	4	25.7	6.1	72.0	1	5.0	0.1	37.0
Myeloma	4	7.8	2.1	25.1	2	8.5	1.0	41.9	2	7.4	0.9	39.0
Leukemia	4	8.2	2.2	25.8	2	8.5	1.0	41.9	2	8.0	1.0	40.2
All Other Sites	23	71.9	43.8	111.7	11	76.2	35.9	142.2	12	65.4	31.2	122.9
Breast in Situ (not in total)									3	12.1	2.5	45.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Greene

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	495	545.2	496.7	597.4	229	536.2	467.6	612.7	266	559.7	491.3	635.9
Oral Cavity and Pharynx	13	13.5	7.1	24.1	8	17.2	7.3	35.7	5	10.1	3.0	26.6
Esophagus	5	5.2	1.7	13.3	4	9.6	2.6	26.1	1	1.8	0.0	14.3
Stomach	6	5.8	2.1	13.8	1	2.3	0.1	15.0	5	8.7	2.8	23.6
Colon and Rectum	38	43.3	30.3	60.5	23	58.5	36.6	89.2	15	27.7	15.4	48.2
Liver	12	11.7	6.0	21.5	7	14.2	5.6	31.4	5	8.9	2.9	24.0
Pancreas	13	14.1	7.4	24.9	2	4.7	0.6	18.7	11	22.3	10.8	42.3
Lung and Bronchus	84	88.2	70.1	110.3	39	87.7	62.0	121.5	45	90.0	64.9	122.9
Bones and Joints	1	1.9	0.0	9.5	1	3.3	0.1	17.8	0			
Melanoma of the Skin	26	29.1	18.8	43.7	11	25.3	12.6	46.6	15	34.9	18.8	60.0
Breast (invasive)	81	87.8	69.3	110.3	0				81	167.0	131.4	210.4
Cervix									1	4.2	0.1	20.7
Corpus and Uterus, NOS									15	33.4	17.8	58.0
Ovary									10	21.9	10.0	42.8
Prostate					46	101.3	73.9	136.5				
Testis					1	3.3	0.1	17.8				
Urinary Bladder (includes in situ)	21	22.1	13.5	34.7	15	35.4	19.8	59.6	6	13.7	4.6	32.6
Kidney and Renal Pelvis	29	37.7	24.8	55.1	15	41.3	22.8	69.1	14	33.8	17.7	59.2
Brain and Nervous System	3	3.1	0.6	10.4	2	4.8	0.6	18.9	1	1.7	0.0	14.1
Hodgkin Lymphoma	3	3.5	0.6	11.4	3	6.7	1.2	22.1	0			
Non-Hodgkin Lymphoma	17	18.3	10.6	30.2	8	18.2	7.8	37.5	9	19.9	8.9	39.8
Myeloma	5	5.3	1.7	13.5	4	9.6	2.6	26.1	1	2.1	0.1	14.9
Leukemia	16	21.0	11.6	35.1	10	24.0	11.2	45.7	6	19.0	6.5	42.5
All Other Sites	49	54.1	39.5	72.8	29	68.6	45.2	100.6	20	38.6	23.0	62.4
Breast in Situ (not in total)									9	17.8	7.9	36.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Grundy

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,508	559.8	531.3	589.4	794	635.9	590.5	683.8	714	508.0	470.8	547.4
Oral Cavity and Pharynx	42	15.2	10.9	20.6	34	25.5	17.4	36.1	8	5.6	2.4	11.3
Esophagus	20	7.3	4.4	11.4	18	14.7	8.5	23.8	2	1.3	0.2	5.0
Stomach	20	7.4	4.5	11.5	17	13.2	7.5	21.5	3	2.0	0.4	6.2
Colon and Rectum	129	48.7	40.5	58.1	69	59.5	45.7	76.0	60	41.6	31.6	53.9
Liver	20	6.1	3.7	9.7	17	10.4	6.0	17.2	3	1.9	0.4	5.8
Pancreas	43	16.3	11.8	22.1	23	18.9	11.8	28.7	20	13.7	8.3	21.5
Lung and Bronchus	217	79.5	69.1	91.2	115	91.8	75.1	111.0	102	69.1	56.2	84.2
Bones and Joints	1	0.4	0.0	2.2	0				1	0.8	0.0	4.4
Melanoma of the Skin	57	21.3	16.1	27.8	30	22.2	14.6	32.2	27	21.2	13.9	31.0
Breast (invasive)	220	83.3	72.4	95.3	0				220	158.3	137.7	181.2
Cervix									12	9.4	4.8	16.6
Corpus and Uterus, NOS									32	21.0	14.3	30.0
Ovary									13	9.7	5.1	16.8
Prostate					202	149.5	128.9	172.6				
Testis					10	7.5	3.6	14.1				
Urinary Bladder (includes in situ)	68	25.5	19.7	32.5	49	43.3	31.6	57.9	19	12.2	7.2	19.3
Kidney and Renal Pelvis	58	21.2	16.0	27.6	36	27.6	19.1	38.6	22	15.0	9.3	23.0
Brain and Nervous System	22	8.6	5.3	13.1	11	9.5	4.6	17.3	11	8.7	4.3	15.6
Hodgkin Lymphoma	9	3.5	1.6	6.7	5	3.7	1.2	9.0	4	3.3	0.9	8.4
Non-Hodgkin Lymphoma	49	18.8	13.8	25.0	28	24.0	15.6	35.3	21	16.4	10.0	25.1
Myeloma	13	4.7	2.5	8.2	5	3.7	1.2	9.0	8	5.2	2.2	10.6
Leukemia	48	18.5	13.6	24.7	29	26.5	17.4	38.5	19	13.4	8.0	21.2
All Other Sites	203	78.9	68.2	90.7	96	84.1	67.5	103.5	107	78.1	63.8	94.7
Breast in Situ (not in total)									34	24.0	16.5	33.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Hamilton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	325	538.8	479.7	603.9	190	672.8	578.0	780.1	135	424.6	351.9	509.6
Oral Cavity and Pharynx	11	16.4	8.1	31.2	7	22.9	9.1	51.1	4	10.8	2.9	33.3
Esophagus	5	7.1	2.3	19.1	4	11.0	3.0	33.9	1	2.9	0.1	22.8
Stomach	2	3.1	0.4	13.8	1	3.2	0.1	23.8	1	2.6	0.1	22.1
Colon and Rectum	35	55.6	38.2	79.3	13	49.7	25.8	88.3	22	59.2	36.5	94.2
Liver	1	2.2	0.1	13.2	1	4.3	0.1	26.3	0			
Pancreas	9	13.8	6.3	28.1	6	19.1	6.9	45.9	3	8.5	1.7	30.3
Lung and Bronchus	54	82.0	61.4	108.5	36	120.4	83.9	169.8	18	50.3	29.3	83.8
Bones and Joints	1	3.0	0.1	15.5	1	5.8	0.1	30.4	0			
Melanoma of the Skin	20	35.0	20.9	56.0	14	50.8	27.3	88.4	6	23.1	7.6	54.4
Breast (invasive)	31	53.1	35.3	77.6	0				31	100.0	65.9	147.3
Cervix									2	7.2	0.8	30.2
Corpus and Uterus, NOS									11	37.0	17.6	70.7
Ovary									4	11.7	3.2	34.9
Prostate					35	112.9	78.3	160.2				
Testis					1	5.8	0.1	30.5				
Urinary Bladder (includes in situ)	12	21.1	10.5	38.7	10	39.4	18.3	75.4	2	5.2	0.6	25.7
Kidney and Renal Pelvis	20	35.8	21.3	57.3	14	50.7	27.2	88.3	6	21.9	7.2	52.3
Brain and Nervous System	4	6.9	1.8	19.8	2	6.0	0.7	27.5	2	8.1	0.8	32.4
Hodgkin Lymphoma	1	1.7	0.0	11.9	1	4.1	0.1	25.8	0			
Non-Hodgkin Lymphoma	13	22.2	11.4	39.9	7	25.3	10.1	55.3	6	20.7	6.8	50.0
Myeloma	4	5.8	1.6	17.4	4	12.6	3.4	36.9	0			
Leukemia	9	13.9	6.3	28.3	8	27.1	11.6	56.9	1	2.8	0.1	22.5
All Other Sites	40	75.6	53.0	105.0	25	101.8	64.7	153.5	15	52.6	28.2	91.2
Breast in Situ (not in total)									5	21.5	6.2	53.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Hancock

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	635	471.4	432.9	512.6	311	469.6	416.8	527.9	324	482.6	426.4	544.7
Oral Cavity and Pharynx	24	16.8	10.5	26.1	13	18.5	9.7	33.4	11	15.3	6.9	30.5
Esophagus	5	3.5	1.1	9.2	5	7.1	2.3	18.7	0			
Stomach	9	6.4	2.8	13.3	6	9.2	3.1	22.1	3	3.7	0.8	13.7
Colon and Rectum	56	39.6	29.3	52.9	27	40.5	26.0	61.1	29	38.5	24.6	58.5
Liver	6	4.5	1.5	11.0	3	5.0	0.8	16.6	3	3.5	0.7	13.5
Pancreas	16	10.5	6.0	18.0	6	8.2	3.0	19.8	10	12.8	6.0	25.9
Lung and Bronchus	94	64.8	51.9	80.3	58	82.7	62.6	108.3	36	50.5	34.3	72.6
Bones and Joints	0				0				0			
Melanoma of the Skin	34	29.3	19.6	42.4	14	22.9	12.2	40.1	20	36.5	20.9	59.2
Breast (invasive)	91	68.4	54.3	85.5	3	4.9	1.0	16.1	88	128.3	100.9	161.5
Cervix									7	17.1	6.2	36.5
Corpus and Uterus, NOS									26	38.6	24.4	59.1
Ovary									12	20.9	9.8	39.1
Prostate					65	87.4	67.2	112.9				
Testis					1	2.7	0.1	14.1				
Urinary Bladder (includes in situ)	33	20.5	14.0	29.6	24	33.8	21.6	51.8	9	9.3	4.2	20.5
Kidney and Renal Pelvis	30	24.1	15.6	35.7	25	43.8	27.3	66.8	5	6.2	2.0	17.1
Brain and Nervous System	8	8.7	3.6	17.6	5	9.2	2.9	22.6	3	9.0	1.8	24.8
Hodgkin Lymphoma	3	4.6	0.9	12.8	0				3	9.4	1.9	26.0
Non-Hodgkin Lymphoma	23	16.5	10.2	25.9	13	21.2	10.8	38.0	10	11.6	5.5	23.9
Myeloma	6	4.5	1.5	10.9	5	8.0	2.4	20.6	1	1.4	0.0	10.7
Leukemia	17	12.8	7.0	21.7	7	12.0	4.6	26.3	10	14.6	6.3	29.7
All Other Sites	69	54.4	41.4	70.4	31	52.6	34.8	76.8	38	55.4	37.8	79.1
Breast in Situ (not in total)									16	20.1	11.4	34.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Hardin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	157	456.7	383.8	542.0	91	526.8	418.8	660.0	66	393.3	297.5	516.0
Oral Cavity and Pharynx	3	8.3	1.5	32.5	3	17.3	3.2	65.8	0			
Esophagus	2	5.3	0.6	28.0	2	10.4	1.2	55.0	0			
Stomach	2	5.6	0.7	28.6	0				2	11.4	1.4	58.4
Colon and Rectum	12	38.2	18.5	73.3	9	60.4	25.3	127.3	3	17.0	3.5	65.5
Liver	1	2.1	0.1	23.6	0				1	4.2	0.1	48.2
Pancreas	5	11.1	3.6	34.5	3	12.7	2.6	56.7	2	9.4	1.1	54.7
Lung and Bronchus	46	133.6	96.4	183.8	26	146.5	94.4	225.2	20	125.2	74.0	205.5
Bones and Joints	1	7.4	0.2	36.8	1	14.6	0.4	72.5	0			
Melanoma of the Skin	5	13.5	4.1	39.0	1	4.0	0.1	46.4	4	21.0	5.3	70.7
Breast (invasive)	10	31.2	14.1	63.8	0				10	60.7	27.0	125.9
Cervix									1	5.7	0.1	51.0
Corpus and Uterus, NOS									3	16.7	3.4	65.1
Ovary									0			
Prostate					15	77.4	42.7	139.6				
Testis					0							
Urinary Bladder (includes in situ)	14	38.7	21.0	70.5	13	77.5	40.5	143.1	1	4.0	0.1	48.0
Kidney and Renal Pelvis	6	17.9	6.0	45.9	1	6.4	0.2	50.9	5	29.3	8.3	84.1
Brain and Nervous System	1	2.2	0.1	23.8	0				1	4.0	0.1	48.0
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	7	17.1	6.8	42.7	5	25.3	8.1	74.2	2	8.4	1.0	53.0
Myeloma	1	2.4	0.1	24.2	0				1	5.2	0.1	50.0
Leukemia	5	20.5	5.8	53.1	4	28.6	6.6	85.6	1	12.7	0.3	68.0
All Other Sites	17	52.1	28.6	90.5	8	45.6	19.2	102.0	9	58.3	23.3	126.8
Breast in Situ (not in total)									4	22.9	6.1	73.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Henderson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	253	435.3	380.5	497.2	115	395.6	323.3	482.4	138	468.0	388.7	561.8
Oral Cavity and Pharynx	7	9.9	4.0	24.5	6	17.0	6.2	45.7	1	2.0	0.0	26.1
Esophagus	2	3.2	0.4	16.2	2	6.8	0.8	33.6	0			
Stomach	1	1.7	0.0	14.4	1	3.6	0.1	29.5	0			
Colon and Rectum	22	36.5	22.6	58.2	7	22.9	9.0	54.7	15	49.9	27.3	88.7
Liver	6	9.0	3.3	23.6	5	15.1	4.9	43.8	1	2.8	0.1	27.5
Pancreas	7	10.7	4.3	25.8	4	12.5	3.4	40.7	3	8.9	1.8	35.4
Lung and Bronchus	45	71.0	51.2	98.1	28	87.7	57.9	132.5	17	54.1	29.9	94.7
Bones and Joints	1	3.9	0.1	20.1	1	7.8	0.2	40.4	0			
Melanoma of the Skin	13	19.2	10.2	36.1	6	17.8	6.5	47.0	7	18.9	7.5	47.7
Breast (invasive)	41	74.8	52.6	104.8	0				41	144.5	101.8	202.6
Cervix									1	3.0	0.1	28.0
Corpus and Uterus, NOS									12	41.0	20.5	78.2
Ovary									6	18.2	6.7	47.3
Prostate					20	66.0	40.1	107.7				
Testis					2	15.3	1.9	52.7				
Urinary Bladder (includes in situ)	11	16.8	8.3	33.4	8	27.2	11.6	60.3	3	7.8	1.6	33.6
Kidney and Renal Pelvis	11	19.3	9.2	37.9	5	16.0	5.1	45.3	6	21.7	7.2	54.7
Brain and Nervous System	3	8.8	1.6	27.2	2	10.3	1.0	42.1	1	7.9	0.2	40.3
Hodgkin Lymphoma	2	5.5	0.5	21.8	1	7.8	0.2	40.4	1	3.0	0.1	28.0
Non-Hodgkin Lymphoma	9	18.4	7.9	37.9	4	13.3	3.6	42.0	5	23.4	6.9	59.8
Myeloma	0				0				0			
Leukemia	10	16.0	7.6	32.8	7	23.3	9.2	55.3	3	8.0	1.6	33.8
All Other Sites	21	39.3	23.3	63.8	6	25.0	8.3	61.1	15	52.9	28.1	94.6
Breast in Situ (not in total)									7	20.0	8.0	49.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Henry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,622	472.5	448.9	497.1	861	524.4	488.9	562.0	761	433.0	401.0	467.0
Oral Cavity and Pharynx	50	14.9	10.9	20.0	42	26.2	18.6	36.0	8	4.5	1.8	9.7
Esophagus	17	4.7	2.7	7.8	13	7.7	4.0	13.7	4	1.8	0.5	5.6
Stomach	18	5.2	3.0	8.5	14	8.9	4.8	15.4	4	2.0	0.5	5.9
Colon and Rectum	141	40.0	33.5	47.5	75	45.9	35.9	58.1	66	34.7	26.5	45.0
Liver	17	4.5	2.6	7.5	15	8.5	4.7	14.6	2	1.0	0.1	4.5
Pancreas	54	14.3	10.7	18.9	26	15.1	9.8	22.6	28	13.1	8.6	19.6
Lung and Bronchus	248	68.4	60.0	77.8	147	87.1	73.3	102.9	101	52.8	42.8	64.7
Bones and Joints	2	0.5	0.1	2.3	2	1.0	0.1	4.6	0			
Melanoma of the Skin	85	25.6	20.2	32.0	46	27.4	19.9	37.1	39	24.8	17.2	34.8
Breast (invasive)	217	65.6	56.7	75.6	2	1.3	0.2	5.2	215	125.1	107.9	144.4
Cervix									21	14.5	8.6	22.9
Corpus and Uterus, NOS									63	37.1	28.2	48.2
Ovary									19	11.7	6.8	18.9
Prostate					193	105.8	91.2	122.3				
Testis					9	8.5	3.8	16.0				
Urinary Bladder (includes in situ)	77	21.1	16.6	26.7	54	33.6	25.0	44.3	23	11.4	7.1	17.8
Kidney and Renal Pelvis	72	23.9	18.4	30.5	51	36.3	26.7	48.4	21	12.5	7.5	20.0
Brain and Nervous System	18	5.6	3.2	9.2	10	6.4	2.9	12.5	8	4.5	1.8	9.7
Hodgkin Lymphoma	6	2.5	0.9	5.4	3	2.5	0.5	7.4	3	2.4	0.5	7.2
Non-Hodgkin Lymphoma	78	24.0	18.8	30.4	44	28.1	20.2	38.4	34	21.1	14.2	30.3
Myeloma	8	2.4	1.0	5.0	6	3.8	1.3	8.8	2	1.0	0.1	4.5
Leukemia	41	11.9	8.4	16.5	22	15.0	9.2	23.1	19	9.9	5.8	16.3
All Other Sites	168	50.4	42.7	59.0	87	55.5	44.1	69.0	81	47.0	36.7	59.5
Breast in Situ (not in total)									46	27.7	20.0	37.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Iroquois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,013	490.1	459.1	522.9	530	537.8	491.8	587.5	483	455.0	412.8	500.9
Oral Cavity and Pharynx	30	15.4	10.1	22.7	19	19.5	11.3	31.8	11	11.4	5.3	21.8
Esophagus	13	6.5	3.4	11.8	12	13.1	6.6	23.8	1	1.2	0.0	7.4
Stomach	20	9.2	5.6	14.7	14	13.2	7.2	23.2	6	5.4	2.0	12.9
Colon and Rectum	108	52.5	42.7	64.2	48	47.2	34.5	63.6	60	55.4	41.3	73.2
Liver	10	4.3	2.1	8.5	9	8.2	3.7	16.7	1	0.8	0.0	6.5
Pancreas	31	13.5	9.1	19.6	14	13.3	7.2	23.3	17	13.8	7.9	23.3
Lung and Bronchus	177	80.0	68.5	93.3	101	98.6	80.1	120.8	76	65.2	51.0	82.9
Bones and Joints	2	0.8	0.1	3.8	1	0.8	0.0	6.6	1	0.8	0.0	6.5
Melanoma of the Skin	57	29.7	22.1	39.2	35	38.4	26.4	54.4	22	23.5	14.0	37.2
Breast (invasive)	124	61.1	50.3	73.7	4	3.6	1.0	10.7	120	113.7	93.1	138.0
Cervix									1	0.8	0.0	6.6
Corpus and Uterus, NOS									37	33.9	23.7	47.8
Ovary									11	13.7	6.4	25.5
Prostate					103	98.4	80.1	120.2				
Testis					2	4.0	0.5	13.4				
Urinary Bladder (includes in situ)	38	17.0	11.9	23.9	30	31.0	20.9	44.9	8	6.6	2.7	14.7
Kidney and Renal Pelvis	46	22.5	16.2	30.7	30	29.7	19.9	43.3	16	16.8	9.1	28.7
Brain and Nervous System	10	5.1	2.3	10.0	7	7.8	2.9	17.2	3	2.6	0.5	9.1
Hodgkin Lymphoma	4	2.7	0.7	7.3	2	2.8	0.3	10.8	2	2.7	0.3	10.1
Non-Hodgkin Lymphoma	45	21.0	15.3	28.6	27	27.7	18.1	41.2	18	15.2	9.0	25.1
Myeloma	14	6.1	3.3	10.8	7	6.6	2.6	14.7	7	5.4	2.1	12.7
Leukemia	24	12.2	7.7	18.7	17	19.0	10.8	31.3	7	5.8	2.3	13.3
All Other Sites	106	57.8	46.6	71.0	48	55.0	39.9	74.2	58	60.3	44.5	80.1
Breast in Situ (not in total)									23	21.4	13.4	33.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Jackson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,330	433.7	409.9	458.5	677	477.2	440.8	515.8	653	408.8	376.5	443.1
Oral Cavity and Pharynx	37	11.9	8.3	16.5	30	20.2	13.4	29.3	7	4.4	1.7	9.3
Esophagus	20	6.0	3.6	9.4	16	10.7	6.0	17.8	4	1.9	0.5	5.5
Stomach	12	3.9	2.0	7.0	7	4.9	1.9	10.5	5	2.5	0.8	6.5
Colon and Rectum	135	42.0	35.0	49.9	78	53.8	42.2	67.6	57	32.5	24.3	42.8
Liver	19	6.5	3.8	10.3	12	8.0	4.0	14.4	7	5.0	1.9	10.6
Pancreas	25	7.1	4.6	10.7	11	7.7	3.8	14.1	14	7.2	3.8	12.7
Lung and Bronchus	228	73.2	63.7	83.6	116	82.5	67.8	99.5	112	66.6	54.4	80.8
Bones and Joints	2	0.4	0.0	2.0	0				2	0.8	0.1	4.0
Melanoma of the Skin	71	22.7	17.5	28.9	43	30.7	22.0	41.9	28	17.0	11.0	25.2
Breast (invasive)	201	69.4	59.8	80.2	2	1.7	0.2	6.1	199	130.5	112.1	151.0
Cervix									10	6.8	3.2	12.7
Corpus and Uterus, NOS									35	22.8	15.6	32.3
Ovary									13	8.2	4.3	14.3
Prostate					123	84.7	70.0	101.6				
Testis					8	6.9	2.9	13.7				
Urinary Bladder (includes in situ)	60	17.3	13.1	22.5	50	32.7	24.0	43.6	10	4.9	2.3	9.5
Kidney and Renal Pelvis	64	21.2	16.2	27.3	40	28.0	19.8	38.5	24	15.3	9.6	23.2
Brain and Nervous System	19	6.7	3.9	10.7	9	6.6	2.9	12.9	10	6.9	3.2	13.0
Hodgkin Lymphoma	7	2.3	0.8	5.0	5	2.5	0.6	6.9	2	1.9	0.2	6.6
Non-Hodgkin Lymphoma	49	16.9	12.4	22.6	27	20.1	13.1	29.5	22	15.6	9.6	23.9
Myeloma	18	5.8	3.3	9.3	8	5.4	2.3	11.1	10	6.3	2.9	12.1
Leukemia	32	10.4	7.0	14.9	20	14.5	8.7	22.8	12	7.3	3.7	13.1
All Other Sites	142	48.8	40.8	57.8	72	55.4	43.1	70.2	70	44.5	34.1	57.1
Breast in Situ (not in total)									44	31.2	22.2	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Jasper

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	301	447.1	396.1	503.3	162	487.3	413.4	571.7	139	416.9	346.7	498.3
Oral Cavity and Pharynx	10	14.7	6.8	28.7	7	21.8	8.7	47.4	3	10.5	1.8	33.7
Esophagus	0				0				0			
Stomach	5	6.7	2.2	17.5	4	10.3	2.8	30.4	1	3.1	0.1	21.1
Colon and Rectum	36	53.0	36.8	74.7	18	57.1	33.5	92.5	18	50.4	29.5	82.7
Liver	2	2.7	0.3	12.0	1	3.4	0.1	21.4	1	1.7	0.0	18.2
Pancreas	10	13.6	6.5	26.6	4	11.2	3.0	32.3	6	14.7	5.2	36.4
Lung and Bronchus	44	63.8	46.0	87.1	19	53.5	32.0	86.3	25	72.2	45.7	110.2
Bones and Joints	0				0				0			
Melanoma of the Skin	16	27.4	15.0	46.3	10	33.7	15.7	64.4	6	24.5	8.1	55.7
Breast (invasive)	34	50.4	34.2	72.3	0				34	99.7	67.6	143.3
Cervix									4	14.6	3.6	39.8
Corpus and Uterus, NOS									7	23.7	8.7	52.3
Ovary									3	10.0	1.9	32.2
Prostate					36	104.6	72.8	147.3				
Testis					0							
Urinary Bladder (includes in situ)	14	18.9	10.3	33.2	10	28.9	13.7	55.8	4	10.2	2.7	30.6
Kidney and Renal Pelvis	14	23.4	12.3	40.9	11	39.0	18.7	72.4	3	8.9	1.8	29.4
Brain and Nervous System	7	12.3	4.6	26.8	5	18.5	5.6	45.4	2	5.4	0.6	24.1
Hodgkin Lymphoma	1	1.2	0.0	9.6	1	2.4	0.1	19.2	0			
Non-Hodgkin Lymphoma	10	13.8	6.5	26.8	5	13.2	4.2	34.3	5	14.3	4.6	36.7
Myeloma	5	6.1	2.0	16.2	4	9.9	2.7	29.5	1	1.7	0.0	18.2
Leukemia	11	14.1	7.0	26.9	11	31.9	15.8	59.6	0			
All Other Sites	32	50.5	33.9	72.9	16	47.8	27.1	79.9	16	51.3	27.8	87.6
Breast in Situ (not in total)									5	13.3	4.2	34.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Jefferson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,322	521.8	493.2	551.7	696	576.1	533.2	621.7	626	493.8	453.8	536.5
Oral Cavity and Pharynx	42	16.4	11.7	22.5	33	26.2	17.9	37.4	9	6.0	2.7	12.3
Esophagus	16	6.0	3.4	10.0	11	8.5	4.2	15.8	5	3.2	1.0	8.6
Stomach	16	6.0	3.4	9.9	7	5.5	2.2	11.9	9	6.5	3.0	13.1
Colon and Rectum	135	52.4	43.7	62.3	66	53.5	41.1	68.6	69	51.5	39.6	66.3
Liver	21	8.4	5.1	13.2	13	11.3	5.9	19.8	8	5.3	2.3	11.3
Pancreas	41	15.6	11.1	21.4	20	17.3	10.5	27.2	21	15.2	9.2	24.2
Lung and Bronchus	209	79.5	68.9	91.4	109	90.3	73.9	109.5	100	72.7	58.8	89.2
Bones and Joints	2	1.0	0.1	3.6	0				2	2.0	0.2	7.5
Melanoma of the Skin	67	28.4	21.8	36.6	42	35.8	25.6	49.0	25	23.0	14.4	35.0
Breast (invasive)	179	72.3	61.7	84.2	2	1.6	0.2	6.4	177	141.8	120.6	165.9
Cervix									13	11.5	5.9	20.5
Corpus and Uterus, NOS									43	34.7	24.5	47.8
Ovary									13	11.9	6.1	21.0
Prostate					176	137.9	117.9	160.5				
Testis					3	3.2	0.7	9.4				
Urinary Bladder (includes in situ)	65	24.5	18.9	31.5	53	46.2	34.5	60.9	12	8.5	4.3	15.8
Kidney and Renal Pelvis	49	21.9	16.0	29.4	31	27.8	18.7	39.9	18	16.2	9.3	26.3
Brain and Nervous System	18	7.1	4.2	11.6	11	9.2	4.5	17.0	7	6.3	2.4	13.4
Hodgkin Lymphoma	3	1.8	0.4	5.2	1	1.3	0.0	6.4	2	2.5	0.3	8.8
Non-Hodgkin Lymphoma	47	18.6	13.6	25.0	32	26.5	18.0	38.0	15	11.8	6.5	20.2
Myeloma	18	6.6	3.9	10.8	10	7.8	3.7	14.9	8	5.6	2.3	12.0
Leukemia	40	16.3	11.5	22.5	22	20.5	12.8	31.4	18	12.6	7.0	21.1
All Other Sites	106	44.1	35.8	53.9	54	45.3	33.7	59.7	52	44.9	32.9	60.0
Breast in Situ (not in total)									31	28.1	18.7	40.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Jersey

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	691	465.8	430.6	503.3	358	513.5	460.4	571.6	333	432.9	385.5	484.9
Oral Cavity and Pharynx	21	13.8	8.4	21.8	15	21.8	11.9	37.1	6	6.2	2.3	15.3
Esophagus	8	4.8	2.0	10.1	7	8.8	3.5	19.6	1	1.0	0.0	8.3
Stomach	4	2.5	0.7	7.2	2	2.8	0.3	11.6	2	2.6	0.3	10.9
Colon and Rectum	50	34.3	25.2	45.9	26	35.9	23.3	53.6	24	33.8	21.1	51.7
Liver	5	2.9	0.9	7.6	5	6.0	1.9	15.7	0			
Pancreas	14	9.0	4.9	15.8	4	5.0	1.3	14.6	10	12.6	5.9	24.3
Lung and Bronchus	115	72.7	59.9	87.7	66	93.2	71.8	119.6	49	55.8	41.1	74.8
Bones and Joints	1	0.6	0.0	4.3	1	1.1	0.0	8.8	0			
Melanoma of the Skin	35	25.2	17.2	35.7	17	23.4	13.4	38.6	18	27.8	15.9	45.2
Breast (invasive)	94	65.1	52.1	80.6	0				94	124.5	99.5	154.3
Cervix									0			
Corpus and Uterus, NOS									20	28.8	16.9	46.1
Ovary									7	7.9	3.1	17.8
Prostate					84	112.9	89.6	141.1				
Testis					2	4.6	0.6	15.7				
Urinary Bladder (includes in situ)	27	18.9	12.3	28.2	19	29.1	17.3	46.4	8	10.6	4.3	22.5
Kidney and Renal Pelvis	32	20.6	14.0	29.7	21	28.3	17.3	44.3	11	15.0	7.3	27.9
Brain and Nervous System	14	12.2	6.5	21.0	8	14.0	5.8	28.4	6	10.2	3.4	23.2
Hodgkin Lymphoma	6	5.0	1.8	11.2	5	8.6	2.7	20.5	1	1.8	0.0	10.1
Non-Hodgkin Lymphoma	35	24.1	16.6	34.2	18	29.4	17.2	47.4	17	20.1	11.6	33.5
Myeloma	8	5.5	2.2	11.6	5	7.3	2.1	18.7	3	3.7	0.8	12.4
Leukemia	27	18.2	11.8	27.2	16	24.9	13.9	41.6	11	12.2	6.1	23.3
All Other Sites	82	56.1	44.3	70.4	37	56.4	39.4	78.7	45	58.2	41.7	79.7
Breast in Situ (not in total)									15	19.7	10.7	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Jo Daviess

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	849	461.4	428.2	496.9	480	525.2	476.5	578.4	369	408.2	362.6	458.7
Oral Cavity and Pharynx	23	13.4	8.0	21.5	17	19.3	10.8	33.2	6	7.8	2.4	19.9
Esophagus	14	7.7	3.9	14.2	13	13.3	7.0	24.7	1	2.9	0.1	14.0
Stomach	11	6.2	3.0	12.2	7	9.1	3.5	20.5	4	3.7	1.0	12.6
Colon and Rectum	71	37.2	28.7	48.1	42	44.0	31.4	61.4	29	31.7	20.6	48.1
Liver	9	4.6	2.1	9.9	6	6.1	2.1	15.7	3	3.1	0.6	11.9
Pancreas	23	11.6	7.1	18.7	13	14.9	7.4	27.9	10	8.3	3.9	18.0
Lung and Bronchus	132	64.9	54.1	77.8	81	84.8	67.1	107.0	51	48.9	36.1	66.3
Bones and Joints	2	1.9	0.2	7.3	0				2	3.8	0.3	14.8
Melanoma of the Skin	42	27.0	18.6	38.1	27	31.9	20.1	49.0	15	22.7	11.5	40.4
Breast (invasive)	102	60.1	47.7	75.1	0				102	117.9	93.3	147.7
Cervix									3	4.8	0.8	16.0
Corpus and Uterus, NOS									25	26.2	15.8	42.0
Ovary									8	8.6	3.4	19.7
Prostate					106	103.8	84.5	127.4				
Testis					2	4.7	0.6	16.2				
Urinary Bladder (includes in situ)	44	21.8	15.6	30.3	31	32.5	22.0	47.8	13	13.3	6.4	25.9
Kidney and Renal Pelvis	34	19.4	12.8	28.6	22	25.9	15.1	42.0	12	12.1	5.9	23.8
Brain and Nervous System	10	5.9	2.6	12.2	8	10.6	4.2	23.0	2	1.4	0.2	9.5
Hodgkin Lymphoma	6	7.2	2.5	15.7	6	13.8	4.9	30.0	0			
Non-Hodgkin Lymphoma	25	12.8	8.0	20.0	19	21.1	12.2	35.2	6	4.9	1.8	13.8
Myeloma	11	4.6	2.3	9.5	7	6.0	2.3	15.1	4	3.3	0.9	11.9
Leukemia	29	16.8	10.7	25.6	18	22.5	12.7	37.7	11	12.4	5.4	25.2
All Other Sites	117	65.0	52.6	79.7	55	60.7	44.9	81.4	62	70.5	51.8	94.4
Breast in Situ (not in total)									27	33.9	21.5	51.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Johnson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	401	449.1	404.8	497.4	244	550.1	481.4	626.5	157	357.1	300.1	423.2
Oral Cavity and Pharynx	11	13.4	6.6	25.0	7	17.0	6.7	36.5	4	11.4	2.7	32.3
Esophagus	2	2.2	0.3	9.5	1	1.9	0.0	14.4	1	1.9	0.0	17.0
Stomach	4	4.6	1.2	13.0	3	7.1	1.3	22.8	1	3.1	0.1	19.7
Colon and Rectum	42	47.9	34.2	66.0	30	69.6	46.4	101.1	12	24.3	12.4	46.3
Liver	5	4.9	1.6	13.1	4	7.9	2.1	22.7	1	1.9	0.0	16.9
Pancreas	8	9.5	4.0	20.0	6	16.3	5.8	36.4	2	3.8	0.5	19.3
Lung and Bronchus	90	94.5	75.7	117.3	61	135.0	102.6	175.3	29	57.4	38.0	85.9
Bones and Joints	0				0				0			
Melanoma of the Skin	16	19.3	10.9	32.3	7	15.5	6.1	33.8	9	27.8	11.7	56.0
Breast (invasive)	47	52.2	37.9	70.7	0				47	109.1	78.4	149.5
Cervix									2	7.7	0.7	29.2
Corpus and Uterus, NOS									9	18.9	8.2	40.2
Ovary									2	3.8	0.5	19.4
Prostate					39	79.8	56.5	111.0				
Testis					1	2.9	0.1	16.6				
Urinary Bladder (includes in situ)	24	25.0	15.9	38.4	19	39.9	23.7	64.3	5	11.6	3.4	31.2
Kidney and Renal Pelvis	19	23.4	13.7	37.8	13	30.8	16.0	54.4	6	12.9	4.7	31.8
Brain and Nervous System	5	6.0	1.8	15.4	2	3.8	0.4	17.1	3	9.4	1.5	30.6
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	22	29.0	17.6	45.2	15	40.0	21.7	67.6	7	13.8	5.5	32.5
Myeloma	5	6.4	1.9	16.2	5	12.5	3.9	30.7	0			
Leukemia	12	13.9	7.0	25.3	7	16.5	6.5	35.7	5	10.4	3.4	28.5
All Other Sites	36	40.6	28.0	57.4	24	53.8	33.9	82.0	12	27.9	14.1	52.1
Breast in Situ (not in total)									6	13.6	4.9	33.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	11,890	438.0	430.0	446.2	5,937	476.2	463.7	489.0	5,953	414.5	403.9	425.4
Oral Cavity and Pharynx	309	10.7	9.5	12.0	222	15.8	13.7	18.1	87	6.0	4.8	7.4
Esophagus	100	3.7	3.0	4.6	85	6.8	5.4	8.5	15	1.0	0.5	1.7
Stomach	192	7.3	6.3	8.5	122	10.1	8.3	12.2	70	5.0	3.9	6.4
Colon and Rectum	967	36.1	33.8	38.5	520	42.1	38.4	46.1	447	30.9	28.1	34.0
Liver	162	5.7	4.8	6.6	121	9.2	7.6	11.1	41	2.8	2.0	3.8
Pancreas	357	13.7	12.3	15.2	193	16.5	14.2	19.2	164	11.5	9.8	13.4
Lung and Bronchus	1,317	50.2	47.4	53.0	666	57.6	53.2	62.4	651	45.0	41.5	48.6
Bones and Joints	32	1.2	0.8	1.7	19	1.4	0.9	2.2	13	1.0	0.5	1.6
Melanoma of the Skin	591	21.9	20.1	23.8	324	26.3	23.4	29.4	267	18.9	16.7	21.4
Breast (invasive)	1,770	63.9	60.9	67.1	19	1.5	0.9	2.3	1,751	120.6	114.9	126.5
Cervix									83	6.2	4.9	7.7
Corpus and Uterus, NOS									411	27.2	24.6	30.1
Ovary									155	10.7	9.1	12.6
Prostate					1,434	104.9	99.3	110.7				
Testis					86	6.9	5.5	8.5				
Urinary Bladder (includes in situ)	614	23.9	22.0	25.9	477	42.4	38.5	46.5	137	9.6	8.0	11.4
Kidney and Renal Pelvis	480	17.5	16.0	19.2	314	24.6	21.8	27.6	166	11.4	9.7	13.3
Brain and Nervous System	191	7.1	6.1	8.2	102	7.9	6.4	9.7	89	6.2	5.0	7.7
Hodgkin Lymphoma	62	2.4	1.8	3.1	36	2.7	1.9	3.8	26	2.0	1.3	3.0
Non-Hodgkin Lymphoma	505	19.3	17.6	21.1	259	21.5	18.8	24.3	246	17.5	15.3	19.9
Myeloma	174	6.3	5.4	7.4	100	8.0	6.5	9.9	74	4.9	3.9	6.2
Leukemia	353	13.3	11.9	14.8	200	16.6	14.3	19.1	153	10.8	9.2	12.7
All Other Sites	1,545	58.6	55.6	61.6	638	53.4	49.1	57.8	907	65.4	61.1	69.9
Breast in Situ (not in total)									451	30.8	28.0	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,341	503.7	486.3	521.5	1,684	536.2	510.3	563.1	1,657	479.9	456.4	504.4
Oral Cavity and Pharynx	76	11.2	8.8	14.2	54	16.7	12.4	22.0	22	6.2	3.8	9.5
Esophagus	31	4.3	2.9	6.3	27	8.4	5.4	12.4	4	1.0	0.3	2.8
Stomach	42	6.4	4.6	8.7	28	8.9	5.8	12.9	14	4.2	2.3	7.2
Colon and Rectum	303	44.4	39.5	49.9	159	49.9	42.3	58.6	144	39.2	32.9	46.4
Liver	50	7.0	5.2	9.3	39	11.2	7.9	15.5	11	3.0	1.5	5.6
Pancreas	102	15.1	12.2	18.4	46	14.8	10.7	19.9	56	15.4	11.5	20.2
Lung and Bronchus	532	78.7	72.1	85.9	270	86.9	76.6	98.2	262	72.2	63.6	81.8
Bones and Joints	3	0.5	0.1	1.6	2	0.7	0.1	2.6	1	0.4	0.0	2.1
Melanoma of the Skin	140	22.3	18.7	26.4	80	26.9	21.2	33.7	60	18.6	14.0	24.1
Breast (invasive)	480	75.5	68.7	82.8	3	1.0	0.2	3.0	477	142.5	129.6	156.4
Cervix									21	7.8	4.7	12.0
Corpus and Uterus, NOS									118	32.7	26.9	39.4
Ovary									36	10.5	7.3	14.7
Prostate					359	107.3	96.3	119.4				
Testis					20	8.1	4.9	12.6				
Urinary Bladder (includes in situ)	179	25.7	22.0	29.8	137	43.5	36.4	51.6	42	10.9	7.8	14.9
Kidney and Renal Pelvis	142	21.4	18.0	25.4	83	27.2	21.5	34.0	59	16.4	12.4	21.3
Brain and Nervous System	36	6.1	4.2	8.5	18	6.6	3.8	10.4	18	5.8	3.4	9.3
Hodgkin Lymphoma	20	3.3	2.0	5.2	14	4.8	2.5	8.1	6	1.9	0.7	4.3
Non-Hodgkin Lymphoma	130	19.8	16.5	23.7	81	26.7	21.1	33.4	49	14.2	10.4	19.0
Myeloma	38	6.0	4.2	8.3	21	7.1	4.3	11.0	17	5.1	3.0	8.3
Leukemia	93	14.1	11.3	17.4	51	16.7	12.4	22.1	42	12.1	8.6	16.6
All Other Sites	390	60.6	54.6	67.2	192	62.9	54.1	72.7	198	59.8	51.5	69.1
Breast in Situ (not in total)									72	21.4	16.6	27.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kendall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,645	505.5	485.6	525.9	1,305	556.4	524.5	589.7	1,340	472.7	447.0	499.4
Oral Cavity and Pharynx	71	13.0	10.0	16.5	52	19.5	14.3	26.0	19	7.2	4.2	11.3
Esophagus	20	3.8	2.2	5.9	15	6.5	3.5	11.0	5	1.5	0.5	3.6
Stomach	40	7.5	5.3	10.3	26	10.9	6.9	16.3	14	4.8	2.6	8.1
Colon and Rectum	212	42.0	36.3	48.3	118	48.1	39.3	58.2	94	36.0	28.9	44.3
Liver	23	4.4	2.7	6.6	16	6.8	3.7	11.3	7	2.4	1.0	5.1
Pancreas	74	15.5	12.0	19.6	42	18.6	13.1	25.5	32	12.7	8.5	18.0
Lung and Bronchus	291	63.3	55.9	71.3	152	75.3	63.1	89.0	139	54.5	45.5	64.6
Bones and Joints	6	1.0	0.4	2.2	3	1.1	0.2	3.3	3	0.9	0.2	2.8
Melanoma of the Skin	109	19.6	16.0	23.8	51	21.0	15.3	28.1	58	19.4	14.6	25.2
Breast (invasive)	410	71.8	64.8	79.3	2	0.8	0.1	2.9	408	136.2	123.1	150.4
Cervix									16	4.8	2.7	7.9
Corpus and Uterus, NOS									86	28.4	22.6	35.3
Ovary									26	10.2	6.5	15.0
Prostate					320	129.3	114.7	145.1				
Testis					23	8.0	5.1	12.1				
Urinary Bladder (includes in situ)	131	30.0	24.9	35.7	94	50.9	40.5	62.9	37	15.0	10.5	20.8
Kidney and Renal Pelvis	95	16.7	13.5	20.5	59	21.7	16.3	28.3	36	12.3	8.6	17.2
Brain and Nervous System	35	6.6	4.5	9.2	23	9.7	5.9	14.9	12	4.2	2.1	7.4
Hodgkin Lymphoma	23	4.1	2.6	6.2	15	5.4	2.9	9.0	8	2.8	1.2	5.6
Non-Hodgkin Lymphoma	109	21.0	17.1	25.5	62	24.3	18.3	31.6	47	17.7	12.9	23.7
Myeloma	34	7.3	5.0	10.3	16	8.5	4.7	14.0	18	6.7	3.9	10.6
Leukemia	83	15.8	12.4	19.7	55	22.0	16.2	29.1	28	10.3	6.8	15.0
All Other Sites	408	75.6	68.2	83.6	161	68.1	57.2	80.3	247	84.5	74.1	96.0
Breast in Situ (not in total)									132	43.9	36.6	52.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Knox

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,692	470.2	447.1	494.3	850	496.6	462.8	532.3	842	454.8	422.2	489.3
Oral Cavity and Pharynx	46	12.6	9.1	17.1	27	15.5	10.1	23.0	19	9.9	5.8	16.2
Esophagus	29	7.1	4.7	10.5	26	14.3	9.3	21.5	3	1.2	0.3	4.7
Stomach	16	4.3	2.4	7.1	9	5.3	2.4	10.5	7	3.7	1.5	8.3
Colon and Rectum	177	48.7	41.5	56.9	98	56.9	45.9	70.0	79	40.7	31.6	51.9
Liver	21	5.4	3.3	8.6	18	9.9	5.8	16.2	3	1.5	0.3	5.2
Pancreas	40	10.4	7.4	14.4	18	10.1	5.9	16.4	22	10.7	6.6	17.0
Lung and Bronchus	270	72.0	63.5	81.5	145	84.0	70.6	99.3	125	62.0	51.4	74.6
Bones and Joints	1	0.3	0.0	1.9	0				1	0.5	0.0	3.8
Melanoma of the Skin	80	23.2	18.1	29.4	41	24.7	17.5	34.2	39	22.6	15.5	32.0
Breast (invasive)	253	72.7	63.5	82.9	4	2.0	0.5	5.9	249	138.7	120.6	158.8
Cervix									9	8.1	3.5	15.7
Corpus and Uterus, NOS									61	31.6	23.8	41.4
Ovary									17	10.4	5.7	17.4
Prostate					159	85.9	72.9	100.9				
Testis					10	8.1	3.8	15.0				
Urinary Bladder (includes in situ)	94	24.3	19.6	30.0	69	40.4	31.3	51.5	25	12.5	7.9	19.1
Kidney and Renal Pelvis	76	22.4	17.4	28.5	49	30.2	22.1	40.6	27	15.2	9.6	23.1
Brain and Nervous System	24	8.0	5.0	12.2	14	9.4	5.0	16.3	10	6.6	3.0	12.7
Hodgkin Lymphoma	6	2.5	0.8	5.5	3	2.2	0.5	6.7	3	2.7	0.4	8.2
Non-Hodgkin Lymphoma	73	20.7	16.0	26.4	43	26.4	18.8	36.1	30	15.2	9.9	22.6
Myeloma	24	6.3	3.9	9.7	15	9.0	4.9	15.4	9	3.7	1.7	7.9
Leukemia	37	11.4	7.9	16.1	24	15.8	9.9	23.9	13	7.4	3.7	13.5
All Other Sites	169	47.6	40.4	55.9	78	46.1	36.2	58.1	91	49.9	39.3	62.7
Breast in Situ (not in total)									49	29.7	21.5	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	17,208	451.4	444.5	458.4	8,317	470.1	459.6	480.7	8,891	442.7	433.3	452.2
Oral Cavity and Pharynx	415	10.1	9.2	11.2	274	14.0	12.3	15.8	141	6.6	5.6	7.9
Esophagus	180	4.6	3.9	5.4	141	7.8	6.5	9.3	39	1.9	1.3	2.6
Stomach	249	6.7	5.9	7.6	149	8.5	7.2	10.1	100	5.2	4.2	6.3
Colon and Rectum	1,365	36.1	34.1	38.1	732	41.6	38.5	44.8	633	31.5	29.0	34.1
Liver	187	4.8	4.1	5.5	136	7.3	6.1	8.7	51	2.5	1.9	3.4
Pancreas	542	14.5	13.3	15.8	284	16.3	14.3	18.4	258	12.8	11.2	14.5
Lung and Bronchus	2,013	54.5	52.1	57.0	972	58.5	54.7	62.4	1,041	51.8	48.6	55.1
Bones and Joints	33	0.9	0.6	1.2	19	1.0	0.6	1.6	14	0.8	0.4	1.3
Melanoma of the Skin	930	24.6	23.0	26.3	515	29.7	27.1	32.5	415	21.3	19.2	23.5
Breast (invasive)	2,935	75.9	73.1	78.8	30	1.6	1.1	2.3	2,905	142.8	137.5	148.3
Cervix									107	5.9	4.8	7.1
Corpus and Uterus, NOS									625	29.2	26.9	31.7
Ovary									216	10.7	9.3	12.3
Prostate					1,950	99.9	95.4	104.7				
Testis					88	5.2	4.1	6.4				
Urinary Bladder (includes in situ)	858	23.6	22.0	25.2	661	41.1	37.9	44.4	197	9.9	8.5	11.4
Kidney and Renal Pelvis	634	16.4	15.1	17.7	447	24.6	22.3	27.1	187	9.2	7.9	10.6
Brain and Nervous System	234	6.3	5.5	7.2	125	7.2	5.9	8.6	109	5.8	4.7	7.0
Hodgkin Lymphoma	74	2.2	1.7	2.7	40	2.2	1.6	3.1	34	2.2	1.5	3.0
Non-Hodgkin Lymphoma	820	22.0	20.4	23.6	479	28.3	25.7	31.0	341	17.0	15.2	18.9
Myeloma	235	6.1	5.3	7.0	117	6.7	5.5	8.1	118	5.6	4.6	6.8
Leukemia	532	14.7	13.4	16.0	301	17.9	15.8	20.1	231	11.9	10.4	13.6
All Other Sites	1,986	54.0	51.6	56.5	857	50.8	47.4	54.5	1,129	58.3	54.8	61.9
Breast in Situ (not in total)									743	35.8	33.2	38.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

LaSalle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,751	506.6	490.0	523.6	2,029	580.6	555.0	607.2	1,722	450.3	428.2	473.3
Oral Cavity and Pharynx	123	16.3	13.5	19.6	97	26.7	21.6	32.8	26	6.9	4.4	10.4
Esophagus	35	4.7	3.2	6.7	34	9.6	6.6	13.7	1	0.2	0.0	1.7
Stomach	40	5.4	3.8	7.5	31	8.8	5.9	12.7	9	2.5	1.1	5.0
Colon and Rectum	351	46.2	41.3	51.5	184	53.4	45.8	61.9	167	39.6	33.6	46.6
Liver	52	6.7	5.0	8.8	36	9.6	6.7	13.6	16	3.8	2.2	6.5
Pancreas	106	14.2	11.5	17.2	54	15.4	11.5	20.3	52	13.2	9.7	17.6
Lung and Bronchus	625	80.7	74.4	87.5	328	91.9	82.1	102.7	297	71.9	63.8	80.9
Bones and Joints	7	1.5	0.6	3.1	3	1.2	0.2	3.4	4	1.9	0.5	4.8
Melanoma of the Skin	180	26.4	22.5	30.7	111	33.9	27.7	41.1	69	20.2	15.4	26.0
Breast (invasive)	435	60.7	54.9	66.9	3	1.1	0.2	3.2	432	116.0	104.7	128.2
Cervix									24	7.6	4.8	11.6
Corpus and Uterus, NOS									97	24.9	20.0	30.7
Ovary									46	11.9	8.6	16.2
Prostate					448	121.1	109.9	133.2				
Testis					23	8.9	5.5	13.4				
Urinary Bladder (includes in situ)	236	30.8	26.9	35.1	184	53.3	45.8	61.8	52	12.1	9.0	16.2
Kidney and Renal Pelvis	155	22.2	18.7	26.2	95	28.5	22.9	35.2	60	16.1	12.1	21.2
Brain and Nervous System	43	6.8	4.8	9.2	25	7.9	5.0	11.8	18	5.9	3.4	9.5
Hodgkin Lymphoma	13	2.4	1.3	4.2	8	2.7	1.1	5.5	5	2.2	0.7	5.1
Non-Hodgkin Lymphoma	143	18.8	15.8	22.3	76	22.3	17.5	28.1	67	15.9	12.2	20.6
Myeloma	48	6.1	4.5	8.2	28	7.9	5.2	11.6	20	4.4	2.7	7.1
Leukemia	90	12.7	10.1	15.7	52	15.1	11.2	20.0	38	11.5	8.0	16.1
All Other Sites	431	60.3	54.5	66.6	209	61.2	53.0	70.5	222	61.3	53.0	70.6
Breast in Situ (not in total)									87	24.3	19.2	30.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lawrence

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	488	466.9	425.7	511.3	255	522.4	459.5	591.7	233	454.7	394.4	522.3
Oral Cavity and Pharynx	9	8.7	3.9	17.2	7	15.2	6.0	31.8	2	3.6	0.4	15.9
Esophagus	8	7.4	3.1	15.2	5	10.5	3.4	25.1	3	6.1	1.0	20.6
Stomach	2	1.9	0.2	7.5	1	1.7	0.0	11.6	1	1.8	0.0	13.4
Colon and Rectum	44	42.1	30.4	57.1	26	52.7	34.3	78.0	18	31.2	18.3	51.4
Liver	11	10.7	5.2	19.9	9	17.7	8.0	34.4	2	5.2	0.5	20.0
Pancreas	15	14.1	7.8	23.9	7	14.8	5.9	31.1	8	12.1	5.1	26.8
Lung and Bronchus	77	72.7	57.2	91.5	43	87.7	63.2	118.9	34	60.2	40.9	86.7
Bones and Joints	0				0				0			
Melanoma of the Skin	23	21.6	13.6	33.0	11	23.0	11.4	41.7	12	24.2	12.0	44.6
Breast (invasive)	61	57.8	44.0	75.0	0				61	113.9	85.6	149.6
Cervix									3	5.0	1.0	17.7
Corpus and Uterus, NOS									16	35.0	18.9	59.7
Ovary									3	6.7	1.2	21.7
Prostate					59	116.8	88.6	151.6				
Testis					1	3.0	0.1	15.1				
Urinary Bladder (includes in situ)	26	23.5	15.3	35.1	17	37.3	21.6	60.1	9	14.5	6.5	30.2
Kidney and Renal Pelvis	16	16.4	9.2	27.1	10	20.2	9.6	37.9	6	14.5	5.0	33.1
Brain and Nervous System	8	7.4	3.1	15.4	5	9.1	2.9	22.4	3	4.4	0.9	16.6
Hodgkin Lymphoma	5	5.3	1.7	12.8	3	5.6	1.1	17.7	2	7.0	0.8	23.8
Non-Hodgkin Lymphoma	16	15.7	8.9	26.0	7	14.8	5.9	31.1	9	18.6	8.1	37.5
Myeloma	9	8.7	4.0	17.1	5	10.5	3.4	25.2	4	6.5	1.8	19.6
Leukemia	16	14.2	8.1	23.8	9	18.9	8.6	36.5	7	11.2	4.4	25.8
All Other Sites	60	62.0	46.9	80.4	30	62.8	42.2	90.2	30	73.1	47.7	107.3
Breast in Situ (not in total)									6	13.0	4.4	30.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,148	481.5	453.2	511.3	605	504.9	464.5	548.1	543	473.0	431.6	517.6
Oral Cavity and Pharynx	36	15.9	11.0	22.4	30	26.7	17.8	38.6	6	5.1	1.8	12.3
Esophagus	14	5.7	3.1	9.8	10	8.4	4.0	16.1	4	3.1	0.8	9.1
Stomach	12	5.1	2.6	9.3	10	9.2	4.4	17.4	2	1.2	0.1	6.3
Colon and Rectum	91	37.6	30.1	46.5	43	35.1	25.2	47.9	48	39.4	28.5	53.5
Liver	20	7.8	4.7	12.4	19	14.5	8.6	23.3	1	0.8	0.0	5.9
Pancreas	41	17.0	12.0	23.4	27	22.2	14.4	33.0	14	12.2	6.4	21.5
Lung and Bronchus	171	67.5	57.6	78.8	89	72.6	58.1	90.1	82	63.3	50.1	79.4
Bones and Joints	2	1.1	0.1	4.1	1	1.4	0.0	7.1	1	0.7	0.0	5.7
Melanoma of the Skin	68	31.4	24.0	40.4	36	30.8	21.4	43.4	32	35.0	23.0	50.8
Breast (invasive)	142	61.5	51.5	73.2	1	1.0	0.0	6.1	141	125.0	104.0	149.3
Cervix									9	10.5	4.6	20.5
Corpus and Uterus, NOS									52	44.7	32.7	60.0
Ovary									15	13.8	7.4	23.7
Prostate					121	94.1	77.8	113.2				
Testis					4	4.7	1.2	12.0				
Urinary Bladder (includes in situ)	60	24.4	18.5	31.8	44	37.7	27.2	51.3	16	13.0	7.3	22.0
Kidney and Renal Pelvis	41	15.7	11.2	21.8	27	19.8	12.9	29.6	14	12.5	6.5	21.9
Brain and Nervous System	13	5.2	2.7	9.3	8	6.6	2.8	13.7	5	3.4	1.1	9.4
Hodgkin Lymphoma	5	2.6	0.8	6.3	4	3.9	1.0	10.5	1	1.0	0.0	6.5
Non-Hodgkin Lymphoma	55	23.6	17.6	31.2	33	28.9	19.7	41.2	22	18.4	11.3	28.9
Myeloma	11	5.0	2.4	9.3	3	3.1	0.6	9.5	8	6.5	2.8	13.8
Leukemia	29	12.6	8.3	18.6	19	17.3	10.2	27.6	10	7.5	3.3	15.2
All Other Sites	136	60.3	50.2	72.0	76	66.9	52.4	84.4	60	56.1	41.7	74.1
Breast in Situ (not in total)									24	20.1	12.6	31.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Livingston

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,250	517.0	487.8	547.6	648	567.5	523.6	614.3	602	482.6	442.9	525.2
Oral Cavity and Pharynx	33	13.6	9.2	19.6	28	23.2	15.2	34.3	5	4.0	1.2	10.3
Esophagus	14	5.5	2.9	9.6	12	10.3	5.2	18.7	2	1.4	0.2	6.1
Stomach	7	2.7	1.1	5.9	4	3.5	0.9	9.5	3	1.7	0.3	6.6
Colon and Rectum	131	54.3	45.1	64.9	70	61.4	47.6	78.2	61	48.7	36.7	63.7
Liver	9	3.4	1.5	6.8	6	4.4	1.6	10.5	3	2.3	0.5	7.6
Pancreas	32	12.8	8.7	18.4	19	15.8	9.3	25.3	13	9.6	5.0	17.2
Lung and Bronchus	210	84.0	72.8	96.6	111	97.3	79.8	117.8	99	76.7	62.0	94.3
Bones and Joints	1	0.5	0.0	2.9	1	1.1	0.0	6.1	0			
Melanoma of the Skin	67	29.7	22.7	38.2	41	36.8	26.1	50.7	26	24.4	15.5	36.6
Breast (invasive)	182	76.8	65.6	89.4	0				182	148.7	126.8	173.4
Cervix									14	15.4	8.2	26.3
Corpus and Uterus, NOS									33	25.2	17.1	36.1
Ovary									20	14.7	8.5	23.9
Prostate					137	111.4	93.1	132.5				
Testis					7	8.0	3.1	16.6				
Urinary Bladder (includes in situ)	54	22.1	16.4	29.2	43	39.9	28.7	54.2	11	8.0	3.9	15.3
Kidney and Renal Pelvis	55	21.7	16.2	28.6	29	25.4	16.8	37.0	26	18.9	12.2	28.4
Brain and Nervous System	21	9.7	5.8	15.1	15	14.6	8.1	24.6	6	5.3	1.8	12.4
Hodgkin Lymphoma	3	1.3	0.2	4.1	1	0.7	0.0	5.1	2	1.9	0.2	7.4
Non-Hodgkin Lymphoma	41	16.8	11.9	23.1	27	23.6	15.4	34.9	14	10.4	5.7	18.2
Myeloma	15	6.4	3.6	10.8	11	9.8	4.8	17.9	4	3.4	0.9	9.2
Leukemia	36	15.6	10.8	22.1	22	21.5	13.2	33.0	14	9.8	5.1	17.5
All Other Sites	128	54.9	45.5	65.9	64	58.9	45.0	75.8	64	52.3	39.5	68.2
Breast in Situ (not in total)									47	40.1	29.0	54.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Logan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,059	556.4	522.6	591.9	531	607.2	555.8	662.3	528	526.4	480.4	575.9
Oral Cavity and Pharynx	27	14.8	9.6	21.8	21	25.1	15.4	38.8	6	5.2	1.7	12.7
Esophagus	18	9.5	5.6	15.4	14	15.4	8.3	26.3	4	4.5	1.1	12.2
Stomach	10	4.6	2.1	8.9	5	5.6	1.8	13.8	5	3.8	1.2	10.5
Colon and Rectum	112	58.8	48.2	71.2	53	59.7	44.4	78.8	59	57.7	43.4	75.7
Liver	16	7.7	4.4	12.9	13	12.8	6.8	22.7	3	3.0	0.6	9.8
Pancreas	31	15.7	10.6	22.7	10	12.7	6.0	23.8	21	18.5	11.2	29.4
Lung and Bronchus	208	106.7	92.5	122.7	109	126.5	103.6	153.3	99	92.3	74.6	113.5
Bones and Joints	1	0.6	0.0	3.7	1	1.1	0.0	7.0	0			
Melanoma of the Skin	44	24.3	17.5	33.0	29	32.7	21.7	47.6	15	16.9	9.1	28.9
Breast (invasive)	131	69.0	57.4	82.4	3	4.0	0.8	12.0	128	128.9	106.6	154.8
Cervix									13	19.0	9.9	32.7
Corpus and Uterus, NOS									38	37.7	26.4	52.6
Ovary									4	4.3	1.1	12.1
Prostate					100	108.1	87.7	132.2				
Testis					4	4.5	1.2	12.2				
Urinary Bladder (includes in situ)	57	30.2	22.7	39.6	43	51.5	37.0	69.9	14	12.3	6.4	22.0
Kidney and Renal Pelvis	31	17.0	11.4	24.6	20	23.9	14.4	37.6	11	11.2	5.3	21.3
Brain and Nervous System	17	9.1	5.2	14.9	6	6.5	2.3	14.9	11	12.3	5.9	23.0
Hodgkin Lymphoma	3	2.0	0.4	6.1	0				3	4.2	0.8	12.6
Non-Hodgkin Lymphoma	48	25.2	18.4	33.8	28	33.4	22.0	48.9	20	17.6	10.6	28.3
Myeloma	12	6.3	3.2	11.4	7	8.9	3.5	18.6	5	3.9	1.3	10.7
Leukemia	23	11.5	7.2	17.7	14	16.2	8.8	27.7	9	8.9	3.8	18.1
All Other Sites	111	59.5	48.7	72.2	51	58.4	43.2	77.4	60	64.2	48.3	84.0
Breast in Situ (not in total)									25	25.5	16.3	38.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,931	545.2	527.6	563.3	2,003	601.6	574.8	629.4	1,928	506.7	483.0	531.4
Oral Cavity and Pharynx	129	17.8	14.7	21.3	80	23.8	18.7	29.9	49	12.4	9.1	16.7
Esophagus	46	6.0	4.4	8.2	38	11.3	7.9	15.8	8	1.8	0.7	3.8
Stomach	46	7.0	5.0	9.5	31	10.0	6.7	14.4	15	4.4	2.4	7.6
Colon and Rectum	378	52.2	46.8	58.0	205	62.2	53.7	71.8	173	44.8	38.0	52.6
Liver	59	7.3	5.5	9.5	46	12.6	9.2	17.0	13	2.7	1.4	4.9
Pancreas	98	13.1	10.5	16.1	42	12.3	8.8	16.9	56	13.4	10.0	17.7
Lung and Bronchus	714	94.5	87.6	101.9	372	109.7	98.6	121.7	342	83.7	74.8	93.5
Bones and Joints	2	0.3	0.0	1.3	0				2	0.7	0.1	2.6
Melanoma of the Skin	170	25.4	21.5	29.7	93	29.1	23.3	35.9	77	23.0	17.8	29.2
Breast (invasive)	454	65.7	59.6	72.4	3	1.0	0.2	3.1	451	121.6	110.0	134.1
Cervix									27	9.7	6.2	14.3
Corpus and Uterus, NOS									124	29.9	24.7	36.0
Ovary									37	10.0	6.9	14.2
Prostate					424	120.0	108.5	132.4				
Testis					11	4.7	2.3	8.4				
Urinary Bladder (includes in situ)	182	23.2	19.9	27.0	139	41.5	34.8	49.2	43	9.9	7.1	13.5
Kidney and Renal Pelvis	161	22.8	19.3	26.9	90	27.9	22.3	34.7	71	18.8	14.5	24.1
Brain and Nervous System	46	7.1	5.1	9.7	29	9.5	6.2	14.0	17	5.0	2.8	8.2
Hodgkin Lymphoma	15	3.0	1.6	4.9	8	3.5	1.5	6.8	7	2.5	1.0	5.3
Non-Hodgkin Lymphoma	145	20.0	16.7	23.7	71	22.6	17.5	28.8	74	17.7	13.7	22.6
Myeloma	56	6.8	5.1	8.9	27	7.3	4.8	10.8	29	6.1	4.0	9.1
Leukemia	91	12.5	9.9	15.5	55	17.0	12.7	22.3	36	8.8	6.0	12.7
All Other Sites	516	76.9	70.1	84.3	239	75.6	66.0	86.3	277	79.8	70.0	90.6
Breast in Situ (not in total)									123	33.8	27.8	40.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Macoupin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,666	518.2	492.7	544.8	909	601.7	562.1	643.6	757	453.6	420.1	489.4
Oral Cavity and Pharynx	50	16.5	12.1	22.1	41	28.4	20.1	39.2	9	5.3	2.3	10.8
Esophagus	17	4.9	2.8	8.3	16	9.6	5.4	16.3	1	0.7	0.0	4.5
Stomach	13	4.0	2.1	7.1	9	6.4	2.9	12.7	4	1.6	0.4	5.4
Colon and Rectum	152	49.3	41.5	58.2	82	59.4	46.9	74.3	70	41.8	32.2	53.8
Liver	23	6.5	4.1	10.0	18	11.3	6.6	18.4	5	2.4	0.8	6.6
Pancreas	47	13.0	9.5	17.6	25	14.9	9.5	22.6	22	10.9	6.8	17.3
Lung and Bronchus	326	94.9	84.7	106.2	197	127.0	109.6	146.7	129	70.6	58.6	84.7
Bones and Joints	3	1.5	0.3	4.4	2	2.0	0.2	7.0	1	1.1	0.0	5.7
Melanoma of the Skin	67	21.6	16.5	27.8	42	28.7	20.5	39.3	25	16.2	10.1	24.8
Breast (invasive)	213	69.1	59.8	79.6	4	2.4	0.7	6.9	209	128.9	111.1	149.0
Cervix									16	12.4	6.8	20.9
Corpus and Uterus, NOS									44	24.8	17.8	34.1
Ovary									15	9.1	4.9	15.8
Prostate					177	110.0	94.1	128.2				
Testis					11	11.0	5.4	19.7				
Urinary Bladder (includes in situ)	83	23.2	18.4	29.1	67	40.6	31.3	52.1	16	9.1	5.1	15.5
Kidney and Renal Pelvis	91	28.8	22.9	35.9	51	34.4	25.2	46.1	40	23.9	16.8	33.4
Brain and Nervous System	14	4.8	2.5	8.4	5	3.7	1.1	9.2	9	5.6	2.4	11.5
Hodgkin Lymphoma	8	3.7	1.6	7.3	3	2.6	0.5	7.8	5	4.8	1.5	11.2
Non-Hodgkin Lymphoma	59	18.2	13.7	23.8	39	26.6	18.7	36.9	20	10.8	6.5	17.5
Myeloma	18	5.1	3.0	8.4	13	8.3	4.3	14.7	5	2.8	0.9	7.4
Leukemia	46	15.0	10.8	20.3	24	17.5	11.1	26.6	22	13.1	8.0	20.7
All Other Sites	173	56.9	48.3	66.6	83	57.0	45.0	71.3	90	57.5	45.4	72.0
Breast in Situ (not in total)									41	27.9	19.6	38.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	8,005	482.7	471.9	493.7	3,826	508.9	492.5	525.8	4,179	470.9	456.2	485.9
Oral Cavity and Pharynx	232	13.8	12.0	15.7	160	20.1	17.0	23.6	72	8.4	6.5	10.7
Esophagus	106	6.1	5.0	7.5	93	11.7	9.4	14.4	13	1.5	0.8	2.6
Stomach	78	4.5	3.6	5.7	47	6.4	4.6	8.5	31	3.1	2.1	4.6
Colon and Rectum	706	42.0	38.9	45.3	353	47.9	42.9	53.3	353	38.1	34.1	42.5
Liver	122	6.8	5.6	8.2	88	10.5	8.4	13.0	34	3.5	2.4	4.9
Pancreas	219	12.7	11.0	14.5	104	13.9	11.3	17.0	115	11.9	9.8	14.4
Lung and Bronchus	1,373	80.7	76.4	85.2	678	91.0	84.1	98.3	695	74.0	68.4	79.8
Bones and Joints	15	1.2	0.6	1.9	11	1.9	0.9	3.3	4	0.5	0.1	1.4
Melanoma of the Skin	336	21.6	19.2	24.1	180	24.5	21.0	28.5	156	20.3	17.1	23.9
Breast (invasive)	1,167	72.1	67.9	76.6	8	1.2	0.5	2.4	1,159	133.9	126.0	142.2
Cervix									53	7.1	5.3	9.4
Corpus and Uterus, NOS									282	30.3	26.7	34.2
Ovary									86	10.0	7.9	12.4
Prostate					686	84.7	78.4	91.5				
Testis					29	4.8	3.2	6.9				
Urinary Bladder (includes in situ)	403	23.5	21.2	26.0	290	39.5	35.0	44.5	113	12.0	9.8	14.5
Kidney and Renal Pelvis	391	24.7	22.2	27.3	228	31.2	27.2	35.7	163	18.9	16.0	22.2
Brain and Nervous System	119	7.9	6.5	9.5	66	9.4	7.2	12.0	53	6.7	5.0	8.9
Hodgkin Lymphoma	41	2.9	2.0	4.0	24	3.4	2.2	5.2	17	2.4	1.4	4.0
Non-Hodgkin Lymphoma	321	19.2	17.2	21.5	176	23.4	20.0	27.2	145	16.0	13.5	19.0
Myeloma	95	5.5	4.4	6.7	52	6.9	5.1	9.1	43	4.3	3.1	5.9
Leukemia	240	14.9	13.0	17.0	128	18.1	15.1	21.6	112	12.7	10.4	15.5
All Other Sites	905	56.3	52.6	60.2	425	58.6	53.0	64.6	480	55.3	50.3	60.8
Breast in Situ (not in total)									265	32.7	28.7	37.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Marion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,408	545.1	515.9	575.7	745	610.3	566.1	657.2	663	499.4	459.8	541.7
Oral Cavity and Pharynx	31	11.9	8.0	17.1	21	17.4	10.7	27.1	10	7.2	3.4	13.9
Esophagus	20	7.0	4.2	11.1	16	12.1	6.8	20.2	4	2.2	0.6	6.8
Stomach	15	5.5	3.0	9.4	10	8.5	4.0	16.1	5	3.2	1.0	8.4
Colon and Rectum	139	55.7	46.4	66.3	68	58.5	45.0	74.9	71	52.3	40.1	67.2
Liver	16	6.1	3.4	10.2	11	8.4	4.1	15.6	5	4.2	1.2	10.5
Pancreas	28	9.7	6.3	14.5	17	12.2	7.1	20.2	11	7.7	3.5	14.9
Lung and Bronchus	225	81.7	71.1	93.6	128	101.5	84.4	121.4	97	67.2	54.0	82.9
Bones and Joints	2	1.0	0.1	3.7	0				2	1.9	0.2	7.2
Melanoma of the Skin	72	31.9	24.6	40.8	39	35.2	24.6	48.9	33	30.3	20.2	43.6
Breast (invasive)	182	75.8	64.7	88.5	0				182	144.4	122.8	168.8
Cervix									6	6.0	2.1	13.4
Corpus and Uterus, NOS									50	37.4	27.2	50.4
Ovary									13	9.6	4.9	17.2
Prostate					184	139.7	120.0	162.0				
Testis					4	5.4	1.5	13.3				
Urinary Bladder (includes in situ)	63	22.7	17.4	29.4	53	43.8	32.7	57.8	10	6.2	2.9	12.3
Kidney and Renal Pelvis	57	22.0	16.5	29.0	34	28.3	19.4	40.2	23	17.5	10.8	27.2
Brain and Nervous System	11	5.1	2.4	9.3	6	6.1	2.2	13.5	5	3.9	1.1	10.0
Hodgkin Lymphoma	5	2.7	0.8	6.3	2	2.5	0.3	8.7	3	2.7	0.5	8.4
Non-Hodgkin Lymphoma	63	24.0	18.2	31.0	38	31.3	21.9	43.6	25	18.0	11.4	27.3
Myeloma	17	6.3	3.6	10.6	9	7.6	3.3	15.2	8	4.9	2.1	10.6
Leukemia	39	16.1	11.2	22.4	23	21.0	13.1	32.0	16	10.9	6.0	18.7
All Other Sites	166	65.1	55.2	76.3	82	70.7	55.9	88.5	84	61.8	48.6	77.6
Breast in Situ (not in total)									31	23.2	15.4	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Marshall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	460	501.4	454.4	552.5	240	542.9	474.2	620.0	220	473.4	408.7	546.8
Oral Cavity and Pharynx	18	20.5	11.7	34.1	13	29.8	15.5	53.8	5	12.8	3.4	33.7
Esophagus	7	9.1	3.4	20.3	6	16.7	5.7	38.7	1	1.6	0.0	15.5
Stomach	4	3.8	1.0	11.8	4	9.2	2.5	26.5	0			
Colon and Rectum	46	50.9	36.7	69.4	24	57.3	36.2	87.8	22	46.2	28.0	73.5
Liver	4	3.7	1.0	11.6	2	4.3	0.5	19.5	2	3.0	0.4	17.1
Pancreas	12	11.7	6.0	22.0	8	17.6	7.6	37.4	4	6.8	1.8	22.2
Lung and Bronchus	79	78.7	62.2	99.2	44	96.8	70.1	132.1	35	65.5	45.4	93.9
Bones and Joints	0				0				0			
Melanoma of the Skin	16	21.8	11.8	37.0	6	15.9	5.4	37.3	10	26.9	11.7	53.2
Breast (invasive)	50	56.1	41.0	75.7	0				50	108.6	78.9	147.2
Cervix									2	5.7	0.5	23.1
Corpus and Uterus, NOS									19	39.0	22.9	64.3
Ovary									8	21.4	8.3	45.6
Prostate					54	112.2	83.6	149.3				
Testis					1	4.7	0.1	23.1				
Urinary Bladder (includes in situ)	28	29.1	19.1	43.4	21	46.3	28.3	73.5	7	13.5	5.3	31.7
Kidney and Renal Pelvis	13	13.6	7.1	24.6	7	14.2	5.6	32.6	6	12.4	4.5	30.4
Brain and Nervous System	11	15.7	7.4	29.3	4	12.3	3.1	33.2	7	19.0	7.1	41.8
Hodgkin Lymphoma	3	5.6	1.0	16.9	0				3	11.4	2.0	34.2
Non-Hodgkin Lymphoma	14	14.9	7.7	26.9	10	23.5	10.6	46.5	4	7.5	2.0	23.4
Myeloma	7	6.8	2.7	15.8	4	9.0	2.4	26.1	3	5.5	1.1	20.7
Leukemia	12	13.0	6.3	24.6	5	10.0	3.2	26.8	7	15.6	5.3	37.0
All Other Sites	52	55.7	41.0	74.7	27	62.8	40.8	94.0	25	51.0	32.3	78.8
Breast in Situ (not in total)									11	26.4	12.2	51.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Mason

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	495	478.8	435.7	525.5	259	517.8	454.9	587.9	236	457.3	397.0	525.0
Oral Cavity and Pharynx	19	19.7	11.4	32.1	13	29.4	15.3	52.2	6	11.4	3.5	28.6
Esophagus	6	5.2	1.9	12.7	5	8.7	2.8	23.4	1	1.7	0.0	13.7
Stomach	3	2.6	0.5	9.3	2	3.9	0.4	17.2	1	1.7	0.0	13.7
Colon and Rectum	53	49.6	36.6	66.4	30	58.8	39.2	86.2	23	42.3	25.6	67.1
Liver	9	8.1	3.7	16.6	7	13.6	5.4	30.4	2	3.0	0.3	15.5
Pancreas	21	19.7	11.9	31.3	12	24.5	12.4	45.0	9	16.0	6.9	33.5
Lung and Bronchus	107	97.2	79.5	118.5	56	108.4	81.5	142.9	51	90.5	67.1	121.0
Bones and Joints	0				0				0			
Melanoma of the Skin	21	22.5	13.6	35.5	15	35.4	19.3	60.2	6	9.6	3.3	24.4
Breast (invasive)	52	57.4	42.1	76.9	0				52	112.7	82.3	151.3
Cervix									4	10.0	2.5	27.2
Corpus and Uterus, NOS									10	21.3	9.7	41.9
Ovary									4	7.6	1.5	23.6
Prostate					53	95.5	71.2	127.1				
Testis					1	1.9	0.0	14.1				
Urinary Bladder (includes in situ)	17	16.7	9.4	28.2	12	27.8	13.9	50.7	5	8.1	2.6	22.1
Kidney and Renal Pelvis	18	15.5	9.1	25.7	7	12.9	5.1	29.2	11	17.7	8.7	34.7
Brain and Nervous System	5	5.4	1.6	13.9	4	8.7	2.0	25.2	1	2.0	0.1	14.3
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	19	19.1	11.1	31.1	8	16.1	6.8	34.1	11	21.9	10.3	42.2
Myeloma	5	4.3	1.4	11.6	1	1.9	0.0	14.2	4	6.3	1.7	19.9
Leukemia	17	18.3	10.3	30.5	10	23.3	10.9	44.6	7	15.5	5.6	34.6
All Other Sites	51	51.5	37.8	69.2	23	47.1	29.6	72.7	28	58.0	37.0	87.3
Breast in Situ (not in total)									10	19.9	9.1	39.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Massac

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	479	471.8	428.7	518.4	249	514.7	450.9	585.7	230	439.7	381.3	505.0
Oral Cavity and Pharynx	17	15.5	8.9	25.9	13	25.5	13.4	45.6	4	6.2	1.6	19.0
Esophagus	6	5.1	1.9	12.3	4	7.1	1.9	20.9	2	3.2	0.4	14.9
Stomach	4	4.1	1.1	11.4	3	6.7	1.4	21.3	1	2.0	0.0	13.4
Colon and Rectum	46	46.2	33.4	62.8	23	51.0	31.7	78.5	23	41.2	25.5	64.2
Liver	4	3.4	0.9	10.0	3	5.8	1.2	19.4	1	1.6	0.0	12.5
Pancreas	15	13.7	7.6	23.5	7	12.9	5.2	28.8	8	13.8	5.8	29.5
Lung and Bronchus	103	93.9	76.3	114.9	50	96.3	71.1	128.7	53	92.3	68.4	123.1
Bones and Joints	0				0				0			
Melanoma of the Skin	19	19.3	11.3	31.3	13	28.0	14.4	49.9	6	11.5	3.9	27.5
Breast (invasive)	61	64.8	48.9	84.5	0				61	123.3	92.8	161.1
Cervix									3	10.7	2.2	29.5
Corpus and Uterus, NOS									10	19.3	9.0	37.5
Ovary									4	5.9	1.4	18.6
Prostate					51	103.0	76.3	137.1				
Testis					1	4.1	0.1	19.8				
Urinary Bladder (includes in situ)	18	16.0	9.3	26.2	15	29.2	16.2	50.0	3	4.9	1.0	17.1
Kidney and Renal Pelvis	21	19.6	11.7	31.2	14	28.7	15.3	50.3	7	12.0	4.3	27.9
Brain and Nervous System	9	11.3	4.8	22.2	7	19.9	7.5	42.1	2	3.2	0.4	14.8
Hodgkin Lymphoma	2	3.7	0.4	12.4	0				2	7.2	0.9	24.0
Non-Hodgkin Lymphoma	12	12.4	6.2	22.6	7	16.6	6.5	35.6	5	8.0	2.5	21.5
Myeloma	5	4.3	1.4	11.2	5	9.1	2.9	23.6	0			
Leukemia	13	14.9	7.5	26.7	5	9.9	3.2	25.1	8	20.2	8.0	41.6
All Other Sites	55	54.6	40.5	72.4	28	60.8	39.8	89.7	27	53.2	33.7	80.4
Breast in Situ (not in total)									14	26.1	13.8	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

McDonough

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	897	503.0	469.0	539.0	424	513.6	464.2	567.0	473	507.4	459.4	559.1
Oral Cavity and Pharynx	20	12.7	7.5	20.2	16	21.4	11.8	35.8	4	5.4	1.4	14.3
Esophagus	8	4.1	1.7	8.5	6	6.6	2.4	15.4	2	1.7	0.2	7.8
Stomach	5	2.4	0.8	6.3	5	5.6	1.8	14.1	0			
Colon and Rectum	108	60.1	48.9	73.2	54	65.2	48.5	86.0	54	54.4	40.1	72.4
Liver	4	2.7	0.7	7.4	2	2.6	0.3	10.0	2	3.2	0.3	11.7
Pancreas	22	12.7	7.7	19.9	10	12.2	5.7	23.3	12	12.9	6.0	24.4
Lung and Bronchus	146	74.3	62.5	87.9	68	80.1	61.9	102.3	78	70.1	55.0	88.6
Bones and Joints	3	1.3	0.3	4.6	2	1.8	0.2	8.2	1	0.9	0.0	6.7
Melanoma of the Skin	42	24.2	17.0	33.4	23	30.3	18.9	46.1	19	19.6	11.1	32.4
Breast (invasive)	123	74.4	61.2	89.7	0				123	141.7	116.4	171.1
Cervix									9	13.8	6.1	26.6
Corpus and Uterus, NOS									23	27.4	16.9	42.3
Ovary									7	6.9	2.7	15.4
Prostate					93	102.7	82.3	127.0				
Testis					3	6.2	1.3	17.2				
Urinary Bladder (includes in situ)	39	21.1	14.7	29.4	27	36.4	23.8	53.6	12	10.3	5.1	19.4
Kidney and Renal Pelvis	30	17.1	11.2	25.1	16	19.7	10.9	32.9	14	15.1	7.8	26.7
Brain and Nervous System	14	9.6	4.9	16.6	6	6.0	2.0	14.4	8	12.9	5.2	25.9
Hodgkin Lymphoma	1	0.7	0.0	3.9	1	1.5	0.0	8.5	0			
Non-Hodgkin Lymphoma	39	21.2	14.8	29.7	13	17.4	8.9	30.8	26	24.9	16.0	37.5
Myeloma	13	5.8	3.1	10.4	8	8.1	3.4	17.1	5	3.5	1.1	10.1
Leukemia	32	16.7	11.2	24.2	22	27.8	17.2	42.9	10	9.1	4.2	18.1
All Other Sites	113	66.3	54.0	80.8	49	62.0	45.4	82.9	64	73.6	55.2	96.2
Breast in Situ (not in total)									28	30.8	19.9	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

McHenry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,731	455.7	445.2	466.4	3,770	477.5	461.6	493.9	3,961	444.5	430.3	459.0
Oral Cavity and Pharynx	219	11.9	10.4	13.7	159	18.2	15.3	21.4	60	6.4	4.9	8.3
Esophagus	90	5.3	4.2	6.6	74	9.6	7.4	12.2	16	1.8	1.0	3.1
Stomach	94	5.8	4.7	7.2	64	8.5	6.4	11.0	30	3.6	2.4	5.2
Colon and Rectum	663	39.2	36.2	42.5	353	44.9	40.1	50.2	310	34.3	30.5	38.4
Liver	67	3.9	3.0	5.0	43	5.3	3.8	7.3	24	2.8	1.7	4.2
Pancreas	217	13.0	11.3	14.9	114	14.2	11.5	17.2	103	11.9	9.7	14.5
Lung and Bronchus	1,004	61.0	57.2	65.1	499	67.5	61.4	74.0	505	56.5	51.6	61.9
Bones and Joints	15	0.9	0.5	1.6	8	1.0	0.4	1.9	7	0.9	0.3	1.8
Melanoma of the Skin	411	24.6	22.2	27.2	232	28.7	25.0	32.9	179	21.6	18.4	25.1
Breast (invasive)	1,269	73.0	68.9	77.3	17	1.9	1.1	3.2	1,252	137.7	130.0	145.8
Cervix									45	5.3	3.8	7.2
Corpus and Uterus, NOS									280	28.9	25.5	32.6
Ovary									117	13.4	11.0	16.2
Prostate					881	101.2	94.3	108.5				
Testis					60	8.6	6.5	11.1				
Urinary Bladder (includes in situ)	361	22.8	20.4	25.4	276	39.4	34.6	44.6	85	9.9	7.8	12.3
Kidney and Renal Pelvis	283	16.3	14.4	18.5	173	20.7	17.6	24.2	110	12.4	10.1	15.0
Brain and Nervous System	118	7.3	6.0	8.8	68	9.1	7.0	11.7	50	5.7	4.2	7.6
Hodgkin Lymphoma	38	2.4	1.7	3.3	21	2.5	1.6	3.9	17	2.3	1.3	3.7
Non-Hodgkin Lymphoma	307	17.9	15.9	20.1	173	21.6	18.3	25.2	134	14.6	12.2	17.4
Myeloma	90	5.3	4.2	6.5	46	5.8	4.1	7.9	44	4.9	3.5	6.7
Leukemia	181	11.5	9.8	13.4	110	15.2	12.3	18.4	71	8.5	6.6	10.8
All Other Sites	921	56.7	52.9	60.6	399	53.7	48.2	59.5	522	61.2	55.9	66.9
Breast in Situ (not in total)									279	30.2	26.6	34.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

McLean

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,843	451.5	437.0	466.3	1,854	473.2	451.2	495.9	1,989	442.0	422.3	462.4
Oral Cavity and Pharynx	119	14.3	11.8	17.2	73	18.7	14.5	23.6	46	10.7	7.8	14.4
Esophagus	38	4.5	3.2	6.3	32	8.5	5.7	12.0	6	1.4	0.5	3.1
Stomach	37	4.1	2.9	5.7	24	6.0	3.8	9.0	13	2.7	1.4	4.6
Colon and Rectum	334	39.7	35.5	44.3	173	45.0	38.4	52.5	161	35.5	30.1	41.6
Liver	43	4.7	3.4	6.4	33	7.9	5.3	11.2	10	2.1	1.0	4.0
Pancreas	104	12.6	10.3	15.4	55	15.1	11.2	19.8	49	10.7	7.8	14.2
Lung and Bronchus	507	60.7	55.4	66.3	253	67.1	58.8	76.2	254	55.2	48.5	62.7
Bones and Joints	5	0.6	0.2	1.5	2	0.5	0.1	1.9	3	0.7	0.1	2.1
Melanoma of the Skin	293	35.0	31.1	39.4	145	38.3	32.1	45.2	148	33.5	28.2	39.6
Breast (invasive)	653	77.4	71.4	83.7	9	2.4	1.1	4.6	644	144.2	133.0	156.1
Cervix									26	6.0	3.9	8.9
Corpus and Uterus, NOS									121	26.4	21.8	31.7
Ovary									47	10.6	7.8	14.2
Prostate					434	101.7	92.1	112.1				
Testis					21	4.6	2.8	7.2				
Urinary Bladder (includes in situ)	157	18.6	15.7	21.8	120	32.9	27.1	39.5	37	7.6	5.3	10.5
Kidney and Renal Pelvis	147	17.1	14.4	20.2	98	24.5	19.7	30.0	49	10.7	7.8	14.2
Brain and Nervous System	59	7.0	5.3	9.1	37	9.3	6.5	12.9	22	4.9	3.0	7.5
Hodgkin Lymphoma	17	2.1	1.2	3.4	12	3.1	1.6	5.5	5	1.3	0.4	3.0
Non-Hodgkin Lymphoma	135	15.5	12.9	18.4	73	18.0	14.0	22.8	62	13.7	10.4	17.7
Myeloma	35	4.1	2.8	5.7	22	5.7	3.5	8.7	13	2.8	1.5	4.8
Leukemia	76	9.3	7.3	11.7	46	13.1	9.5	17.6	30	7.1	4.7	10.2
All Other Sites	435	51.8	46.9	57.0	192	50.9	43.8	58.9	243	54.1	47.3	61.6
Breast in Situ (not in total)									128	29.4	24.4	35.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Menard

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	455	540.6	490.0	595.3	236	612.5	533.8	700.3	219	488.0	422.5	561.8
Oral Cavity and Pharynx	17	22.0	12.4	36.5	13	36.5	18.6	64.8	4	9.7	2.5	27.3
Esophagus	2	2.1	0.2	9.4	1	2.6	0.1	17.1	1	1.7	0.0	14.7
Stomach	8	9.0	3.7	19.3	4	9.0	2.4	25.9	4	9.3	2.1	27.3
Colon and Rectum	46	55.7	40.3	75.6	23	62.9	39.0	96.6	23	49.1	30.4	76.4
Liver	6	5.9	2.1	14.4	5	10.3	3.2	27.4	1	1.7	0.0	14.7
Pancreas	19	22.0	13.1	35.4	8	18.9	7.9	39.6	11	24.5	12.0	46.2
Lung and Bronchus	71	80.2	62.2	102.3	41	104.3	74.1	143.8	30	61.5	41.1	90.2
Bones and Joints	0				0				0			
Melanoma of the Skin	21	28.3	17.0	44.6	10	28.3	13.0	54.2	11	29.3	13.9	54.7
Breast (invasive)	62	71.4	54.0	93.1	0				62	136.5	103.1	178.2
Cervix									2	5.8	0.5	22.8
Corpus and Uterus, NOS									12	23.3	12.0	43.4
Ovary									5	10.2	3.3	26.8
Prostate					50	113.3	83.2	152.0				
Testis					4	14.9	3.9	38.1				
Urinary Bladder (includes in situ)	19	20.9	12.5	33.7	19	46.8	27.7	75.3	0			
Kidney and Renal Pelvis	25	32.4	20.3	49.4	15	41.7	22.5	71.2	10	26.8	11.9	52.0
Brain and Nervous System	6	9.5	3.2	21.4	4	14.0	3.6	36.3	2	4.3	0.5	18.7
Hodgkin Lymphoma	2	3.2	0.4	11.9	0				2	6.4	0.7	23.6
Non-Hodgkin Lymphoma	17	21.8	12.4	35.9	8	21.1	8.8	43.7	9	22.2	9.7	44.5
Myeloma	2	3.6	0.4	12.6	2	7.6	0.9	26.6	0			
Leukemia	17	21.9	12.5	36.2	10	28.3	13.2	53.9	7	16.8	6.4	36.9
All Other Sites	42	50.0	35.5	68.9	19	52.1	30.8	83.4	23	49.0	30.1	76.9
Breast in Situ (not in total)									15	32.8	17.7	57.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Mercer

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	580	511.6	468.9	557.6	301	529.1	469.1	595.4	279	503.1	442.1	570.9
Oral Cavity and Pharynx	17	14.6	8.3	24.6	16	28.5	15.8	48.4	1	1.0	0.0	11.2
Esophagus	5	4.4	1.4	11.3	5	9.2	3.0	23.4	0			
Stomach	6	4.9	1.8	11.9	6	10.1	3.6	24.1	0			
Colon and Rectum	52	43.6	32.3	58.1	30	51.3	34.3	75.0	22	36.7	22.4	57.9
Liver	4	2.8	0.7	8.7	4	6.4	1.7	19.0	0			
Pancreas	20	16.9	10.2	27.0	11	17.5	8.6	33.6	9	15.6	7.0	31.7
Lung and Bronchus	95	76.0	61.3	94.0	54	90.5	67.5	120.0	41	62.8	44.7	87.2
Bones and Joints	1	1.4	0.0	7.6	0				1	2.6	0.1	14.9
Melanoma of the Skin	37	35.0	24.1	49.4	22	39.5	24.5	61.5	15	31.8	17.1	54.6
Breast (invasive)	89	83.0	65.7	103.7	1	1.6	0.0	12.3	88	162.3	128.2	203.4
Cervix									2	5.7	0.6	20.6
Corpus and Uterus, NOS									22	37.4	22.9	59.1
Ovary									9	13.1	5.8	27.5
Prostate					46	78.5	57.0	106.7				
Testis					2	6.9	0.8	23.2				
Urinary Bladder (includes in situ)	22	17.8	11.1	27.9	19	31.2	18.7	50.7	3	5.1	1.1	17.5
Kidney and Renal Pelvis	17	14.5	8.2	24.4	12	20.0	10.2	37.0	5	10.2	2.9	26.1
Brain and Nervous System	9	9.3	4.0	18.6	7	14.2	5.4	31.3	2	4.7	0.4	18.6
Hodgkin Lymphoma	1	0.8	0.0	6.1	1	1.5	0.0	12.2	0			
Non-Hodgkin Lymphoma	33	31.9	21.5	46.0	16	31.5	17.5	53.1	17	32.8	18.2	55.1
Myeloma	7	5.7	2.2	12.8	5	8.6	2.7	22.2	2	3.0	0.4	14.3
Leukemia	19	18.3	10.6	29.7	8	15.1	6.2	32.0	11	21.9	10.3	41.4
All Other Sites	65	60.8	46.0	79.3	36	66.8	45.9	94.8	29	56.4	36.1	84.4
Breast in Situ (not in total)									11	19.4	9.5	36.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Monroe

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	944	432.2	404.3	461.7	490	469.8	427.8	515.0	454	406.2	368.3	447.1
Oral Cavity and Pharynx	46	20.0	14.5	27.1	34	30.2	20.6	43.2	12	10.6	5.4	19.4
Esophagus	16	6.4	3.6	10.9	13	11.4	5.9	20.4	3	1.8	0.4	6.9
Stomach	7	3.3	1.3	7.2	4	3.5	0.9	9.9	3	3.0	0.6	9.4
Colon and Rectum	79	35.7	28.1	45.0	47	44.6	32.4	60.1	32	28.0	18.8	40.4
Liver	9	3.9	1.7	7.7	8	7.3	3.1	15.1	1	0.6	0.0	5.2
Pancreas	27	12.6	8.2	18.6	17	18.4	10.5	29.9	10	7.9	3.7	15.5
Lung and Bronchus	118	52.0	42.9	62.7	60	57.0	43.1	74.2	58	48.9	36.9	64.1
Bones and Joints	2	1.0	0.1	4.0	2	1.9	0.2	7.8	0			
Melanoma of the Skin	59	29.2	21.9	38.1	35	36.1	24.8	51.0	24	23.3	14.6	35.5
Breast (invasive)	141	65.3	54.7	77.5	1	0.8	0.0	5.9	140	124.2	103.9	147.7
Cervix									3	3.2	0.6	9.9
Corpus and Uterus, NOS									26	23.0	14.7	34.6
Ovary									13	10.4	5.5	18.6
Prostate					124	110.8	91.6	133.2				
Testis					1	1.5	0.0	7.7				
Urinary Bladder (includes in situ)	37	16.0	11.2	22.5	31	30.4	20.4	43.9	6	4.6	1.6	11.1
Kidney and Renal Pelvis	37	16.3	11.3	22.9	21	20.4	12.3	32.0	16	12.6	7.1	21.3
Brain and Nervous System	18	10.1	5.9	16.3	8	8.6	3.6	17.5	10	12.0	5.6	22.5
Hodgkin Lymphoma	2	1.5	0.2	5.2	0				2	3.2	0.4	10.7
Non-Hodgkin Lymphoma	39	18.8	13.3	26.1	20	20.5	12.3	32.4	19	17.6	10.4	28.3
Myeloma	13	5.7	3.0	10.2	7	7.2	2.8	15.4	6	4.7	1.7	11.1
Leukemia	25	12.1	7.7	18.2	14	13.1	7.0	22.7	11	10.9	5.3	20.2
All Other Sites	102	49.7	40.3	60.7	43	46.1	33.1	62.7	59	55.5	41.9	72.5
Breast in Situ (not in total)									37	36.8	25.6	51.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Montgomery

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,002	496.5	465.3	529.5	546	570.9	523.2	622.0	456	444.5	401.7	491.0
Oral Cavity and Pharynx	33	16.5	11.2	23.6	23	24.1	15.1	36.7	10	9.3	4.2	18.5
Esophagus	8	4.2	1.7	8.7	5	4.9	1.6	12.3	3	3.8	0.6	12.3
Stomach	9	4.2	1.9	8.5	6	6.3	2.2	14.4	3	2.1	0.4	8.4
Colon and Rectum	121	59.8	49.2	72.1	65	70.3	54.0	90.3	56	49.9	36.8	66.7
Liver	12	5.8	2.9	10.6	9	8.9	4.0	17.7	3	3.1	0.5	10.8
Pancreas	22	10.1	6.2	15.7	13	13.5	7.1	23.7	9	6.8	2.9	14.8
Lung and Bronchus	184	89.5	76.8	104.0	101	105.6	85.7	129.0	83	77.4	60.9	97.5
Bones and Joints	2	1.7	0.2	5.7	2	3.0	0.4	10.6	0			
Melanoma of the Skin	45	23.9	17.2	32.5	25	26.6	17.1	39.9	20	24.0	14.0	38.7
Breast (invasive)	105	52.5	42.7	64.1	1	1.3	0.0	7.5	104	101.1	81.7	124.3
Cervix									8	11.5	4.6	23.4
Corpus and Uterus, NOS									27	27.6	17.7	41.5
Ovary									10	10.8	4.6	21.7
Prostate					89	88.4	70.7	109.5				
Testis					3	3.0	0.6	9.7				
Urinary Bladder (includes in situ)	47	22.2	16.2	29.9	43	44.7	32.2	60.8	4	4.0	1.1	11.3
Kidney and Renal Pelvis	52	25.9	19.1	34.5	33	33.7	23.1	48.1	19	18.9	10.7	31.3
Brain and Nervous System	17	9.0	5.2	14.9	12	13.0	6.6	23.4	5	4.7	1.5	12.2
Hodgkin Lymphoma	3	1.7	0.3	5.4	1	1.1	0.0	7.0	2	2.7	0.3	10.5
Non-Hodgkin Lymphoma	43	20.7	14.8	28.4	24	25.7	16.3	39.0	19	16.4	9.7	26.9
Myeloma	15	6.5	3.6	11.3	9	9.3	4.2	18.3	6	4.3	1.5	11.2
Leukemia	32	15.9	10.6	23.2	20	22.9	13.8	36.0	12	10.3	5.0	19.7
All Other Sites	115	58.9	48.2	71.5	62	64.6	49.3	83.5	53	55.9	40.6	75.4
Breast in Situ (not in total)									14	18.1	9.5	31.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Morgan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,266	548.0	517.1	580.3	678	626.1	578.8	676.4	588	497.6	455.6	542.8
Oral Cavity and Pharynx	37	16.8	11.7	23.6	22	21.9	13.5	33.7	15	13.2	7.1	22.7
Esophagus	15	5.9	3.3	10.2	12	10.7	5.5	19.3	3	2.2	0.5	7.7
Stomach	18	8.1	4.7	13.2	12	11.4	5.8	20.4	6	5.8	2.0	13.5
Colon and Rectum	107	44.3	36.1	54.0	63	58.8	44.9	75.8	44	31.9	22.8	44.0
Liver	20	7.7	4.7	12.3	17	13.9	8.0	23.0	3	2.2	0.4	7.8
Pancreas	26	11.7	7.6	17.5	13	13.9	7.3	24.1	13	10.0	5.2	18.1
Lung and Bronchus	213	88.0	76.3	101.2	116	104.4	85.9	125.9	97	76.6	61.5	94.7
Bones and Joints	2	1.0	0.1	4.0	0				2	2.2	0.2	8.5
Melanoma of the Skin	65	27.2	20.7	35.1	49	45.2	33.1	60.4	16	13.4	7.3	23.0
Breast (invasive)	168	77.3	65.5	90.7	1	1.0	0.0	6.2	167	149.2	125.9	175.8
Cervix									8	8.4	3.3	17.4
Corpus and Uterus, NOS									32	25.7	17.3	37.2
Ovary									13	9.9	5.2	18.0
Prostate					155	136.5	115.5	160.6				
Testis					7	8.8	3.5	18.1				
Urinary Bladder (includes in situ)	56	22.9	17.2	30.2	42	39.6	28.3	54.1	14	9.8	5.3	17.6
Kidney and Renal Pelvis	49	21.3	15.6	28.7	24	20.4	12.9	31.2	25	22.2	14.0	33.8
Brain and Nervous System	21	11.5	6.9	18.0	15	16.5	9.0	27.7	6	7.0	2.3	15.9
Hodgkin Lymphoma	9	5.2	2.3	10.0	5	5.8	1.9	13.5	4	5.3	1.4	13.5
Non-Hodgkin Lymphoma	45	18.9	13.7	25.7	24	23.6	15.0	35.5	21	14.9	9.1	23.8
Myeloma	18	7.5	4.4	12.2	10	8.8	4.2	16.9	8	6.5	2.7	13.9
Leukemia	29	13.0	8.6	19.1	16	14.6	8.2	24.2	13	12.1	6.0	21.8
All Other Sites	153	68.5	57.7	80.9	75	70.4	55.1	88.9	78	69.2	53.5	88.2
Breast in Situ (not in total)									39	37.7	26.0	53.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Moultrie

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	436	461.8	417.9	509.3	228	528.4	460.3	604.1	208	407.3	351.0	470.5
Oral Cavity and Pharynx	14	15.9	8.5	27.5	13	31.2	16.1	54.7	1	1.9	0.0	12.9
Esophagus	4	4.9	1.3	12.9	3	7.7	1.5	23.4	1	2.3	0.1	13.9
Stomach	8	7.1	2.9	15.1	6	13.7	5.0	31.0	2	1.9	0.2	12.2
Colon and Rectum	51	51.4	37.9	68.6	25	57.0	36.6	85.4	26	46.6	29.7	70.6
Liver	3	3.2	0.7	10.0	3	6.6	1.4	20.7	0			
Pancreas	16	16.3	9.2	27.2	9	21.0	9.6	40.9	7	11.8	4.6	26.6
Lung and Bronchus	67	69.9	53.8	89.5	36	81.3	56.7	113.7	31	61.2	41.0	88.7
Bones and Joints	1	1.0	0.0	6.6	1	2.0	0.1	13.6	0			
Melanoma of the Skin	22	24.3	14.9	37.7	16	37.4	20.8	62.4	6	12.2	4.2	28.4
Breast (invasive)	46	48.7	35.2	65.9	2	6.4	0.7	22.6	44	86.3	61.8	118.0
Cervix									6	17.4	5.9	38.4
Corpus and Uterus, NOS									13	24.6	12.8	43.9
Ovary									9	18.1	7.8	36.4
Prostate					34	72.6	49.9	102.9				
Testis					4	13.4	3.4	33.8				
Urinary Bladder (includes in situ)	28	28.5	18.7	42.0	17	37.3	21.6	60.8	11	21.5	10.3	40.6
Kidney and Renal Pelvis	18	19.9	11.4	32.5	9	20.2	8.9	40.1	9	19.5	8.3	39.2
Brain and Nervous System	7	9.3	3.6	19.6	4	10.9	2.9	28.4	3	7.5	1.3	23.2
Hodgkin Lymphoma	3	4.5	0.9	13.1	3	9.4	1.8	26.9	0			
Non-Hodgkin Lymphoma	26	26.8	17.1	40.4	19	42.9	25.5	68.4	7	14.5	5.2	32.3
Myeloma	7	9.0	3.5	18.8	4	11.3	2.9	29.3	3	6.7	1.4	20.6
Leukemia	12	11.9	6.0	21.6	4	8.8	2.3	24.1	8	13.7	5.7	29.4
All Other Sites	37	37.2	25.8	52.2	16	37.2	21.0	61.5	21	39.6	24.0	62.5
Breast in Situ (not in total)									15	30.0	16.2	51.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Ogle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,596	477.1	453.3	501.9	796	487.1	453.0	523.3	800	474.0	440.4	509.7
Oral Cavity and Pharynx	52	15.8	11.7	21.0	34	20.5	14.1	29.0	18	12.0	7.0	19.3
Esophagus	23	6.6	4.1	10.1	19	11.7	6.9	18.7	4	2.2	0.6	6.2
Stomach	20	5.8	3.5	9.1	12	7.0	3.6	12.7	8	4.6	1.9	9.6
Colon and Rectum	147	43.2	36.4	51.1	76	47.3	37.0	59.8	71	38.8	30.0	49.6
Liver	13	3.4	1.8	6.1	12	6.5	3.3	11.9	1	0.5	0.0	3.6
Pancreas	36	9.8	6.8	13.7	25	15.2	9.8	22.9	11	5.7	2.8	10.7
Lung and Bronchus	238	67.9	59.4	77.3	135	83.1	69.4	98.8	103	55.3	45.0	67.6
Bones and Joints	3	0.9	0.2	2.8	2	1.1	0.1	4.6	1	0.6	0.0	3.8
Melanoma of the Skin	96	30.4	24.4	37.5	43	26.7	19.1	36.5	53	35.0	25.8	46.5
Breast (invasive)	203	61.8	53.4	71.4	0				203	119.5	103.0	138.1
Cervix									9	6.8	3.0	13.2
Corpus and Uterus, NOS									57	33.2	24.8	43.8
Ovary									17	10.2	5.8	16.9
Prostate					158	90.7	76.9	106.5				
Testis					9	8.0	3.6	15.2				
Urinary Bladder (includes in situ)	72	20.4	15.9	25.9	57	34.2	25.8	44.8	15	8.2	4.5	14.1
Kidney and Renal Pelvis	69	20.2	15.6	25.9	41	24.1	17.2	33.2	28	16.7	10.9	24.8
Brain and Nervous System	15	5.3	2.9	8.9	7	5.2	2.0	11.0	8	5.3	2.2	10.8
Hodgkin Lymphoma	12	4.4	2.2	7.9	4	2.9	0.8	7.7	8	6.2	2.6	12.4
Non-Hodgkin Lymphoma	71	22.8	17.7	29.1	36	23.8	16.5	33.5	35	21.8	14.9	31.0
Myeloma	18	4.9	2.9	7.9	11	6.7	3.3	12.3	7	3.4	1.4	7.7
Leukemia	48	15.3	11.1	20.6	22	13.6	8.4	21.1	26	16.7	10.7	25.0
All Other Sites	210	65.3	56.4	75.1	93	58.7	47.1	72.6	117	71.1	58.3	86.2
Breast in Situ (not in total)									40	24.6	17.4	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,468	494.8	481.4	508.5	2,757	543.8	523.2	565.0	2,711	460.7	442.9	479.1
Oral Cavity and Pharynx	138	12.6	10.5	14.9	91	18.1	14.5	22.4	47	8.0	5.8	10.8
Esophagus	73	6.6	5.2	8.4	58	11.5	8.6	14.9	15	2.6	1.4	4.4
Stomach	69	6.2	4.8	7.9	36	6.9	4.8	9.7	33	5.8	3.9	8.2
Colon and Rectum	493	44.7	40.7	48.9	263	53.8	47.3	60.9	230	37.0	32.2	42.3
Liver	63	5.2	4.0	6.8	52	9.3	6.9	12.4	11	1.7	0.8	3.1
Pancreas	148	13.1	11.0	15.5	84	17.6	14.0	21.9	64	9.5	7.3	12.3
Lung and Bronchus	943	82.5	77.2	88.1	520	101.9	93.1	111.2	423	67.6	61.1	74.5
Bones and Joints	6	0.7	0.3	1.5	3	0.7	0.2	2.1	3	0.7	0.1	2.0
Melanoma of the Skin	299	27.8	24.6	31.2	177	36.6	31.3	42.5	122	21.8	18.0	26.2
Breast (invasive)	811	76.5	71.2	82.2	5	1.0	0.3	2.5	806	142.1	132.0	152.7
Cervix									47	9.8	7.1	13.2
Corpus and Uterus, NOS									165	27.0	22.9	31.7
Ovary									58	9.7	7.3	12.7
Prostate					646	118.0	108.8	127.7				
Testis					21	5.1	3.1	7.8				
Urinary Bladder (includes in situ)	237	20.9	18.3	23.8	175	35.7	30.5	41.5	62	9.3	7.1	12.1
Kidney and Renal Pelvis	234	21.7	18.9	24.7	156	31.2	26.4	36.6	78	13.7	10.7	17.2
Brain and Nervous System	64	6.1	4.6	7.8	31	6.4	4.3	9.2	33	6.0	4.1	8.5
Hodgkin Lymphoma	22	2.1	1.3	3.2	12	2.3	1.2	4.1	10	1.9	0.9	3.6
Non-Hodgkin Lymphoma	214	19.3	16.8	22.2	107	21.5	17.5	26.0	107	18.1	14.7	22.1
Myeloma	55	5.1	3.8	6.7	31	6.5	4.4	9.3	24	3.7	2.3	5.7
Leukemia	116	11.0	9.0	13.2	64	13.4	10.2	17.2	52	9.0	6.7	11.9
All Other Sites	546	51.4	47.1	56.1	225	46.4	40.4	53.1	321	55.7	49.5	62.5
Breast in Situ (not in total)									181	31.5	27.0	36.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Perry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	668	485.9	448.8	525.4	332	487.1	435.3	543.8	336	506.6	450.4	568.3
Oral Cavity and Pharynx	17	12.1	7.0	19.9	15	20.7	11.5	35.0	2	3.2	0.4	13.0
Esophagus	8	5.2	2.2	11.0	6	8.2	2.9	18.8	2	2.2	0.3	10.8
Stomach	5	3.1	1.0	8.0	3	4.0	0.8	12.9	2	1.9	0.2	10.3
Colon and Rectum	71	50.9	39.5	64.8	35	52.6	36.4	73.9	36	47.5	32.7	67.8
Liver	7	5.6	2.1	12.0	5	6.9	2.2	17.2	2	3.9	0.4	15.0
Pancreas	30	21.0	14.0	30.5	16	24.0	13.6	39.8	14	19.0	10.1	33.6
Lung and Bronchus	105	73.5	59.9	89.5	56	81.4	61.2	106.5	49	68.1	49.7	92.0
Bones and Joints	0				0				0			
Melanoma of the Skin	31	24.1	16.2	34.7	18	29.1	17.1	46.5	13	21.5	10.9	38.5
Breast (invasive)	91	68.9	55.1	85.3	0				91	143.4	113.6	178.9
Cervix									9	18.7	8.3	36.1
Corpus and Uterus, NOS									17	30.1	16.9	49.7
Ovary									8	13.6	5.4	28.4
Prostate					63	88.4	67.6	113.9				
Testis					3	4.4	0.9	13.8				
Urinary Bladder (includes in situ)	43	28.9	20.8	39.5	31	44.3	29.9	63.7	12	14.0	6.9	26.7
Kidney and Renal Pelvis	25	18.3	11.7	27.6	16	23.7	13.3	39.2	9	14.7	6.5	29.1
Brain and Nervous System	8	6.7	2.8	13.6	4	6.3	1.6	16.8	4	6.6	1.6	18.3
Hodgkin Lymphoma	2	2.3	0.3	7.9	0				2	5.3	0.6	17.9
Non-Hodgkin Lymphoma	20	14.6	8.9	23.0	8	12.1	5.1	24.5	12	16.6	8.5	30.5
Myeloma	5	3.6	1.2	9.0	4	5.9	1.5	16.0	1	1.6	0.0	10.4
Leukemia	19	14.9	8.7	23.9	9	14.7	6.6	28.4	10	17.4	7.8	33.5
All Other Sites	81	59.3	46.7	74.4	40	60.7	43.0	83.4	41	57.4	39.9	80.6
Breast in Situ (not in total)									13	17.3	8.9	31.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Piatt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	571	508.9	466.6	554.4	287	527.6	466.7	594.8	284	499.1	439.9	564.7
Oral Cavity and Pharynx	15	14.3	7.8	24.5	5	8.1	2.6	21.0	10	19.4	8.9	37.5
Esophagus	4	3.4	0.9	9.7	3	5.5	1.1	17.8	1	1.7	0.0	12.0
Stomach	11	9.3	4.6	17.5	10	18.5	8.8	35.3	1	1.7	0.0	12.0
Colon and Rectum	49	45.1	33.0	60.5	28	52.8	34.7	77.8	21	37.9	22.8	59.9
Liver	9	7.4	3.3	14.9	6	10.4	3.7	24.4	3	4.8	1.0	16.3
Pancreas	19	17.3	10.3	27.8	11	21.7	10.5	40.4	8	12.6	5.4	26.7
Lung and Bronchus	83	70.0	55.5	87.6	43	79.5	57.1	108.6	40	62.5	44.3	86.8
Bones and Joints	0				0				0			
Melanoma of the Skin	49	51.4	37.2	69.3	29	59.7	39.0	87.7	20	45.6	26.8	72.2
Breast (invasive)	70	63.5	48.9	81.3	0				70	122.6	94.5	157.3
Cervix									5	8.9	2.7	22.6
Corpus and Uterus, NOS									15	24.3	13.2	42.1
Ovary									10	16.8	7.7	32.9
Prostate					64	109.4	83.9	141.3				
Testis					1	2.9	0.1	15.3				
Urinary Bladder (includes in situ)	15	12.5	7.0	21.4	12	21.4	10.9	38.8	3	4.4	0.9	15.5
Kidney and Renal Pelvis	16	14.2	8.0	23.7	8	15.1	6.4	31.2	8	13.6	5.7	28.7
Brain and Nervous System	8	7.0	2.9	14.7	4	7.7	2.0	21.2	4	6.9	1.7	19.8
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	25	22.4	14.2	34.0	14	25.7	13.8	44.7	11	19.6	9.3	37.3
Myeloma	10	8.3	3.9	16.0	5	9.1	2.9	22.9	5	7.3	2.4	19.4
Leukemia	20	18.1	10.8	28.8	10	19.0	8.9	36.5	10	16.9	7.8	33.1
All Other Sites	73	65.6	50.8	83.7	34	61.2	41.9	87.2	39	71.6	49.6	100.5
Breast in Situ (not in total)									17	32.6	18.4	54.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pike

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	581	521.4	477.9	568.1	315	595.8	530.2	667.9	266	466.8	407.9	532.4
Oral Cavity and Pharynx	19	20.7	12.1	33.2	13	27.6	14.5	48.3	6	15.1	4.9	34.6
Esophagus	8	6.2	2.7	13.3	7	12.2	4.9	26.7	1	1.4	0.0	11.7
Stomach	4	3.7	0.9	10.4	4	8.1	2.1	22.0	0			
Colon and Rectum	58	50.8	37.7	67.3	34	65.0	44.3	92.6	24	39.8	23.6	63.5
Liver	6	4.7	1.7	11.4	4	7.2	2.0	20.2	2	3.1	0.4	14.2
Pancreas	23	18.7	11.8	28.9	12	20.8	10.6	37.8	11	17.0	8.3	32.6
Lung and Bronchus	92	77.2	62.0	95.5	56	104.8	78.9	137.3	36	56.3	39.1	80.0
Bones and Joints	0				0				0			
Melanoma of the Skin	32	33.2	22.1	48.1	14	28.3	15.1	48.8	18	40.1	22.4	66.1
Breast (invasive)	65	60.7	46.2	78.7	0				65	117.1	88.6	152.6
Cervix									3	6.6	1.0	21.4
Corpus and Uterus, NOS									13	20.6	11.0	37.2
Ovary									3	7.8	1.4	23.5
Prostate					58	101.1	76.2	132.4				
Testis					3	9.3	1.9	26.1				
Urinary Bladder (includes in situ)	33	27.3	18.6	39.2	24	46.3	29.5	70.0	9	14.2	6.4	29.3
Kidney and Renal Pelvis	20	19.0	11.3	30.2	15	29.1	16.0	49.3	5	9.7	2.7	25.2
Brain and Nervous System	2	2.6	0.2	9.8	1	3.6	0.1	17.3	1	1.5	0.0	12.0
Hodgkin Lymphoma	2	2.4	0.3	9.1	1	2.9	0.1	15.2	1	1.6	0.0	12.2
Non-Hodgkin Lymphoma	18	14.8	8.7	24.3	13	23.1	12.2	41.1	5	8.3	2.6	21.7
Myeloma	13	11.7	6.0	21.0	4	6.4	1.7	18.6	9	16.5	7.0	33.9
Leukemia	23	22.1	13.7	34.0	10	19.6	9.2	37.4	13	23.3	11.7	42.4
All Other Sites	83	73.4	57.7	92.4	42	80.6	57.5	110.5	41	66.6	46.1	94.0
Breast in Situ (not in total)									10	18.9	8.8	36.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pope

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	172	494.1	414.6	586.9	102	590.1	467.3	739.4	70	394.3	300.6	516.6
Oral Cavity and Pharynx	10	27.8	12.5	58.8	8	45.5	18.4	103.1	2	9.0	1.1	60.0
Esophagus	2	8.0	0.7	35.2	2	15.0	1.4	65.7	0			
Stomach	1	2.4	0.1	25.4	0				1	5.0	0.1	55.8
Colon and Rectum	13	36.2	17.1	71.4	9	54.0	20.4	120.5	4	20.4	5.5	74.1
Liver	2	6.0	0.7	30.7	1	7.2	0.2	52.7	1	5.0	0.1	55.8
Pancreas	7	15.0	6.0	40.1	3	12.8	2.6	57.0	4	17.2	4.7	69.1
Lung and Bronchus	29	72.1	47.4	110.3	15	70.6	39.2	129.0	14	75.1	39.1	144.1
Bones and Joints	0				0				0			
Melanoma of the Skin	6	24.7	7.4	61.0	4	37.4	7.9	105.9	2	11.7	1.2	64.9
Breast (invasive)	16	45.2	24.3	81.4	1	3.8	0.1	46.2	15	87.6	46.2	162.2
Cervix									3	34.2	6.1	107.0
Corpus and Uterus, NOS									1	4.2	0.1	54.6
Ovary									3	20.7	4.2	77.5
Prostate					22	104.9	65.1	170.6				
Testis					0							
Urinary Bladder (includes in situ)	6	20.5	6.6	51.9	5	34.7	9.9	93.0	1	4.1	0.1	54.5
Kidney and Renal Pelvis	15	46.7	23.5	86.3	13	82.8	38.6	159.1	2	9.7	1.2	61.1
Brain and Nervous System	1	2.8	0.1	26.1	1	6.4	0.2	50.9	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	11	30.2	13.5	63.0	5	32.0	7.6	91.8	6	29.2	10.7	84.3
Myeloma	1	2.8	0.1	26.1	0				1	4.9	0.1	55.7
Leukemia	4	10.1	2.7	35.0	2	11.3	1.3	57.0	2	9.7	1.1	61.2
All Other Sites	19	60.7	32.6	105.4	11	71.7	30.5	145.9	8	46.9	18.6	111.0
Breast in Situ (not in total)									4	26.3	7.0	84.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pulaski

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	204	490.0	421.7	567.2	111	564.8	460.1	688.4	93	438.7	348.5	547.3
Oral Cavity and Pharynx	5	9.8	3.2	26.9	4	18.4	4.9	54.4	1	3.4	0.1	31.1
Esophagus	1	2.2	0.1	16.8	1	4.8	0.1	35.5	0			
Stomach	3	7.0	1.4	23.8	2	9.9	1.2	43.0	1	4.7	0.1	33.8
Colon and Rectum	13	31.0	15.8	56.3	8	49.1	20.1	101.5	5	18.0	5.8	50.4
Liver	4	8.6	2.3	25.7	2	9.1	1.0	41.6	2	8.0	0.9	38.0
Pancreas	6	13.4	4.9	32.2	3	14.6	3.0	49.6	3	11.9	2.4	43.2
Lung and Bronchus	51	112.1	83.2	149.7	30	147.0	98.6	214.5	21	85.6	52.8	136.1
Bones and Joints	0				0				0			
Melanoma of the Skin	7	15.3	6.0	34.9	4	18.6	4.9	54.9	3	12.0	2.4	43.4
Breast (invasive)	22	56.9	34.3	89.8	0				22	107.7	64.7	170.7
Cervix									1	10.3	0.3	49.3
Corpus and Uterus, NOS									8	42.7	17.0	90.4
Ovary									1	3.3	0.1	31.1
Prostate					24	113.0	71.1	174.3				
Testis					1	11.9	0.3	55.5				
Urinary Bladder (includes in situ)	12	26.2	13.5	48.6	10	49.9	23.7	96.9	2	7.6	0.9	37.2
Kidney and Renal Pelvis	9	23.7	10.0	48.4	6	32.3	10.6	77.5	3	16.4	2.9	53.5
Brain and Nervous System	2	4.6	0.6	20.3	1	4.8	0.1	35.5	1	4.3	0.1	33.0
Hodgkin Lymphoma	2	10.5	1.3	34.3	1	11.9	0.3	55.5	1	10.3	0.3	49.3
Non-Hodgkin Lymphoma	6	14.0	5.0	33.5	3	13.8	2.8	48.0	3	14.7	2.9	48.9
Myeloma	1	4.8	0.1	23.7	0				1	9.5	0.2	47.0
Leukemia	5	16.0	4.9	38.9	2	15.0	1.6	55.5	3	17.1	3.4	53.9
All Other Sites	20	46.3	27.8	74.5	9	40.7	18.4	83.8	11	51.1	24.2	98.2
Breast in Situ (not in total)									0			

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Putnam

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	194	421.9	361.9	490.6	118	537.0	439.8	652.1	76	330.7	256.6	423.3
Oral Cavity and Pharynx	4	8.4	2.3	25.7	4	17.0	4.5	51.1	0			
Esophagus	3	7.1	1.4	24.3	3	14.2	2.9	48.4	0			
Stomach	4	7.6	2.1	24.3	4	15.4	4.2	48.1	0			
Colon and Rectum	16	35.0	19.5	60.3	12	55.8	27.8	104.0	4	13.9	3.8	47.2
Liver	0				0				0			
Pancreas	5	10.0	3.2	27.7	5	22.6	6.9	60.3	0			
Lung and Bronchus	44	91.7	66.3	125.9	30	135.0	89.7	198.9	14	58.2	31.4	104.9
Bones and Joints	1	5.2	0.1	25.5	0				1	10.7	0.3	52.5
Melanoma of the Skin	11	23.7	10.9	47.1	5	17.0	5.5	49.3	6	29.8	9.3	74.7
Breast (invasive)	28	62.2	40.4	93.6	0				28	124.6	80.9	187.9
Cervix									1	3.6	0.1	34.3
Corpus and Uterus, NOS									5	17.6	5.7	51.9
Ovary									2	10.7	1.3	45.7
Prostate					28	106.3	69.9	160.2				
Testis					0							
Urinary Bladder (includes in situ)	9	24.0	10.5	48.6	9	52.0	22.8	103.4	0			
Kidney and Renal Pelvis	5	9.8	3.1	27.2	4	15.7	4.1	49.0	1	3.9	0.1	35.0
Brain and Nervous System	4	9.8	2.6	28.3	2	10.8	1.3	44.3	2	8.7	1.0	41.7
Hodgkin Lymphoma	1	1.9	0.0	16.8	0				1	3.9	0.1	35.0
Non-Hodgkin Lymphoma	3	6.3	1.3	22.9	2	12.2	1.4	47.8	1	3.2	0.1	33.7
Myeloma	3	6.4	1.3	23.2	2	12.2	1.4	47.7	1	3.6	0.1	34.3
Leukemia	2	4.7	0.5	20.9	2	9.3	1.1	41.3	0			
All Other Sites	15	37.9	19.6	67.2	6	41.4	13.6	94.3	9	38.1	16.6	81.1
Breast in Situ (not in total)									8	27.9	12.0	64.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Randolph

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,057	485.0	455.4	516.2	562	534.9	490.7	582.2	495	471.0	427.2	518.4
Oral Cavity and Pharynx	28	12.6	8.2	18.6	21	18.9	11.5	29.5	7	6.1	2.1	14.5
Esophagus	8	3.6	1.5	7.5	8	7.9	3.3	16.0	0			
Stomach	15	7.1	4.0	12.1	9	9.1	4.1	17.6	6	6.1	2.1	14.4
Colon and Rectum	110	49.7	40.6	60.4	59	57.7	43.7	75.0	51	39.0	28.5	52.9
Liver	16	6.8	3.9	11.5	15	13.2	7.3	22.3	1	0.9	0.0	6.6
Pancreas	28	12.6	8.3	18.5	18	17.4	10.2	28.0	10	8.2	3.9	16.4
Lung and Bronchus	162	71.5	60.7	83.8	92	88.1	70.7	108.8	70	62.4	47.9	80.4
Bones and Joints	1	0.8	0.0	4.0	0				1	1.7	0.0	8.7
Melanoma of the Skin	45	21.5	15.5	29.2	27	25.8	16.8	38.1	18	20.6	11.6	33.9
Breast (invasive)	129	61.8	51.3	74.0	1	1.2	0.0	6.6	128	129.7	106.6	156.6
Cervix									3	4.3	0.8	12.7
Corpus and Uterus, NOS									44	40.6	28.9	55.8
Ovary									10	8.3	3.9	16.5
Prostate					91	79.6	63.8	98.6				
Testis					9	9.6	4.4	18.5				
Urinary Bladder (includes in situ)	53	24.2	18.0	32.1	44	44.2	31.9	59.8	9	7.7	3.1	16.3
Kidney and Renal Pelvis	59	26.0	19.7	33.9	41	36.5	26.0	50.2	18	15.8	9.1	26.2
Brain and Nervous System	10	5.0	2.3	9.6	5	5.2	1.7	12.6	5	6.8	2.0	16.6
Hodgkin Lymphoma	4	2.2	0.6	6.0	3	3.8	0.8	11.0	1	0.8	0.0	6.4
Non-Hodgkin Lymphoma	48	23.8	17.4	31.8	26	26.2	17.0	38.8	22	22.0	13.2	34.7
Myeloma	12	5.7	2.9	10.3	7	6.7	2.7	14.4	5	5.0	1.5	12.8
Leukemia	39	17.0	12.0	23.7	26	25.6	16.6	38.1	13	11.4	5.9	20.8
All Other Sites	133	63.7	53.0	76.0	60	58.2	44.2	75.5	73	73.6	56.1	94.9
Breast in Situ (not in total)									31	31.7	21.0	46.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Richland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	542	497.1	454.4	543.1	284	535.9	474.2	604.0	258	477.5	417.2	544.4
Oral Cavity and Pharynx	8	7.8	3.2	16.2	7	14.8	5.7	31.7	1	1.7	0.0	12.1
Esophagus	6	5.8	1.9	13.7	5	11.1	3.3	27.2	1	1.6	0.0	11.9
Stomach	1	0.6	0.0	5.4	1	1.8	0.0	12.3	0			
Colon and Rectum	67	65.1	49.7	84.0	36	73.1	50.6	102.6	31	60.0	39.5	87.8
Liver	4	3.4	0.9	9.7	4	7.5	2.0	20.8	0			
Pancreas	17	13.6	7.9	22.5	11	19.5	9.7	36.3	6	8.5	3.1	21.2
Lung and Bronchus	105	93.7	76.2	114.4	59	109.7	83.2	142.8	46	79.3	57.0	108.3
Bones and Joints	0				0				0			
Melanoma of the Skin	18	17.1	9.9	27.8	11	20.1	10.0	37.2	7	15.1	5.7	32.6
Breast (invasive)	64	62.5	47.5	80.9	0				64	120.7	91.5	156.9
Cervix									4	8.9	2.3	23.8
Corpus and Uterus, NOS									16	32.9	18.0	55.5
Ovary									2	3.2	0.4	14.2
Prostate					60	105.7	80.5	137.3				
Testis					4	11.9	3.2	29.9				
Urinary Bladder (includes in situ)	25	18.9	12.2	28.9	23	41.2	26.0	63.0	2	2.5	0.3	12.9
Kidney and Renal Pelvis	31	26.9	18.1	39.1	15	25.9	14.4	44.2	16	27.1	15.0	46.3
Brain and Nervous System	6	4.8	1.7	11.4	4	6.9	1.9	19.6	2	2.9	0.3	13.5
Hodgkin Lymphoma	2	1.5	0.2	6.8	2	2.9	0.4	13.5	0			
Non-Hodgkin Lymphoma	15	13.9	7.7	23.7	4	7.2	1.9	20.1	11	20.3	9.8	38.2
Myeloma	7	5.6	2.2	12.5	6	11.3	4.1	25.9	1	1.5	0.0	11.6
Leukemia	20	18.4	10.9	29.4	12	26.0	13.1	46.5	8	11.4	4.5	25.5
All Other Sites	60	59.6	44.7	78.1	20	39.4	23.8	62.2	40	79.9	55.2	112.0
Breast in Situ (not in total)									8	13.1	5.6	27.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,373	459.6	445.6	473.9	2,220	495.1	474.2	516.7	2,153	439.4	420.0	459.5
Oral Cavity and Pharynx	124	13.2	10.9	15.9	84	18.8	14.9	23.6	40	8.4	5.9	11.7
Esophagus	55	5.4	4.0	7.1	47	10.0	7.3	13.4	8	1.5	0.6	3.1
Stomach	54	5.6	4.2	7.5	31	7.3	4.9	10.5	23	4.2	2.6	6.6
Colon and Rectum	347	36.3	32.5	40.5	189	43.6	37.5	50.5	158	30.1	25.3	35.5
Liver	73	7.3	5.7	9.3	62	12.9	9.8	16.7	11	2.2	1.1	4.2
Pancreas	141	14.1	11.8	16.7	73	16.1	12.6	20.4	68	12.6	9.7	16.2
Lung and Bronchus	671	66.4	61.4	71.7	365	79.0	71.0	87.8	306	56.1	49.9	63.0
Bones and Joints	4	0.5	0.1	1.2	3	0.6	0.1	2.0	1	0.3	0.0	1.6
Melanoma of the Skin	240	26.5	23.1	30.2	125	28.6	23.7	34.3	115	26.3	21.4	31.8
Breast (invasive)	596	65.4	60.0	71.1	5	1.2	0.4	3.0	591	123.8	113.5	134.8
Cervix									37	11.1	7.6	15.4
Corpus and Uterus, NOS									169	32.8	27.9	38.5
Ovary									59	11.5	8.6	15.0
Prostate					482	100.1	91.2	109.7				
Testis					28	8.5	5.6	12.4				
Urinary Bladder (includes in situ)	221	21.8	19.0	25.0	172	38.8	33.1	45.2	49	8.5	6.2	11.5
Kidney and Renal Pelvis	156	17.0	14.3	20.1	95	21.9	17.6	27.0	61	13.1	9.9	17.1
Brain and Nervous System	66	7.7	5.9	9.8	32	7.4	5.0	10.7	34	7.9	5.4	11.3
Hodgkin Lymphoma	30	4.0	2.7	5.8	16	4.4	2.5	7.1	14	3.7	1.9	6.3
Non-Hodgkin Lymphoma	154	17.1	14.4	20.1	82	19.4	15.3	24.3	72	15.2	11.7	19.5
Myeloma	60	5.8	4.4	7.5	38	8.1	5.7	11.2	22	3.9	2.4	6.1
Leukemia	96	10.7	8.6	13.2	56	13.4	10.1	17.6	40	8.8	6.2	12.3
All Other Sites	510	55.3	50.4	60.6	235	54.8	47.8	62.5	275	57.4	50.4	65.1
Breast in Situ (not in total)									125	26.5	21.9	31.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Saline

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	853	503.8	469.5	540.1	444	578.2	524.3	636.3	409	448.2	403.8	496.6
Oral Cavity and Pharynx	25	16.5	10.5	24.9	15	20.6	11.4	34.7	10	12.4	5.6	24.1
Esophagus	13	7.9	4.1	14.1	11	15.6	7.5	28.7	2	1.8	0.2	8.7
Stomach	12	7.1	3.6	13.0	8	10.0	4.2	20.6	4	4.4	1.1	12.9
Colon and Rectum	87	53.8	42.7	67.0	49	66.6	48.9	88.9	38	42.6	29.5	60.1
Liver	9	4.9	2.3	9.9	8	10.5	4.5	21.4	1	0.7	0.0	7.1
Pancreas	19	10.6	6.3	17.0	12	14.8	7.6	26.9	7	6.5	2.6	15.0
Lung and Bronchus	151	83.9	71.0	98.9	77	96.4	75.8	121.4	74	75.7	59.3	96.1
Bones and Joints	0				0				0			
Melanoma of the Skin	39	24.2	16.8	33.8	24	32.2	20.2	49.1	15	16.9	9.0	29.4
Breast (invasive)	107	63.7	51.8	77.8	1	1.5	0.0	9.0	106	117.2	94.9	143.6
Cervix									5	7.4	2.2	18.2
Corpus and Uterus, NOS									28	28.8	19.0	42.8
Ovary									5	6.0	1.8	15.2
Prostate					87	104.9	83.7	130.4				
Testis					2	4.2	0.5	14.4				
Urinary Bladder (includes in situ)	42	23.2	16.7	31.8	26	33.3	21.6	49.6	16	15.6	8.8	26.6
Kidney and Renal Pelvis	41	22.5	16.1	31.1	26	31.9	20.7	47.7	15	15.0	8.3	26.1
Brain and Nervous System	10	7.1	3.2	13.6	6	8.6	2.8	19.8	4	5.7	1.5	15.4
Hodgkin Lymphoma	4	3.1	0.8	8.2	2	3.2	0.3	11.9	2	3.0	0.3	11.6
Non-Hodgkin Lymphoma	25	15.4	9.8	23.3	13	18.6	9.8	32.4	12	12.0	6.0	22.4
Myeloma	14	8.5	4.5	14.8	8	11.7	5.1	23.5	6	6.7	2.1	16.5
Leukemia	19	11.5	6.8	18.6	12	16.3	8.1	29.6	7	6.5	2.6	15.1
All Other Sites	109	67.9	55.3	82.7	57	77.0	57.9	100.8	52	63.1	46.3	84.4
Breast in Situ (not in total)									15	16.0	8.7	27.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,574	532.5	519.3	545.9	3,268	588.7	568.1	610.0	3,306	494.7	477.3	512.7
Oral Cavity and Pharynx	191	15.3	13.1	17.8	147	25.7	21.5	30.4	44	6.5	4.7	8.9
Esophagus	50	3.7	2.7	4.9	39	6.5	4.6	9.1	11	1.4	0.7	2.7
Stomach	79	6.6	5.2	8.2	41	7.4	5.2	10.1	38	5.7	4.0	8.0
Colon and Rectum	559	45.6	41.8	49.7	278	51.6	45.6	58.3	281	40.5	35.7	45.7
Liver	107	8.1	6.6	9.8	80	13.3	10.4	16.7	27	3.8	2.5	5.6
Pancreas	177	14.2	12.1	16.5	86	15.7	12.5	19.5	91	13.0	10.4	16.2
Lung and Bronchus	1,016	79.9	74.9	85.1	525	95.8	87.6	104.7	491	68.8	62.7	75.3
Bones and Joints	17	1.6	0.9	2.6	11	2.1	1.0	3.8	6	1.1	0.4	2.5
Melanoma of the Skin	330	28.3	25.2	31.6	171	31.9	27.1	37.2	159	26.7	22.5	31.4
Breast (invasive)	988	81.6	76.4	87.1	8	1.2	0.5	2.5	980	148.9	139.3	159.0
Cervix									38	7.3	5.1	10.2
Corpus and Uterus, NOS									166	23.8	20.2	27.9
Ovary									81	12.0	9.4	15.1
Prostate					741	123.5	114.5	133.1				
Testis					38	8.6	6.1	11.9				
Urinary Bladder (includes in situ)	288	22.7	20.1	25.6	220	41.1	35.7	47.1	68	9.5	7.3	12.2
Kidney and Renal Pelvis	306	24.6	21.8	27.6	188	33.0	28.3	38.2	118	17.7	14.5	21.4
Brain and Nervous System	70	6.4	5.0	8.2	35	6.7	4.7	9.5	35	6.3	4.3	8.9
Hodgkin Lymphoma	23	2.3	1.4	3.4	16	3.2	1.8	5.3	7	1.4	0.6	2.9
Non-Hodgkin Lymphoma	281	22.9	20.2	25.8	156	29.2	24.7	34.4	125	17.7	14.7	21.3
Myeloma	86	6.8	5.4	8.4	45	8.4	6.0	11.3	41	5.8	4.1	8.0
Leukemia	193	16.5	14.2	19.1	110	21.1	17.2	25.6	83	12.9	10.2	16.1
All Other Sites	749	62.7	58.1	67.5	333	62.7	55.9	70.0	416	63.9	57.6	70.7
Breast in Situ (not in total)									251	39.7	34.7	45.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Schuyler

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	272	505.1	444.8	572.5	157	572.6	483.9	675.0	115	439.5	358.0	536.3
Oral Cavity and Pharynx	8	13.1	5.6	28.6	6	20.7	7.5	50.0	2	6.2	0.8	31.8
Esophagus	3	4.8	1.0	17.7	3	9.3	1.9	34.2	0			
Stomach	2	3.1	0.4	15.4	1	3.8	0.1	27.2	1	3.1	0.1	27.8
Colon and Rectum	23	41.7	26.0	65.0	13	45.7	24.1	82.6	10	36.8	16.4	74.9
Liver	5	8.5	2.7	22.9	4	12.1	3.3	37.6	1	3.8	0.1	29.3
Pancreas	7	13.6	5.4	30.2	4	16.7	4.5	46.5	3	11.2	2.2	39.8
Lung and Bronchus	51	90.6	66.9	121.6	31	109.8	73.7	160.3	20	68.6	41.5	111.2
Bones and Joints	0				0				0			
Melanoma of the Skin	14	27.1	14.4	47.8	10	39.5	18.4	76.7	4	13.1	3.6	41.2
Breast (invasive)	29	52.2	34.5	77.2	1	3.6	0.1	26.7	28	103.0	66.9	155.0
Cervix									1	6.7	0.2	36.7
Corpus and Uterus, NOS									6	23.0	7.8	56.5
Ovary									1	5.0	0.1	32.1
Prostate					39	134.3	94.7	187.9				
Testis					2	12.9	1.6	45.0				
Urinary Bladder (includes in situ)	16	27.2	15.5	46.5	11	37.6	18.5	72.0	5	18.2	5.7	48.9
Kidney and Renal Pelvis	6	9.8	3.5	24.3	6	19.2	6.9	47.8	0			
Brain and Nervous System	4	8.8	2.1	25.1	2	10.9	1.0	41.5	2	6.5	0.8	32.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	10.2	3.7	25.2	3	11.6	2.3	38.8	3	8.0	1.5	33.7
Myeloma	3	5.2	1.1	18.3	2	6.6	0.8	30.7	1	3.6	0.1	28.7
Leukemia	9	19.1	8.6	38.3	4	15.2	4.1	43.6	5	23.4	7.0	59.4
All Other Sites	37	78.7	54.2	111.4	15	63.2	34.5	108.1	22	99.3	58.9	158.0
Breast in Situ (not in total)									10	40.8	18.6	80.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Scott

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	198	535.4	461.5	619.2	96	559.5	450.9	689.1	102	519.8	419.6	639.8
Oral Cavity and Pharynx	3	7.5	1.5	26.1	3	15.1	3.0	52.5	0			
Esophagus	4	9.5	2.6	28.4	3	13.6	2.8	49.6	1	4.9	0.1	37.7
Stomach	3	8.2	1.7	27.4	2	11.5	1.4	48.4	1	5.7	0.1	39.5
Colon and Rectum	20	55.6	33.2	89.1	12	77.8	38.8	141.3	8	34.0	14.5	75.4
Liver	2	5.0	0.6	22.4	0				2	8.4	1.0	41.9
Pancreas	3	8.0	1.7	27.0	2	12.4	1.5	50.5	1	4.6	0.1	37.1
Lung and Bronchus	30	78.0	52.5	113.6	17	98.2	56.8	161.9	13	62.4	33.1	112.9
Bones and Joints	0				0				0			
Melanoma of the Skin	9	28.6	12.3	57.3	3	15.8	3.2	54.0	6	40.4	13.4	94.1
Breast (invasive)	35	92.3	63.7	131.2	1	5.5	0.1	39.5	34	169.5	115.9	243.3
Cervix									1	4.4	0.1	36.7
Corpus and Uterus, NOS									8	42.7	17.0	92.4
Ovary									1	4.6	0.1	37.1
Prostate					24	137.9	87.6	210.0				
Testis					1	10.5	0.3	52.9				
Urinary Bladder (includes in situ)	6	15.3	5.6	36.5	4	22.0	5.9	62.9	2	8.4	1.0	41.9
Kidney and Renal Pelvis	8	22.5	9.5	47.2	6	35.0	12.4	82.1	2	10.2	1.2	45.5
Brain and Nervous System	2	9.8	1.2	33.6	0				2	19.5	2.3	67.3
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	12.3	4.0	32.4	3	18.9	3.8	60.3	2	7.9	0.9	40.9
Myeloma	1	2.9	0.1	19.7	1	6.5	0.2	41.8	0			
Leukemia	4	10.1	2.8	29.6	2	10.9	1.3	47.1	2	9.5	1.1	44.0
All Other Sites	28	73.7	48.5	109.3	12	68.0	34.7	124.2	16	82.7	46.1	140.9
Breast in Situ (not in total)									5	31.1	9.3	78.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Shelby

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	787	488.5	453.3	526.1	428	545.3	493.2	602.0	359	441.3	393.5	493.9
Oral Cavity and Pharynx	18	11.3	6.4	18.9	15	20.6	11.0	35.6	3	2.8	0.6	10.8
Esophagus	8	4.9	2.0	10.5	7	9.3	3.6	20.5	1	0.9	0.0	8.4
Stomach	7	4.5	1.8	10.1	2	2.7	0.3	11.1	5	6.4	1.9	16.7
Colon and Rectum	100	59.3	47.8	73.2	54	71.1	52.7	94.3	46	48.4	34.8	66.6
Liver	6	3.4	1.3	8.3	6	7.6	2.8	17.8	0			
Pancreas	27	15.6	10.2	23.5	16	20.1	11.3	33.9	11	10.6	5.2	20.9
Lung and Bronchus	131	76.5	63.7	91.5	73	92.0	71.8	116.8	58	64.0	48.3	84.1
Bones and Joints	0				0				0			
Melanoma of the Skin	43	28.6	20.1	39.8	25	30.9	19.5	47.3	18	27.2	15.1	45.2
Breast (invasive)	116	78.9	64.3	96.1	2	2.2	0.3	10.1	114	152.1	123.3	186.0
Cervix									2	3.3	0.3	12.8
Corpus and Uterus, NOS									21	25.9	15.6	41.3
Ovary									3	3.6	0.7	12.4
Prostate					96	114.2	92.2	140.7				
Testis					7	16.2	6.5	32.7				
Urinary Bladder (includes in situ)	31	17.9	12.1	26.0	24	28.9	18.4	44.1	7	7.8	3.1	17.8
Kidney and Renal Pelvis	30	18.7	12.3	27.6	23	30.6	18.8	47.5	7	7.6	3.0	17.3
Brain and Nervous System	6	4.3	1.3	10.4	4	5.5	1.3	15.6	2	3.5	0.2	14.1
Hodgkin Lymphoma	2	1.6	0.2	6.4	2	3.2	0.3	12.8	0			
Non-Hodgkin Lymphoma	28	17.1	11.2	25.4	19	24.5	14.6	39.4	9	10.7	4.7	22.1
Myeloma	11	6.7	3.2	13.0	4	4.6	1.2	13.5	7	8.7	3.0	20.2
Leukemia	19	12.0	7.0	19.7	10	12.4	5.9	24.0	9	11.7	4.8	24.5
All Other Sites	75	46.9	36.3	59.9	39	49.0	34.4	68.5	36	45.9	31.1	66.0
Breast in Situ (not in total)									22	24.3	15.1	38.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,205	471.0	459.9	482.3	3,530	514.7	497.3	532.5	3,675	443.0	428.4	458.0
Oral Cavity and Pharynx	223	14.3	12.4	16.4	160	22.2	18.8	26.1	63	7.7	5.9	10.0
Esophagus	83	5.2	4.1	6.5	68	9.5	7.3	12.2	15	1.8	1.0	3.0
Stomach	73	4.8	3.7	6.0	49	7.3	5.3	9.7	24	2.8	1.8	4.2
Colon and Rectum	635	41.8	38.6	45.3	334	49.8	44.5	55.7	301	34.9	30.9	39.2
Liver	124	7.6	6.3	9.1	88	11.7	9.3	14.5	36	4.1	2.8	5.8
Pancreas	205	13.1	11.4	15.1	113	16.2	13.3	19.6	92	10.4	8.3	12.9
Lung and Bronchus	1,189	76.4	72.0	80.9	602	88.4	81.2	96.0	587	67.9	62.4	73.7
Bones and Joints	7	0.5	0.2	1.1	3	0.5	0.1	1.4	4	0.6	0.2	1.5
Melanoma of the Skin	298	20.6	18.2	23.1	177	27.3	23.3	31.8	121	15.9	13.1	19.1
Breast (invasive)	1,080	71.5	67.2	76.1	6	0.8	0.3	1.7	1,074	130.8	122.9	139.2
Cervix									70	9.7	7.5	12.3
Corpus and Uterus, NOS									254	29.5	25.9	33.5
Ovary									91	10.8	8.6	13.3
Prostate					726	97.7	90.5	105.4				
Testis					37	6.0	4.2	8.3				
Urinary Bladder (includes in situ)	320	21.1	18.8	23.6	247	38.9	34.1	44.2	73	8.2	6.4	10.4
Kidney and Renal Pelvis	337	21.9	19.6	24.5	216	30.0	26.0	34.4	121	15.1	12.5	18.2
Brain and Nervous System	83	5.7	4.5	7.1	41	5.8	4.1	8.0	42	5.8	4.1	7.9
Hodgkin Lymphoma	31	2.5	1.7	3.5	16	2.6	1.5	4.3	15	2.3	1.3	3.8
Non-Hodgkin Lymphoma	244	16.3	14.3	18.5	122	18.6	15.3	22.3	122	14.6	12.0	17.5
Myeloma	128	8.5	7.1	10.2	70	11.2	8.7	14.3	58	6.9	5.2	9.0
Leukemia	175	12.2	10.4	14.2	97	15.2	12.3	18.7	78	9.7	7.6	12.3
All Other Sites	792	53.2	49.5	57.2	358	55.0	49.3	61.1	434	53.5	48.4	59.0
Breast in Situ (not in total)									300	37.5	33.3	42.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Stark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	187	456.3	390.1	531.5	100	487.4	393.9	599.4	87	431.1	338.5	543.1
Oral Cavity and Pharynx	6	15.0	4.8	36.9	6	34.8	11.7	81.7	0			
Esophagus	8	17.0	7.3	36.9	8	34.3	14.7	74.6	0			
Stomach	2	4.7	0.6	20.9	2	9.5	1.1	42.4	0			
Colon and Rectum	28	67.8	44.2	101.2	14	68.9	36.9	121.5	14	69.6	36.4	123.6
Liver	0				0				0			
Pancreas	5	13.3	4.0	34.0	3	19.4	3.7	60.4	2	7.9	1.0	38.5
Lung and Bronchus	25	54.1	34.9	82.5	13	59.0	31.2	106.8	12	46.6	23.9	88.3
Bones and Joints	1	2.0	0.1	16.8	1	4.1	0.1	34.2	0			
Melanoma of the Skin	7	15.1	6.0	34.4	3	14.7	2.9	50.2	4	17.7	4.8	52.5
Breast (invasive)	20	50.8	30.0	82.0	0				20	97.3	56.5	158.6
Cervix									5	38.3	12.3	89.1
Corpus and Uterus, NOS									4	15.2	4.0	48.3
Ovary									0			
Prostate					21	98.1	60.0	155.9				
Testis					0							
Urinary Bladder (includes in situ)	11	26.0	12.6	49.6	8	42.6	17.7	89.8	3	11.7	2.3	43.9
Kidney and Renal Pelvis	7	16.1	6.5	36.2	5	24.7	8.0	63.9	2	9.2	1.1	41.1
Brain and Nervous System	4	11.2	2.5	32.2	1	4.3	0.1	34.8	3	17.4	2.5	58.2
Hodgkin Lymphoma	1	4.5	0.1	23.2	1	9.0	0.2	46.8	0			
Non-Hodgkin Lymphoma	5	11.0	3.6	29.2	3	13.5	2.8	47.7	2	7.9	1.0	38.5
Myeloma	1	1.8	0.0	16.4	0				1	3.5	0.1	32.3
Leukemia	4	8.4	2.3	25.6	4	16.6	4.5	51.2	0			
All Other Sites	22	61.7	37.1	97.0	7	33.8	13.4	75.7	15	88.8	46.4	154.2
Breast in Situ (not in total)									0			

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Stephenson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,397	414.2	391.6	437.9	676	423.3	391.0	457.7	721	412.0	380.0	446.1
Oral Cavity and Pharynx	34	10.7	7.2	15.4	23	16.0	9.8	24.9	11	5.5	2.7	10.6
Esophagus	17	4.7	2.7	7.9	15	9.2	5.1	15.8	2	0.8	0.1	4.3
Stomach	24	6.3	4.0	9.7	14	8.5	4.6	14.9	10	3.8	1.7	8.1
Colon and Rectum	134	38.1	31.7	45.6	74	46.5	36.3	59.0	60	31.2	23.3	41.3
Liver	15	4.3	2.4	7.5	13	8.0	4.2	14.4	2	0.9	0.1	4.5
Pancreas	44	12.0	8.7	16.4	24	14.2	9.1	21.7	20	10.2	6.1	16.7
Lung and Bronchus	191	52.5	45.2	60.9	106	62.6	51.1	76.3	85	45.1	35.6	56.7
Bones and Joints	2	0.9	0.1	3.6	1	0.5	0.0	4.1	1	1.3	0.0	6.4
Melanoma of the Skin	70	22.0	16.8	28.4	38	25.0	17.4	35.2	32	20.1	13.2	29.6
Breast (invasive)	213	66.1	57.0	76.4	2	1.3	0.1	5.4	211	124.2	106.7	143.8
Cervix									12	10.8	5.3	19.4
Corpus and Uterus, NOS									66	36.3	27.6	47.3
Ovary									15	8.9	4.9	15.3
Prostate					141	81.6	68.6	96.8				
Testis					3	3.2	0.6	9.5				
Urinary Bladder (includes in situ)	61	16.6	12.7	21.7	41	25.7	18.4	35.4	20	9.9	5.9	16.1
Kidney and Renal Pelvis	56	16.9	12.6	22.3	37	23.9	16.7	33.4	19	11.0	6.4	18.0
Brain and Nervous System	17	5.2	2.9	8.6	7	5.0	1.9	10.9	10	5.2	2.5	10.3
Hodgkin Lymphoma	5	2.2	0.6	5.3	4	3.9	1.0	10.1	1	0.5	0.0	4.0
Non-Hodgkin Lymphoma	47	13.9	10.0	18.8	24	14.6	9.3	22.2	23	13.4	8.2	21.0
Myeloma	20	5.4	3.3	8.8	9	5.2	2.4	10.7	11	5.3	2.5	10.5
Leukemia	48	14.7	10.5	20.1	26	17.1	10.9	25.9	22	13.4	7.9	21.4
All Other Sites	162	52.9	44.5	62.6	74	51.1	39.6	65.2	88	54.4	42.5	68.7
Breast in Situ (not in total)									35	20.6	14.0	29.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Tazewell

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,351	501.3	486.1	516.9	2,165	534.0	511.3	557.6	2,186	482.7	461.8	504.4
Oral Cavity and Pharynx	139	15.9	13.3	18.9	107	25.6	20.9	31.2	32	7.0	4.7	10.1
Esophagus	48	5.2	3.8	6.9	37	9.2	6.4	12.8	11	2.1	1.0	3.9
Stomach	55	6.6	4.9	8.6	35	8.9	6.1	12.5	20	4.8	2.9	7.7
Colon and Rectum	399	45.7	41.2	50.6	222	56.3	49.0	64.4	177	37.5	32.0	43.8
Liver	46	5.0	3.6	6.7	31	6.8	4.6	9.8	15	3.3	1.7	5.7
Pancreas	114	12.4	10.2	15.0	66	16.2	12.4	20.7	48	9.5	6.9	12.8
Lung and Bronchus	726	79.9	74.1	86.1	374	90.7	81.6	100.6	352	71.8	64.3	79.9
Bones and Joints	8	1.1	0.4	2.2	3	0.9	0.2	2.6	5	1.4	0.4	3.4
Melanoma of the Skin	220	27.3	23.7	31.3	113	29.4	24.1	35.5	107	26.8	21.8	32.8
Breast (invasive)	673	80.4	74.2	86.9	4	1.1	0.3	2.8	669	151.7	139.9	164.2
Cervix									36	10.3	7.1	14.4
Corpus and Uterus, NOS									131	27.6	22.9	33.0
Ovary									47	10.5	7.5	14.2
Prostate					461	106.0	96.4	116.3				
Testis					29	9.5	6.3	13.6				
Urinary Bladder (includes in situ)	241	26.4	23.1	30.1	176	44.3	37.9	51.6	65	12.1	9.3	15.7
Kidney and Renal Pelvis	180	20.7	17.7	24.1	120	29.7	24.5	35.7	60	12.8	9.7	16.8
Brain and Nervous System	56	7.3	5.5	9.6	31	8.5	5.7	12.2	25	6.2	3.9	9.3
Hodgkin Lymphoma	29	4.1	2.7	6.0	16	4.6	2.6	7.6	13	3.7	1.9	6.4
Non-Hodgkin Lymphoma	180	20.3	17.4	23.6	93	23.2	18.7	28.6	87	17.8	14.1	22.3
Myeloma	38	4.1	2.9	5.7	19	4.7	2.8	7.4	19	3.8	2.3	6.1
Leukemia	67	8.0	6.1	10.2	40	10.1	7.1	13.8	27	6.5	4.2	9.6
All Other Sites	428	51.7	46.7	57.0	188	48.6	41.7	56.3	240	55.7	48.5	63.7
Breast in Situ (not in total)									142	33.5	27.9	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Union

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	620	496.8	456.8	539.6	322	530.0	471.8	594.1	298	472.6	417.4	533.8
Oral Cavity and Pharynx	13	11.6	6.0	20.8	9	15.7	6.9	31.4	4	8.3	2.1	22.4
Esophagus	5	4.0	1.3	10.1	5	8.3	2.6	21.0	0			
Stomach	4	2.9	0.8	8.5	3	4.5	0.9	15.6	1	1.5	0.0	11.1
Colon and Rectum	65	50.9	38.8	65.9	33	55.2	37.4	79.3	32	46.6	31.2	68.2
Liver	14	11.8	6.2	20.6	12	20.9	10.5	38.3	2	2.9	0.4	13.2
Pancreas	9	7.8	3.4	15.6	5	9.3	2.9	23.1	4	6.9	1.7	19.4
Lung and Bronchus	117	87.0	71.6	105.3	77	120.3	94.3	152.2	40	57.2	40.6	79.7
Bones and Joints	2	1.5	0.2	6.6	1	1.9	0.0	12.1	1	1.3	0.0	10.7
Melanoma of the Skin	26	22.6	14.4	34.1	17	30.9	17.5	51.0	9	16.6	7.1	33.4
Breast (invasive)	98	79.6	63.8	98.4	2	3.7	0.4	14.7	96	151.5	120.9	188.2
Cervix									4	10.4	2.8	26.3
Corpus and Uterus, NOS									22	32.7	20.3	51.3
Ovary									7	11.8	4.3	26.4
Prostate					60	89.9	68.4	117.2				
Testis					0							
Urinary Bladder (includes in situ)	29	22.1	14.7	32.5	24	38.2	24.3	58.4	5	6.9	2.2	18.6
Kidney and Renal Pelvis	23	17.4	10.9	27.1	11	16.7	8.0	32.1	12	17.6	9.0	32.6
Brain and Nervous System	4	3.3	0.8	9.6	4	6.8	1.7	19.4	0			
Hodgkin Lymphoma	4	5.3	1.4	13.6	1	1.6	0.0	11.3	3	9.5	1.9	26.2
Non-Hodgkin Lymphoma	22	17.2	10.6	26.9	8	13.7	5.8	28.4	14	21.0	11.1	37.5
Myeloma	3	2.3	0.5	7.8	3	5.5	1.1	17.5	0			
Leukemia	11	9.9	4.6	18.9	8	15.3	6.0	32.1	3	4.6	0.9	15.7
All Other Sites	78	68.9	53.8	87.3	39	71.6	50.1	99.7	39	65.4	45.2	92.1
Breast in Situ (not in total)									17	29.2	16.4	48.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,627	504.7	485.0	525.1	1,365	558.5	528.6	589.8	1,262	468.0	441.2	496.1
Oral Cavity and Pharynx	70	13.7	10.6	17.5	48	19.6	14.3	26.3	22	8.3	5.1	13.0
Esophagus	30	5.5	3.7	8.0	20	8.3	5.0	13.1	10	3.6	1.7	6.9
Stomach	36	6.4	4.5	9.0	26	10.2	6.6	15.2	10	3.3	1.6	6.4
Colon and Rectum	266	53.3	46.9	60.4	142	60.8	51.0	72.0	124	47.1	38.7	56.9
Liver	34	5.8	4.0	8.3	24	8.8	5.6	13.4	10	3.1	1.5	6.2
Pancreas	77	14.6	11.4	18.4	41	16.7	11.8	22.9	36	12.5	8.7	17.7
Lung and Bronchus	467	85.6	77.9	94.0	247	98.9	86.7	112.4	220	75.6	65.7	86.7
Bones and Joints	9	2.3	1.0	4.3	5	2.4	0.8	5.7	4	2.2	0.5	5.7
Melanoma of the Skin	139	27.5	22.9	32.8	83	33.9	26.8	42.3	56	23.6	17.4	31.2
Breast (invasive)	287	56.3	49.8	63.6	5	2.1	0.7	5.1	282	105.5	92.9	119.5
Cervix									26	12.1	7.6	18.1
Corpus and Uterus, NOS									76	26.4	20.6	33.5
Ovary									33	11.9	8.1	17.2
Prostate					289	111.1	98.5	125.1				
Testis					7	4.1	1.6	8.3				
Urinary Bladder (includes in situ)	124	23.1	19.1	27.7	97	40.7	32.9	49.9	27	9.3	6.0	14.0
Kidney and Renal Pelvis	98	20.1	16.1	24.7	59	25.6	19.4	33.4	39	15.5	10.7	21.8
Brain and Nervous System	33	7.0	4.7	10.0	18	8.1	4.7	13.0	15	6.2	3.4	10.6
Hodgkin Lymphoma	5	1.1	0.3	2.7	1	0.6	0.0	3.2	4	1.5	0.4	4.3
Non-Hodgkin Lymphoma	112	21.1	17.3	25.6	71	29.2	22.7	37.1	41	14.1	10.0	19.6
Myeloma	28	4.9	3.3	7.3	10	3.8	1.8	7.2	18	6.1	3.6	9.9
Leukemia	70	14.1	10.9	18.0	50	21.8	16.0	28.9	20	7.2	4.2	11.6
All Other Sites	311	62.3	55.3	70.0	122	51.9	42.9	62.3	189	72.6	62.1	84.5
Breast in Situ (not in total)									66	28.9	21.9	37.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Wabash

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	366	448.8	401.8	500.1	195	508.4	437.1	588.6	171	397.5	336.0	467.9
Oral Cavity and Pharynx	8	8.6	3.6	18.5	7	16.8	6.6	37.1	1	1.2	0.0	14.7
Esophagus	7	7.2	2.9	16.5	6	12.7	4.6	30.7	1	2.6	0.1	17.5
Stomach	3	3.4	0.7	11.4	1	2.1	0.1	16.0	2	4.5	0.5	19.9
Colon and Rectum	46	54.7	39.6	74.4	23	56.1	35.3	86.2	23	55.2	33.6	86.5
Liver	7	8.0	3.1	18.0	6	14.7	5.2	34.6	1	1.2	0.0	14.7
Pancreas	15	17.7	9.7	30.6	6	14.7	5.3	34.2	9	19.6	8.4	41.0
Lung and Bronchus	57	66.5	50.0	87.3	30	73.1	49.0	106.3	27	60.7	39.3	91.2
Bones and Joints	1	1.9	0.0	10.4	1	3.6	0.1	19.8	0			
Melanoma of the Skin	8	8.9	3.8	18.9	7	16.7	6.6	36.8	1	2.6	0.1	17.5
Breast (invasive)	47	59.3	42.9	80.5	2	4.8	0.6	20.3	45	110.6	78.8	151.9
Cervix									3	15.1	3.1	41.2
Corpus and Uterus, NOS									9	22.0	9.2	45.4
Ovary									3	6.3	1.3	22.2
Prostate					39	90.1	63.7	125.2				
Testis					4	18.3	4.9	44.9				
Urinary Bladder (includes in situ)	10	10.8	5.0	21.3	6	16.2	5.9	36.9	4	5.5	1.5	20.0
Kidney and Renal Pelvis	18	23.4	13.4	38.3	15	44.7	24.5	75.3	3	5.9	1.1	21.7
Brain and Nervous System	6	9.1	3.1	20.7	4	12.4	3.1	33.2	2	6.2	0.6	24.4
Hodgkin Lymphoma	1	1.9	0.0	10.3	1	3.8	0.1	20.4	0			
Non-Hodgkin Lymphoma	15	19.1	10.5	32.7	8	24.1	10.2	48.9	7	15.6	6.1	35.3
Myeloma	6	6.8	2.5	16.1	4	9.6	2.6	27.2	2	4.3	0.5	19.5
Leukemia	10	12.6	5.5	24.9	3	9.7	1.7	29.6	7	14.9	5.3	34.9
All Other Sites	43	54.2	38.4	74.7	22	64.4	39.2	100.0	21	43.6	26.1	70.3
Breast in Situ (not in total)									14	33.2	17.6	58.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Warren

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	545	496.9	454.2	542.8	270	502.0	442.0	568.3	275	506.0	443.8	574.7
Oral Cavity and Pharynx	15	12.9	7.0	22.1	10	18.6	8.6	35.6	5	7.0	2.2	18.4
Esophagus	11	9.0	4.5	16.7	8	15.5	6.6	31.5	3	4.2	0.8	14.7
Stomach	12	11.6	5.7	21.0	6	10.6	3.8	24.4	6	12.9	4.3	29.6
Colon and Rectum	65	57.1	43.6	73.7	37	71.7	50.0	100.2	28	48.7	31.2	72.7
Liver	5	3.9	1.3	10.0	3	4.7	1.0	15.8	2	3.2	0.4	13.5
Pancreas	16	13.7	7.6	23.0	6	10.2	3.6	23.7	10	16.8	7.5	33.0
Lung and Bronchus	83	67.4	53.4	84.2	49	88.6	65.0	118.6	34	50.3	34.7	71.7
Bones and Joints	1	0.7	0.0	5.2	1	1.3	0.0	10.7	0			
Melanoma of the Skin	30	28.9	19.1	42.2	16	33.1	18.4	55.0	14	26.9	14.0	46.9
Breast (invasive)	88	90.1	71.3	112.4	1	1.8	0.0	11.9	87	173.1	136.3	216.8
Cervix									6	17.3	6.2	37.0
Corpus and Uterus, NOS									22	39.3	23.8	61.3
Ovary									5	8.5	2.5	21.7
Prostate					43	69.4	49.9	94.9				
Testis					4	10.9	2.8	27.5				
Urinary Bladder (includes in situ)	24	20.3	12.9	30.9	23	43.0	26.9	65.8	1	1.0	0.0	9.9
Kidney and Renal Pelvis	24	24.5	15.2	37.3	12	21.1	10.5	38.7	12	27.9	13.8	49.8
Brain and Nervous System	15	14.0	7.7	23.6	10	18.0	8.5	34.3	5	10.6	3.2	25.5
Hodgkin Lymphoma	2	2.3	0.3	8.5	2	4.8	0.5	17.5	0			
Non-Hodgkin Lymphoma	15	12.9	7.1	22.0	8	15.2	6.4	31.2	7	10.6	4.1	23.7
Myeloma	4	3.4	0.9	9.4	1	1.8	0.0	11.9	3	4.8	1.0	15.7
Leukemia	12	11.9	6.0	21.4	6	13.4	4.8	29.9	6	9.0	2.9	22.1
All Other Sites	43	40.5	28.8	55.5	24	48.3	30.4	73.3	19	34.1	19.6	55.4
Breast in Situ (not in total)									14	24.6	12.9	43.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Washington

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	490	493.7	449.5	541.4	273	562.5	495.6	636.8	217	427.5	370.4	491.8
Oral Cavity and Pharynx	18	21.2	12.2	34.4	13	30.2	15.5	53.4	5	12.5	3.8	30.6
Esophagus	7	6.5	2.6	14.4	6	11.2	4.0	26.7	1	1.9	0.0	13.6
Stomach	3	3.0	0.6	9.8	3	6.1	1.2	20.1	0			
Colon and Rectum	53	53.2	39.5	70.7	31	64.5	43.1	93.6	22	41.8	25.9	65.2
Liver	4	3.8	1.0	10.8	2	3.2	0.4	15.1	2	3.8	0.5	16.4
Pancreas	24	22.7	14.5	34.6	15	30.2	16.8	51.5	9	15.8	7.2	32.4
Lung and Bronchus	68	64.8	50.2	82.9	33	66.4	45.4	94.9	35	63.1	43.8	89.5
Bones and Joints	1	1.9	0.0	9.3	0				1	3.8	0.1	18.7
Melanoma of the Skin	23	22.5	13.9	34.9	10	17.3	8.2	34.1	13	27.8	14.2	49.7
Breast (invasive)	56	56.3	42.1	74.3	1	2.0	0.1	13.8	55	110.2	82.1	145.6
Cervix									2	5.5	0.6	20.4
Corpus and Uterus, NOS									12	21.1	10.8	39.1
Ovary									5	9.0	2.8	23.6
Prostate					80	159.1	125.2	200.3				
Testis					3	8.7	1.6	25.9				
Urinary Bladder (includes in situ)	17	15.8	9.1	26.4	14	27.1	14.5	47.7	3	5.4	1.1	18.4
Kidney and Renal Pelvis	21	21.3	12.8	33.9	18	37.6	21.5	61.9	3	5.7	1.1	19.1
Brain and Nervous System	10	12.1	5.5	23.1	6	14.8	5.1	33.8	4	9.2	2.2	25.6
Hodgkin Lymphoma	1	1.6	0.0	8.6	1	3.1	0.1	16.9	0			
Non-Hodgkin Lymphoma	13	14.1	7.3	25.0	5	10.6	3.2	26.8	8	16.1	6.6	33.9
Myeloma	3	2.5	0.5	8.9	2	3.7	0.4	16.3	1	1.1	0.0	12.1
Leukemia	10	10.0	4.7	19.4	7	15.6	6.1	33.8	3	5.5	1.1	18.7
All Other Sites	56	59.8	44.5	78.9	23	51.1	31.8	78.6	33	68.4	45.9	98.9
Breast in Situ (not in total)									13	28.2	14.5	50.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Wayne

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	565	466.7	427.6	508.8	298	513.4	455.4	577.4	267	431.7	378.4	491.0
Oral Cavity and Pharynx	15	12.1	6.7	20.7	10	16.7	8.0	32.4	5	8.0	2.5	20.7
Esophagus	9	8.2	3.5	16.6	5	11.4	3.5	27.5	4	5.2	1.4	16.1
Stomach	5	3.8	1.2	9.9	5	8.0	2.6	20.6	0			
Colon and Rectum	46	36.5	26.5	49.5	26	42.1	27.4	63.2	20	31.6	18.8	50.9
Liver	9	6.8	3.1	13.8	4	6.0	1.6	17.6	5	7.0	2.3	18.8
Pancreas	15	10.9	6.1	18.8	10	16.0	7.6	31.2	5	6.3	2.0	17.4
Lung and Bronchus	93	72.0	58.0	88.9	55	92.5	69.5	121.7	38	55.9	39.3	78.4
Bones and Joints	0				0				0			
Melanoma of the Skin	22	17.0	10.6	26.5	16	26.3	14.9	44.2	6	9.2	3.3	22.0
Breast (invasive)	80	69.5	54.3	87.9	0				80	134.3	104.7	170.2
Cervix									6	12.9	4.3	29.5
Corpus and Uterus, NOS									17	27.2	15.1	46.1
Ovary									5	6.8	2.2	18.3
Prostate					73	121.8	95.0	154.7				
Testis					4	12.2	3.2	30.4				
Urinary Bladder (includes in situ)	20	14.8	9.0	23.6	18	30.3	17.9	49.3	2	2.4	0.3	12.3
Kidney and Renal Pelvis	31	27.3	18.1	39.8	14	23.7	12.8	41.2	17	31.6	17.5	52.8
Brain and Nervous System	6	7.3	2.4	16.5	2	4.9	0.5	18.6	4	9.7	2.3	25.8
Hodgkin Lymphoma	2	1.5	0.2	6.6	1	1.4	0.0	11.3	1	1.4	0.0	11.1
Non-Hodgkin Lymphoma	27	21.3	13.9	31.9	16	30.6	17.3	50.9	11	14.5	7.2	28.2
Myeloma	10	7.3	3.5	14.4	3	4.6	0.9	15.7	7	9.3	3.7	21.5
Leukemia	9	7.9	3.4	15.9	5	9.9	3.1	24.4	4	6.4	1.5	18.7
All Other Sites	61	53.7	40.6	70.1	31	55.0	36.8	79.8	30	52.0	34.0	76.6
Breast in Situ (not in total)									11	20.6	9.8	38.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

White

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	554	530.5	485.0	579.5	281	571.5	504.7	645.6	273	507.8	444.8	578.0
Oral Cavity and Pharynx	13	14.3	7.4	25.6	11	23.7	11.5	44.5	2	4.8	0.4	19.3
Esophagus	5	3.9	1.3	10.8	5	8.6	2.8	22.9	0			
Stomach	4	3.2	0.9	9.8	3	5.6	1.1	19.1	1	1.7	0.0	13.4
Colon and Rectum	49	45.2	32.9	61.1	25	51.1	32.7	77.3	24	41.5	25.5	65.0
Liver	9	8.5	3.7	17.3	5	9.1	2.9	23.8	4	8.2	2.0	23.6
Pancreas	21	20.1	12.1	32.1	9	21.1	9.1	42.0	12	18.8	9.4	35.8
Lung and Bronchus	99	88.5	71.5	108.9	61	121.5	92.3	158.1	38	60.3	42.5	85.0
Bones and Joints	1	1.7	0.0	8.9	0				1	3.5	0.1	18.1
Melanoma of the Skin	19	20.5	12.0	33.2	11	27.1	13.1	50.2	8	14.1	6.0	30.2
Breast (invasive)	80	80.6	62.8	102.2	0				80	153.6	119.1	195.6
Cervix									0			
Corpus and Uterus, NOS									19	42.2	24.1	68.8
Ovary									3	6.4	1.1	21.2
Prostate					63	121.2	92.6	157.0				
Testis					0							
Urinary Bladder (includes in situ)	40	36.1	25.5	50.2	32	64.6	43.8	93.0	8	12.7	5.4	27.8
Kidney and Renal Pelvis	26	27.0	17.1	40.9	10	19.4	9.1	38.0	16	34.4	18.4	58.9
Brain and Nervous System	6	5.7	1.9	13.9	2	5.1	0.5	19.9	4	5.7	1.5	18.3
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	23	20.9	13.0	32.6	7	14.3	5.7	31.3	16	27.1	14.8	47.2
Myeloma	4	3.2	0.9	9.8	4	7.3	2.0	21.4	0			
Leukemia	15	15.7	8.3	27.5	9	21.9	9.4	43.5	6	10.9	3.5	26.8
All Other Sites	55	55.0	40.7	73.1	24	49.9	31.4	76.3	31	62.0	40.8	91.3
Breast in Situ (not in total)									7	17.3	6.2	38.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Whiteside

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,877	472.6	450.7	495.5	994	531.6	498.2	566.9	883	426.2	396.9	457.2
Oral Cavity and Pharynx	55	12.2	9.2	16.1	42	20.0	14.3	27.4	13	5.2	2.7	9.5
Esophagus	24	5.5	3.5	8.4	23	11.0	6.9	17.1	1	0.4	0.0	3.2
Stomach	23	5.8	3.7	8.9	14	7.2	3.9	12.5	9	4.6	2.1	9.1
Colon and Rectum	155	38.9	32.8	45.8	91	49.4	39.6	61.1	64	29.3	22.2	38.2
Liver	28	6.9	4.5	10.2	22	11.6	7.3	18.0	6	2.6	1.0	6.3
Pancreas	47	11.1	8.1	15.0	27	13.9	9.1	20.6	20	8.6	5.2	13.9
Lung and Bronchus	253	61.0	53.6	69.3	148	79.1	66.6	93.5	105	45.2	36.8	55.2
Bones and Joints	0				0				0			
Melanoma of the Skin	101	27.1	21.8	33.4	53	30.5	22.5	40.4	48	24.5	17.5	33.4
Breast (invasive)	267	72.2	63.4	81.9	1	0.5	0.0	3.4	266	138.9	121.8	157.8
Cervix									13	7.5	3.8	13.5
Corpus and Uterus, NOS									67	30.4	23.5	39.2
Ovary									23	11.3	7.0	17.5
Prostate					200	98.6	85.2	113.8				
Testis					19	15.6	9.4	24.3				
Urinary Bladder (includes in situ)	102	23.8	19.3	29.2	74	39.6	31.0	50.0	28	10.8	7.0	16.5
Kidney and Renal Pelvis	85	21.5	17.0	26.9	53	28.3	21.0	37.5	32	15.8	10.6	23.0
Brain and Nervous System	21	5.3	3.2	8.4	14	8.2	4.4	14.3	7	3.0	1.2	6.8
Hodgkin Lymphoma	9	2.8	1.2	5.5	6	3.6	1.2	8.2	3	2.1	0.4	6.2
Non-Hodgkin Lymphoma	86	21.6	17.1	27.1	44	24.4	17.6	33.3	42	19.0	13.4	26.5
Myeloma	26	5.6	3.7	8.5	13	6.5	3.4	11.6	13	5.2	2.7	9.5
Leukemia	52	13.4	9.9	17.9	29	15.5	10.3	22.7	23	12.4	7.6	19.3
All Other Sites	221	57.9	50.2	66.6	121	68.1	56.2	82.0	100	49.3	39.3	61.2
Breast in Situ (not in total)									46	25.0	18.0	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	17,125	491.9	484.3	499.5	8,607	540.9	529.0	553.1	8,518	459.0	449.2	469.1
Oral Cavity and Pharynx	436	12.0	10.9	13.3	316	18.0	16.0	20.2	120	6.6	5.4	7.9
Esophagus	179	5.2	4.4	6.1	148	9.3	7.8	11.1	31	1.8	1.2	2.5
Stomach	243	7.2	6.3	8.2	151	10.0	8.4	11.8	92	4.9	3.9	6.0
Colon and Rectum	1,477	43.5	41.2	45.8	817	52.6	48.8	56.5	660	36.0	33.3	38.9
Liver	221	5.9	5.1	6.8	167	9.3	7.8	10.9	54	2.9	2.2	3.9
Pancreas	468	14.1	12.8	15.4	272	18.2	16.0	20.6	196	10.9	9.4	12.5
Lung and Bronchus	2,126	64.2	61.4	67.1	1,074	72.9	68.4	77.6	1,052	58.0	54.5	61.7
Bones and Joints	25	0.7	0.4	1.0	14	0.8	0.4	1.4	11	0.6	0.3	1.0
Melanoma of the Skin	723	20.5	19.0	22.1	404	24.8	22.4	27.5	319	17.3	15.5	19.4
Breast (invasive)	2,626	73.1	70.3	76.0	17	1.1	0.6	1.7	2,609	138.0	132.7	143.5
Cervix									116	6.4	5.3	7.8
Corpus and Uterus, NOS									606	30.1	27.7	32.7
Ovary									181	9.5	8.2	11.0
Prostate					2,169	125.2	119.7	130.8				
Testis					100	6.1	4.9	7.4				
Urinary Bladder (includes in situ)	775	23.7	22.0	25.5	599	42.3	38.8	46.0	176	9.5	8.1	11.0
Kidney and Renal Pelvis	634	17.6	16.2	19.1	413	24.3	21.9	26.9	221	11.7	10.2	13.4
Brain and Nervous System	231	6.7	5.9	7.7	125	7.5	6.2	9.0	106	6.0	4.9	7.3
Hodgkin Lymphoma	142	4.2	3.5	5.0	80	4.7	3.7	5.9	62	3.7	2.8	4.8
Non-Hodgkin Lymphoma	697	20.8	19.3	22.5	391	25.9	23.3	28.8	306	16.9	15.0	18.9
Myeloma	219	6.4	5.5	7.3	120	7.7	6.3	9.3	99	5.4	4.4	6.6
Leukemia	539	15.9	14.6	17.4	300	19.6	17.3	22.0	239	13.0	11.4	14.8
All Other Sites	2,192	64.9	62.2	67.8	930	60.9	56.9	65.2	1,262	69.8	66.0	73.9
Breast in Situ (not in total)									756	39.1	36.3	42.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Williamson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,307	522.7	501.1	545.1	1,202	579.8	546.8	614.4	1,105	480.9	451.8	511.4
Oral Cavity and Pharynx	67	15.1	11.6	19.3	48	22.9	16.7	30.8	19	7.7	4.6	12.4
Esophagus	33	7.1	4.9	10.2	25	12.1	7.8	18.0	8	3.1	1.3	6.5
Stomach	24	6.0	3.8	9.0	16	8.6	4.8	14.1	8	3.9	1.6	8.1
Colon and Rectum	248	56.0	49.1	63.6	127	61.4	51.0	73.4	121	50.0	41.3	60.1
Liver	39	7.9	5.6	11.0	32	13.3	9.0	19.1	7	3.2	1.2	7.0
Pancreas	65	14.3	11.0	18.4	31	15.2	10.2	21.8	34	13.4	9.2	19.0
Lung and Bronchus	417	89.5	81.0	98.7	229	109.8	95.8	125.4	188	74.2	63.8	86.0
Bones and Joints	1	0.4	0.0	1.9	0				1	0.8	0.0	3.9
Melanoma of the Skin	127	30.7	25.4	36.8	83	41.0	32.4	51.3	44	21.4	15.3	29.3
Breast (invasive)	271	63.8	56.2	72.1	0				271	122.2	107.4	138.4
Cervix									13	7.7	4.0	13.5
Corpus and Uterus, NOS									60	26.3	19.9	34.3
Ovary									23	9.7	6.1	14.9
Prostate					210	95.4	82.7	109.6				
Testis					7	4.8	1.9	9.8				
Urinary Bladder (includes in situ)	107	22.9	18.7	27.8	85	40.4	32.1	50.3	22	8.7	5.4	13.5
Kidney and Renal Pelvis	112	27.4	22.4	33.3	72	36.5	28.4	46.4	40	18.7	13.1	26.0
Brain and Nervous System	31	8.1	5.4	11.6	17	9.2	5.3	15.0	14	6.9	3.6	11.9
Hodgkin Lymphoma	1	0.3	0.0	1.7	0				1	0.7	0.0	3.5
Non-Hodgkin Lymphoma	86	19.5	15.5	24.3	42	21.6	15.5	29.5	44	17.5	12.6	23.9
Myeloma	32	7.1	4.8	10.1	17	8.7	5.0	14.1	15	5.9	3.3	10.2
Leukemia	58	13.7	10.3	17.9	28	14.3	9.4	21.0	30	13.8	9.0	20.2
All Other Sites	275	63.7	56.2	72.0	133	64.6	53.8	76.9	142	65.2	54.5	77.6
Breast in Situ (not in total)									40	17.7	12.5	24.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	8,371	473.3	463.0	483.9	4,061	492.8	477.3	508.6	4,310	465.7	451.4	480.3
Oral Cavity and Pharynx	227	12.4	10.8	14.2	168	19.1	16.3	22.4	59	6.2	4.7	8.1
Esophagus	93	5.1	4.1	6.2	69	8.2	6.3	10.5	24	2.4	1.5	3.6
Stomach	126	7.0	5.8	8.4	85	10.3	8.1	12.8	41	4.4	3.1	6.1
Colon and Rectum	643	36.5	33.6	39.5	328	40.1	35.8	44.9	315	33.5	29.7	37.5
Liver	134	7.0	5.9	8.4	95	10.7	8.6	13.2	39	3.8	2.7	5.3
Pancreas	233	12.6	11.0	14.4	109	12.7	10.4	15.4	124	12.4	10.3	14.9
Lung and Bronchus	1,279	69.5	65.7	73.5	642	77.2	71.2	83.5	637	64.5	59.5	69.9
Bones and Joints	13	0.9	0.4	1.5	7	1.0	0.4	2.0	6	0.8	0.3	1.7
Melanoma of the Skin	414	24.6	22.2	27.2	224	28.5	24.8	32.6	190	22.4	19.2	26.0
Breast (invasive)	1,234	71.7	67.6	75.9	17	2.1	1.2	3.4	1,217	133.5	125.8	141.5
Cervix									61	8.5	6.4	11.0
Corpus and Uterus, NOS									288	30.0	26.5	33.8
Ovary									104	11.3	9.2	13.8
Prostate					806	91.1	84.8	97.8				
Testis					41	6.7	4.8	9.1				
Urinary Bladder (includes in situ)	394	21.9	19.7	24.2	292	37.0	32.7	41.6	102	10.2	8.2	12.4
Kidney and Renal Pelvis	323	18.4	16.4	20.6	195	23.9	20.5	27.6	128	13.6	11.3	16.3
Brain and Nervous System	103	6.3	5.1	7.7	67	8.9	6.8	11.3	36	3.9	2.7	5.6
Hodgkin Lymphoma	42	3.0	2.2	4.1	23	3.4	2.1	5.1	19	2.7	1.6	4.2
Non-Hodgkin Lymphoma	329	18.6	16.6	20.8	184	22.8	19.5	26.4	145	15.3	12.8	18.1
Myeloma	138	7.5	6.3	8.9	80	9.7	7.7	12.2	58	5.7	4.3	7.5
Leukemia	254	14.9	13.1	16.9	140	17.9	15.0	21.2	114	12.5	10.3	15.1
All Other Sites	1,092	64.0	60.1	68.0	489	61.6	56.1	67.5	603	68.1	62.5	74.0
Breast in Situ (not in total)									271	30.5	26.9	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Woodford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,162	474.2	446.4	503.3	639	540.5	498.2	585.6	523	418.4	381.6	457.9
Oral Cavity and Pharynx	40	16.0	11.3	22.1	31	26.2	17.6	37.8	9	6.9	3.0	13.8
Esophagus	23	9.0	5.6	13.8	19	15.4	9.1	24.5	4	3.7	0.9	10.0
Stomach	9	3.1	1.4	6.2	5	3.9	1.2	9.7	4	1.8	0.5	6.2
Colon and Rectum	101	41.0	33.2	50.3	57	50.3	37.8	65.7	44	32.6	23.1	44.8
Liver	13	5.2	2.7	9.2	11	9.0	4.4	16.7	2	1.6	0.2	6.4
Pancreas	34	12.8	8.7	18.2	17	14.0	8.0	23.0	17	12.3	6.8	20.7
Lung and Bronchus	144	57.6	48.3	68.1	75	65.5	51.3	82.7	69	51.6	39.7	66.1
Bones and Joints	1	0.7	0.0	3.4	1	1.4	0.0	6.8	0			
Melanoma of the Skin	83	36.8	29.0	46.1	49	43.2	31.7	57.8	34	31.8	21.6	45.3
Breast (invasive)	153	63.7	53.7	75.1	1	0.8	0.0	5.4	152	122.8	103.4	145.0
Cervix									5	5.6	1.7	13.2
Corpus and Uterus, NOS									35	28.0	19.3	39.6
Ovary									18	14.8	8.5	24.0
Prostate					159	120.7	102.2	141.8				
Testis					4	5.3	1.5	13.1				
Urinary Bladder (includes in situ)	60	23.0	17.4	30.0	46	38.4	27.9	51.9	14	10.1	5.3	17.7
Kidney and Renal Pelvis	43	17.9	12.8	24.6	30	26.6	17.6	38.7	13	10.1	5.2	17.9
Brain and Nervous System	16	7.7	4.3	12.8	14	13.9	7.5	23.7	2	1.3	0.1	5.8
Hodgkin Lymphoma	5	2.8	0.9	6.5	1	1.2	0.0	6.2	4	4.4	1.1	11.5
Non-Hodgkin Lymphoma	51	22.3	16.4	29.6	24	22.8	14.4	34.3	27	22.8	14.9	33.8
Myeloma	6	2.4	0.9	5.5	6	5.0	1.8	11.4	0			
Leukemia	24	9.8	6.2	14.9	16	14.3	8.1	23.6	8	6.1	2.5	12.8
All Other Sites	135	55.8	46.4	66.5	73	62.6	48.6	79.4	62	50.1	37.8	65.4
Breast in Situ (not in total)									52	44.9	33.0	59.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

SECTION IV
County-specific Cancer Incidence Rates by Race
Illinois, 2013-2017

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	282,681	469.0	467.2	470.8	140,252	503.0	500.3	505.7	142,429	449.6	447.2	452.0
Oral Cavity and Pharynx	7,710	12.5	12.2	12.8	5,494	18.8	18.3	19.3	2,216	6.9	6.6	7.2
Esophagus	3,090	4.9	4.8	5.1	2,492	8.7	8.4	9.1	598	1.7	1.6	1.9
Stomach	3,945	6.5	6.3	6.8	2,476	9.1	8.7	9.4	1,469	4.5	4.2	4.7
Colon and Rectum	25,101	41.5	41.0	42.0	13,250	48.2	47.3	49.0	11,851	35.9	35.3	36.6
Liver	3,643	5.8	5.6	5.9	2,656	9.0	8.6	9.3	987	2.9	2.8	3.1
Pancreas	8,299	13.4	13.1	13.7	4,360	15.8	15.3	16.3	3,939	11.5	11.1	11.9
Lung and Bronchus	39,312	64.0	63.4	64.7	20,091	73.1	72.0	74.1	19,221	57.4	56.6	58.3
Bones and Joints	505	1.0	0.9	1.0	277	1.1	0.9	1.2	228	0.8	0.7	1.0
Melanoma of the Skin	13,969	24.0	23.6	24.4	7,932	29.1	28.4	29.7	6,037	20.6	20.0	21.1
Breast (invasive)	42,034	71.0	70.3	71.7	351	1.3	1.1	1.4	41,683	134.1	132.8	135.5
Cervix									2,001	7.5	7.2	7.8
Corpus and Uterus, NOS									9,901	30.3	29.7	30.9
Ovary									3,574	11.4	11.0	11.8
Prostate					30,296	101.2	100.0	102.3				
Testis					1,765	7.3	7.0	7.6				
Urinary Bladder (includes in situ)	14,031	22.9	22.5	23.3	10,625	39.7	38.9	40.5	3,406	9.9	9.6	10.3
Kidney and Renal Pelvis	10,929	18.2	17.9	18.6	6,943	24.7	24.1	25.3	3,986	12.6	12.2	13.0
Brain and Nervous System	3,860	6.9	6.7	7.1	2,155	8.1	7.7	8.4	1,705	5.8	5.6	6.1
Hodgkin Lymphoma	1,465	2.9	2.7	3.0	825	3.2	3.0	3.5	640	2.5	2.3	2.7
Non-Hodgkin Lymphoma	12,192	20.4	20.1	20.8	6,690	24.8	24.2	25.4	5,502	16.9	16.5	17.4
Myeloma	3,548	5.7	5.5	5.9	1,967	7.1	6.8	7.4	1,581	4.7	4.4	4.9
Leukemia	8,124	14.0	13.7	14.3	4,685	17.8	17.2	18.3	3,439	11.0	10.6	11.4
All Other Sites	33,387	57.2	56.6	57.8	14,922	55.3	54.4	56.2	18,465	60.5	59.6	61.4
Breast in situ (not in total)									9,770	32.6	31.9	33.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,687	446.8	432.0	461.9	1,886	490.8	468.2	514.2	1,801	416.9	397.0	437.5
Oral Cavity and Pharynx	104	12.5	10.2	15.3	80	21.1	16.6	26.5	24	5.1	3.2	7.7
Esophagus	42	4.7	3.4	6.4	33	7.9	5.4	11.3	9	1.9	0.8	3.7
Stomach	47	5.7	4.1	7.7	29	7.9	5.2	11.4	18	3.8	2.2	6.2
Colon and Rectum	293	35.7	31.6	40.2	175	46.5	39.7	54.2	118	26.1	21.4	31.6
Liver	44	5.2	3.8	7.0	33	8.5	5.8	12.1	11	2.3	1.1	4.4
Pancreas	95	11.4	9.2	14.1	58	15.6	11.8	20.4	37	7.9	5.5	11.0
Lung and Bronchus	440	51.7	46.9	57.0	206	54.1	46.8	62.3	234	50.2	43.8	57.3
Bones and Joints	7	1.1	0.4	2.3	4	1.4	0.3	3.5	3	0.8	0.2	2.5
Melanoma of the Skin	238	29.4	25.7	33.6	143	37.7	31.6	44.7	95	23.6	18.9	29.1
Breast (invasive)	558	69.7	63.9	76.0	8	2.1	0.9	4.3	550	129.9	118.8	141.8
Cervix									18	5.5	3.2	8.7
Corpus and Uterus, NOS									123	26.9	22.3	32.3
Ovary									63	15.3	11.6	19.8
Prostate					461	113.2	102.8	124.3				
Testis					28	6.7	4.3	10.1				
Urinary Bladder (includes in situ)	155	18.1	15.3	21.3	115	30.7	25.3	37.1	40	8.8	6.2	12.2
Kidney and Renal Pelvis	121	15.3	12.6	18.4	80	22.0	17.3	27.6	41	9.4	6.7	13.0
Brain and Nervous System	56	7.3	5.4	9.5	34	9.1	6.2	12.9	22	5.9	3.6	9.1
Hodgkin Lymphoma	14	2.0	1.0	3.3	10	3.0	1.4	5.6	4	0.9	0.2	2.5
Non-Hodgkin Lymphoma	165	19.7	16.7	23.0	98	24.9	20.1	30.6	67	15.5	11.9	19.9
Myeloma	56	6.8	5.1	8.9	34	9.1	6.3	12.9	22	4.9	3.0	7.5
Leukemia	96	11.7	9.4	14.4	58	14.9	11.2	19.4	38	8.8	6.1	12.4
All Other Sites	463	57.9	52.6	63.7	199	54.1	46.6	62.5	264	63.4	55.7	72.0
Breast in situ (not in total)									121	29.4	24.2	35.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	86,869	445.2	442.2	448.3	42,105	474.5	469.9	479.2	44,764	430.9	426.8	435.0
Oral Cavity and Pharynx	2,251	11.3	10.9	11.8	1,560	16.9	16.0	17.8	691	6.5	6.0	7.0
Esophagus	833	4.2	3.9	4.5	648	7.2	6.6	7.8	185	1.6	1.4	1.9
Stomach	1,614	8.3	7.9	8.7	962	11.1	10.4	11.8	652	6.0	5.6	6.5
Colon and Rectum	7,922	40.3	39.4	41.2	4,160	47.2	45.7	48.7	3,762	34.8	33.7	36.0
Liver	1,323	6.6	6.2	7.0	936	10.1	9.5	10.8	387	3.5	3.2	3.9
Pancreas	2,748	13.8	13.3	14.4	1,415	16.2	15.4	17.1	1,333	12.0	11.3	12.7
Lung and Bronchus	10,660	54.8	53.7	55.9	5,236	61.4	59.7	63.1	5,424	50.2	48.8	51.5
Bones and Joints	177	1.0	0.9	1.2	93	1.1	0.9	1.3	84	0.9	0.7	1.1
Melanoma of the Skin	3,777	19.7	19.0	20.3	2,207	25.3	24.3	26.4	1,570	15.8	15.0	16.6
Breast (invasive)	13,400	69.7	68.5	70.9	106	1.2	1.0	1.4	13,294	131.3	129.1	133.6
Cervix									710	7.6	7.0	8.2
Corpus and Uterus, NOS									3,339	31.7	30.6	32.8
Ovary									1,213	11.8	11.2	12.5
Prostate					9,297	98.7	96.6	100.8				
Testis					655	7.1	6.6	7.7				
Urinary Bladder (includes in situ)	4,248	21.6	21.0	22.3	3,125	37.1	35.8	38.5	1,123	10.1	9.5	10.7
Kidney and Renal Pelvis	3,061	15.8	15.2	16.3	1,966	21.8	20.8	22.8	1,095	10.5	9.9	11.2
Brain and Nervous System	1,200	6.4	6.0	6.8	657	7.4	6.8	8.0	543	5.5	5.0	6.0
Hodgkin Lymphoma	528	3.0	2.7	3.2	292	3.3	2.9	3.7	236	2.6	2.3	3.0
Non-Hodgkin Lymphoma	4,000	20.8	20.1	21.5	2,161	25.1	24.0	26.2	1,839	17.4	16.6	18.2
Myeloma	1,103	5.6	5.3	5.9	596	6.8	6.2	7.4	507	4.7	4.3	5.1
Leukemia	2,585	13.6	13.1	14.2	1,500	17.7	16.8	18.6	1,085	10.5	9.9	11.2
All Other Sites	10,225	53.2	52.2	54.3	4,533	51.8	50.3	53.3	5,692	55.9	54.4	57.4
Breast in situ (not in total)									3,192	33.1	31.9	34.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	22,027	480.7	474.2	487.3	10,635	510.7	500.7	520.9	11,392	467.8	458.9	476.8
Oral Cavity and Pharynx	568	11.9	10.9	12.9	397	17.9	16.1	19.8	171	6.8	5.8	8.0
Esophagus	219	4.7	4.1	5.4	165	7.8	6.6	9.2	54	2.1	1.6	2.8
Stomach	291	6.3	5.6	7.1	191	9.4	8.1	10.9	100	3.9	3.2	4.8
Colon and Rectum	1,823	39.6	37.8	41.6	944	45.7	42.7	48.8	879	34.7	32.4	37.2
Liver	226	4.7	4.1	5.4	158	7.3	6.2	8.6	68	2.7	2.0	3.4
Pancreas	590	12.5	11.5	13.6	303	15.1	13.4	17.0	287	10.6	9.4	12.0
Lung and Bronchus	2,505	55.0	52.8	57.3	1,195	59.8	56.4	63.5	1,310	52.2	49.4	55.2
Bones and Joints	47	1.2	0.9	1.6	29	1.5	1.0	2.2	18	0.9	0.5	1.5
Melanoma of the Skin	1,140	25.6	24.0	27.1	665	31.6	29.2	34.2	475	21.4	19.4	23.5
Breast (invasive)	3,578	78.3	75.7	81.1	25	1.3	0.8	1.9	3,553	146.5	141.5	151.6
Cervix									121	5.7	4.6	6.8
Corpus and Uterus, NOS									883	33.7	31.5	36.1
Ovary									297	12.3	10.9	13.9
Prostate					2,520	109.9	105.5	114.5				
Testis					146	8.3	7.0	9.8				
Urinary Bladder (includes in situ)	1,086	24.1	22.7	25.7	842	43.7	40.7	46.8	244	9.5	8.3	10.9
Kidney and Renal Pelvis	775	16.8	15.6	18.0	514	23.9	21.8	26.1	261	10.8	9.5	12.2
Brain and Nervous System	330	7.5	6.7	8.4	183	8.8	7.6	10.3	147	6.4	5.4	7.6
Hodgkin Lymphoma	121	3.1	2.6	3.8	62	3.3	2.5	4.2	59	3.0	2.3	3.9
Non-Hodgkin Lymphoma	1,001	22.1	20.7	23.6	565	28.2	25.9	30.8	436	17.4	15.7	19.1
Myeloma	311	6.8	6.0	7.6	168	8.4	7.2	9.9	143	5.6	4.7	6.6
Leukemia	700	16.0	14.8	17.3	410	21.1	19.0	23.3	290	12.3	10.9	13.9
All Other Sites	2,749	62.5	60.1	65.0	1,153	57.7	54.3	61.2	1,596	69.3	65.8	72.9
Breast in situ (not in total)									1,075	45.1	42.4	48.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	10,946	444.2	435.7	452.8	5,459	481.4	468.2	494.9	5,487	422.3	411.0	433.9
Oral Cavity and Pharynx	290	11.0	9.8	12.4	207	16.1	13.9	18.6	83	6.2	5.0	7.8
Esophagus	94	3.8	3.1	4.7	79	7.0	5.5	8.8	15	1.1	0.6	1.8
Stomach	168	7.1	6.0	8.3	105	9.6	7.8	11.7	63	5.0	3.8	6.4
Colon and Rectum	880	36.1	33.7	38.6	466	41.5	37.7	45.7	414	31.5	28.5	34.8
Liver	136	5.2	4.4	6.2	102	8.5	6.9	10.5	34	2.5	1.7	3.5
Pancreas	333	13.9	12.4	15.5	181	16.9	14.4	19.6	152	11.6	9.8	13.6
Lung and Bronchus	1,225	50.9	48.0	53.9	615	58.1	53.4	63.1	610	46.0	42.4	49.9
Bones and Joints	29	1.2	0.8	1.8	17	1.5	0.8	2.4	12	1.0	0.5	1.8
Melanoma of the Skin	576	23.6	21.6	25.6	317	28.2	25.0	31.6	259	20.5	18.0	23.2
Breast (invasive)	1,612	64.4	61.2	67.7	18	1.5	0.9	2.5	1,594	121.6	115.6	127.8
Cervix									71	6.1	4.7	7.7
Corpus and Uterus, NOS									378	27.8	25.0	30.8
Ovary									144	11.0	9.2	13.0
Prostate					1,265	101.7	96.0	107.7				
Testis					85	7.8	6.2	9.7				
Urinary Bladder (includes in situ)	593	25.1	23.1	27.3	459	44.4	40.3	48.8	134	10.2	8.5	12.1
Kidney and Renal Pelvis	445	17.9	16.2	19.7	291	25.1	22.2	28.3	154	11.7	9.9	13.7
Brain and Nervous System	182	7.5	6.4	8.7	99	8.6	6.9	10.5	83	6.4	5.1	8.0
Hodgkin Lymphoma	54	2.4	1.8	3.1	32	2.7	1.8	3.8	22	2.0	1.3	3.1
Non-Hodgkin Lymphoma	469	19.7	17.9	21.6	242	22.0	19.2	25.1	227	17.7	15.5	20.3
Myeloma	158	6.3	5.3	7.4	92	8.1	6.5	10.0	66	4.9	3.7	6.2
Leukemia	331	13.7	12.2	15.3	191	17.3	14.9	20.1	140	10.9	9.1	12.9
All Other Sites	1,428	59.8	56.7	63.1	596	54.8	50.3	59.5	832	66.7	62.2	71.5
Breast in situ (not in total)									414	31.3	28.3	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,835	492.1	473.7	511.1	1,413	516.8	489.5	545.2	1,422	476.2	450.9	502.6
Oral Cavity and Pharynx	66	11.6	8.9	14.9	48	17.5	12.8	23.6	18	6.1	3.5	9.8
Esophagus	27	4.4	2.9	6.5	24	8.6	5.4	13.0	3	0.9	0.2	3.0
Stomach	32	5.5	3.7	7.8	22	7.9	4.9	12.2	10	3.3	1.6	6.2
Colon and Rectum	243	40.7	35.6	46.3	127	46.1	38.2	55.1	116	35.4	29.1	42.8
Liver	38	6.5	4.5	9.0	29	10.1	6.7	14.8	9	2.9	1.3	5.8
Pancreas	86	14.4	11.4	17.9	39	13.9	9.8	19.2	47	14.9	10.8	20.2
Lung and Bronchus	464	78.3	71.2	86.0	233	84.7	74.0	96.7	231	73.3	64.0	83.7
Bones and Joints	2	0.4	0.1	1.6	2	0.9	0.1	3.2	0			
Melanoma of the Skin	134	24.8	20.7	29.5	78	30.2	23.7	38.0	56	20.4	15.2	26.8
Breast (invasive)	406	73.5	66.3	81.3	2	0.8	0.1	3.0	404	139.9	126.1	154.9
Cervix									20	9.0	5.4	14.1
Corpus and Uterus, NOS									106	34.2	27.8	41.7
Ovary									31	10.4	7.0	14.9
Prostate					271	93.1	82.1	105.2				
Testis					20	10.0	6.1	15.4				
Urinary Bladder (includes in situ)	162	26.3	22.4	30.8	125	44.8	37.2	53.7	37	10.9	7.6	15.3
Kidney and Renal Pelvis	122	21.3	17.6	25.6	72	27.3	21.2	34.6	50	16.1	11.9	21.4
Brain and Nervous System	33	6.6	4.5	9.4	17	7.2	4.1	11.7	16	6.3	3.5	10.3
Hodgkin Lymphoma	16	3.1	1.7	5.1	11	4.3	2.1	7.9	5	1.9	0.6	4.6
Non-Hodgkin Lymphoma	113	19.4	15.9	23.5	69	25.5	19.7	32.5	44	14.6	10.5	19.9
Myeloma	30	5.1	3.4	7.5	17	6.1	3.5	10.0	13	4.5	2.4	7.9
Leukemia	86	15.2	12.1	18.9	46	17.2	12.5	23.2	40	13.6	9.6	18.9
All Other Sites	327	58.4	52.1	65.3	161	60.5	51.4	71.0	166	57.7	48.9	67.7
Breast in situ (not in total)									55	19.1	14.2	25.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	15,271	459.1	451.6	466.7	7,382	474.1	462.9	485.5	7,889	453.9	443.6	464.4
Oral Cavity and Pharynx	369	10.3	9.3	11.5	244	14.2	12.4	16.2	125	6.8	5.6	8.1
Esophagus	172	5.0	4.3	5.8	136	8.5	7.1	10.1	36	2.0	1.4	2.8
Stomach	200	6.2	5.3	7.1	128	8.4	6.9	10.0	72	4.3	3.4	5.5
Colon and Rectum	1,165	35.0	33.0	37.2	616	39.5	36.3	42.9	549	31.2	28.6	34.0
Liver	149	4.3	3.6	5.1	105	6.3	5.1	7.7	44	2.6	1.8	3.5
Pancreas	480	14.5	13.2	16.0	254	16.5	14.5	18.8	226	12.6	11.0	14.5
Lung and Bronchus	1,802	55.2	52.6	57.9	861	58.3	54.3	62.5	941	53.1	49.7	56.8
Bones and Joints	29	0.9	0.6	1.3	17	1.0	0.6	1.7	12	0.8	0.4	1.4
Melanoma of the Skin	885	27.0	25.2	28.9	492	32.0	29.2	35.1	393	23.8	21.4	26.4
Breast (invasive)	2,587	77.2	74.2	80.4	22	1.3	0.8	2.0	2,565	146.3	140.5	152.2
Cervix									87	5.8	4.6	7.3
Corpus and Uterus, NOS									545	29.3	26.8	32.0
Ovary									192	10.9	9.4	12.7
Prostate					1,683	98.1	93.3	103.1				
Testis					83	6.0	4.7	7.5				
Urinary Bladder (includes in situ)	816	25.2	23.5	27.1	627	43.4	40.0	47.1	189	10.8	9.3	12.5
Kidney and Renal Pelvis	572	16.9	15.5	18.4	397	24.9	22.4	27.6	175	9.8	8.4	11.5
Brain and Nervous System	214	6.8	5.9	7.8	111	7.4	6.1	9.0	103	6.5	5.2	7.9
Hodgkin Lymphoma	63	2.2	1.7	2.8	35	2.3	1.6	3.3	28	2.2	1.4	3.1
Non-Hodgkin Lymphoma	760	23.2	21.6	25.0	444	29.7	26.9	32.7	316	18.0	16.0	20.2
Myeloma	197	5.8	5.0	6.7	101	6.4	5.2	7.8	96	5.2	4.2	6.5
Leukemia	487	15.5	14.1	17.0	269	18.4	16.2	20.8	218	13.0	11.3	14.9
All Other Sites	1,734	54.4	51.8	57.1	757	51.4	47.7	55.3	977	58.8	55.0	62.7
Breast in situ (not in total)									638	36.0	33.2	39.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,383	543.0	523.9	562.8	1,700	582.8	554.5	612.3	1,683	518.8	492.4	546.4
Oral Cavity and Pharynx	111	17.8	14.5	21.6	68	23.5	18.0	30.2	43	12.4	8.9	17.2
Esophagus	39	5.6	4.0	7.9	33	10.9	7.4	15.7	6	1.4	0.5	3.6
Stomach	36	6.5	4.5	9.3	24	8.9	5.6	13.7	12	4.6	2.3	8.4
Colon and Rectum	321	51.1	45.4	57.5	176	61.2	52.1	71.5	145	43.5	36.2	52.0
Liver	49	7.0	5.2	9.4	39	12.3	8.7	17.1	10	2.4	1.1	4.9
Pancreas	86	13.2	10.4	16.5	39	13.2	9.2	18.4	47	12.9	9.3	17.7
Lung and Bronchus	621	93.8	86.4	101.8	316	104.7	93.3	117.2	305	86.6	76.7	97.5
Bones and Joints	1	0.3	0.0	1.5	0				1	0.6	0.0	3.1
Melanoma of the Skin	160	27.7	23.3	32.7	88	31.1	24.7	38.7	72	25.6	19.6	33.1
Breast (invasive)	406	68.5	61.6	76.1	2	0.7	0.1	2.9	404	128.0	114.9	142.4
Cervix									24	10.6	6.6	16.1
Corpus and Uterus, NOS									108	30.5	24.8	37.4
Ovary									31	9.9	6.5	14.6
Prostate					329	105.7	94.3	118.3				
Testis					11	5.9	2.9	10.6				
Urinary Bladder (includes in situ)	169	24.3	20.7	28.4	133	44.4	37.0	52.9	36	9.2	6.4	13.2
Kidney and Renal Pelvis	142	23.5	19.5	28.0	75	26.8	20.8	34.0	67	21.1	16.0	27.4
Brain and Nervous System	44	8.3	5.9	11.4	27	10.9	6.9	16.2	17	6.0	3.3	10.1
Hodgkin Lymphoma	14	3.5	1.9	5.9	7	3.7	1.4	7.8	7	3.2	1.2	6.8
Non-Hodgkin Lymphoma	125	19.4	16.0	23.4	60	21.1	15.9	27.6	65	17.8	13.5	23.3
Myeloma	41	5.6	4.0	7.8	19	5.8	3.4	9.4	22	5.2	3.2	8.3
Leukemia	73	11.7	9.0	15.0	46	16.5	12.0	22.4	27	7.7	4.7	11.9
All Other Sites	442	76.8	69.3	84.9	208	75.6	65.2	87.3	234	79.4	68.6	91.5
Breast in situ (not in total)									102	32.8	26.3	40.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,460	482.1	471.0	493.6	3,568	506.0	489.1	523.3	3,892	473.1	457.7	488.9
Oral Cavity and Pharynx	216	13.8	11.9	15.8	154	20.6	17.4	24.2	62	7.9	6.0	10.3
Esophagus	101	6.2	5.0	7.6	88	11.7	9.3	14.5	13	1.6	0.8	2.9
Stomach	72	4.4	3.5	5.6	43	6.2	4.4	8.4	29	3.1	2.1	4.6
Colon and Rectum	655	41.6	38.4	45.0	325	46.7	41.7	52.2	330	38.3	34.1	42.8
Liver	115	6.9	5.7	8.3	81	10.4	8.2	13.0	34	3.7	2.5	5.3
Pancreas	205	12.6	10.9	14.5	99	14.1	11.4	17.2	106	11.6	9.4	14.2
Lung and Bronchus	1,278	79.9	75.5	84.5	644	91.4	84.3	98.9	634	72.0	66.4	78.0
Bones and Joints	14	1.2	0.6	2.1	11	2.1	1.0	3.7	3	0.4	0.1	1.3
Melanoma of the Skin	319	22.3	19.8	25.0	169	24.5	20.9	28.7	150	21.6	18.1	25.6
Breast (invasive)	1,084	72.0	67.6	76.6	8	1.3	0.5	2.6	1,076	134.4	126.1	143.1
Cervix									47	7.1	5.1	9.6
Corpus and Uterus, NOS									265	30.7	27.0	34.9
Ovary									82	10.3	8.1	12.9
Prostate					614	81.3	74.8	88.1				
Testis					27	5.0	3.3	7.2				
Urinary Bladder (includes in situ)	392	24.3	21.9	26.9	281	40.5	35.8	45.7	111	12.6	10.3	15.3
Kidney and Renal Pelvis	364	24.7	22.2	27.5	206	30.1	26.0	34.7	158	19.9	16.8	23.4
Brain and Nervous System	114	8.2	6.7	10.0	63	9.6	7.3	12.4	51	7.2	5.2	9.6
Hodgkin Lymphoma	37	2.9	2.0	4.0	22	3.5	2.2	5.4	15	2.3	1.3	4.0
Non-Hodgkin Lymphoma	306	19.6	17.4	22.0	167	23.7	20.1	27.7	139	16.3	13.7	19.4
Myeloma	86	5.3	4.2	6.5	48	6.7	4.9	9.0	38	4.1	2.9	5.8
Leukemia	220	14.5	12.6	16.6	123	18.5	15.3	22.2	97	11.6	9.2	14.3
All Other Sites	847	56.6	52.7	60.7	395	58.3	52.5	64.5	452	56.3	51.0	62.1
Breast in situ (not in total)									237	31.6	27.5	36.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,556	486.2	471.6	501.1	2,287	527.9	506.0	550.7	2,269	458.2	438.5	478.6
Oral Cavity and Pharynx	119	12.9	10.6	15.6	78	18.3	14.4	23.1	41	8.4	6.0	11.6
Esophagus	64	6.7	5.1	8.7	52	11.9	8.8	15.8	12	2.4	1.2	4.4
Stomach	49	4.8	3.5	6.4	28	6.1	4.0	9.0	21	3.6	2.2	5.8
Colon and Rectum	402	42.8	38.6	47.4	215	51.7	44.9	59.4	187	34.7	29.6	40.4
Liver	50	4.9	3.6	6.5	42	8.8	6.3	12.1	8	1.4	0.6	3.1
Pancreas	129	13.1	10.9	15.7	74	17.9	14.0	22.6	55	9.3	6.9	12.3
Lung and Bronchus	796	81.0	75.4	87.0	441	99.8	90.5	109.8	355	66.4	59.5	73.9
Bones and Joints	4	0.7	0.2	1.7	2	0.7	0.1	2.4	2	0.6	0.1	2.3
Melanoma of the Skin	284	31.6	27.9	35.7	169	40.9	34.8	47.7	115	25.2	20.6	30.6
Breast (invasive)	663	73.8	68.1	80.0	3	0.7	0.1	2.2	660	138.3	127.4	150.0
Cervix									37	10.1	7.0	14.2
Corpus and Uterus, NOS									136	26.8	22.3	32.1
Ovary									54	10.6	7.9	14.1
Prostate					501	106.2	97.0	116.2				
Testis					19	5.9	3.5	9.3				
Urinary Bladder (includes in situ)	213	21.6	18.8	24.9	156	36.5	30.9	42.9	57	9.8	7.4	12.9
Kidney and Renal Pelvis	189	20.7	17.7	24.0	128	30.1	25.0	36.1	61	12.7	9.6	16.7
Brain and Nervous System	52	5.9	4.4	7.9	24	5.9	3.7	9.0	28	6.1	4.0	9.1
Hodgkin Lymphoma	15	1.9	1.1	3.3	8	1.9	0.8	3.9	7	2.0	0.8	4.2
Non-Hodgkin Lymphoma	179	19.1	16.3	22.2	84	19.6	15.6	24.5	95	19.4	15.4	24.0
Myeloma	44	4.7	3.3	6.4	24	5.9	3.7	8.9	20	3.5	2.1	5.7
Leukemia	99	11.4	9.1	14.0	59	14.9	11.3	19.4	40	8.4	5.9	11.7
All Other Sites	458	51.7	46.9	56.9	180	44.1	37.7	51.3	278	58.3	51.2	66.2
Breast in situ (not in total)									156	32.7	27.5	38.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,990	460.0	445.1	475.2	1,993	486.9	465.1	509.6	1,997	446.7	426.0	468.2
Oral Cavity and Pharynx	110	13.0	10.5	15.8	74	18.4	14.3	23.5	36	8.4	5.7	11.9
Esophagus	50	5.3	3.9	7.1	44	10.1	7.3	13.8	6	1.2	0.4	3.0
Stomach	48	5.3	3.9	7.2	29	7.4	4.9	10.8	19	3.6	2.1	6.0
Colon and Rectum	318	36.6	32.5	41.1	168	43.0	36.5	50.4	150	31.3	26.2	37.2
Liver	64	6.9	5.3	8.9	54	12.3	9.1	16.3	10	2.1	1.0	4.1
Pancreas	130	14.1	11.7	16.9	67	16.0	12.3	20.5	63	12.7	9.6	16.6
Lung and Bronchus	605	64.5	59.3	70.0	330	77.3	69.0	86.4	275	54.1	47.7	61.1
Bones and Joints	4	0.5	0.1	1.5	3	0.7	0.1	2.4	1	0.4	0.0	1.9
Melanoma of the Skin	237	29.2	25.4	33.4	122	30.8	25.4	37.0	115	29.5	24.0	35.8
Breast (invasive)	552	66.7	61.0	72.9	5	1.4	0.4	3.5	547	125.5	114.5	137.3
Cervix									32	10.8	7.2	15.4
Corpus and Uterus, NOS									159	33.9	28.6	40.0
Ovary									58	12.4	9.3	16.4
Prostate					410	92.4	83.5	102.1				
Testis					24	9.1	5.8	13.6				
Urinary Bladder (includes in situ)	197	20.8	17.9	24.0	153	36.9	31.2	43.5	44	8.3	6.0	11.4
Kidney and Renal Pelvis	141	16.9	14.1	20.2	86	21.8	17.3	27.3	55	13.0	9.6	17.3
Brain and Nervous System	64	8.3	6.3	10.8	31	8.0	5.3	11.6	33	8.7	5.8	12.5
Hodgkin Lymphoma	28	4.5	2.9	6.5	15	4.9	2.7	8.1	13	4.1	2.1	7.1
Non-Hodgkin Lymphoma	146	17.7	14.8	21.0	76	19.7	15.3	24.9	70	16.3	12.4	21.0
Myeloma	53	5.5	4.1	7.3	32	7.2	4.9	10.4	21	4.0	2.5	6.4
Leukemia	94	11.8	9.4	14.7	54	14.5	10.7	19.1	40	10.1	7.0	14.1
All Other Sites	466	55.1	50.0	60.7	216	54.9	47.6	63.1	250	56.7	49.4	64.9
Breast in situ (not in total)									116	27.1	22.1	32.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,974	533.9	520.0	548.2	2,994	591.6	569.9	614.0	2,980	495.3	476.8	514.4
Oral Cavity and Pharynx	178	15.7	13.4	18.4	137	26.2	21.9	31.3	41	6.6	4.7	9.2
Esophagus	46	3.7	2.7	5.1	38	7.0	4.9	9.7	8	1.2	0.5	2.5
Stomach	67	6.0	4.6	7.8	36	7.0	4.8	9.9	31	5.1	3.4	7.4
Colon and Rectum	493	43.9	40.0	48.1	247	50.3	44.0	57.2	246	38.5	33.6	43.9
Liver	89	7.4	5.9	9.2	69	12.5	9.7	16.1	20	3.2	1.9	5.1
Pancreas	159	14.0	11.9	16.5	78	15.5	12.2	19.6	81	12.8	10.1	16.2
Lung and Bronchus	925	79.6	74.4	85.0	475	94.8	86.2	104.0	450	69.2	62.8	76.1
Bones and Joints	14	1.5	0.8	2.6	10	2.2	1.0	4.1	4	0.9	0.2	2.4
Melanoma of the Skin	327	31.6	28.1	35.4	171	35.0	29.8	41.0	156	30.3	25.5	35.8
Breast (invasive)	900	82.1	76.6	87.9	6	1.0	0.4	2.4	894	150.7	140.4	161.5
Cervix									27	6.2	4.0	9.1
Corpus and Uterus, NOS									149	23.6	19.8	28.0
Ovary									73	11.8	9.1	15.1
Prostate					671	122.3	113.0	132.3				
Testis					36	9.8	6.8	13.6				
Urinary Bladder (includes in situ)	272	23.3	20.5	26.3	211	42.5	36.8	48.9	61	9.2	7.0	12.0
Kidney and Renal Pelvis	271	23.9	21.0	27.1	169	32.4	27.5	37.9	102	16.9	13.6	20.8
Brain and Nervous System	63	6.7	5.1	8.7	30	6.5	4.3	9.4	33	7.2	4.8	10.4
Hodgkin Lymphoma	21	2.4	1.5	3.7	15	3.5	1.9	5.8	6	1.4	0.5	3.1
Non-Hodgkin Lymphoma	257	22.7	20.0	25.8	144	29.3	24.6	34.7	113	17.4	14.2	21.1
Myeloma	71	6.0	4.7	7.7	38	7.6	5.3	10.5	33	5.1	3.5	7.4
Leukemia	183	17.5	15.0	20.4	104	22.1	17.9	27.0	79	13.7	10.7	17.4
All Other Sites	682	63.5	58.6	68.7	309	63.9	56.8	71.8	373	64.3	57.6	71.7
Breast in situ (not in total)									209	37.5	32.3	43.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,300	476.2	463.1	489.6	2,641	515.3	495.3	536.0	2,659	453.0	435.3	471.3
Oral Cavity and Pharynx	176	15.3	13.0	17.8	128	23.2	19.2	27.8	48	8.2	6.0	11.0
Esophagus	70	6.1	4.7	7.8	57	10.7	8.0	14.0	13	2.2	1.2	3.9
Stomach	39	3.3	2.3	4.6	29	5.8	3.8	8.5	10	1.3	0.6	2.6
Colon and Rectum	426	38.7	35.0	42.7	228	46.4	40.4	53.1	198	31.2	26.9	36.2
Liver	80	6.8	5.4	8.6	58	10.6	8.0	13.9	22	3.5	2.2	5.5
Pancreas	145	12.5	10.5	14.8	78	14.9	11.7	18.8	67	10.2	7.8	13.1
Lung and Bronchus	866	75.0	70.0	80.3	442	85.5	77.5	94.1	424	67.4	61.0	74.4
Bones and Joints	4	0.4	0.1	1.0	2	0.4	0.0	1.5	2	0.4	0.1	1.6
Melanoma of the Skin	275	26.3	23.2	29.7	165	33.5	28.4	39.2	110	21.4	17.4	26.0
Breast (invasive)	810	73.9	68.8	79.4	5	0.9	0.3	2.2	805	139.4	129.6	149.9
Cervix									41	8.8	6.3	12.1
Corpus and Uterus, NOS									164	27.4	23.3	32.1
Ovary									68	11.1	8.6	14.3
Prostate					491	87.8	80.0	96.3				
Testis					33	8.0	5.5	11.3				
Urinary Bladder (includes in situ)	282	24.8	21.9	27.9	221	44.9	39.0	51.4	61	9.3	7.0	12.1
Kidney and Renal Pelvis	229	20.8	18.1	23.8	148	27.7	23.2	32.7	81	14.4	11.3	18.1
Brain and Nervous System	68	6.7	5.2	8.6	35	6.9	4.7	9.7	33	6.8	4.6	9.7
Hodgkin Lymphoma	25	3.1	2.0	4.6	13	3.3	1.7	5.6	12	2.8	1.4	5.0
Non-Hodgkin Lymphoma	202	18.3	15.8	21.1	106	21.2	17.3	25.8	96	15.9	12.8	19.6
Myeloma	88	8.0	6.4	9.9	54	11.7	8.7	15.4	34	5.6	3.9	8.0
Leukemia	137	13.0	10.9	15.5	74	15.5	12.1	19.6	63	10.9	8.3	14.2
All Other Sites	581	54.1	49.7	58.9	274	56.5	49.8	63.8	307	54.5	48.3	61.3
Breast in situ (not in total)									204	36.6	31.6	42.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,381	505.8	484.8	527.6	1,217	547.1	515.9	579.8	1,164	479.5	450.6	509.9
Oral Cavity and Pharynx	64	13.9	10.6	18.0	44	19.9	14.3	27.1	20	8.2	4.9	13.3
Esophagus	27	5.3	3.5	7.9	20	8.9	5.4	14.1	7	2.6	1.0	5.9
Stomach	32	6.3	4.3	9.0	24	10.3	6.5	15.6	8	2.9	1.2	6.3
Colon and Rectum	237	52.9	46.1	60.6	125	59.2	48.9	71.1	112	47.8	38.7	58.4
Liver	23	4.4	2.8	6.8	15	6.1	3.4	10.5	8	2.9	1.2	6.2
Pancreas	69	14.2	10.9	18.2	36	16.2	11.2	22.9	33	12.2	8.3	17.6
Lung and Bronchus	419	83.9	75.8	92.6	218	95.0	82.5	109.0	201	75.8	65.4	87.6
Bones and Joints	7	2.0	0.8	4.3	4	2.0	0.5	5.4	3	2.2	0.4	6.3
Melanoma of the Skin	121	26.9	22.1	32.6	73	33.1	25.7	42.1	48	23.1	16.5	31.4
Breast (invasive)	271	59.1	51.9	67.0	5	2.3	0.7	5.7	266	110.7	96.9	126.0
Cervix									24	12.9	7.9	19.8
Corpus and Uterus, NOS									75	29.0	22.5	37.0
Ovary									29	11.4	7.5	16.8
Prostate					250	105.4	92.5	119.9				
Testis					7	5.0	2.0	10.3				
Urinary Bladder (includes in situ)	118	23.8	19.6	28.8	92	41.8	33.6	51.7	26	9.8	6.3	15.0
Kidney and Renal Pelvis	84	19.2	15.1	24.1	50	24.2	17.8	32.4	34	14.8	9.9	21.5
Brain and Nervous System	31	7.6	5.0	11.0	17	8.5	4.8	14.0	14	6.9	3.6	12.1
Hodgkin Lymphoma	5	1.3	0.4	3.2	1	0.7	0.0	3.8	4	1.8	0.4	5.1
Non-Hodgkin Lymphoma	107	22.3	18.1	27.2	68	30.8	23.7	39.5	39	15.0	10.4	21.1
Myeloma	27	5.2	3.4	7.8	10	4.1	1.9	7.9	17	6.3	3.7	10.6
Leukemia	60	13.1	9.8	17.1	41	19.2	13.6	26.4	19	7.6	4.4	12.6
All Other Sites	294	65.2	57.6	73.6	117	54.5	44.8	65.8	177	75.6	64.1	88.7
Breast in situ (not in total)									56	28.3	20.9	37.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	14,736	498.9	490.7	507.2	7,348	541.0	528.1	554.1	7,388	472.6	461.7	483.7
Oral Cavity and Pharynx	387	12.6	11.3	13.9	283	18.8	16.6	21.2	104	6.7	5.5	8.2
Esophagus	169	5.7	4.9	6.7	138	10.0	8.3	11.9	31	2.1	1.4	3.0
Stomach	196	6.8	5.9	7.8	123	9.5	7.8	11.4	73	4.6	3.6	5.8
Colon and Rectum	1,244	43.0	40.6	45.5	696	52.2	48.2	56.4	548	35.2	32.3	38.4
Liver	176	5.6	4.8	6.5	133	8.7	7.3	10.5	43	2.8	2.0	3.8
Pancreas	419	14.6	13.2	16.1	248	19.0	16.7	21.7	171	10.9	9.3	12.7
Lung and Bronchus	1,877	65.8	62.8	69.0	933	73.5	68.6	78.5	944	60.7	56.8	64.7
Bones and Joints	21	0.7	0.4	1.1	12	0.9	0.4	1.5	9	0.6	0.3	1.1
Melanoma of the Skin	700	23.5	21.7	25.3	391	28.1	25.3	31.2	309	20.2	18.0	22.7
Breast (invasive)	2,238	74.0	70.9	77.2	15	1.1	0.6	1.9	2,223	140.6	134.7	146.7
Cervix									98	6.7	5.4	8.2
Corpus and Uterus, NOS									516	30.6	28.0	33.5
Ovary									159	9.8	8.3	11.5
Prostate					1,705	115.1	109.5	121.0				
Testis					94	7.0	5.7	8.6				
Urinary Bladder (includes in situ)	722	25.5	23.6	27.4	555	45.0	41.2	49.1	167	10.4	8.8	12.1
Kidney and Renal Pelvis	535	17.6	16.1	19.2	342	23.8	21.3	26.6	193	12.1	10.5	14.0
Brain and Nervous System	199	7.0	6.0	8.1	109	7.8	6.4	9.5	90	6.2	5.0	7.6
Hodgkin Lymphoma	111	4.1	3.3	4.9	60	4.4	3.3	5.7	51	3.7	2.8	4.9
Non-Hodgkin Lymphoma	613	21.5	19.8	23.3	347	26.9	24.0	30.0	266	17.2	15.1	19.4
Myeloma	180	6.1	5.3	7.1	101	7.5	6.0	9.2	79	5.1	4.0	6.4
Leukemia	470	16.4	14.9	18.0	259	19.9	17.5	22.6	211	13.5	11.7	15.5
All Other Sites	1,907	66.8	63.7	69.9	804	61.7	57.3	66.3	1,103	72.9	68.6	77.4
Breast in situ (not in total)									609	38.1	35.0	41.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,456	476.5	465.4	487.9	3,616	492.5	476.1	509.3	3,840	472.8	457.2	488.8
Oral Cavity and Pharynx	213	13.2	11.5	15.2	157	20.3	17.1	23.9	56	6.7	5.0	8.8
Esophagus	85	5.1	4.1	6.4	63	8.2	6.3	10.6	22	2.4	1.5	3.8
Stomach	105	6.5	5.3	7.9	72	9.7	7.5	12.3	33	4.0	2.7	5.7
Colon and Rectum	545	34.8	31.8	37.9	277	38.0	33.5	42.9	268	32.1	28.2	36.4
Liver	101	6.0	4.9	7.3	75	9.5	7.4	12.0	26	2.9	1.9	4.4
Pancreas	205	12.4	10.7	14.3	96	12.6	10.1	15.5	109	12.2	9.9	14.8
Lung and Bronchus	1,150	69.7	65.6	73.9	572	76.0	69.8	82.7	578	65.7	60.3	71.5
Bones and Joints	11	0.9	0.4	1.6	5	0.8	0.3	1.9	6	0.9	0.3	2.1
Melanoma of the Skin	407	27.8	25.0	30.7	223	31.9	27.7	36.5	184	25.5	21.8	29.8
Breast (invasive)	1,096	71.9	67.6	76.5	15	2.0	1.1	3.5	1,081	134.7	126.4	143.5
Cervix									51	8.7	6.4	11.5
Corpus and Uterus, NOS									260	31.1	27.2	35.3
Ovary									94	11.6	9.3	14.4
Prostate					686	86.5	80.1	93.4				
Testis					39	7.8	5.5	10.7				
Urinary Bladder (includes in situ)	367	22.7	20.3	25.2	273	38.2	33.7	43.2	94	10.5	8.4	13.0
Kidney and Renal Pelvis	281	18.3	16.2	20.7	171	23.8	20.3	27.9	110	13.5	11.0	16.5
Brain and Nervous System	98	6.9	5.6	8.5	65	9.9	7.6	12.8	33	4.1	2.8	6.0
Hodgkin Lymphoma	39	3.4	2.4	4.7	22	3.9	2.4	5.9	17	2.9	1.7	4.7
Non-Hodgkin Lymphoma	306	19.5	17.3	21.9	172	23.9	20.3	27.9	134	15.8	13.1	19.0
Myeloma	111	6.8	5.6	8.3	63	8.5	6.5	11.0	48	5.3	3.9	7.2
Leukemia	221	14.6	12.7	16.7	122	17.5	14.5	21.1	99	12.2	9.8	15.0
All Other Sites	985	65.5	61.4	69.9	448	63.4	57.5	69.8	537	69.9	63.8	76.4
Breast in situ (not in total)									249	32.3	28.2	36.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	46,209	484.4	479.9	488.9	22,361	558.9	551.2	566.6	23,848	437.6	431.9	443.2
Oral Cavity and Pharynx	1,043	10.6	9.9	11.3	707	17.0	15.7	18.3	336	6.0	5.4	6.7
Esophagus	436	4.4	4.0	4.9	301	7.5	6.6	8.4	135	2.4	2.0	2.8
Stomach	1,026	11.2	10.5	11.9	547	14.9	13.6	16.3	479	8.9	8.1	9.7
Colon and Rectum	4,789	51.2	49.7	52.7	2,372	62.0	59.4	64.6	2,417	44.3	42.5	46.2
Liver	904	8.6	8.0	9.2	656	14.6	13.4	15.8	248	4.2	3.7	4.8
Pancreas	1,547	16.7	15.8	17.6	716	18.6	17.2	20.1	831	15.3	14.2	16.4
Lung and Bronchus	6,913	73.6	71.9	75.4	3,522	93.0	89.8	96.2	3,391	61.1	59.1	63.3
Bones and Joints	68	0.7	0.5	0.9	38	0.9	0.6	1.2	30	0.6	0.4	0.8
Melanoma of the Skin	71	0.8	0.6	1.0	30	0.8	0.5	1.1	41	0.8	0.6	1.1
Breast (invasive)	7,420	78.5	76.7	80.3	81	2.2	1.7	2.7	7,339	135.2	132.1	138.4
Cervix									539	10.4	9.5	11.3
Corpus and Uterus, NOS									1,732	30.3	28.9	31.8
Ovary									517	9.7	8.9	10.6
Prostate					7,202	170.2	166.1	174.4				
Testis					61	1.4	1.1	1.8				
Urinary Bladder (includes in situ)	1,109	12.3	11.5	13.0	762	21.2	19.7	22.8	347	6.4	5.8	7.2
Kidney and Renal Pelvis	1,917	20.0	19.1	20.9	1,183	28.8	27.2	30.6	734	13.5	12.5	14.5
Brain and Nervous System	372	3.9	3.5	4.3	202	4.7	4.1	5.5	170	3.2	2.8	3.8
Hodgkin Lymphoma	257	2.6	2.3	3.0	145	3.2	2.7	3.8	112	2.1	1.8	2.6
Non-Hodgkin Lymphoma	1,295	14.0	13.2	14.8	668	16.9	15.6	18.3	627	11.9	10.9	12.8
Myeloma	1,153	12.5	11.8	13.3	535	14.2	12.9	15.5	618	11.4	10.5	12.4
Leukemia	982	10.5	9.8	11.2	513	13.2	12.0	14.4	469	8.7	8.0	9.6
All Other Sites	4,856	51.9	50.4	53.4	2,120	53.7	51.4	56.2	2,736	51.1	49.2	53.1
Breast in situ (not in total)									1,962	35.6	34.0	37.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	440	457.4	413.2	504.7	221	518.6	446.5	598.4	219	410.2	355.5	470.5
Oral Cavity and Pharynx	5	4.3	1.4	10.4	3	6.0	1.2	18.6	2	3.0	0.4	11.3
Esophagus	5	5.2	1.6	12.4	3	6.1	1.2	18.9	2	4.3	0.4	15.0
Stomach	6	6.0	2.0	13.4	0				6	10.7	3.7	23.6
Colon and Rectum	35	35.7	24.4	50.3	19	43.2	24.9	69.3	16	29.6	16.6	48.4
Liver	15	12.8	7.1	21.4	13	25.2	13.1	44.3	2	2.8	0.3	11.0
Pancreas	18	18.0	10.3	28.9	6	15.3	5.1	34.1	12	19.8	10.0	35.0
Lung and Bronchus	52	60.4	44.2	80.0	24	57.9	35.6	88.3	28	60.6	39.4	88.0
Bones and Joints	0				0				0			
Melanoma of the Skin	1	1.7	0.0	7.6	0				1	2.3	0.1	11.3
Breast (invasive)	76	78.6	61.2	99.2	2	4.9	0.5	18.3	74	135.2	105.3	170.6
Cervix									4	6.7	1.8	17.2
Corpus and Uterus, NOS									5	8.5	2.6	20.2
Ovary									7	14.3	5.5	29.4
Prostate					83	191.7	149.3	241.8				
Testis					1	2.1	0.1	12.8				
Urinary Bladder (includes in situ)	11	10.5	4.8	19.7	6	13.9	3.8	33.6	5	8.5	2.4	20.9
Kidney and Renal Pelvis	24	23.2	14.4	35.2	16	36.1	18.7	61.8	8	14.5	6.0	28.7
Brain and Nervous System	3	2.4	0.5	7.6	3	5.3	1.0	17.3	0			
Hodgkin Lymphoma	2	2.4	0.3	8.3	2	5.5	0.6	19.4	0			
Non-Hodgkin Lymphoma	13	15.5	8.0	26.5	8	25.3	9.9	50.5	5	9.7	3.0	22.5
Myeloma	14	15.5	8.1	26.4	8	20.1	7.9	40.8	6	12.4	4.2	26.9
Leukemia	5	4.5	1.3	11.1	2	6.0	0.5	21.4	3	3.8	0.8	12.3
All Other Sites	55	60.7	44.9	79.8	22	54.1	32.7	83.5	33	63.6	43.0	90.0
Breast in situ (not in total)									17	32.7	18.6	52.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	34,440	488.4	483.1	493.7	16,298	563.5	554.6	572.6	18,142	442.3	435.8	449.0
Oral Cavity and Pharynx	795	11.0	10.2	11.8	538	18.1	16.5	19.7	257	6.1	5.4	6.9
Esophagus	338	4.6	4.1	5.1	232	7.8	6.8	9.0	106	2.4	2.0	2.9
Stomach	799	11.6	10.8	12.5	418	15.5	14.0	17.2	381	9.2	8.3	10.2
Colon and Rectum	3,545	50.9	49.2	52.7	1,717	61.8	58.8	64.8	1,828	44.1	42.1	46.2
Liver	642	8.4	7.8	9.1	457	14.4	13.0	15.8	185	4.2	3.6	4.9
Pancreas	1,194	17.1	16.1	18.1	546	19.3	17.6	21.0	648	15.5	14.3	16.8
Lung and Bronchus	5,173	73.1	71.1	75.1	2,587	92.5	88.9	96.3	2,586	60.9	58.5	63.3
Bones and Joints	45	0.7	0.5	0.9	26	0.8	0.5	1.2	19	0.5	0.3	0.8
Melanoma of the Skin	51	0.8	0.6	1.0	21	0.8	0.5	1.2	30	0.8	0.5	1.1
Breast (invasive)	5,674	82.1	79.9	84.3	62	2.3	1.7	2.9	5,612	138.5	134.8	142.3
Cervix									412	11.0	9.9	12.1
Corpus and Uterus, NOS									1,354	31.6	29.9	33.4
Ovary									405	10.1	9.1	11.1
Prostate					5,237	171.6	166.9	176.5				
Testis					42	1.6	1.1	2.1				
Urinary Bladder (includes in situ)	840	12.2	11.4	13.1	566	21.3	19.5	23.2	274	6.6	5.8	7.4
Kidney and Renal Pelvis	1,343	19.1	18.1	20.2	797	27.4	25.5	29.4	546	13.3	12.2	14.5
Brain and Nervous System	252	3.8	3.3	4.3	127	4.4	3.7	5.3	125	3.3	2.7	3.9
Hodgkin Lymphoma	182	2.8	2.4	3.2	104	3.6	2.9	4.4	78	2.1	1.7	2.7
Non-Hodgkin Lymphoma	960	14.3	13.4	15.2	485	17.3	15.8	19.0	475	12.1	11.1	13.3
Myeloma	882	12.8	11.9	13.6	405	14.6	13.1	16.1	477	11.6	10.6	12.7
Leukemia	718	10.5	9.7	11.3	370	13.3	11.9	14.8	348	8.7	7.8	9.7
All Other Sites	3,557	51.7	50.0	53.4	1,561	55.2	52.4	58.1	1,996	49.6	47.4	51.9
Breast in situ (not in total)									1,442	34.9	33.1	36.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	754	435.2	400.2	472.1	340	466.7	409.8	528.9	414	409.8	366.5	456.6
Oral Cavity and Pharynx	9	6.0	2.4	12.1	7	12.8	4.1	28.4	2	1.6	0.2	6.4
Esophagus	6	4.4	1.3	10.0	3	5.5	0.9	16.9	3	3.2	0.5	9.8
Stomach	18	12.8	6.9	21.2	8	13.7	5.1	28.7	10	11.3	4.8	21.8
Colon and Rectum	90	51.2	39.8	64.6	42	58.5	39.7	82.7	48	45.5	32.3	62.0
Liver	10	4.1	2.0	8.0	8	7.5	3.2	16.6	2	1.5	0.2	6.3
Pancreas	16	10.9	5.7	18.5	5	7.0	2.1	17.3	11	13.2	5.9	24.5
Lung and Bronchus	64	45.2	33.5	59.2	31	59.6	37.7	88.1	33	36.3	23.8	52.6
Bones and Joints	2	1.7	0.1	6.2	1	0.6	0.0	7.6	1	1.8	0.0	8.3
Melanoma of the Skin	4	3.1	0.7	8.2	2	4.9	0.3	17.9	2	2.3	0.3	8.3
Breast (invasive)	143	81.8	67.1	98.5	1	0.9	0.0	8.1	142	138.5	114.0	166.4
Cervix									9	6.3	2.9	12.6
Corpus and Uterus, NOS									24	25.0	14.9	38.9
Ovary									8	9.7	3.6	19.9
Prostate					139	168.4	137.9	203.6				
Testis					3	2.1	0.4	9.4				
Urinary Bladder (includes in situ)	14	9.2	4.6	16.1	9	15.0	6.0	30.3	5	4.8	1.4	12.0
Kidney and Renal Pelvis	37	23.2	15.4	33.1	25	39.6	23.0	62.5	12	12.7	5.9	23.2
Brain and Nervous System	7	3.0	1.2	6.5	4	3.7	1.0	11.7	3	2.4	0.5	7.5
Hodgkin Lymphoma	4	1.4	0.4	4.4	2	1.6	0.2	8.8	2	1.4	0.2	6.0
Non-Hodgkin Lymphoma	27	16.4	9.9	25.2	11	15.5	6.6	30.2	16	16.7	8.5	28.9
Myeloma	20	11.3	6.3	18.3	7	7.8	3.0	17.7	13	13.6	6.5	24.5
Leukemia	16	9.2	4.8	15.8	5	6.2	1.7	16.1	11	11.1	5.0	21.0
All Other Sites	84	44.7	34.5	56.7	27	35.8	21.2	55.9	57	50.8	37.4	67.4
Breast in situ (not in total)									54	42.8	31.6	56.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	559	434.6	396.8	474.8	291	503.4	441.2	571.3	268	382.5	335.9	433.5
Oral Cavity and Pharynx	14	10.5	5.5	18.0	11	19.2	8.7	35.9	3	3.6	0.7	11.1
Esophagus	5	3.5	1.1	8.5	5	7.6	2.4	18.6	0			
Stomach	15	12.9	6.8	21.8	10	20.7	8.3	40.8	5	7.9	2.5	18.4
Colon and Rectum	51	40.9	29.8	54.7	30	58.2	37.6	85.2	21	28.3	17.0	44.0
Liver	13	9.0	4.6	15.8	11	17.5	8.3	32.5	2	2.0	0.2	8.3
Pancreas	21	20.6	12.2	32.0	10	22.6	9.8	42.9	11	19.2	9.1	34.6
Lung and Bronchus	67	55.4	42.0	71.4	37	69.4	46.7	98.4	30	44.7	29.4	64.8
Bones and Joints	1	0.5	0.0	3.6	1	0.9	0.0	8.1	0			
Melanoma of the Skin	1	0.7	0.0	4.1	1	1.4	0.0	9.2	0			
Breast (invasive)	95	69.9	55.9	86.1	0				95	129.3	103.9	158.9
Cervix									9	11.0	5.0	21.2
Corpus and Uterus, NOS									14	19.5	10.3	33.4
Ovary									6	9.0	3.2	19.6
Prostate					115	181.3	147.5	220.5				
Testis					0							
Urinary Bladder (includes in situ)	11	10.1	4.6	18.7	10	19.8	8.1	38.8	1	2.5	0.1	11.3
Kidney and Renal Pelvis	21	13.8	8.3	21.6	12	15.7	7.9	28.5	9	11.7	5.0	23.0
Brain and Nervous System	4	2.5	0.7	6.9	2	2.8	0.3	11.4	2	2.3	0.3	9.1
Hodgkin Lymphoma	5	3.1	1.0	7.6	2	2.3	0.3	10.4	3	3.7	0.7	11.2
Non-Hodgkin Lymphoma	16	14.5	8.0	23.9	8	18.1	7.2	36.1	8	12.2	5.0	24.3
Myeloma	12	10.4	5.0	18.7	5	11.3	2.9	27.4	7	10.2	3.9	21.4
Leukemia	8	7.4	2.9	15.1	1	0.9	0.0	8.2	7	11.9	4.4	24.8
All Other Sites	55	45.1	33.2	59.7	20	33.7	19.7	53.5	35	53.5	36.4	75.3
Breast in situ (not in total)									24	33.1	20.9	49.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	462	590.5	535.8	649.0	246	678.1	591.5	773.3	216	517.6	449.1	593.3
Oral Cavity and Pharynx	10	9.2	4.4	17.5	6	11.8	4.3	27.3	4	6.9	1.9	19.0
Esophagus	3	3.5	0.7	10.7	2	3.9	0.5	16.5	1	2.7	0.1	14.0
Stomach	9	12.1	5.4	23.0	5	16.0	4.8	37.4	4	9.9	2.6	25.1
Colon and Rectum	55	67.5	50.3	88.7	28	73.8	47.9	108.4	27	61.1	39.8	89.6
Liver	11	10.3	5.1	19.0	9	17.8	8.1	35.2	2	3.9	0.5	15.0
Pancreas	16	21.2	11.8	34.8	7	23.1	8.9	47.6	9	20.0	8.8	38.6
Lung and Bronchus	66	87.4	66.8	112.1	37	114.6	78.8	160.1	29	67.2	44.4	97.3
Bones and Joints	1	0.9	0.0	6.1	0				1	1.9	0.0	11.9
Melanoma of the Skin	0				0				0			
Breast (invasive)	68	91.6	70.6	116.7	1	2.5	0.1	14.8	67	164.8	126.9	210.1
Cervix									0			
Corpus and Uterus, NOS									10	24.8	11.6	45.8
Ovary									5	12.1	3.8	28.3
Prostate					82	213.1	167.5	267.1				
Testis					0							
Urinary Bladder (includes in situ)	17	21.2	12.1	34.5	12	33.4	16.6	59.3	5	10.6	3.3	25.4
Kidney and Renal Pelvis	18	23.8	13.8	38.2	9	25.2	10.8	49.3	9	22.6	10.1	43.0
Brain and Nervous System	2	2.6	0.3	9.4	0				2	5.0	0.6	18.0
Hodgkin Lymphoma	4	4.2	1.1	11.3	3	6.6	1.2	21.1	1	1.7	0.0	11.4
Non-Hodgkin Lymphoma	14	19.8	10.7	33.3	9	26.3	11.6	50.4	5	14.0	4.5	32.0
Myeloma	8	11.8	5.0	23.1	4	13.8	3.6	34.5	4	10.2	2.7	25.8
Leukemia	7	8.3	3.2	17.7	5	14.8	4.3	35.4	2	3.7	0.4	14.7
All Other Sites	56	77.6	58.0	101.4	27	81.5	52.6	119.8	29	74.6	49.4	107.7
Breast in situ (not in total)									17	40.9	23.4	66.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,000	448.8	419.8	479.3	501	504.7	456.5	556.4	499	410.9	374.3	449.9
Oral Cavity and Pharynx	18	8.2	4.7	13.2	9	7.9	3.5	15.5	9	7.7	3.4	14.7
Esophagus	5	2.7	0.8	6.2	3	4.2	0.7	12.3	2	1.7	0.2	6.3
Stomach	27	13.7	8.8	20.3	15	16.8	8.9	28.4	12	10.8	5.4	19.1
Colon and Rectum	96	46.5	37.1	57.3	51	60.1	43.1	81.0	45	38.6	27.8	52.0
Liver	17	6.3	3.5	10.5	13	12.2	5.6	22.7	4	2.4	0.7	6.6
Pancreas	41	19.5	13.7	26.8	19	19.0	10.7	30.8	22	20.1	12.3	30.7
Lung and Bronchus	146	71.1	59.3	84.3	76	87.3	67.0	111.4	70	59.4	45.8	75.6
Bones and Joints	3	1.2	0.2	3.7	2	1.6	0.2	6.7	1	0.8	0.0	4.6
Melanoma of the Skin	3	1.5	0.3	4.3	1	0.9	0.0	5.7	2	1.6	0.2	5.9
Breast (invasive)	163	72.5	61.3	85.2	5	7.6	2.2	17.4	158	127.0	107.3	149.1
Cervix									14	10.9	5.8	18.6
Corpus and Uterus, NOS									41	32.8	23.2	45.0
Ovary									10	8.0	3.8	14.7
Prostate					161	140.3	117.8	165.7				
Testis					1	0.5	0.0	4.7				
Urinary Bladder (includes in situ)	15	8.2	4.5	13.6	11	15.8	7.3	28.8	4	3.8	1.0	9.5
Kidney and Renal Pelvis	34	14.5	9.7	20.7	30	29.0	18.6	42.9	4	3.0	0.7	8.0
Brain and Nervous System	13	5.4	2.8	9.4	10	7.4	3.5	14.3	3	3.1	0.6	8.6
Hodgkin Lymphoma	5	1.5	0.5	3.9	3	1.8	0.4	6.7	2	1.3	0.1	5.1
Non-Hodgkin Lymphoma	24	11.6	7.2	17.6	14	16.2	7.9	28.6	10	9.0	4.1	16.7
Myeloma	27	12.3	7.9	18.2	12	14.0	6.8	25.2	15	11.3	6.2	18.9
Leukemia	22	8.5	5.2	13.1	15	11.6	6.3	19.9	7	5.4	2.1	11.5
All Other Sites	114	50.8	41.4	61.7	50	50.6	35.8	69.0	64	52.3	39.9	67.3
Breast in situ (not in total)									36	29.2	20.2	40.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	485	554.4	504.1	608.2	273	732.1	640.0	833.2	212	430.8	373.3	494.4
Oral Cavity and Pharynx	17	21.4	11.9	34.9	12	39.4	18.4	71.5	5	10.4	3.2	24.5
Esophagus	6	6.1	2.2	13.7	4	9.1	2.4	24.9	2	3.8	0.4	14.0
Stomach	9	11.9	5.3	22.7	6	17.0	6.0	37.6	3	6.7	1.3	19.4
Colon and Rectum	52	63.8	47.0	84.5	27	81.1	51.2	120.9	25	53.7	34.3	79.8
Liver	10	9.0	4.3	17.1	7	14.0	5.5	30.7	3	4.7	1.0	14.8
Pancreas	12	13.5	6.9	23.9	3	6.0	1.2	19.7	9	17.9	8.1	34.2
Lung and Bronchus	90	100.3	79.8	124.2	55	148.5	108.2	198.3	35	66.9	46.1	93.9
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	45	50.0	36.0	67.5	1	4.2	0.1	20.1	44	86.6	62.4	116.9
Cervix									3	6.7	1.4	19.3
Corpus and Uterus, NOS									15	29.0	16.0	48.3
Ovary									6	10.6	3.8	23.8
Prostate					87	211.0	166.5	263.7				
Testis					0							
Urinary Bladder (includes in situ)	12	15.6	7.8	27.4	5	17.8	4.7	43.0	7	16.4	6.4	33.6
Kidney and Renal Pelvis	18	20.5	11.8	32.8	15	37.2	19.8	63.4	3	7.4	1.4	21.0
Brain and Nervous System	2	1.8	0.2	7.2	2	3.9	0.5	16.6	0			
Hodgkin Lymphoma	1	1.4	0.0	7.1	1	3.1	0.1	16.9	0			
Non-Hodgkin Lymphoma	16	20.0	11.1	32.7	9	31.7	13.5	61.1	7	13.3	5.2	28.0
Myeloma	13	14.2	7.2	24.9	7	16.4	6.2	35.7	6	11.3	4.0	25.2
Leukemia	9	10.1	4.5	19.6	5	13.7	3.7	34.0	4	8.7	2.2	22.3
All Other Sites	62	75.7	57.4	97.7	27	77.8	48.9	116.5	35	76.8	53.1	107.1
Breast in situ (not in total)									20	39.9	24.0	62.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	469	512.5	465.0	563.2	222	568.5	491.2	653.9	247	469.1	410.3	533.5
Oral Cavity and Pharynx	11	11.3	5.5	20.5	3	6.2	1.3	19.3	8	15.2	6.3	30.3
Esophagus	5	6.9	2.1	15.7	5	17.4	5.1	39.9	0			
Stomach	6	7.7	2.6	16.6	4	13.9	3.3	35.1	2	4.6	0.4	15.9
Colon and Rectum	48	55.1	40.0	73.8	27	79.2	50.4	117.2	21	39.0	23.7	60.1
Liver	6	5.5	2.0	12.3	6	12.3	4.3	28.0	0			
Pancreas	12	12.7	6.3	22.5	4	10.2	2.6	26.3	8	14.9	6.1	29.7
Lung and Bronchus	90	104.6	83.1	129.5	33	98.8	66.4	140.2	57	108.6	81.2	141.9
Bones and Joints	1	0.7	0.0	4.8	0				1	1.4	0.0	9.0
Melanoma of the Skin	0				0				0			
Breast (invasive)	71	76.1	58.8	96.8	0				71	133.5	103.2	169.5
Cervix									6	10.9	3.9	23.9
Corpus and Uterus, NOS									14	26.7	14.3	45.0
Ovary									4	8.7	2.2	21.9
Prostate					64	142.8	108.2	184.7				
Testis					1	2.7	0.1	14.5				
Urinary Bladder (includes in situ)	10	10.8	4.9	20.1	8	19.8	7.9	40.2	2	4.0	0.4	14.3
Kidney and Renal Pelvis	26	28.5	18.3	42.2	21	54.7	33.0	84.7	5	8.8	2.7	20.8
Brain and Nervous System	5	6.0	1.9	14.0	3	8.0	1.4	24.0	2	4.4	0.5	14.9
Hodgkin Lymphoma	3	2.8	0.6	8.3	2	4.5	0.5	16.9	1	1.5	0.0	9.3
Non-Hodgkin Lymphoma	13	13.2	6.8	23.0	8	18.4	7.6	37.2	5	9.2	2.9	21.6
Myeloma	7	7.4	2.9	15.3	2	4.6	0.6	17.2	5	8.9	2.8	21.0
Leukemia	18	19.6	11.2	31.4	5	13.3	4.0	31.4	13	23.4	12.2	40.3
All Other Sites	48	53.2	38.6	71.2	26	61.7	38.7	92.8	22	45.5	28.0	69.2
Breast in situ (not in total)									24	43.1	27.4	64.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	760	554.0	513.2	597.0	395	667.1	598.1	741.4	365	472.5	423.2	525.9
Oral Cavity and Pharynx	14	10.2	5.3	17.6	12	19.7	9.4	35.7	2	3.2	0.3	11.1
Esophagus	9	8.1	3.5	15.3	6	11.2	3.9	24.6	3	5.7	1.1	15.6
Stomach	15	11.8	6.4	19.7	7	14.8	5.6	30.5	8	10.4	4.3	20.7
Colon and Rectum	71	54.5	41.9	69.5	38	76.8	53.0	106.9	33	39.6	26.8	56.3
Liver	9	6.0	2.6	11.8	6	8.0	2.8	18.5	3	4.1	0.7	11.9
Pancreas	19	14.3	8.3	22.8	10	18.6	8.3	35.1	9	11.2	4.9	21.5
Lung and Bronchus	132	97.9	81.0	117.0	72	129.3	99.1	165.2	60	75.5	56.8	98.1
Bones and Joints	1	0.4	0.0	3.3	0				1	0.9	0.0	6.0
Melanoma of the Skin	1	0.5	0.0	3.5	0				1	1.0	0.0	6.2
Breast (invasive)	124	96.4	79.5	115.7	2	6.4	0.8	20.0	122	165.8	136.6	199.0
Cervix									9	10.5	4.7	20.2
Corpus and Uterus, NOS									23	26.2	16.4	39.8
Ovary									3	4.8	0.9	13.6
Prostate					123	183.5	151.1	220.7				
Testis					2	3.6	0.4	12.7				
Urinary Bladder (includes in situ)	19	13.9	8.2	22.0	17	30.5	17.0	49.7	2	2.2	0.3	8.3
Kidney and Renal Pelvis	43	31.8	22.6	43.3	27	42.1	27.0	62.5	16	23.9	13.2	39.0
Brain and Nervous System	11	6.4	3.0	12.1	6	9.8	3.2	22.4	5	4.5	1.3	11.5
Hodgkin Lymphoma	6	2.8	1.0	6.6	3	2.9	0.6	10.4	3	2.7	0.6	8.7
Non-Hodgkin Lymphoma	25	17.9	11.3	26.8	16	26.1	14.2	43.6	9	11.5	5.0	22.2
Myeloma	11	9.9	4.7	17.7	7	13.5	4.9	28.6	4	7.1	1.9	17.3
Leukemia	17	10.4	5.8	17.3	5	4.8	1.5	13.1	12	14.4	7.2	25.7
All Other Sites	73	55.1	42.6	70.0	36	65.3	44.3	92.2	37	47.6	33.0	66.2
Breast in situ (not in total)									19	26.7	15.6	42.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	274	431.5	380.1	487.7	157	531.5	446.3	627.4	117	354.3	291.4	426.2
Oral Cavity and Pharynx	7	10.8	4.1	22.6	7	23.6	8.8	49.9	0			
Esophagus	4	6.8	1.7	17.1	2	6.0	0.7	22.3	2	6.8	0.7	23.7
Stomach	5	7.9	2.5	18.6	2	5.5	0.7	21.1	3	9.8	2.0	27.9
Colon and Rectum	23	37.0	23.0	55.9	17	54.5	30.7	88.7	6	18.4	6.5	40.1
Liver	6	8.0	2.9	17.7	6	16.6	6.1	36.9	0			
Pancreas	10	15.2	7.1	28.4	6	21.9	7.4	48.2	4	10.5	2.8	27.7
Lung and Bronchus	59	97.9	73.6	127.1	31	107.8	71.0	155.6	28	89.8	58.9	130.5
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	36	53.3	37.0	74.2	0				36	106.9	74.1	148.8
Cervix									2	6.8	0.8	23.3
Corpus and Uterus, NOS									8	19.4	8.3	39.0
Ovary									1	3.5	0.1	17.8
Prostate					46	164.8	118.4	222.2				
Testis					1	1.9	0.0	14.9				
Urinary Bladder (includes in situ)	7	10.2	3.9	21.3	6	16.8	6.1	37.6	1	3.5	0.1	17.8
Kidney and Renal Pelvis	14	24.0	12.8	40.5	8	30.5	12.1	61.2	6	19.3	7.0	41.4
Brain and Nervous System	1	0.8	0.0	6.7	0				1	1.7	0.0	13.2
Hodgkin Lymphoma	2	2.2	0.3	8.9	1	1.9	0.0	14.9	1	2.7	0.1	15.6
Non-Hodgkin Lymphoma	6	8.4	3.0	18.4	6	15.7	5.7	35.5	0			
Myeloma	5	9.2	2.8	21.1	4	18.2	4.3	45.9	1	3.5	0.1	17.7
Leukemia	1	1.0	0.0	7.1	1	1.9	0.0	15.0	0			
All Other Sites	30	47.7	31.5	68.9	13	44.2	21.7	78.2	17	51.9	29.8	83.6
Breast in situ (not in total)									8	26.3	11.1	51.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	516	540.7	492.2	592.4	239	572.6	493.6	659.9	277	520.1	458.1	587.7
Oral Cavity and Pharynx	11	11.2	5.4	20.2	9	24.1	9.6	48.3	2	3.1	0.4	11.6
Esophagus	4	4.3	1.0	11.5	1	2.1	0.1	13.2	3	5.7	1.0	16.9
Stomach	11	12.9	6.2	23.3	5	11.8	3.7	28.2	6	12.7	4.4	27.6
Colon and Rectum	56	53.2	39.7	69.7	27	55.2	34.8	83.3	29	52.4	34.5	75.9
Liver	15	14.1	7.5	23.9	9	20.5	8.3	41.4	6	9.1	3.3	20.3
Pancreas	17	19.6	10.9	31.8	8	23.1	8.4	48.1	9	18.1	7.9	34.5
Lung and Bronchus	85	94.0	73.9	117.5	45	111.5	77.7	154.1	40	78.6	55.2	107.8
Bones and Joints	2	1.1	0.1	5.2	1	1.1	0.0	11.2	1	1.1	0.0	8.0
Melanoma of the Skin	1	0.9	0.0	5.3	0				1	1.6	0.0	9.3
Breast (invasive)	72	77.0	59.3	98.0	2	3.8	0.5	15.6	70	132.2	101.9	168.1
Cervix									7	11.8	4.7	24.5
Corpus and Uterus, NOS									17	33.3	18.9	53.8
Ovary									7	14.3	5.4	29.6
Prostate					64	153.1	114.4	200.1				
Testis					1	1.4	0.0	11.7				
Urinary Bladder (includes in situ)	14	14.8	7.8	25.3	8	22.5	8.4	46.5	6	10.4	3.5	23.3
Kidney and Renal Pelvis	32	34.3	23.0	49.0	18	45.2	25.1	74.0	14	26.6	14.1	45.0
Brain and Nervous System	6	5.2	1.8	11.7	4	6.6	1.7	19.3	2	3.8	0.4	13.5
Hodgkin Lymphoma	2	1.9	0.2	6.9	1	2.0	0.1	13.1	1	1.8	0.0	9.7
Non-Hodgkin Lymphoma	19	17.8	10.1	28.7	8	12.9	5.3	27.7	11	20.2	9.6	36.7
Myeloma	14	17.1	8.9	29.1	6	18.0	5.7	40.5	8	16.2	6.6	32.1
Leukemia	9	9.0	3.9	17.5	5	9.9	3.2	24.3	4	7.6	1.9	19.7
All Other Sites	50	52.5	38.2	70.0	17	47.9	25.1	80.6	33	59.6	40.5	84.2
Breast in situ (not in total)									36	62.0	42.8	86.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,774	459.2	437.4	481.7	838	510.5	474.7	548.1	936	425.3	397.9	454.2
Oral Cavity and Pharynx	43	11.0	7.9	14.9	28	17.0	11.1	24.9	15	6.8	3.7	11.3
Esophagus	13	3.1	1.6	5.3	11	6.0	2.9	11.1	2	0.9	0.1	3.2
Stomach	31	8.3	5.6	11.9	17	10.4	5.9	16.8	14	6.8	3.6	11.4
Colon and Rectum	201	53.2	45.9	61.4	101	63.4	51.0	77.8	100	46.7	37.8	57.0
Liver	42	9.5	6.8	13.0	30	15.5	10.3	22.5	12	4.9	2.5	8.8
Pancreas	60	16.3	12.3	21.1	35	22.3	15.2	31.4	25	12.0	7.7	17.9
Lung and Bronchus	314	82.7	73.5	92.7	158	101.4	85.3	119.4	156	70.8	59.9	83.2
Bones and Joints	3	0.8	0.2	2.4	1	0.6	0.0	3.6	2	1.0	0.1	3.5
Melanoma of the Skin	2	0.4	0.0	1.6	1	0.4	0.0	3.0	1	0.3	0.0	2.2
Breast (invasive)	251	65.6	57.5	74.5	1	0.4	0.0	3.0	250	112.6	98.8	127.8
Cervix									27	12.0	7.8	17.5
Corpus and Uterus, NOS									78	33.9	26.7	42.6
Ovary									21	10.3	6.3	15.8
Prostate					220	125.6	108.8	144.2				
Testis					3	1.6	0.3	4.9				
Urinary Bladder (includes in situ)	36	10.6	7.4	14.8	25	18.8	11.9	28.0	11	5.4	2.7	9.8
Kidney and Renal Pelvis	104	26.3	21.3	32.0	67	40.2	30.7	51.5	37	16.7	11.7	23.2
Brain and Nervous System	12	2.9	1.4	5.1	6	3.2	1.2	7.2	6	2.6	0.9	5.8
Hodgkin Lymphoma	5	1.2	0.4	2.8	3	1.5	0.3	4.8	2	0.9	0.1	3.2
Non-Hodgkin Lymphoma	38	10.1	7.1	13.9	15	10.0	5.4	16.6	23	10.5	6.6	15.8
Myeloma	39	10.4	7.3	14.3	15	8.8	4.7	14.8	24	11.3	7.1	17.0
Leukemia	35	9.7	6.7	13.6	21	14.4	8.7	22.3	14	6.7	3.6	11.3
All Other Sites	196	51.0	44.0	58.9	80	49.0	38.4	61.6	116	52.2	43.0	62.8
Breast in situ (not in total)									87	39.2	31.2	48.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	200	475.6	409.3	549.1	122	648.0	529.9	782.7	78	349.8	274.3	438.9
Oral Cavity and Pharynx	5	13.5	4.1	31.2	3	21.0	3.9	58.7	2	8.9	1.0	32.1
Esophagus	3	6.1	1.2	18.3	0				3	12.4	2.5	36.6
Stomach	4	9.5	2.5	24.3	2	11.6	1.4	40.1	2	8.6	1.0	31.5
Colon and Rectum	23	56.6	35.1	85.7	13	66.0	32.9	116.3	10	46.5	21.9	85.5
Liver	10	22.2	10.3	41.4	8	34.7	14.3	70.7	2	10.0	1.1	34.9
Pancreas	8	18.9	7.8	37.6	5	23.5	7.4	55.9	3	14.9	2.9	42.5
Lung and Bronchus	44	109.7	78.5	148.5	27	162.5	103.1	240.5	17	75.4	43.0	121.9
Bones and Joints	2	3.4	0.4	13.7	1	3.0	0.1	23.1	1	3.4	0.1	21.6
Melanoma of the Skin	0				0				0			
Breast (invasive)	12	29.1	14.6	51.1	0				12	55.5	28.1	97.4
Cervix									2	7.9	0.9	29.5
Corpus and Uterus, NOS									0			
Ovary									4	18.1	4.8	46.2
Prostate					36	177.9	122.4	249.1				
Testis					0							
Urinary Bladder (includes in situ)	5	13.3	4.0	30.8	4	20.7	5.3	53.5	1	6.7	0.2	31.3
Kidney and Renal Pelvis	14	32.5	16.8	55.9	9	53.3	21.7	104.5	5	18.1	5.5	44.5
Brain and Nervous System	2	3.8	0.5	14.7	1	3.5	0.1	24.3	1	3.3	0.1	21.3
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	9.9	3.0	23.9	3	13.7	2.4	42.4	2	6.7	0.8	26.6
Myeloma	1	2.4	0.1	12.9	0				1	4.0	0.1	23.2
Leukemia	7	19.5	7.3	40.3	6	36.1	11.3	81.2	1	6.7	0.2	31.3
All Other Sites	13	32.2	16.7	55.3	4	20.4	5.2	52.6	9	42.7	19.1	81.1
Breast in situ (not in total)									9	44.8	20.1	84.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,672	490.0	464.5	516.4	906	615.5	569.7	663.7	766	401.9	372.0	433.4
Oral Cavity and Pharynx	28	8.7	5.5	12.9	18	13.5	7.3	22.5	10	5.3	2.4	10.0
Esophagus	9	3.2	1.3	6.3	9	8.3	3.1	16.7	0			
Stomach	34	11.5	7.7	16.5	23	19.2	10.8	30.8	11	6.8	3.3	12.3
Colon and Rectum	183	56.8	48.1	66.5	94	70.6	54.8	89.1	89	47.8	37.7	59.6
Liver	27	6.2	3.9	9.2	22	11.4	6.7	18.1	5	1.9	0.6	4.8
Pancreas	37	13.4	9.1	18.9	18	17.5	9.2	29.2	19	11.8	6.8	18.8
Lung and Bronchus	200	67.8	57.9	78.8	112	90.9	72.7	111.9	88	51.1	40.3	63.7
Bones and Joints	4	0.9	0.2	2.6	2	0.8	0.1	4.0	2	1.1	0.1	4.0
Melanoma of the Skin	0				0				0			
Breast (invasive)	257	70.1	61.2	80.0	1	0.5	0.0	3.8	256	126.6	110.7	144.1
Cervix									12	5.3	2.7	9.5
Corpus and Uterus, NOS									57	27.4	20.4	36.1
Ovary									13	7.2	3.6	12.7
Prostate					358	214.5	190.3	240.9				
Testis					1	0.4	0.0	3.5				
Urinary Bladder (includes in situ)	41	14.8	10.2	20.5	34	29.3	18.9	42.9	7	5.0	1.9	10.3
Kidney and Renal Pelvis	73	20.8	15.9	26.7	51	30.6	22.1	41.3	22	12.2	7.4	19.0
Brain and Nervous System	18	4.8	2.7	7.8	10	5.6	2.6	10.8	8	4.0	1.6	8.2
Hodgkin Lymphoma	23	5.2	3.3	8.0	14	6.3	3.4	11.1	9	4.4	2.0	8.4
Non-Hodgkin Lymphoma	57	17.3	12.7	23.0	28	18.7	11.2	28.9	29	16.4	10.6	24.1
Myeloma	34	9.7	6.5	14.0	17	11.9	6.3	20.0	17	8.1	4.6	13.4
Leukemia	38	11.3	7.7	16.0	23	15.3	9.1	24.1	15	8.1	4.3	13.7
All Other Sites	168	50.3	42.3	59.4	71	50.2	37.5	65.4	97	51.3	41.0	63.3
Breast in situ (not in total)									95	43.6	34.9	53.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	786	509.8	473.1	548.4	381	567.2	506.6	632.5	405	472.4	426.2	522.1
Oral Cavity and Pharynx	12	6.6	3.3	11.7	9	10.9	4.9	21.3	3	2.9	0.6	9.0
Esophagus	5	3.2	1.0	7.6	3	5.5	1.0	15.8	2	1.8	0.2	6.9
Stomach	17	11.5	6.5	18.5	10	14.0	6.1	26.9	7	9.5	3.8	19.3
Colon and Rectum	85	55.2	43.6	68.8	43	66.7	46.6	91.8	42	48.5	34.6	65.9
Liver	27	15.2	9.9	22.5	17	21.7	12.1	36.0	10	10.4	4.8	19.4
Pancreas	26	19.2	12.3	28.4	12	18.8	9.0	33.8	14	18.9	10.1	31.6
Lung and Bronchus	112	79.0	64.3	95.7	60	104.6	77.5	137.3	52	63.2	46.8	83.3
Bones and Joints	2	1.8	0.2	5.9	2	4.8	0.4	16.0	0			
Melanoma of the Skin	3	2.0	0.4	5.8	0				3	3.7	0.7	10.5
Breast (invasive)	122	77.1	63.6	92.6	2	3.0	0.3	10.9	120	136.3	112.5	163.6
Cervix									9	10.2	4.6	19.4
Corpus and Uterus, NOS									23	23.7	14.7	36.0
Ovary									6	6.7	2.3	14.9
Prostate					112	157.0	127.5	191.0				
Testis					2	2.4	0.3	9.4				
Urinary Bladder (includes in situ)	21	14.7	8.8	22.7	16	25.6	13.7	42.7	5	6.8	2.1	15.5
Kidney and Renal Pelvis	39	23.6	16.5	32.6	21	26.2	15.9	40.7	18	20.7	12.0	33.1
Brain and Nervous System	4	2.3	0.5	6.2	2	1.5	0.2	7.5	2	2.5	0.3	8.9
Hodgkin Lymphoma	3	1.6	0.3	4.8	1	0.8	0.0	6.6	2	2.1	0.2	7.7
Non-Hodgkin Lymphoma	19	11.8	6.9	18.8	10	14.1	6.3	26.9	9	10.3	4.6	19.7
Myeloma	26	19.1	12.2	28.2	16	30.8	16.7	50.7	10	11.8	5.5	21.8
Leukemia	24	15.4	9.6	23.3	12	16.7	8.0	30.4	12	14.4	7.3	25.2
All Other Sites	87	57.9	45.8	72.0	31	42.3	27.9	61.4	56	68.3	51.2	89.0
Breast in situ (not in total)									14	14.8	8.0	25.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

SECTION V
County-specific Cancer Incidence Rates by Hispanic Ethnicity
Illinois, 2013-2017

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	319,651	477.6	475.9	479.3	158,417	518.4	515.8	521.0	161,234	452.2	449.9	454.5
Oral Cavity and Pharynx	8,736	12.8	12.6	13.1	6,205	19.6	19.1	20.1	2,531	7.0	6.7	7.3
Esophagus	3,472	5.0	4.8	5.1	2,739	8.7	8.4	9.1	733	1.9	1.8	2.0
Stomach	4,582	6.8	6.6	7.0	2,823	9.4	9.1	9.8	1,759	4.7	4.5	5.0
Colon and Rectum	29,132	43.4	42.9	43.9	15,222	50.7	49.9	51.6	13,910	37.5	36.9	38.2
Liver	4,234	5.9	5.8	6.1	3,082	9.4	9.0	9.7	1,152	3.0	2.8	3.2
Pancreas	9,428	13.7	13.4	14.0	4,836	15.9	15.5	16.4	4,592	11.9	11.5	12.2
Lung and Bronchus	45,848	66.7	66.0	67.3	23,479	77.4	76.3	78.4	22,369	58.9	58.1	59.7
Bones and Joints	523	0.9	0.8	1.0	288	1.0	0.9	1.2	235	0.8	0.7	0.9
Melanoma of the Skin	14,330	22.4	22.0	22.8	8,120	27.4	26.8	28.0	6,210	19.1	18.6	19.6
Breast (invasive)	48,260	74.0	73.3	74.6	426	1.4	1.3	1.5	47,834	137.1	135.8	138.4
Cervix									2,269	7.6	7.3	7.9
Corpus and Uterus, NOS									11,183	30.0	29.4	30.6
Ovary									3,923	11.2	10.8	11.5
Prostate					36,746	111.4	110.3	112.6				
Testis					1,558	6.2	5.9	6.5				
Urinary Bladder (includes in situ)	15,024	22.0	21.6	22.3	11,323	38.5	37.8	39.2	3,701	9.5	9.2	9.9
Kidney and Renal Pelvis	12,058	18.1	17.8	18.5	7,639	25.0	24.4	25.5	4,419	12.4	12.0	12.7
Brain and Nervous System	3,981	6.6	6.4	6.8	2,196	7.7	7.4	8.1	1,785	5.6	5.3	5.8
Hodgkin Lymphoma	1,587	2.9	2.8	3.1	884	3.3	3.1	3.5	703	2.6	2.4	2.8
Non-Hodgkin Lymphoma	12,915	19.6	19.3	20.0	7,052	24.0	23.4	24.6	5,863	16.2	15.7	16.6
Myeloma	4,478	6.5	6.3	6.7	2,397	7.9	7.6	8.2	2,081	5.5	5.2	5.7
Leukemia	8,641	13.4	13.1	13.7	4,962	17.2	16.8	17.7	3,679	10.5	10.1	10.8
All Other Sites	36,743	57.1	56.5	57.7	16,440	56.0	55.1	56.9	20,303	59.4	58.5	60.3
Breast in situ (not in total)									11,538	34.1	33.5	34.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	113,766	466.9	464.1	469.7	54,787	509.1	504.7	513.5	58,979	441.8	438.1	445.5
Oral Cavity and Pharynx	2,968	12.1	11.6	12.5	2,059	18.7	17.9	19.5	909	6.7	6.3	7.2
Esophagus	1,135	4.5	4.2	4.7	845	7.7	7.1	8.2	290	2.0	1.7	2.2
Stomach	2,115	8.7	8.3	9.0	1,250	12.0	11.3	12.7	865	6.2	5.8	6.6
Colon and Rectum	10,880	44.4	43.6	45.3	5,545	52.4	51.0	53.9	5,335	38.5	37.4	39.6
Liver	1,701	6.6	6.3	6.9	1,204	10.5	9.9	11.2	497	3.5	3.2	3.8
Pancreas	3,627	14.5	14.0	15.0	1,776	16.7	15.9	17.5	1,851	12.8	12.2	13.4
Lung and Bronchus	15,552	62.5	61.5	63.5	7,709	72.7	71.1	74.4	7,843	55.3	54.1	56.6
Bones and Joints	192	0.9	0.8	1.1	104	1.1	0.9	1.3	88	0.8	0.6	1.0
Melanoma of the Skin	3,839	16.3	15.8	16.9	2,236	21.5	20.6	22.4	1,603	12.9	12.3	13.6
Breast (invasive)	18,096	76.5	75.4	77.7	159	1.5	1.2	1.7	17,937	138.6	136.5	140.7
Cervix									919	7.8	7.3	8.4
Corpus and Uterus, NOS									4,326	31.2	30.2	32.2
Ovary									1,486	11.4	10.8	12.1
Prostate					13,705	119.0	117.0	121.1				
Testis					515	5.3	4.8	5.8				
Urinary Bladder (includes in situ)	4,955	19.9	19.3	20.5	3,598	34.8	33.7	36.0	1,357	9.3	8.8	9.9
Kidney and Renal Pelvis	3,861	15.9	15.4	16.5	2,417	22.4	21.5	23.3	1,444	10.7	10.2	11.3
Brain and Nervous System	1,292	5.9	5.5	6.2	686	6.8	6.3	7.4	606	5.0	4.6	5.5
Hodgkin Lymphoma	616	3.0	2.8	3.3	337	3.5	3.1	3.9	279	2.6	2.3	3.0
Non-Hodgkin Lymphoma	4,532	19.1	18.5	19.7	2,416	23.5	22.6	24.5	2,116	15.7	15.1	16.5
Myeloma	1,829	7.4	7.1	7.8	924	8.7	8.1	9.3	905	6.5	6.1	6.9
Leukemia	2,948	12.5	12.0	13.0	1,679	16.5	15.7	17.3	1,269	9.6	9.1	10.2
All Other Sites	12,677	53.6	52.7	54.6	5,623	53.9	52.5	55.4	7,054	54.5	53.1	55.8
Breast in situ (not in total)									4,413	35.4	34.3	36.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	23,220	468.3	462.0	474.5	11,245	498.4	488.9	508.1	11,975	453.1	444.7	461.6
Oral Cavity and Pharynx	613	11.9	10.9	12.9	431	18.1	16.3	19.9	182	6.7	5.7	7.8
Esophagus	226	4.5	3.9	5.1	168	7.4	6.3	8.7	58	2.1	1.6	2.7
Stomach	314	6.3	5.6	7.1	194	8.9	7.6	10.3	120	4.2	3.5	5.1
Colon and Rectum	1,939	39.0	37.3	40.9	1,016	45.4	42.6	48.4	923	33.8	31.5	36.1
Liver	253	4.8	4.3	5.5	181	7.6	6.5	8.9	72	2.5	2.0	3.2
Pancreas	616	12.2	11.2	13.2	315	14.4	12.8	16.2	301	10.5	9.3	11.8
Lung and Bronchus	2,633	53.1	51.0	55.2	1,273	58.5	55.2	61.9	1,360	49.7	47.0	52.5
Bones and Joints	48	1.1	0.8	1.5	33	1.6	1.1	2.3	15	0.7	0.4	1.2
Melanoma of the Skin	1,149	23.9	22.5	25.3	669	29.5	27.2	31.9	480	19.9	18.1	21.9
Breast (invasive)	3,853	78.0	75.5	80.7	28	1.3	0.8	1.9	3,825	145.0	140.2	149.9
Cervix									124	5.1	4.2	6.2
Corpus and Uterus, NOS									927	32.6	30.5	34.9
Ovary									314	12.0	10.6	13.4
Prostate					2,736	109.1	104.9	113.5				
Testis					135	7.4	6.2	8.8				
Urinary Bladder (includes in situ)	1,122	23.0	21.6	24.4	876	41.7	38.9	44.7	246	9.0	7.8	10.2
Kidney and Renal Pelvis	812	16.4	15.3	17.6	544	23.7	21.7	25.9	268	10.3	9.0	11.6
Brain and Nervous System	332	7.2	6.4	8.0	184	8.6	7.3	9.9	148	6.0	5.1	7.2
Hodgkin Lymphoma	118	2.9	2.4	3.5	57	2.8	2.1	3.7	61	3.0	2.3	3.9
Non-Hodgkin Lymphoma	1,044	21.4	20.1	22.8	592	27.6	25.3	30.0	452	16.6	15.1	18.3
Myeloma	332	6.7	5.9	7.4	178	8.3	7.1	9.6	154	5.6	4.7	6.6
Leukemia	703	14.9	13.7	16.0	414	19.7	17.8	21.8	289	11.3	10.0	12.7
All Other Sites	2,877	61.0	58.7	63.4	1,221	56.9	53.6	60.3	1,656	66.6	63.2	70.0
Breast in situ (not in total)									1,195	45.9	43.3	48.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	10,503	464.1	455.0	473.3	5,269	503.5	489.4	517.8	5,234	439.8	427.6	452.4
Oral Cavity and Pharynx	290	12.2	10.8	13.7	211	18.3	15.9	21.1	79	6.5	5.1	8.2
Esophagus	91	3.9	3.2	4.9	76	7.2	5.6	9.1	15	1.1	0.6	1.9
Stomach	147	6.6	5.5	7.8	103	10.3	8.3	12.5	44	3.6	2.6	4.9
Colon and Rectum	866	38.1	35.5	40.8	458	44.3	40.2	48.7	408	32.9	29.7	36.4
Liver	128	5.3	4.4	6.4	96	8.6	6.9	10.6	32	2.7	1.8	3.8
Pancreas	314	13.8	12.3	15.5	169	16.7	14.2	19.5	145	11.6	9.8	13.8
Lung and Bronchus	1,237	53.9	50.8	57.0	627	62.1	57.1	67.3	610	48.1	44.3	52.2
Bones and Joints	22	1.2	0.7	1.8	11	1.2	0.6	2.2	11	1.2	0.6	2.1
Melanoma of the Skin	569	26.0	23.8	28.3	318	31.1	27.6	34.8	251	22.5	19.7	25.6
Breast (invasive)	1,573	69.4	65.9	73.1	17	1.5	0.9	2.5	1,556	129.8	123.3	136.7
Cervix									66	6.6	5.1	8.5
Corpus and Uterus, NOS									352	27.7	24.8	30.9
Ovary									138	11.5	9.6	13.6
Prostate					1,274	108.8	102.7	115.2				
Testis					63	7.9	6.0	10.1				
Urinary Bladder (includes in situ)	587	26.2	24.1	28.5	458	46.9	42.6	51.6	129	10.3	8.5	12.3
Kidney and Renal Pelvis	396	17.2	15.5	19.1	259	24.3	21.4	27.6	137	11.2	9.3	13.3
Brain and Nervous System	157	7.6	6.4	9.0	81	8.5	6.7	10.7	76	6.8	5.3	8.6
Hodgkin Lymphoma	50	2.8	2.1	3.7	30	3.3	2.2	4.8	20	2.3	1.4	3.6
Non-Hodgkin Lymphoma	426	19.5	17.6	21.5	215	21.7	18.8	24.9	211	17.7	15.3	20.3
Myeloma	145	6.1	5.1	7.3	81	7.7	6.1	9.7	64	4.9	3.7	6.3
Leukemia	311	14.2	12.6	15.9	176	17.6	15.0	20.6	135	11.5	9.6	13.7
All Other Sites	1,301	61.6	58.2	65.2	546	55.4	50.7	60.5	755	69.4	64.3	74.8
Breast in situ (not in total)									397	33.2	29.9	36.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	15,918	465.3	457.9	472.9	7,716	483.9	472.7	495.3	8,202	456.5	446.3	466.9
Oral Cavity and Pharynx	395	10.7	9.7	11.9	261	14.9	13.1	17.0	134	6.9	5.8	8.3
Esophagus	171	4.8	4.1	5.6	134	8.2	6.8	9.8	37	1.9	1.4	2.7
Stomach	203	6.1	5.2	7.0	119	7.7	6.3	9.3	84	4.7	3.7	5.9
Colon and Rectum	1,234	36.4	34.4	38.6	662	42.4	39.1	45.9	572	31.5	28.8	34.3
Liver	154	4.4	3.7	5.2	112	6.8	5.5	8.2	42	2.3	1.7	3.2
Pancreas	505	14.6	13.3	16.0	265	16.6	14.6	18.8	240	12.7	11.1	14.5
Lung and Bronchus	1,953	57.1	54.5	59.7	944	61.3	57.3	65.5	1,009	54.1	50.7	57.6
Bones and Joints	27	0.9	0.6	1.3	14	0.9	0.5	1.5	13	0.9	0.5	1.6
Melanoma of the Skin	916	27.6	25.8	29.6	506	32.4	29.5	35.5	410	24.6	22.2	27.2
Breast (invasive)	2,750	80.6	77.5	83.8	30	1.8	1.2	2.6	2,720	150.9	145.0	156.9
Cervix									84	5.6	4.4	7.0
Corpus and Uterus, NOS									562	29.1	26.6	31.7
Ovary									202	11.3	9.8	13.1
Prostate					1,830	102.9	98.1	108.0				
Testis					72	5.8	4.5	7.3				
Urinary Bladder (includes in situ)	834	24.8	23.1	26.6	646	43.4	40.0	47.0	188	10.2	8.7	11.8
Kidney and Renal Pelvis	558	16.0	14.6	17.4	392	24.1	21.7	26.7	166	8.9	7.6	10.4
Brain and Nervous System	210	6.7	5.8	7.7	115	7.8	6.4	9.4	95	5.9	4.7	7.3
Hodgkin Lymphoma	63	2.3	1.8	3.0	33	2.2	1.5	3.2	30	2.5	1.7	3.5
Non-Hodgkin Lymphoma	744	22.0	20.4	23.6	432	28.2	25.5	31.1	312	17.2	15.3	19.3
Myeloma	211	6.0	5.2	6.9	107	6.8	5.5	8.2	104	5.4	4.4	6.6
Leukemia	468	14.5	13.1	15.9	268	18.0	15.8	20.3	200	11.5	9.9	13.2
All Other Sites	1,772	54.7	52.1	57.4	774	51.9	48.1	55.8	998	58.6	54.8	62.5
Breast in situ (not in total)									679	37.2	34.4	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	15,891	500.1	492.2	508.2	8,050	552.7	540.1	565.5	7,841	463.9	453.5	474.6
Oral Cavity and Pharynx	411	12.5	11.3	13.9	297	18.7	16.6	21.1	114	6.9	5.7	8.3
Esophagus	174	5.5	4.7	6.4	145	9.9	8.3	11.7	29	1.8	1.2	2.6
Stomach	213	6.8	5.9	7.9	130	9.4	7.7	11.2	83	4.8	3.8	6.0
Colon and Rectum	1,362	43.7	41.3	46.1	760	53.2	49.3	57.3	602	35.7	32.8	38.7
Liver	195	5.7	4.9	6.6	152	9.2	7.7	10.8	43	2.6	1.9	3.5
Pancreas	433	14.0	12.7	15.5	251	18.2	15.9	20.8	182	10.8	9.2	12.5
Lung and Bronchus	2,041	66.2	63.2	69.2	1,022	74.4	69.7	79.4	1,019	60.2	56.5	64.1
Bones and Joints	21	0.7	0.4	1.0	12	0.8	0.4	1.5	9	0.5	0.2	1.0
Melanoma of the Skin	702	22.1	20.4	23.8	397	26.8	24.2	29.8	305	18.6	16.5	20.9
Breast (invasive)	2,407	74.2	71.2	77.3	16	1.1	0.6	1.8	2,391	139.4	133.7	145.2
Cervix									98	6.2	5.0	7.5
Corpus and Uterus, NOS									555	30.1	27.6	32.8
Ovary									166	9.6	8.2	11.2
Prostate					2,048	127.7	122.0	133.7				
Testis					80	6.0	4.7	7.4				
Urinary Bladder (includes in situ)	749	24.6	22.8	26.4	580	44.0	40.4	47.9	169	9.7	8.3	11.3
Kidney and Renal Pelvis	575	17.6	16.2	19.2	375	24.4	21.9	27.1	200	11.7	10.1	13.4
Brain and Nervous System	207	6.9	6.0	8.0	110	7.6	6.2	9.2	97	6.3	5.1	7.7
Hodgkin Lymphoma	127	4.5	3.7	5.4	72	5.0	3.9	6.3	55	4.0	3.0	5.2
Non-Hodgkin Lymphoma	647	21.3	19.6	23.1	365	26.8	24.0	29.8	282	17.1	15.1	19.2
Myeloma	202	6.4	5.5	7.4	112	7.8	6.4	9.5	90	5.3	4.2	6.6
Leukemia	481	15.8	14.4	17.3	269	19.6	17.3	22.2	212	12.7	11.0	14.6
All Other Sites	1,997	65.6	62.7	68.6	857	62.0	57.7	66.5	1,140	70.1	65.9	74.3
Breast in situ (not in total)									712	40.9	37.9	44.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	22,859	347.1	342.2	352.1	10,805	360.7	353.0	368.5	12,054	342.7	336.2	349.3
Oral Cavity and Pharynx	435	6.7	6.0	7.4	286	9.2	8.0	10.4	149	4.5	3.8	5.3
Esophagus	138	2.3	1.9	2.8	115	4.0	3.2	4.9	23	0.8	0.5	1.2
Stomach	691	11.6	10.7	12.6	369	13.0	11.5	14.6	322	10.4	9.2	11.6
Colon and Rectum	2,075	32.8	31.3	34.4	1,145	38.0	35.6	40.6	930	28.4	26.5	30.4
Liver	664	10.8	9.9	11.7	482	16.0	14.4	17.6	182	6.0	5.1	7.0
Pancreas	674	12.2	11.3	13.3	363	13.8	12.3	15.5	311	10.9	9.7	12.2
Lung and Bronchus	1,438	27.2	25.7	28.7	766	32.2	29.7	34.7	672	23.4	21.6	25.3
Bones and Joints	86	0.9	0.7	1.1	50	0.9	0.7	1.3	36	0.7	0.5	1.1
Melanoma of the Skin	304	4.7	4.2	5.3	140	5.1	4.2	6.2	164	4.6	3.9	5.4
Breast (invasive)	3,532	48.9	47.2	50.7	20	0.7	0.4	1.1	3,512	95.4	92.1	98.8
Cervix									388	9.4	8.5	10.4
Corpus and Uterus, NOS									1,013	26.4	24.7	28.1
Ovary									363	10.0	8.9	11.1
Prostate					2,469	86.8	83.1	90.6				
Testis					354	5.7	5.1	6.4				
Urinary Bladder (includes in situ)	539	10.7	9.7	11.7	392	17.0	15.2	19.0	147	5.5	4.6	6.4
Kidney and Renal Pelvis	1,189	17.4	16.4	18.5	765	23.3	21.5	25.2	424	12.1	10.9	13.4
Brain and Nervous System	413	5.1	4.6	5.7	241	6.2	5.3	7.2	172	4.1	3.5	4.9
Hodgkin Lymphoma	236	2.7	2.3	3.1	141	3.3	2.7	3.9	95	2.2	1.7	2.7
Non-Hodgkin Lymphoma	1,176	18.5	17.3	19.7	621	20.0	18.2	21.8	555	17.1	15.7	18.7
Myeloma	387	6.7	6.0	7.4	203	7.2	6.2	8.4	184	6.2	5.3	7.2
Leukemia	871	11.1	10.3	12.0	492	12.7	11.4	14.1	379	9.6	8.6	10.7
All Other Sites	3,424	49.8	47.9	51.6	1,391	45.5	42.8	48.3	2,033	55.1	52.5	57.7
Breast in situ (not in total)									900	24.0	22.4	25.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	14,975	345.9	340.0	352.0	7,107	360.8	351.5	370.2	7,868	340.5	332.6	348.5
Oral Cavity and Pharynx	297	7.0	6.2	7.9	195	9.8	8.3	11.4	102	4.6	3.7	5.6
Esophagus	88	2.2	1.7	2.7	73	3.7	2.8	4.7	15	0.8	0.4	1.3
Stomach	475	12.0	10.9	13.2	243	13.0	11.3	15.0	232	11.1	9.7	12.7
Colon and Rectum	1,366	32.8	31.0	34.7	751	38.2	35.3	41.4	615	28.3	26.0	30.7
Liver	482	11.8	10.7	12.9	350	17.7	15.7	19.8	132	6.4	5.3	7.7
Pancreas	467	12.4	11.2	13.6	252	14.3	12.4	16.3	215	10.9	9.4	12.5
Lung and Bronchus	943	26.4	24.7	28.3	524	32.5	29.5	35.6	419	21.6	19.5	23.9
Bones and Joints	53	0.8	0.6	1.1	30	0.9	0.6	1.3	23	0.7	0.4	1.1
Melanoma of the Skin	170	4.0	3.4	4.7	86	4.7	3.7	5.9	84	3.5	2.8	4.4
Breast (invasive)	2,308	49.3	47.2	51.5	16	0.9	0.5	1.5	2,292	95.4	91.3	99.5
Cervix									273	10.4	9.1	11.7
Corpus and Uterus, NOS									697	27.6	25.5	29.8
Ovary									251	10.5	9.2	12.0
Prostate					1,636	85.9	81.4	90.5				
Testis					229	6.2	5.4	7.1				
Urinary Bladder (includes in situ)	363	10.7	9.6	12.0	271	17.7	15.5	20.2	92	5.1	4.1	6.3
Kidney and Renal Pelvis	763	16.9	15.7	18.3	489	22.7	20.6	25.1	274	11.7	10.3	13.3
Brain and Nervous System	249	4.7	4.1	5.4	140	5.4	4.4	6.5	109	4.1	3.3	5.0
Hodgkin Lymphoma	154	2.8	2.4	3.3	92	3.3	2.6	4.2	62	2.3	1.7	3.0
Non-Hodgkin Lymphoma	780	18.8	17.4	20.3	405	20.2	18.0	22.5	375	17.5	15.7	19.5
Myeloma	253	6.5	5.7	7.4	134	7.2	5.9	8.6	119	5.9	4.8	7.1
Leukemia	550	11.1	10.1	12.2	310	13.0	11.4	14.8	240	9.4	8.1	10.7
All Other Sites	2,128	47.7	45.5	50.0	881	43.4	40.3	46.7	1,247	52.6	49.6	55.8
Breast in situ (not in total)									571	23.5	21.5	25.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,369	382.5	359.7	406.2	614	398.8	362.4	437.4	755	380.2	350.8	411.3
Oral Cavity and Pharynx	23	7.3	4.3	11.2	15	11.5	5.9	19.6	8	4.1	1.6	8.4
Esophagus	13	3.9	1.9	7.0	10	5.4	2.2	10.6	3	2.5	0.4	6.8
Stomach	31	8.3	5.3	12.2	20	11.7	6.5	19.1	11	5.6	2.5	10.4
Colon and Rectum	124	36.4	29.5	44.3	69	42.9	31.6	56.4	55	31.2	22.7	41.5
Liver	22	7.7	4.6	11.9	14	10.2	5.0	18.0	8	5.7	2.3	11.2
Pancreas	33	13.2	8.8	18.8	13	11.9	5.8	20.8	20	13.9	8.2	21.6
Lung and Bronchus	67	25.8	19.4	33.2	34	30.5	20.2	43.6	33	22.6	15.0	32.2
Bones and Joints	6	1.2	0.3	3.0	1	0.2	0.0	2.6	5	2.0	0.5	5.1
Melanoma of the Skin	21	6.5	3.7	10.3	8	7.0	2.6	14.1	13	6.4	3.1	11.3
Breast (invasive)	228	54.0	46.4	62.5	0				228	105.3	90.8	121.2
Cervix									15	6.5	3.4	11.3
Corpus and Uterus, NOS									55	24.2	17.9	31.9
Ovary									24	10.3	6.4	15.7
Prostate					154	108.6	90.3	129.1				
Testis					22	5.7	3.6	9.3				
Urinary Bladder (includes in situ)	30	12.1	8.0	17.4	19	17.0	9.6	27.2	11	8.5	4.1	14.9
Kidney and Renal Pelvis	63	16.5	12.4	21.6	43	24.4	16.8	34.1	20	9.8	5.7	15.4
Brain and Nervous System	25	4.8	2.9	7.4	15	4.9	2.7	8.7	10	4.4	1.9	8.5
Hodgkin Lymphoma	18	4.3	2.2	7.4	11	5.4	2.1	10.9	7	3.3	1.1	7.4
Non-Hodgkin Lymphoma	72	21.6	16.3	27.9	35	21.5	13.7	31.6	37	22.0	14.9	31.0
Myeloma	23	7.7	4.6	11.8	15	8.1	4.2	14.0	8	6.8	2.9	13.0
Leukemia	62	14.8	10.6	19.9	39	17.9	11.0	27.0	23	12.2	7.2	19.1
All Other Sites	238	62.4	53.6	72.1	77	53.8	40.5	69.6	161	73.1	61.2	86.5
Breast in situ (not in total)									76	33.6	26.0	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,387	318.4	299.3	338.4	668	340.2	310.0	372.2	719	304.9	280.3	330.9
Oral Cavity and Pharynx	19	4.1	2.3	6.7	11	4.9	2.0	9.5	8	3.6	1.5	7.2
Esophagus	9	2.4	1.0	4.7	9	5.0	1.9	10.2	0			
Stomach	45	12.8	8.8	17.7	19	10.3	5.4	17.2	26	14.8	9.1	22.3
Colon and Rectum	101	23.4	18.4	29.2	62	31.5	22.8	42.1	39	16.3	11.1	23.0
Liver	34	9.0	5.9	13.0	25	13.7	8.0	21.4	9	4.7	2.0	9.2
Pancreas	43	13.1	9.1	18.2	24	16.4	9.6	25.3	19	10.6	6.0	16.9
Lung and Bronchus	80	23.7	18.2	30.1	39	28.2	19.2	39.5	41	20.4	14.1	28.2
Bones and Joints	10	1.3	0.5	2.7	8	1.7	0.7	4.0	2	0.8	0.1	3.3
Melanoma of the Skin	22	4.1	2.4	6.5	6	1.8	0.7	4.4	16	6.2	3.2	10.7
Breast (invasive)	197	39.1	33.2	45.7	2	1.5	0.2	4.8	195	77.2	65.8	90.0
Cervix									17	6.4	3.5	10.6
Corpus and Uterus, NOS									59	21.1	15.8	27.7
Ovary									17	6.5	3.4	11.0
Prostate					160	86.1	71.5	102.5				
Testis					23	4.6	2.9	7.4				
Urinary Bladder (includes in situ)	27	7.6	4.7	11.4	19	11.3	6.2	18.6	8	4.4	1.7	8.7
Kidney and Renal Pelvis	84	19.8	15.2	25.2	55	24.9	17.7	33.7	29	14.6	9.3	21.6
Brain and Nervous System	34	8.0	5.1	11.8	21	10.5	5.8	17.1	13	5.7	2.6	10.5
Hodgkin Lymphoma	12	1.4	0.7	2.7	6	1.5	0.5	3.8	6	1.4	0.5	3.5
Non-Hodgkin Lymphoma	79	19.6	14.9	25.2	44	21.7	14.7	30.5	35	17.5	11.5	25.1
Myeloma	29	8.2	5.2	12.0	19	10.7	5.9	17.4	10	5.8	2.7	10.8
Leukemia	42	8.9	5.9	12.8	24	11.9	6.6	19.2	18	6.6	3.4	11.3
All Other Sites	244	51.1	43.8	59.2	92	42.2	32.3	53.8	152	60.1	49.7	71.9
Breast in situ (not in total)									54	19.9	14.6	26.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,290	325.4	304.8	346.9	601	337.0	304.9	371.2	689	320.6	293.7	349.0
Oral Cavity and Pharynx	20	3.7	2.1	6.1	13	4.7	2.3	8.8	7	2.7	1.0	6.1
Esophagus	9	2.6	1.1	5.1	7	4.6	1.7	9.5	2	0.9	0.1	3.4
Stomach	46	13.4	9.2	18.5	30	19.2	11.7	29.1	16	8.4	4.4	14.3
Colon and Rectum	131	34.6	28.0	42.2	70	38.8	28.7	51.1	61	30.8	22.5	41.0
Liver	33	9.0	5.9	13.0	24	13.0	7.8	20.1	9	4.9	2.0	9.7
Pancreas	37	13.3	8.9	18.8	19	13.4	7.2	22.2	18	13.3	7.5	21.3
Lung and Bronchus	60	22.7	16.8	29.7	28	23.9	15.0	35.4	32	22.0	14.5	31.5
Bones and Joints	6	1.4	0.4	3.5	5	2.5	0.5	7.1	1	0.4	0.0	2.7
Melanoma of the Skin	14	3.7	1.8	6.5	9	6.1	2.4	12.2	5	1.6	0.5	4.2
Breast (invasive)	185	40.7	34.2	48.1	0				185	80.3	67.9	94.1
Cervix									23	7.9	5.0	12.1
Corpus and Uterus, NOS									63	30.1	22.4	39.4
Ovary									14	8.1	4.0	14.2
Prostate					120	72.4	58.2	88.7				
Testis					16	3.3	1.9	6.1				
Urinary Bladder (includes in situ)	24	9.6	5.8	14.7	15	15.1	7.6	25.8	9	6.2	2.6	12.0
Kidney and Renal Pelvis	76	19.8	14.9	25.7	55	31.5	22.2	43.1	21	9.4	5.3	15.1
Brain and Nervous System	24	5.0	2.8	8.1	10	5.6	2.1	11.6	14	4.7	2.2	8.7
Hodgkin Lymphoma	11	1.9	0.8	3.9	7	2.9	0.8	7.1	4	1.0	0.3	3.2
Non-Hodgkin Lymphoma	76	18.2	13.7	23.6	47	20.7	14.2	29.0	29	15.2	9.6	22.5
Myeloma	24	7.9	4.7	12.3	10	5.8	2.4	11.4	14	9.2	4.6	15.9
Leukemia	64	12.1	8.7	16.3	33	11.0	7.0	16.5	31	12.6	7.9	19.0
All Other Sites	214	46.1	39.0	54.0	83	42.6	32.0	55.3	131	50.8	41.4	61.6
Breast in situ (not in total)									64	26.0	19.6	33.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2013-2017

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjustd to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,234	403.5	378.2	429.9	557	416.1	376.5	458.4	677	404.2	371.1	439.2
Oral Cavity and Pharynx	25	8.4	5.3	12.7	19	12.8	7.3	20.6	6	4.2	1.4	9.1
Esophagus	5	2.2	0.6	5.2	3	2.6	0.4	7.9	2	1.9	0.2	6.2
Stomach	30	10.8	6.9	15.8	21	18.3	10.4	28.9	9	4.8	2.0	9.5
Colon and Rectum	115	44.9	36.1	55.0	57	50.4	36.2	67.5	58	41.5	30.6	54.5
Liver	26	9.9	6.2	14.9	15	11.6	5.9	20.1	11	8.2	3.9	14.8
Pancreas	35	14.7	9.9	20.9	21	18.3	10.7	28.7	14	11.2	5.7	19.2
Lung and Bronchus	85	36.4	28.4	45.6	52	51.8	37.3	69.3	33	24.5	16.4	34.9
Bones and Joints	4	0.8	0.2	2.3	2	0.9	0.1	4.0	2	0.6	0.1	3.1
Melanoma of the Skin	21	7.2	4.0	11.6	7	5.1	1.5	11.7	14	9.0	4.5	15.8
Breast (invasive)	219	58.6	50.1	67.9	1	0.4	0.0	3.2	218	116.3	100.1	134.4
Cervix									18	7.8	4.4	13.0
Corpus and Uterus, NOS									51	28.7	20.9	38.3
Ovary									15	9.1	4.7	15.6
Prostate					121	97.4	78.8	118.5				
Testis					20	6.2	3.8	10.3				
Urinary Bladder (includes in situ)	26	11.7	7.4	17.4	19	18.4	10.4	29.4	7	6.1	2.3	12.4
Kidney and Renal Pelvis	59	17.0	12.5	22.5	38	22.6	14.9	32.6	21	11.9	7.1	18.6
Brain and Nervous System	24	5.7	3.4	8.8	15	7.1	3.5	12.9	9	4.4	1.9	8.8
Hodgkin Lymphoma	15	2.5	1.4	4.4	8	2.4	1.0	5.7	7	2.6	1.0	5.9
Non-Hodgkin Lymphoma	50	15.0	10.8	20.3	26	17.1	10.2	26.5	24	13.8	8.5	20.9
Myeloma	17	7.1	3.9	11.5	8	7.2	2.9	14.3	9	6.8	2.9	13.2
Leukemia	58	15.1	10.9	20.4	31	14.9	9.3	22.7	27	15.0	9.2	22.7
All Other Sites	195	63.3	53.4	74.3	73	50.4	37.5	66.0	122	75.7	61.3	92.2
Breast in situ (not in total)									44	21.6	15.4	29.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

APPENDIX A
Illinois County Population Totals
2013-2017

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Illinois	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	398,402	301,641	72,147	380,818	286,821	70,058
1-4	1,610,870	1,220,465	286,535	1,540,713	1,163,680	277,603
5-9	2,082,273	1,576,879	365,531	2,003,675	1,511,927	355,485
10-14	2,148,692	1,640,675	371,962	2,061,634	1,563,001	363,606
15-19	2,183,715	1,651,612	398,281	2,082,895	1,569,656	383,954
20-24	2,267,016	1,683,070	422,335	2,188,213	1,610,755	420,259
25-29	2,273,994	1,734,458	360,969	2,217,642	1,657,351	376,626
30-34	2,227,757	1,736,049	304,070	2,210,735	1,676,925	341,541
35-39	2,098,390	1,645,980	282,050	2,094,866	1,588,307	325,307
40-44	2,040,859	1,605,314	275,888	2,064,900	1,565,961	329,729
45-49	2,092,273	1,679,345	278,384	2,132,616	1,658,512	328,595
50-54	2,193,493	1,791,196	289,203	2,268,471	1,800,642	341,076
55-59	2,139,403	1,763,584	274,329	2,252,905	1,801,279	335,339
60-64	1,810,689	1,507,666	213,297	1,962,829	1,573,650	281,219
65-69	1,428,054	1,197,165	156,502	1,606,653	1,302,080	217,651
70-74	992,355	832,365	107,845	1,192,988	976,468	156,359
75-79	680,174	573,174	73,721	889,424	732,364	117,580
80-84	460,300	396,231	45,919	681,264	574,450	82,277
85+	428,514	378,448	36,966	874,200	764,270	85,979
Total	31,557,223	24,915,317	4,615,934	32,707,441	25,378,099	5,190,243
Adams	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,153	1,914	213	2,012	1,808	177
1-4	8,706	7,830	736	8,031	7,185	626
5-9	10,864	9,788	927	10,293	9,345	824
10-14	10,763	9,872	767	10,284	9,314	850
15-19	10,373	9,415	782	9,690	8,891	668
20-24	10,033	9,155	759	10,158	9,276	675
25-29	10,083	9,435	542	10,284	9,574	583
30-34	10,000	9,361	508	10,255	9,643	412
35-39	9,468	8,908	413	9,231	8,720	337
40-44	9,199	8,704	342	9,086	8,595	326
45-49	9,837	9,363	345	10,153	9,714	320
50-54	11,620	11,083	414	11,811	11,314	348
55-59	11,909	11,391	415	12,014	11,546	337
60-64	10,417	10,030	315	11,060	10,662	289
65-69	8,822	8,534	186	9,532	9,214	236
70-74	6,372	6,212	117	7,615	7,432	128
75-79	4,749	4,641	74	6,001	5,844	117
80-84	3,901	3,826	66	5,157	4,997	129
85+	4,350	4,259	90	7,160	7,035	100
Total	163,619	153,721	8,011	169,827	160,109	7,482
Alexander	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	225	128	97	233	120	113
1-4	1,013	582	430	955	461	490
5-9	1,134	602	530	1,161	547	607
10-14	1,107	611	491	1,113	602	509
15-19	880	468	403	879	491	383
20-24	948	519	425	931	468	463
25-29	827	539	280	933	519	413
30-34	760	479	274	890	566	313
35-39	795	540	246	891	551	315
40-44	704	488	205	1,003	644	344
45-49	966	653	304	995	592	398
50-54	1,215	852	352	1,279	792	479
55-59	1,323	919	379	1,303	863	413
60-64	1,285	868	396	1,335	887	434
65-69	999	775	214	1,088	793	283
70-74	790	642	147	863	675	179
75-79	551	442	105	701	565	133
80-84	347	261	80	520	389	124
85+	324	229	95	572	449	121
Total	16,193	10,597	5,453	17,645	10,974	6,514

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Bond	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	373	344	25	384	363	21
1-4	1,662	1,532	106	1,631	1,534	83
5-9	2,331	2,209	87	2,233	2,116	104
10-14	2,488	2,367	91	2,418	2,309	80
15-19	2,606	2,441	80	2,280	2,135	126
20-24	2,848	2,374	305	2,306	2,153	128
25-29	3,157	2,534	550	2,444	2,248	126
30-34	3,442	2,516	836	2,203	2,070	99
35-39	3,338	2,650	626	2,505	2,306	146
40-44	3,048	2,570	446	2,224	2,094	96
45-49	2,978	2,671	265	2,506	2,389	104
50-54	3,271	2,958	280	3,015	2,885	89
55-59	3,145	2,962	169	3,092	2,975	89
60-64	2,823	2,688	123	2,873	2,788	70
65-69	2,328	2,242	72	2,283	2,179	81
70-74	1,549	1,476	60	1,751	1,711	31
75-79	1,095	1,074	17	1,438	1,402	34
80-84	904	880	19	1,118	1,099	16
85+	659	638	16	1,509	1,489	12
Total	44,045	39,126	4,173	40,213	38,245	1,535
Boone	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,464	1,379	58	1,365	1,274	62
1-4	6,428	5,962	316	6,104	5,676	296
5-9	9,768	8,933	554	9,059	8,296	483
10-14	10,932	10,165	448	10,805	10,019	447
15-19	10,813	10,004	438	10,195	9,501	396
20-24	8,862	8,295	363	7,980	7,498	261
25-29	7,021	6,602	261	6,590	6,162	281
30-34	7,162	6,669	225	7,469	6,988	284
35-39	8,008	7,517	247	8,427	7,865	287
40-44	9,314	8,738	313	9,378	8,804	250
45-49	9,924	9,396	266	10,112	9,516	244
50-54	10,084	9,624	299	9,624	9,225	195
55-59	8,910	8,555	231	8,792	8,425	166
60-64	7,496	7,258	114	7,474	7,165	140
65-69	6,109	5,937	73	6,713	6,481	71
70-74	4,948	4,809	50	5,332	5,225	41
75-79	3,199	3,128	27	3,701	3,621	37
80-84	1,930	1,894	10	2,474	2,419	14
85+	1,476	1,451	10	2,777	2,740	12
Total	133,848	126,316	4,303	134,371	126,900	3,967
Brown	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	164	160	4	120	120	0
1-4	626	616	8	501	493	8
5-9	737	714	22	769	732	27
10-14	769	751	9	749	731	14
15-19	911	689	197	597	578	10
20-24	2,485	1,185	1,115	679	661	11
25-29	2,589	1,265	1,193	692	669	19
30-34	2,277	1,174	1,016	770	765	5
35-39	2,106	1,192	890	667	659	0
40-44	1,794	1,067	713	704	703	0
45-49	1,581	1,009	557	751	747	4
50-54	1,546	1,166	373	848	836	4
55-59	1,262	1,101	157	833	824	2
60-64	866	804	47	807	796	0
65-69	658	633	20	666	662	0
70-74	458	456	0	594	594	0
75-79	414	409	5	446	444	0
80-84	299	299	0	312	309	0
85+	206	206	0	429	424	5
Total	21,748	14,896	6,326	11,934	11,747	109

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Bureau	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	902	857	32	831	802	25
1-4	3,694	3,552	99	3,475	3,307	121
5-9	5,042	4,861	119	4,952	4,670	163
10-14	5,636	5,402	159	5,526	5,224	173
15-19	5,172	4,945	167	5,085	4,816	147
20-24	4,703	4,518	113	4,473	4,319	70
25-29	4,370	4,220	60	4,310	4,147	78
30-34	4,698	4,535	87	4,467	4,287	55
35-39	4,695	4,543	76	4,625	4,458	93
40-44	4,662	4,536	70	4,840	4,696	65
45-49	5,401	5,281	51	5,410	5,221	50
50-54	6,118	5,966	69	5,968	5,829	35
55-59	6,141	6,066	31	6,571	6,471	29
60-64	5,927	5,864	18	5,992	5,876	21
65-69	5,005	4,936	15	5,135	5,060	15
70-74	3,601	3,552	12	4,184	4,095	21
75-79	2,833	2,804	6	3,367	3,349	3
80-84	1,907	1,898	1	2,614	2,604	3
85+	1,895	1,889	6	3,796	3,785	1
Total	82,402	80,225	1,191	85,621	83,016	1,168
Calhoun	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	110	109	1	126	125	1
1-4	490	484	5	541	537	4
5-9	760	746	11	664	657	2
10-14	757	745	8	715	710	0
15-19	719	702	13	681	667	5
20-24	651	640	7	620	600	10
25-29	649	639	7	488	479	9
30-34	601	599	2	580	575	5
35-39	602	601	1	627	624	3
40-44	734	730	4	672	662	5
45-49	809	809	0	854	838	5
50-54	946	937	6	874	870	3
55-59	1,052	1,049	1	886	875	0
60-64	916	911	5	848	842	0
65-69	777	776	0	819	807	3
70-74	647	642	1	712	706	0
75-79	505	505	0	565	560	0
80-84	320	320	0	440	438	0
85+	243	238	5	498	497	0
Total	12,288	12,182	77	12,210	12,069	55
Carroll	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	347	335	9	354	342	10
1-4	1,442	1,376	32	1,492	1,425	41
5-9	1,873	1,806	38	1,854	1,741	63
10-14	2,253	2,161	71	1,946	1,872	54
15-19	2,249	2,113	80	1,983	1,881	55
20-24	1,952	1,863	58	1,857	1,796	31
25-29	1,897	1,849	36	1,616	1,559	29
30-34	1,941	1,871	51	1,881	1,845	24
35-39	1,869	1,796	45	1,785	1,728	25
40-44	2,038	1,981	41	1,982	1,928	23
45-49	2,080	2,036	27	2,134	2,067	39
50-54	2,635	2,579	35	2,627	2,588	20
55-59	2,851	2,799	33	2,962	2,906	18
60-64	3,004	2,931	37	2,914	2,871	21
65-69	2,756	2,696	40	2,783	2,744	15
70-74	2,126	2,106	6	2,219	2,206	8
75-79	1,546	1,520	12	1,540	1,535	2
80-84	986	980	0	1,189	1,180	8
85+	879	874	5	1,624	1,594	26
Total	36,724	35,672	656	36,742	35,808	512

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Cass	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	438	381	52	397	344	49
1-4	1,738	1,532	170	1,531	1,358	165
5-9	2,354	2,130	157	2,109	1,911	162
10-14	2,348	2,148	162	2,101	1,959	120
15-19	2,197	2,020	130	1,896	1,823	50
20-24	1,880	1,730	107	1,894	1,705	143
25-29	1,991	1,745	208	1,725	1,549	145
30-34	2,189	1,954	216	1,912	1,760	113
35-39	1,935	1,701	192	1,916	1,791	87
40-44	2,061	1,875	168	1,920	1,828	59
45-49	2,036	1,920	92	2,124	2,032	62
50-54	2,333	2,226	77	2,202	2,122	59
55-59	2,255	2,196	49	2,264	2,143	81
60-64	2,014	1,967	39	1,944	1,887	30
65-69	1,558	1,519	22	1,617	1,602	11
70-74	1,092	1,087	1	1,298	1,280	8
75-79	858	848	3	1,141	1,136	4
80-84	600	596	2	855	842	9
85+	530	528	2	1,115	1,102	12
Total	32,407	30,103	1,849	31,961	30,174	1,369
Champaign	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	6,159	4,122	1,429	5,835	3,909	1,342
1-4	23,788	16,197	5,434	22,317	15,201	5,071
5-9	27,544	19,070	6,106	26,963	18,507	6,198
10-14	26,123	18,269	5,810	25,785	17,789	5,907
15-19	53,484	36,785	7,645	50,666	35,206	8,046
20-24	92,348	61,854	11,066	80,623	53,646	11,735
25-29	44,241	30,686	5,776	40,197	28,075	5,918
30-34	35,713	25,915	4,230	34,413	24,914	4,822
35-39	29,791	22,247	3,854	29,373	21,448	4,553
40-44	26,039	19,827	3,413	26,673	19,737	4,180
45-49	24,677	19,509	3,147	25,647	19,913	3,539
50-54	26,044	21,354	2,985	28,348	22,868	3,379
55-59	27,546	23,402	2,788	30,292	25,013	3,537
60-64	24,933	21,433	2,525	27,547	23,175	2,852
65-69	19,303	16,762	1,586	21,100	17,836	2,167
70-74	12,406	10,805	938	14,770	12,932	1,249
75-79	8,730	7,731	612	11,176	9,833	920
80-84	6,488	5,866	413	8,879	7,982	648
85+	5,999	5,623	258	11,731	10,816	674
Total	521,356	387,457	70,015	522,335	388,800	76,737
Christian	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	875	837	27	811	783	23
1-4	3,626	3,480	111	3,392	3,248	66
5-9	5,006	4,864	112	4,915	4,701	117
10-14	5,216	5,067	114	4,799	4,676	79
15-19	5,292	5,070	182	4,560	4,424	83
20-24	5,561	5,247	262	4,525	4,433	50
25-29	5,520	5,143	305	4,614	4,519	43
30-34	5,384	5,088	220	4,543	4,449	34
35-39	5,361	5,105	195	4,555	4,470	36
40-44	5,369	5,078	252	4,671	4,561	30
45-49	5,875	5,525	327	5,262	5,164	47
50-54	6,471	6,232	197	6,006	5,916	21
55-59	6,531	6,352	146	6,008	5,952	14
60-64	5,592	5,467	91	5,669	5,626	22
65-69	4,271	4,236	11	4,876	4,849	4
70-74	3,312	3,289	5	3,983	3,941	5
75-79	2,690	2,660	11	3,205	3,167	16
80-84	1,751	1,733	15	2,554	2,514	26
85+	1,656	1,652	3	3,332	3,296	11
Total	85,359	82,125	2,586	82,280	80,689	727

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Clark	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	500	486	9	425	414	8
1-4	2,073	2,020	38	1,857	1,829	20
5-9	2,556	2,498	50	2,401	2,357	29
10-14	2,642	2,585	44	2,535	2,483	26
15-19	2,438	2,401	26	2,501	2,446	27
20-24	2,238	2,197	30	2,117	2,066	24
25-29	2,197	2,152	14	2,212	2,171	17
30-34	2,311	2,277	18	2,283	2,242	25
35-39	2,243	2,217	13	2,285	2,229	24
40-44	2,393	2,367	16	2,253	2,203	19
45-49	2,602	2,570	17	2,537	2,509	7
50-54	2,972	2,943	15	2,976	2,940	12
55-59	3,050	3,032	9	2,834	2,793	11
60-64	2,697	2,665	20	2,603	2,577	9
65-69	2,035	2,032	1	2,367	2,350	2
70-74	1,717	1,715	2	1,967	1,954	10
75-79	1,279	1,277	2	1,443	1,427	8
80-84	684	681	2	1,237	1,234	2
85+	652	645	2	1,567	1,559	5
Total	39,279	38,760	328	40,400	39,783	285

Clay	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	422	413	4	367	357	7
1-4	1,693	1,655	34	1,566	1,507	43
5-9	2,148	2,102	35	2,100	2,043	33
10-14	2,241	2,206	30	2,067	2,016	24
15-19	1,932	1,898	22	1,886	1,852	12
20-24	1,924	1,872	21	1,898	1,849	17
25-29	1,898	1,848	29	1,792	1,761	20
30-34	1,861	1,830	14	1,898	1,872	9
35-39	1,909	1,873	16	1,845	1,760	12
40-44	1,944	1,901	19	1,834	1,780	4
45-49	2,065	2,011	19	1,974	1,918	18
50-54	2,531	2,499	15	2,453	2,408	14
55-59	2,542	2,507	21	2,485	2,437	10
60-64	2,289	2,271	10	2,388	2,360	8
65-69	2,037	2,028	2	2,015	1,998	7
70-74	1,334	1,328	1	1,661	1,650	4
75-79	991	977	4	1,281	1,275	3
80-84	694	692	1	1,060	1,053	1
85+	658	651	2	1,308	1,304	3
Total	33,113	32,562	299	33,878	33,200	249

Clinton	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,077	1,050	18	996	970	20
1-4	4,431	4,288	94	4,051	3,900	109
5-9	5,784	5,613	106	5,309	5,095	148
10-14	5,963	5,778	99	5,577	5,381	130
15-19	5,865	5,516	251	5,270	5,084	126
20-24	6,311	5,496	758	5,289	5,034	112
25-29	7,003	5,934	994	5,346	5,206	63
30-34	7,214	6,244	912	5,619	5,477	67
35-39	6,819	5,822	927	5,328	5,214	50
40-44	6,187	5,488	613	5,195	5,050	82
45-49	6,917	6,280	582	6,042	5,904	79
50-54	7,568	7,143	378	7,104	6,946	75
55-59	7,172	6,946	177	6,826	6,670	72
60-64	5,968	5,809	121	5,884	5,774	55
65-69	4,460	4,357	71	4,691	4,600	51
70-74	3,248	3,193	30	3,743	3,643	32
75-79	2,439	2,410	16	2,815	2,774	14
80-84	1,660	1,652	3	2,476	2,441	12
85+	1,584	1,565	2	2,999	2,943	28
Total	97,670	90,584	6,152	90,560	88,106	1,325

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Coles	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,306	1,171	118	1,261	1,130	117
1-4	5,286	4,806	400	4,770	4,354	348
5-9	6,849	6,329	416	6,482	6,039	349
10-14	6,975	6,597	287	6,294	5,885	327
15-19	9,935	8,981	754	10,938	9,599	1,137
20-24	16,676	14,595	1,518	18,162	15,849	1,808
25-29	10,131	9,226	714	9,957	9,291	538
30-34	8,000	7,461	330	7,527	7,159	245
35-39	6,999	6,680	230	6,920	6,642	179
40-44	6,761	6,463	213	6,511	6,201	155
45-49	6,751	6,484	184	6,930	6,711	114
50-54	7,485	7,205	186	8,204	8,011	106
55-59	8,433	8,187	152	8,871	8,597	175
60-64	7,539	7,357	121	8,231	7,958	143
65-69	5,960	5,829	98	6,576	6,396	76
70-74	4,164	4,094	44	5,027	4,962	29
75-79	3,185	3,132	37	4,050	3,998	27
80-84	2,204	2,173	8	3,156	3,107	35
85+	1,990	1,939	15	4,353	4,304	26
Total	126,629	118,709	5,825	134,220	126,193	5,934
Cook	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	174,233	116,428	43,950	166,665	111,070	42,432
1-4	673,306	445,555	174,021	647,253	426,515	169,414
5-9	823,558	535,227	220,613	798,125	516,227	216,789
10-14	817,937	524,888	228,402	792,083	503,607	225,956
15-19	817,191	514,821	240,465	799,674	500,743	238,362
20-24	889,845	559,822	250,668	901,336	555,383	264,061
25-29	1,088,533	752,271	225,562	1,102,636	734,030	253,205
30-34	1,038,144	736,603	187,973	1,048,557	701,474	232,201
35-39	910,883	640,903	175,911	919,247	599,366	220,329
40-44	840,482	583,357	173,719	862,654	546,720	226,717
45-49	824,179	573,216	181,223	851,569	545,881	230,477
50-54	833,426	576,572	197,370	879,500	566,966	245,095
55-59	812,745	563,389	192,957	885,565	573,818	246,785
60-64	681,080	478,522	151,117	774,658	503,700	209,126
65-69	530,346	373,518	113,776	629,439	413,790	164,978
70-74	360,866	249,835	81,278	464,789	306,491	122,942
75-79	248,828	171,911	57,634	351,872	233,328	94,400
80-84	172,216	124,733	36,450	268,250	186,965	66,101
85+	165,838	127,689	29,660	345,477	260,434	69,460
Total	12,703,636	8,649,260	2,962,749	13,489,349	8,786,508	3,538,830
Crawford	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	523	505	15	526	511	12
1-4	2,009	1,952	43	2,128	2,044	52
5-9	2,600	2,530	58	2,623	2,528	41
10-14	2,659	2,563	72	2,693	2,615	47
15-19	2,853	2,696	119	2,565	2,473	60
20-24	3,326	2,765	505	2,425	2,348	46
25-29	3,834	3,008	760	2,692	2,619	35
30-34	3,629	2,820	783	2,601	2,532	31
35-39	3,529	2,834	657	2,549	2,490	27
40-44	3,342	2,687	608	2,636	2,580	19
45-49	3,488	2,973	482	2,805	2,733	31
50-54	3,728	3,417	273	3,334	3,277	22
55-59	3,701	3,506	170	3,432	3,368	27
60-64	3,223	3,144	62	3,150	3,092	19
65-69	2,516	2,490	15	2,835	2,809	9
70-74	1,807	1,806	1	2,161	2,142	7
75-79	1,384	1,371	7	1,839	1,817	6
80-84	958	947	2	1,393	1,375	5
85+	815	801	5	1,758	1,755	1
Total	49,924	44,815	4,637	46,145	45,108	497

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Cumberland	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	318	308	8	293	284	7
1-4	1,272	1,246	17	1,274	1,242	28
5-9	1,866	1,835	21	1,642	1,607	33
10-14	1,786	1,756	21	1,747	1,656	37
15-19	1,613	1,555	20	1,675	1,605	29
20-24	1,447	1,400	21	1,370	1,343	10
25-29	1,552	1,536	13	1,451	1,433	8
30-34	1,598	1,568	16	1,587	1,546	10
35-39	1,668	1,643	16	1,570	1,557	5
40-44	1,638	1,616	19	1,534	1,525	4
45-49	1,812	1,772	36	1,664	1,655	1
50-54	1,980	1,956	4	1,989	1,923	10
55-59	2,133	2,117	8	2,177	2,138	10
60-64	1,941	1,919	11	1,838	1,829	3
65-69	1,575	1,553	6	1,586	1,569	6
70-74	1,109	1,105	3	1,194	1,186	4
75-79	811	807	0	938	937	1
80-84	554	549	2	717	712	0
85+	495	494	1	1,007	999	7
Total	27,168	26,735	243	27,253	26,746	213

DeKalb	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,974	2,504	392	2,808	2,348	391
1-4	12,740	10,911	1,549	12,126	10,179	1,618
5-9	15,948	13,810	1,752	15,505	13,177	1,815
10-14	16,359	14,684	1,249	15,687	13,826	1,351
15-19	22,933	19,290	2,688	22,926	18,680	3,294
20-24	38,123	30,697	4,316	38,936	29,636	6,287
25-29	19,608	16,660	2,031	18,224	15,008	2,419
30-34	16,679	15,112	1,109	16,038	14,132	1,392
35-39	15,109	13,771	832	14,548	13,089	921
40-44	14,019	12,854	724	14,026	12,877	647
45-49	14,483	13,594	517	14,595	13,595	561
50-54	15,255	14,406	461	15,749	14,853	557
55-59	15,024	14,308	415	15,027	14,225	469
60-64	12,497	11,982	321	12,890	12,292	388
65-69	9,554	9,263	156	10,416	10,015	223
70-74	6,707	6,520	82	7,572	7,336	126
75-79	4,443	4,342	49	5,739	5,588	80
80-84	3,054	2,986	25	4,452	4,344	46
85+	2,760	2,711	12	5,533	5,449	57
Total	258,269	230,405	18,680	262,797	230,649	22,642

DeWitt	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	423	408	15	431	415	12
1-4	1,727	1,663	59	1,841	1,777	50
5-9	2,546	2,459	69	2,175	2,108	53
10-14	2,706	2,632	52	2,580	2,497	54
15-19	2,503	2,443	33	2,355	2,290	33
20-24	2,173	2,077	56	2,101	2,047	29
25-29	2,199	2,079	85	2,025	1,979	19
30-34	2,466	2,380	79	2,435	2,383	39
35-39	2,442	2,372	59	2,383	2,331	39
40-44	2,587	2,511	55	2,436	2,393	19
45-49	2,803	2,755	14	2,646	2,585	25
50-54	3,065	3,016	11	3,023	2,977	24
55-59	3,289	3,254	23	3,152	3,114	14
60-64	2,723	2,707	7	2,829	2,801	8
65-69	2,201	2,186	9	2,312	2,296	2
70-74	1,675	1,662	10	2,012	1,992	2
75-79	1,193	1,184	5	1,511	1,496	2
80-84	731	731	0	1,016	1,014	1
85+	733	727	1	1,364	1,363	0
Total	40,185	39,246	642	40,627	39,858	425

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Douglas	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	671	643	19	616	599	12
1-4	2,683	2,583	52	2,524	2,447	51
5-9	3,495	3,405	61	3,377	3,258	92
10-14	3,841	3,758	58	3,532	3,432	63
15-19	3,286	3,181	64	3,136	3,080	31
20-24	2,731	2,633	66	2,785	2,683	76
25-29	3,157	3,089	39	3,047	2,991	31
30-34	2,963	2,905	34	3,009	2,947	22
35-39	2,971	2,923	27	2,973	2,896	27
40-44	2,796	2,747	20	2,793	2,741	5
45-49	2,952	2,819	35	2,830	2,755	39
50-54	3,375	3,302	35	3,224	3,178	25
55-59	3,539	3,487	19	3,560	3,520	11
60-64	3,058	3,022	17	3,076	3,049	3
65-69	2,507	2,476	8	2,565	2,539	8
70-74	1,756	1,746	2	1,988	1,983	2
75-79	1,367	1,355	3	1,841	1,840	0
80-84	1,018	1,014	2	1,469	1,458	5
85+	813	803	1	1,628	1,621	1
Total	48,979	47,891	562	49,973	49,017	504

DuPage	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	27,329	21,952	1,878	26,112	20,756	1,851
1-4	114,081	90,794	7,327	109,890	87,012	7,404
5-9	151,553	119,932	10,454	144,761	113,869	10,064
10-14	160,557	127,868	11,523	154,236	122,536	11,048
15-19	161,829	130,419	12,775	153,656	123,606	11,943
20-24	149,669	121,071	11,267	143,300	115,424	10,402
25-29	148,820	119,522	9,501	141,470	109,485	9,993
30-34	153,026	121,240	8,587	150,974	115,518	10,615
35-39	150,148	117,758	8,224	150,649	114,860	10,817
40-44	147,578	117,679	7,541	152,733	118,477	10,834
45-49	159,232	132,173	7,218	167,752	136,240	9,754
50-54	170,717	146,371	6,782	183,507	155,144	8,670
55-59	167,793	145,834	5,868	179,286	153,892	7,600
60-64	140,652	121,617	4,218	150,176	127,519	5,644
65-69	107,654	92,015	2,743	118,252	100,458	3,991
70-74	72,385	61,467	1,678	84,560	72,855	2,159
75-79	45,829	39,467	849	57,967	50,935	1,263
80-84	29,840	26,749	443	44,734	40,640	814
85+	29,016	27,066	276	60,923	57,071	839
Total	2,287,708	1,880,994	119,152	2,374,938	1,936,297	135,705

Edgar	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	477	470	6	431	422	9
1-4	1,968	1,929	35	1,738	1,693	36
5-9	2,515	2,463	43	2,575	2,532	26
10-14	2,702	2,643	26	2,694	2,635	29
15-19	2,618	2,570	27	2,553	2,513	29
20-24	2,352	2,321	20	2,352	2,304	39
25-29	2,407	2,355	37	2,339	2,305	14
30-34	2,445	2,405	18	2,531	2,495	23
35-39	2,465	2,433	9	2,564	2,482	44
40-44	2,761	2,716	20	2,577	2,546	18
45-49	2,677	2,636	26	2,527	2,509	10
50-54	3,146	3,120	14	3,179	3,140	19
55-59	3,485	3,444	30	3,598	3,556	13
60-64	3,240	3,208	27	3,224	3,208	11
65-69	2,620	2,604	9	2,838	2,820	4
70-74	2,022	2,009	13	2,342	2,318	8
75-79	1,365	1,354	10	1,836	1,823	10
80-84	906	898	2	1,478	1,453	3
85+	797	793	0	1,931	1,924	6
Total	42,968	42,371	372	45,307	44,678	351

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Edwards	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	188	186	2	187	181	4
1-4	746	726	16	835	807	22
5-9	1,028	992	25	987	962	18
10-14	1,171	1,153	9	1,081	1,037	32
15-19	976	933	30	915	881	28
20-24	891	874	14	866	841	21
25-29	823	815	3	775	753	11
30-34	883	875	5	865	853	1
35-39	879	864	5	958	932	12
40-44	1,044	1,035	5	971	953	4
45-49	1,118	1,103	8	1,035	1,023	2
50-54	1,136	1,116	10	1,103	1,098	1
55-59	1,295	1,275	14	1,242	1,224	9
60-64	1,108	1,107	1	1,189	1,183	2
65-69	1,014	1,006	8	1,025	1,021	0
70-74	705	702	0	769	763	0
75-79	498	491	0	701	698	0
80-84	296	295	1	529	522	0
85+	336	336	0	662	662	0
Total	16,135	15,884	156	16,695	16,394	167

Effingham	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,135	1,107	23	1,070	1,041	19
1-4	4,626	4,512	86	4,439	4,292	103
5-9	5,884	5,705	90	5,485	5,324	77
10-14	5,780	5,653	62	5,434	5,271	68
15-19	5,794	5,600	61	4,978	4,899	39
20-24	5,557	5,405	73	5,094	4,997	63
25-29	5,590	5,448	71	5,296	5,177	59
30-34	5,695	5,576	38	5,133	5,053	25
35-39	5,017	4,908	48	4,786	4,684	27
40-44	4,702	4,604	47	4,481	4,403	12
45-49	5,168	5,088	32	5,139	5,034	26
50-54	6,350	6,268	34	6,355	6,269	13
55-59	6,429	6,380	20	6,422	6,374	18
60-64	5,422	5,366	13	5,442	5,408	12
65-69	4,149	4,103	16	4,480	4,448	6
70-74	2,910	2,890	2	3,647	3,622	3
75-79	2,227	2,217	6	2,944	2,931	7
80-84	1,503	1,493	1	2,189	2,186	1
85+	1,233	1,232	0	2,891	2,879	2
Total	85,171	83,555	723	85,705	84,292	580

Fayette	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	616	608	5	608	592	10
1-4	2,487	2,438	35	2,354	2,286	43
5-9	3,269	3,187	63	3,157	3,074	63
10-14	3,376	3,313	53	3,352	3,271	49
15-19	3,673	3,345	307	3,041	2,984	27
20-24	4,216	3,237	945	2,907	2,852	35
25-29	4,231	3,291	894	3,027	2,993	18
30-34	3,719	3,052	626	2,917	2,874	13
35-39	4,133	3,400	698	2,808	2,770	26
40-44	3,832	3,208	592	2,989	2,946	11
45-49	4,026	3,501	507	3,102	3,066	19
50-54	4,195	3,826	330	3,613	3,563	13
55-59	3,940	3,796	132	3,698	3,681	8
60-64	3,406	3,357	35	3,349	3,324	13
65-69	2,867	2,839	21	2,900	2,875	8
70-74	1,982	1,968	7	2,461	2,438	4
75-79	1,694	1,684	5	1,896	1,872	8
80-84	1,193	1,191	2	1,551	1,546	4
85+	1,024	1,020	4	1,790	1,781	4
Total	57,879	52,261	5,261	51,520	50,788	376

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Ford	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	370	359	6	371	363	6
1-4	1,630	1,581	26	1,445	1,405	30
5-9	2,180	2,076	68	1,990	1,924	42
10-14	2,288	2,198	75	2,389	2,313	53
15-19	2,357	2,280	62	2,102	2,033	41
20-24	1,956	1,864	62	1,678	1,634	36
25-29	1,875	1,792	62	1,695	1,645	34
30-34	1,909	1,833	68	1,828	1,791	24
35-39	1,930	1,873	31	1,999	1,968	11
40-44	2,002	1,949	30	1,873	1,829	14
45-49	2,035	2,008	12	2,139	2,099	13
50-54	2,344	2,310	14	2,436	2,406	19
55-59	2,770	2,737	14	2,775	2,739	13
60-64	2,232	2,184	26	2,238	2,211	3
65-69	1,720	1,703	9	1,713	1,710	1
70-74	1,239	1,233	2	1,467	1,455	8
75-79	1,009	1,005	2	1,271	1,267	4
80-84	734	732	2	1,087	1,085	1
85+	589	583	6	1,735	1,729	2
Total	33,169	32,300	577	34,231	33,606	355
Franklin	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	1,255	1,216	30	1,137	1,093	35
1-4	5,019	4,838	129	4,310	4,145	115
5-9	6,317	6,105	148	5,613	5,433	108
10-14	6,423	6,259	89	6,036	5,854	113
15-19	6,035	5,915	78	5,690	5,515	104
20-24	5,605	5,485	78	5,206	5,078	61
25-29	5,683	5,559	92	5,515	5,428	52
30-34	5,297	5,235	42	5,604	5,455	41
35-39	5,709	5,619	49	5,839	5,708	28
40-44	6,029	5,954	28	6,121	6,024	23
45-49	6,407	6,297	36	6,310	6,195	30
50-54	6,719	6,658	25	6,931	6,863	20
55-59	6,968	6,862	67	7,049	6,977	24
60-64	6,376	6,301	41	6,775	6,711	16
65-69	5,783	5,725	24	6,282	6,222	11
70-74	4,443	4,417	7	5,202	5,143	21
75-79	3,249	3,203	11	4,010	3,963	14
80-84	1,977	1,957	1	2,717	2,694	11
85+	1,555	1,544	4	3,289	3,262	13
Total	96,849	95,149	979	99,636	97,763	840
Fulton	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	877	851	23	832	804	21
1-4	3,597	3,482	81	3,565	3,440	81
5-9	4,897	4,765	92	4,825	4,656	113
10-14	5,519	5,413	70	5,110	4,967	90
15-19	5,500	5,241	217	4,823	4,734	60
20-24	6,249	5,013	1,045	4,289	4,168	85
25-29	6,139	4,889	1,011	4,529	4,430	71
30-34	6,548	5,274	1,078	4,547	4,458	48
35-39	6,436	5,354	939	5,069	4,972	52
40-44	6,473	5,695	689	4,856	4,781	30
45-49	6,520	5,762	682	5,253	5,196	27
50-54	6,525	6,091	370	6,004	5,926	26
55-59	6,378	6,122	211	6,425	6,342	35
60-64	5,980	5,866	87	6,217	6,170	21
65-69	5,116	5,027	53	5,354	5,308	24
70-74	3,765	3,727	16	4,289	4,259	3
75-79	2,723	2,694	18	3,272	3,220	25
80-84	1,948	1,933	10	2,780	2,744	28
85+	1,780	1,760	16	3,560	3,532	23
Total	92,970	84,959	6,708	85,599	84,107	863

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Gallatin	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	161	160	1	126	125	1
1-4	538	527	11	552	531	17
5-9	743	737	5	774	758	14
10-14	790	776	11	801	785	16
15-19	658	628	15	658	637	19
20-24	687	675	10	691	678	6
25-29	682	675	4	657	648	7
30-34	723	713	10	734	727	2
35-39	748	733	9	761	744	13
40-44	841	823	13	848	840	2
45-49	802	784	18	771	768	2
50-54	967	939	23	909	904	3
55-59	866	851	7	974	968	3
60-64	826	819	4	959	954	4
65-69	909	899	9	1,008	990	5
70-74	739	729	2	804	795	3
75-79	496	494	0	657	653	4
80-84	301	295	0	444	437	4
85+	180	176	1	330	321	8
Total	12,657	12,433	153	13,458	13,263	133
Greene	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	352	344	7	315	305	9
1-4	1,542	1,487	39	1,385	1,349	29
5-9	1,971	1,948	20	1,938	1,911	18
10-14	2,078	2,051	21	2,171	2,120	40
15-19	2,174	2,138	26	1,956	1,911	34
20-24	2,008	1,929	62	1,781	1,753	23
25-29	1,903	1,790	95	1,670	1,664	1
30-34	2,124	1,997	120	1,697	1,685	5
35-39	2,113	2,013	88	1,923	1,917	6
40-44	2,065	1,964	93	1,946	1,928	9
45-49	2,276	2,164	102	2,147	2,123	11
50-54	2,584	2,523	57	2,447	2,423	7
55-59	2,578	2,547	20	2,522	2,502	8
60-64	2,313	2,294	11	2,296	2,283	1
65-69	1,744	1,737	4	1,908	1,897	4
70-74	1,361	1,351	1	1,641	1,621	5
75-79	1,005	999	0	1,297	1,283	2
80-84	728	717	3	983	977	1
85+	678	671	1	1,060	1,057	3
Total	33,597	32,664	770	33,083	32,709	216
Grundy	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,590	1,534	37	1,433	1,381	33
1-4	6,757	6,521	146	6,213	5,950	160
5-9	9,480	9,073	225	8,718	8,311	226
10-14	10,064	9,582	282	9,457	9,079	226
15-19	8,790	8,397	268	8,411	8,134	186
20-24	7,399	7,110	200	7,226	6,960	182
25-29	7,420	7,130	170	7,445	7,153	171
30-34	8,419	8,057	208	8,615	8,315	171
35-39	8,924	8,621	153	8,832	8,501	156
40-44	8,554	8,251	152	8,501	8,198	164
45-49	8,957	8,695	166	8,850	8,546	143
50-54	9,117	8,941	88	8,978	8,722	129
55-59	8,541	8,385	75	8,479	8,303	77
60-64	6,864	6,769	34	7,027	6,899	50
65-69	5,497	5,380	80	5,691	5,565	48
70-74	3,925	3,861	32	4,369	4,323	18
75-79	2,603	2,573	12	3,005	2,972	15
80-84	1,409	1,394	6	2,312	2,276	17
85+	1,187	1,166	9	2,700	2,678	7
Total	125,497	121,440	2,343	126,262	122,266	2,179

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Hamilton	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	219	211	2	201	200	1
1-4	925	882	16	926	913	10
5-9	1,300	1,259	29	1,263	1,226	20
10-14	1,431	1,406	23	1,365	1,337	21
15-19	1,253	1,229	17	1,136	1,119	10
20-24	1,145	1,119	15	1,043	1,024	8
25-29	942	916	13	1,039	1,027	6
30-34	1,192	1,186	1	1,232	1,213	5
35-39	1,197	1,167	17	1,153	1,134	9
40-44	1,178	1,162	6	1,200	1,180	1
45-49	1,248	1,226	16	1,227	1,203	8
50-54	1,473	1,444	28	1,368	1,332	16
55-59	1,560	1,552	6	1,597	1,572	22
60-64	1,414	1,401	6	1,467	1,454	5
65-69	1,234	1,221	6	1,245	1,235	7
70-74	988	982	4	1,055	1,041	1
75-79	666	664	0	930	917	2
80-84	462	458	0	694	686	1
85+	371	369	1	951	947	3
Total	20,198	19,854	206	21,092	20,760	156

Hancock	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	481	473	6	483	470	7
1-4	2,092	2,028	49	1,850	1,758	69
5-9	2,824	2,745	60	2,570	2,452	83
10-14	2,813	2,742	46	2,776	2,686	54
15-19	2,689	2,634	36	2,519	2,436	35
20-24	2,423	2,370	35	2,209	2,175	25
25-29	2,310	2,224	37	2,160	2,127	12
30-34	2,463	2,393	25	2,397	2,349	16
35-39	2,456	2,427	17	2,459	2,401	12
40-44	2,541	2,514	8	2,365	2,326	12
45-49	2,764	2,739	11	2,685	2,664	11
50-54	3,326	3,275	30	3,369	3,326	15
55-59	3,637	3,589	18	3,651	3,627	10
60-64	3,394	3,381	7	3,414	3,389	5
65-69	2,936	2,920	9	3,122	3,088	12
70-74	2,076	2,056	8	2,636	2,612	5
75-79	1,722	1,707	9	1,972	1,961	4
80-84	1,242	1,234	1	1,469	1,462	0
85+	1,014	1,010	2	1,950	1,947	3
Total	45,203	44,461	414	46,056	45,256	390

Hardin	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	76	76	0	75	74	1
1-4	335	334	1	345	329	14
5-9	564	555	7	497	468	16
10-14	635	607	9	567	539	15
15-19	572	546	12	570	548	7
20-24	456	432	10	440	416	9
25-29	452	441	3	378	369	2
30-34	455	445	6	481	475	5
35-39	563	554	2	520	514	2
40-44	630	613	2	523	510	1
45-49	702	689	8	678	670	0
50-54	755	735	13	800	777	7
55-59	754	725	10	779	753	8
60-64	778	764	6	963	948	4
65-69	849	843	5	815	810	1
70-74	691	690	1	610	605	2
75-79	469	467	2	470	449	4
80-84	213	213	0	362	360	1
85+	244	244	0	246	246	0
Total	10,193	9,973	97	10,119	9,860	99

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Henderson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	177	173	3	155	152	3
1-4	694	684	5	661	645	11
5-9	892	868	18	886	850	25
10-14	882	867	11	942	900	20
15-19	964	934	21	1,001	969	30
20-24	847	823	16	839	835	3
25-29	794	763	26	776	765	1
30-34	858	832	19	830	827	1
35-39	824	813	5	796	793	1
40-44	815	807	4	911	880	4
45-49	997	985	5	1,142	1,107	10
50-54	1,382	1,362	6	1,360	1,342	6
55-59	1,583	1,552	11	1,577	1,557	7
60-64	1,422	1,417	5	1,325	1,305	8
65-69	1,210	1,201	4	1,218	1,209	3
70-74	1,056	1,050	1	1,042	1,038	4
75-79	745	745	0	824	817	1
80-84	472	472	0	609	605	0
85+	373	372	1	794	783	1
Total	16,987	16,720	161	17,688	17,379	139

Henry	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,334	1,270	57	1,346	1,266	69
1-4	5,686	5,401	232	5,568	5,285	247
5-9	8,226	7,785	348	7,372	7,008	280
10-14	8,501	8,137	267	7,789	7,395	269
15-19	8,871	8,090	662	7,104	6,725	246
20-24	7,153	6,718	355	6,380	6,105	183
25-29	6,357	6,124	183	6,182	5,920	175
30-34	7,000	6,772	166	6,852	6,611	168
35-39	7,511	7,254	170	7,354	7,121	149
40-44	7,369	7,118	165	7,308	7,129	99
45-49	7,537	7,378	105	7,860	7,689	103
50-54	8,807	8,614	134	9,030	8,866	81
55-59	9,420	9,251	134	9,511	9,347	98
60-64	8,624	8,452	126	8,534	8,360	103
65-69	7,357	7,286	54	7,627	7,480	107
70-74	5,398	5,351	34	5,919	5,833	46
75-79	3,763	3,722	23	4,549	4,492	25
80-84	2,565	2,539	24	3,590	3,534	34
85+	2,276	2,235	21	4,522	4,478	37
Total	123,755	119,497	3,260	124,397	120,644	2,519

Iroquois	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	747	711	30	749	719	28
1-4	3,042	2,928	84	3,121	3,012	94
5-9	4,206	4,024	112	4,228	4,097	88
10-14	4,746	4,524	152	4,583	4,377	128
15-19	4,992	4,730	215	4,205	3,994	119
20-24	3,925	3,750	118	3,641	3,521	64
25-29	3,668	3,521	102	3,529	3,430	34
30-34	3,622	3,521	67	3,982	3,874	45
35-39	3,883	3,800	50	3,954	3,880	37
40-44	4,091	3,971	86	3,906	3,810	40
45-49	4,174	4,079	57	4,476	4,397	35
50-54	5,194	5,126	49	5,308	5,238	45
55-59	5,499	5,412	46	5,730	5,628	47
60-64	4,883	4,820	37	4,990	4,905	40
65-69	4,160	4,104	29	4,325	4,266	35
70-74	3,145	3,102	25	3,760	3,729	17
75-79	2,473	2,435	22	2,787	2,752	10
80-84	1,610	1,579	21	2,139	2,094	18
85+	1,509	1,501	3	3,198	3,178	13
Total	69,569	67,638	1,305	72,611	70,901	937

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Jackson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,781	1,351	364	1,707	1,244	400
1-4	6,418	4,850	1,315	6,141	4,667	1,301
5-9	7,143	5,230	1,582	7,122	5,253	1,596
10-14	7,065	5,319	1,418	6,938	5,145	1,485
15-19	12,711	9,045	2,979	11,473	8,044	2,980
20-24	26,529	19,736	4,704	24,401	16,497	6,183
25-29	13,304	10,151	2,375	11,332	8,525	2,102
30-34	9,259	7,568	1,143	8,387	6,579	1,291
35-39	7,734	6,351	977	7,383	5,660	1,137
40-44	7,244	6,083	795	7,004	5,584	1,009
45-49	7,112	6,070	710	7,108	5,874	984
50-54	7,689	6,707	745	8,314	6,921	1,053
55-59	8,159	7,034	912	8,658	7,389	933
60-64	7,962	6,984	775	8,247	7,158	816
65-69	6,659	6,011	508	7,041	6,244	655
70-74	4,186	3,866	246	4,983	4,502	419
75-79	2,948	2,711	198	3,721	3,442	243
80-84	2,036	1,894	114	3,142	2,752	244
85+	1,934	1,777	114	4,120	3,757	261
Total	147,873	118,738	21,974	147,222	115,237	25,092
Jasper	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	308	308	0	255	253	2
1-4	1,215	1,203	11	1,097	1,083	6
5-9	1,597	1,574	18	1,446	1,436	4
10-14	1,599	1,577	15	1,563	1,542	15
15-19	1,430	1,400	22	1,454	1,421	21
20-24	1,173	1,161	7	1,264	1,234	12
25-29	1,288	1,269	8	1,239	1,229	7
30-34	1,471	1,455	8	1,288	1,273	6
35-39	1,492	1,484	3	1,302	1,289	3
40-44	1,311	1,293	7	1,257	1,240	0
45-49	1,406	1,393	3	1,622	1,608	2
50-54	2,109	2,089	10	1,802	1,795	2
55-59	1,910	1,900	2	1,819	1,813	2
60-64	1,618	1,599	13	1,695	1,676	2
65-69	1,378	1,371	7	1,370	1,360	4
70-74	943	934	4	1,024	1,019	1
75-79	722	716	3	858	854	0
80-84	615	613	0	663	648	1
85+	477	472	0	903	887	4
Total	24,062	23,811	141	23,921	23,660	94
Jefferson	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,298	1,073	207	1,175	968	192
1-4	4,941	4,150	716	4,787	3,924	750
5-9	5,900	5,032	806	5,855	4,883	819
10-14	5,934	5,059	741	5,500	4,816	620
15-19	5,854	4,851	886	4,931	4,213	637
20-24	6,504	5,138	1,284	5,293	4,511	671
25-29	6,835	5,533	1,196	5,356	4,667	539
30-34	6,662	5,352	1,185	5,535	4,909	525
35-39	6,601	5,468	965	5,187	4,648	425
40-44	6,431	5,437	849	5,307	4,782	388
45-49	6,694	5,937	676	5,746	5,340	334
50-54	6,809	6,137	595	6,257	5,904	310
55-59	6,629	6,184	401	6,661	6,260	314
60-64	6,239	5,850	308	6,527	6,094	357
65-69	5,458	5,160	243	5,505	5,192	255
70-74	3,900	3,718	150	4,354	4,202	110
75-79	2,746	2,636	76	3,249	3,118	116
80-84	1,715	1,672	36	2,470	2,368	74
85+	1,593	1,531	36	3,234	3,152	67
Total	98,743	85,918	11,356	92,929	83,951	7,503

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Jersey	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	513	501	10	516	493	9
1-4	2,323	2,269	42	2,279	2,124	40
5-9	3,227	3,144	40	3,197	3,075	57
10-14	3,633	3,523	40	3,424	3,319	54
15-19	3,778	3,660	71	3,890	3,761	83
20-24	3,615	3,484	83	3,757	3,643	67
25-29	3,040	2,957	59	2,993	2,934	36
30-34	3,106	3,036	45	3,061	3,018	19
35-39	3,033	2,969	23	3,143	3,088	33
40-44	3,147	3,086	32	3,147	3,112	9
45-49	3,635	3,587	18	3,705	3,643	13
50-54	4,266	4,212	20	4,583	4,431	33
55-59	4,316	4,249	37	4,478	4,323	31
60-64	3,664	3,616	23	3,810	3,747	31
65-69	2,926	2,887	17	3,153	3,125	6
70-74	2,210	2,190	10	2,464	2,454	1
75-79	1,726	1,714	3	2,037	2,033	1
80-84	1,055	1,044	0	1,506	1,501	1
85+	929	928	1	1,787	1,767	4
Total	54,142	53,056	574	56,930	55,591	528

Jo Daviess	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	460	439	16	417	405	8
1-4	2,048	1,973	57	1,996	1,885	53
5-9	3,156	3,052	69	2,880	2,787	60
10-14	3,397	3,285	83	3,063	2,979	59
15-19	3,280	3,202	62	2,825	2,736	47
20-24	2,698	2,645	32	2,435	2,362	45
25-29	2,516	2,465	24	2,234	2,171	32
30-34	2,678	2,619	27	2,614	2,549	27
35-39	2,719	2,670	29	2,617	2,564	25
40-44	2,985	2,937	21	2,870	2,829	21
45-49	3,255	3,201	27	3,225	3,167	25
50-54	3,932	3,879	15	3,928	3,877	17
55-59	4,248	4,203	28	4,559	4,515	22
60-64	4,399	4,349	23	4,724	4,686	17
65-69	4,690	4,651	10	4,566	4,529	9
70-74	3,406	3,373	9	3,597	3,574	5
75-79	2,514	2,486	6	2,576	2,570	1
80-84	1,470	1,444	1	1,754	1,749	0
85+	1,254	1,248	0	2,217	2,203	4
Total	55,105	54,121	539	55,097	54,137	477

Johnson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	293	288	5	257	248	9
1-4	1,208	1,174	30	1,081	1,058	20
5-9	1,586	1,546	36	1,613	1,589	18
10-14	1,818	1,778	22	1,680	1,633	30
15-19	2,107	1,763	325	1,469	1,438	9
20-24	2,782	1,830	913	1,384	1,355	23
25-29	2,762	1,832	885	1,408	1,381	18
30-34	2,528	1,725	765	1,427	1,408	7
35-39	2,292	1,721	558	1,438	1,413	14
40-44	2,459	1,864	585	1,543	1,528	6
45-49	2,527	1,964	557	1,844	1,810	25
50-54	2,492	2,127	356	2,019	1,977	23
55-59	2,405	2,210	190	2,249	2,221	12
60-64	2,052	2,002	37	2,060	2,042	13
65-69	2,113	2,078	17	2,118	2,095	8
70-74	1,630	1,608	22	1,659	1,645	8
75-79	1,223	1,208	14	1,137	1,126	5
80-84	618	614	4	857	848	5
85+	477	464	13	805	799	6
Total	35,372	29,796	5,334	28,048	27,614	259

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Kane	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	17,182	15,097	1,356	16,283	14,217	1,361
1-4	71,847	62,554	5,820	69,592	60,383	5,718
5-9	100,039	85,732	8,074	96,845	82,677	7,871
10-14	106,782	92,148	8,195	101,843	87,518	7,863
15-19	100,592	86,277	8,511	95,140	81,530	7,692
20-24	85,518	72,884	7,737	81,635	70,158	7,012
25-29	78,441	67,436	6,435	75,032	63,692	6,414
30-34	85,331	74,942	5,341	83,610	72,148	5,866
35-39	90,043	79,028	5,094	88,965	76,767	5,886
40-44	92,139	80,244	5,216	92,820	80,289	5,620
45-49	95,070	84,648	4,908	94,549	83,375	5,313
50-54	94,396	85,503	4,584	94,279	84,647	4,937
55-59	85,277	77,520	4,224	86,245	77,756	4,433
60-64	69,435	63,050	3,375	73,525	66,157	3,909
65-69	54,286	49,548	2,394	59,678	54,276	2,824
70-74	36,332	33,288	1,448	43,133	39,506	1,832
75-79	23,906	21,940	893	28,891	26,597	1,252
80-84	14,850	13,843	459	21,154	19,871	690
85+	12,937	12,284	327	25,290	24,174	614
Total	1,314,403	1,157,966	84,391	1,328,509	1,165,738	87,107
Kankakee	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,419	2,617	761	3,194	2,373	781
1-4	13,621	10,464	3,010	13,181	9,989	3,029
5-9	18,558	14,286	3,985	17,756	13,665	3,801
10-14	19,970	15,360	4,226	18,575	14,399	3,777
15-19	21,051	16,309	4,314	21,076	16,938	3,685
20-24	21,710	17,465	3,783	21,618	17,363	3,869
25-29	17,026	13,480	3,218	16,697	12,834	3,562
30-34	16,417	13,384	2,784	16,809	13,592	2,867
35-39	16,414	13,624	2,546	16,929	13,753	2,796
40-44	16,571	13,929	2,304	16,693	13,595	2,722
45-49	17,184	14,588	2,307	17,679	14,765	2,600
50-54	18,909	16,165	2,495	19,429	16,312	2,838
55-59	18,761	16,001	2,500	19,297	16,370	2,705
60-64	16,674	14,484	1,937	17,233	14,642	2,332
65-69	12,954	11,368	1,392	14,501	12,686	1,644
70-74	9,494	8,553	867	10,687	9,517	1,028
75-79	6,324	5,652	585	8,135	7,226	838
80-84	4,694	4,228	424	6,149	5,445	652
85+	4,687	4,323	333	7,959	7,309	579
Total	274,438	226,280	43,771	283,597	232,773	46,105
Kendall	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,186	3,750	291	3,949	3,535	269
1-4	19,058	16,817	1,543	17,916	15,994	1,260
5-9	26,859	23,462	2,222	25,731	22,544	2,018
10-14	27,899	24,249	2,372	25,897	22,345	2,253
15-19	23,252	20,085	2,291	22,101	18,946	2,166
20-24	16,907	14,661	1,670	16,579	14,298	1,707
25-29	17,050	15,045	1,447	17,410	15,392	1,305
30-34	22,505	19,988	1,511	24,421	21,502	1,629
35-39	24,518	21,642	1,750	26,182	22,620	2,084
40-44	25,557	22,154	2,039	26,096	22,503	2,179
45-49	23,330	20,628	1,695	22,967	20,313	1,746
50-54	20,004	17,985	1,404	19,209	17,119	1,390
55-59	15,828	14,475	901	16,714	15,162	959
60-64	12,303	11,339	615	13,623	12,369	750
65-69	9,953	9,299	359	11,351	10,494	467
70-74	7,085	6,636	218	7,940	7,452	248
75-79	4,008	3,811	83	4,922	4,666	143
80-84	2,336	2,235	44	3,390	3,169	120
85+	1,932	1,859	40	3,840	3,704	53
Total	304,570	270,120	22,495	310,238	274,127	22,746

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Knox	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,459	1,176	256	1,366	1,068	245
1-4	5,664	4,626	951	5,289	4,230	927
5-9	6,901	5,866	933	6,796	5,675	1,020
10-14	7,591	6,564	953	7,142	6,184	839
15-19	8,298	7,129	977	7,976	6,900	834
20-24	9,590	7,369	1,833	8,688	7,509	878
25-29	8,775	6,641	1,951	6,820	6,029	712
30-34	8,222	6,355	1,727	6,528	5,859	575
35-39	8,283	6,710	1,450	6,750	6,210	440
40-44	7,605	6,290	1,223	6,763	6,222	367
45-49	7,870	6,929	870	7,355	6,913	325
50-54	8,704	7,955	637	8,744	8,350	307
55-59	8,963	8,370	504	9,280	8,871	310
60-64	9,034	8,555	411	9,456	9,086	266
65-69	7,522	7,217	250	8,084	7,814	201
70-74	5,598	5,430	135	6,463	6,246	186
75-79	3,972	3,800	157	4,800	4,641	141
80-84	2,751	2,701	48	4,274	4,076	150
85+	2,588	2,541	39	5,047	4,864	154
Total	129,390	112,224	15,305	127,621	116,747	8,877
Lake	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	19,794	16,036	2,163	18,924	15,237	2,076
1-4	87,286	70,146	8,909	83,089	67,370	8,337
5-9	123,859	98,419	12,203	118,222	94,317	11,544
10-14	136,124	111,180	12,086	129,684	104,906	11,415
15-19	146,955	121,361	14,096	129,931	106,415	12,288
20-24	136,968	111,723	14,597	113,096	91,170	12,631
25-29	99,754	79,722	9,996	89,717	70,010	10,825
30-34	99,967	80,218	8,431	99,586	77,830	9,566
35-39	106,249	85,581	7,453	110,059	85,729	9,182
40-44	114,732	92,942	7,557	118,596	94,766	8,726
45-49	125,834	105,971	7,782	130,408	108,290	8,702
50-54	133,735	115,569	8,455	139,255	119,152	9,180
55-59	126,077	110,556	7,797	129,882	112,620	8,511
60-64	99,961	88,340	5,582	104,709	91,030	6,340
65-69	75,935	67,351	3,777	81,118	71,180	4,204
70-74	50,947	45,224	2,176	57,361	50,616	2,816
75-79	32,192	28,657	1,454	40,182	35,559	2,065
80-84	21,562	19,528	832	30,084	26,999	1,476
85+	21,050	19,699	607	38,841	35,785	1,536
Total	1,758,981	1,468,223	135,953	1,762,744	1,458,981	141,420
LaSalle	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,111	2,912	142	2,921	2,731	135
1-4	12,385	11,661	528	11,659	11,013	451
5-9	16,627	15,699	614	16,134	14,986	583
10-14	18,238	17,390	619	17,824	16,824	634
15-19	18,113	16,879	1,035	16,856	16,034	575
20-24	18,015	15,932	1,862	15,466	14,752	457
25-29	18,022	16,030	1,720	15,146	14,422	396
30-34	17,872	16,350	1,238	15,728	15,145	308
35-39	16,934	15,635	1,080	15,209	14,653	279
40-44	16,777	15,537	1,043	15,571	15,079	205
45-49	18,295	17,095	971	17,529	16,984	209
50-54	21,210	20,431	547	20,699	20,127	245
55-59	21,800	21,237	375	21,403	20,990	184
60-64	18,953	18,557	205	18,400	18,079	126
65-69	14,548	14,348	96	15,168	14,907	105
70-74	10,393	10,266	57	12,053	11,877	41
75-79	7,667	7,604	24	9,589	9,503	38
80-84	5,370	5,340	18	7,505	7,435	30
85+	5,275	5,232	37	10,539	10,501	10
Total	279,605	264,135	12,211	275,399	266,042	5,011

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Lawrence	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	438	418	16	393	378	12
1-4	1,704	1,607	63	1,709	1,657	42
5-9	2,217	2,137	61	2,175	2,111	50
10-14	2,297	2,239	48	2,105	2,033	57
15-19	2,404	2,141	245	1,809	1,770	29
20-24	4,156	2,425	1,688	1,829	1,777	27
25-29	4,288	2,679	1,522	1,943	1,880	28
30-34	3,728	2,484	1,183	2,056	1,991	28
35-39	3,623	2,564	1,011	2,109	2,067	29
40-44	3,631	2,657	952	2,106	2,089	5
45-49	3,077	2,460	607	2,068	2,033	8
50-54	3,107	2,709	382	2,588	2,542	30
55-59	2,775	2,595	169	2,898	2,844	41
60-64	2,390	2,316	63	2,451	2,413	16
65-69	1,945	1,912	32	2,001	1,964	23
70-74	1,406	1,363	34	1,767	1,747	14
75-79	1,091	1,065	14	1,529	1,502	19
80-84	782	767	14	1,142	1,116	15
85+	663	638	20	1,505	1,474	28
Total	45,722	37,176	8,124	36,183	35,388	501
Lee	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	862	807	47	853	793	46
1-4	3,654	3,416	183	3,617	3,409	145
5-9	5,000	4,758	195	4,757	4,472	201
10-14	4,947	4,693	203	4,979	4,740	187
15-19	5,136	4,718	340	4,653	4,388	171
20-24	5,702	5,026	598	4,556	4,334	156
25-29	6,144	5,170	882	4,264	4,084	130
30-34	6,407	5,122	1,203	4,509	4,293	114
35-39	5,952	4,891	956	4,314	4,163	60
40-44	6,088	5,079	914	4,460	4,309	65
45-49	6,482	5,538	875	5,399	5,213	91
50-54	7,294	6,564	663	6,150	5,996	91
55-59	7,238	6,568	586	6,576	6,390	125
60-64	6,230	5,709	470	5,709	5,582	67
65-69	5,093	4,873	182	5,012	4,938	36
70-74	3,579	3,448	97	3,695	3,629	37
75-79	2,624	2,535	66	2,950	2,903	29
80-84	1,854	1,818	27	2,289	2,228	30
85+	1,491	1,483	5	3,009	2,974	19
Total	91,777	82,216	8,492	81,751	78,838	1,800
Livingston	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	988	928	49	972	922	44
1-4	4,225	3,938	230	3,877	3,668	182
5-9	5,617	5,305	224	5,180	4,880	205
10-14	6,266	5,967	245	5,464	5,212	178
15-19	6,164	5,770	327	5,401	5,127	238
20-24	5,988	5,168	692	5,585	5,065	409
25-29	5,821	4,987	679	5,347	4,762	426
30-34	5,793	5,195	501	5,477	4,999	375
35-39	5,491	4,888	529	5,134	4,703	354
40-44	5,526	4,970	496	5,204	4,774	392
45-49	6,015	5,433	535	5,695	5,321	305
50-54	6,795	6,323	444	6,754	6,523	180
55-59	7,202	6,961	207	6,923	6,745	121
60-64	6,075	5,936	100	5,934	5,802	73
65-69	4,668	4,593	50	4,984	4,933	22
70-74	3,244	3,191	20	3,994	3,973	9
75-79	2,537	2,513	11	3,153	3,114	17
80-84	1,816	1,802	7	2,533	2,501	9
85+	1,734	1,732	1	3,678	3,671	0
Total	91,965	85,600	5,347	91,289	86,695	3,539

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Logan	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	782	724	52	731	682	42
1-4	2,972	2,814	130	2,956	2,779	155
5-9	3,873	3,719	122	3,826	3,639	150
10-14	4,260	4,056	125	3,937	3,740	133
15-19	5,006	4,225	679	4,673	3,994	585
20-24	6,157	4,871	1,177	4,802	4,151	554
25-29	5,785	4,397	1,290	4,322	3,886	383
30-34	5,685	4,320	1,266	4,465	3,948	460
35-39	5,063	4,016	987	4,557	3,990	492
40-44	4,556	3,742	776	4,391	3,764	558
45-49	4,810	4,131	618	4,495	3,989	436
50-54	5,124	4,646	426	4,948	4,623	251
55-59	5,188	4,903	245	5,074	4,878	159
60-64	4,498	4,374	98	4,682	4,575	68
65-69	3,517	3,442	52	3,872	3,805	19
70-74	2,660	2,617	20	3,150	3,098	25
75-79	1,901	1,864	13	2,510	2,468	26
80-84	1,343	1,322	1	2,202	2,184	9
85+	1,294	1,290	1	2,848	2,813	26
Total	74,474	65,473	8,078	72,441	67,006	4,531
Macon	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,433	2,321	1,026	3,251	2,183	993
1-4	13,605	9,213	4,075	12,802	8,650	3,892
5-9	16,994	11,865	4,747	16,574	11,636	4,610
10-14	17,061	12,431	4,329	16,226	11,432	4,458
15-19	16,857	12,157	4,412	17,285	12,574	4,418
20-24	17,216	12,504	4,334	18,018	13,081	4,527
25-29	15,537	11,898	3,252	16,891	12,579	3,990
30-34	14,629	11,793	2,483	16,118	12,491	3,135
35-39	14,836	11,864	2,544	16,149	12,627	3,155
40-44	14,613	11,775	2,517	15,837	12,393	3,017
45-49	15,116	12,498	2,294	16,092	12,878	2,904
50-54	17,554	14,679	2,603	18,652	15,388	2,997
55-59	19,413	16,528	2,692	20,400	17,312	2,916
60-64	17,652	15,378	2,109	19,470	16,567	2,700
65-69	14,840	13,044	1,650	16,296	14,213	1,889
70-74	10,588	9,419	1,115	12,021	10,586	1,349
75-79	7,386	6,700	637	9,435	8,442	946
80-84	5,334	5,033	278	7,837	7,184	619
85+	4,911	4,598	288	10,480	9,679	767
Total	257,575	205,698	47,385	279,834	221,895	53,282
Macoupin	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,189	1,148	32	1,052	1,022	21
1-4	4,850	4,686	117	4,684	4,516	117
5-9	7,307	7,081	142	6,477	6,288	131
10-14	7,857	7,634	142	7,104	6,875	149
15-19	7,444	7,221	165	6,840	6,602	175
20-24	6,604	6,395	178	6,469	6,240	174
25-29	6,162	6,037	94	6,114	5,991	87
30-34	6,634	6,522	58	6,652	6,530	57
35-39	6,617	6,463	91	6,725	6,572	52
40-44	6,924	6,753	93	6,814	6,648	52
45-49	7,252	7,145	82	7,250	7,124	47
50-54	8,342	8,219	74	8,811	8,686	44
55-59	8,967	8,823	80	8,999	8,882	52
60-64	8,158	8,076	61	8,368	8,234	77
65-69	6,545	6,465	33	7,058	6,974	51
70-74	4,688	4,636	17	5,176	5,130	30
75-79	3,352	3,326	10	4,072	4,023	28
80-84	2,436	2,420	13	3,443	3,414	13
85+	2,157	2,133	19	4,369	4,330	15
Total	113,485	111,183	1,501	116,477	114,081	1,372

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Madison	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	7,850	6,505	1,204	7,387	6,178	1,090
1-4	32,509	27,211	4,479	30,788	25,925	4,239
5-9	41,918	35,159	5,898	39,977	33,716	5,305
10-14	43,575	37,286	5,469	40,230	34,473	4,949
15-19	41,897	35,823	5,356	39,074	33,041	5,155
20-24	41,570	35,603	5,176	42,578	35,542	6,149
25-29	46,794	41,502	4,553	46,538	40,098	5,664
30-34	42,782	38,667	3,472	43,408	37,982	4,621
35-39	39,142	35,442	3,035	41,146	36,241	4,008
40-44	39,326	35,538	3,005	41,467	36,566	4,033
45-49	42,514	38,768	3,003	43,462	39,095	3,619
50-54	47,859	44,437	2,746	48,944	44,612	3,654
55-59	49,414	46,028	2,829	50,595	46,493	3,401
60-64	40,843	38,153	2,310	44,105	40,677	2,780
65-69	31,642	29,792	1,562	36,253	33,675	2,160
70-74	22,845	21,563	1,019	27,552	25,907	1,342
75-79	16,218	15,383	669	20,939	19,912	859
80-84	10,973	10,538	381	16,719	15,919	681
85+	9,646	9,335	282	20,729	19,903	735
Total	649,317	582,733	56,448	681,891	605,955	64,444
Marion	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	1,209	1,092	110	1,244	1,117	119
1-4	4,949	4,468	451	4,867	4,396	443
5-9	6,443	5,830	544	6,146	5,586	516
10-14	5,997	5,469	473	5,841	5,318	455
15-19	5,634	5,108	461	5,642	5,144	433
20-24	5,788	5,273	433	5,575	5,164	342
25-29	5,736	5,393	291	5,734	5,215	316
30-34	5,415	5,089	247	5,406	5,128	242
35-39	5,400	5,107	231	5,302	5,040	201
40-44	5,431	5,115	245	5,465	5,211	189
45-49	5,714	5,385	254	5,806	5,555	183
50-54	6,624	6,313	242	7,018	6,665	267
55-59	6,874	6,596	208	7,354	7,014	262
60-64	6,300	6,014	212	6,616	6,332	201
65-69	5,193	4,980	161	5,840	5,635	143
70-74	4,015	3,860	115	4,484	4,311	127
75-79	2,870	2,784	66	3,567	3,469	82
80-84	1,989	1,943	29	2,587	2,491	77
85+	1,806	1,763	37	3,591	3,482	103
Total	93,387	87,582	4,810	98,085	92,273	4,701
Marshall	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	321	316	4	306	300	5
1-4	1,221	1,184	22	1,282	1,242	38
5-9	1,751	1,704	29	1,601	1,541	42
10-14	1,798	1,742	42	1,697	1,649	26
15-19	1,784	1,742	30	1,527	1,472	25
20-24	1,730	1,687	28	1,629	1,593	24
25-29	1,491	1,453	22	1,398	1,371	21
30-34	1,563	1,526	19	1,597	1,553	13
35-39	1,640	1,580	17	1,532	1,494	23
40-44	1,743	1,699	20	1,576	1,528	18
45-49	1,813	1,781	21	1,824	1,797	4
50-54	2,173	2,153	7	2,266	2,246	8
55-59	2,339	2,318	7	2,314	2,293	1
60-64	2,318	2,293	13	2,260	2,245	8
65-69	1,848	1,833	7	2,016	2,003	3
70-74	1,558	1,544	2	1,591	1,583	2
75-79	1,024	1,024	0	1,307	1,300	2
80-84	768	767	0	1,082	1,073	0
85+	679	675	0	1,192	1,181	0
Total	29,562	29,021	290	29,997	29,464	263

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Mason	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	328	320	8	336	331	5
1-4	1,497	1,454	32	1,322	1,277	36
5-9	1,918	1,854	43	1,926	1,887	22
10-14	2,103	2,048	33	2,306	2,244	32
15-19	2,218	2,163	33	2,088	2,027	34
20-24	1,934	1,887	34	1,682	1,645	25
25-29	1,726	1,681	38	1,641	1,606	12
30-34	1,759	1,694	43	1,923	1,891	14
35-39	1,970	1,884	50	1,900	1,860	12
40-44	2,053	2,006	27	2,083	2,037	22
45-49	2,316	2,287	22	2,172	2,137	11
50-54	2,591	2,557	22	2,672	2,637	15
55-59	2,613	2,598	8	2,643	2,612	4
60-64	2,500	2,478	11	2,441	2,416	7
65-69	2,278	2,263	7	2,297	2,281	0
70-74	1,697	1,694	0	1,852	1,837	0
75-79	1,220	1,219	1	1,365	1,360	5
80-84	750	748	2	1,132	1,128	0
85+	728	727	1	1,488	1,480	2
Total	34,199	33,562	415	35,269	34,693	258

Massac	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	416	369	44	357	322	34
1-4	1,696	1,520	160	1,579	1,403	165
5-9	2,227	1,955	256	2,394	2,138	238
10-14	2,347	2,114	190	2,460	2,238	185
15-19	2,095	1,889	179	2,070	1,836	220
20-24	1,940	1,786	144	1,893	1,722	149
25-29	1,719	1,607	90	1,903	1,766	119
30-34	1,901	1,764	117	2,146	1,991	127
35-39	1,967	1,819	129	2,261	2,102	135
40-44	2,239	2,046	161	2,287	2,117	130
45-49	2,402	2,231	145	2,319	2,152	136
50-54	2,600	2,405	178	2,694	2,435	222
55-59	2,635	2,407	198	2,995	2,740	209
60-64	2,348	2,167	172	2,411	2,243	135
65-69	1,983	1,860	106	2,173	2,039	110
70-74	1,620	1,499	82	1,903	1,818	77
75-79	1,221	1,167	46	1,375	1,318	53
80-84	770	726	40	1,176	1,094	76
85+	809	771	31	1,583	1,496	78
Total	34,935	32,102	2,468	37,979	34,970	2,598

McDonough	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	688	623	56	726	638	72
1-4	2,996	2,639	248	2,724	2,367	258
5-9	3,768	3,298	306	3,543	3,145	288
10-14	3,790	3,485	221	3,690	3,337	228
15-19	6,599	5,845	486	7,724	6,480	1,007
20-24	13,937	11,932	1,554	12,305	10,445	1,355
25-29	6,496	5,919	446	4,951	4,418	450
30-34	4,278	3,977	217	4,204	3,817	286
35-39	3,697	3,392	186	3,656	3,300	170
40-44	3,586	3,330	138	3,574	3,289	141
45-49	3,560	3,306	138	3,707	3,509	96
50-54	4,269	3,992	106	4,446	4,236	110
55-59	4,565	4,391	112	4,885	4,688	122
60-64	4,382	4,230	87	4,667	4,471	110
65-69	3,921	3,829	48	3,963	3,860	36
70-74	2,715	2,637	57	2,926	2,831	50
75-79	1,789	1,733	21	2,309	2,249	28
80-84	1,200	1,172	6	2,057	2,034	11
85+	1,299	1,285	5	3,074	3,055	14
Total	77,535	71,015	4,438	79,131	72,169	4,832

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

McHenry	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	8,072	7,625	206	7,765	7,275	229
1-4	35,855	33,757	906	33,805	31,599	956
5-9	52,187	48,313	1,576	49,902	46,230	1,275
10-14	59,593	55,397	1,505	56,796	52,883	1,307
15-19	58,204	54,572	1,410	54,424	50,877	1,256
20-24	48,032	45,400	1,100	45,070	42,317	1,052
25-29	41,615	39,204	1,024	38,508	36,263	757
30-34	44,298	41,817	979	43,568	41,048	687
35-39	47,348	44,453	921	47,667	44,437	846
40-44	52,107	48,441	1,103	53,500	49,742	871
45-49	60,173	56,870	1,061	62,045	58,709	890
50-54	64,252	61,551	977	65,056	62,248	816
55-59	58,660	56,467	794	59,032	56,629	628
60-64	45,643	44,138	418	46,280	44,364	392
65-69	34,421	33,294	239	37,295	35,679	323
70-74	24,154	23,376	111	27,306	26,463	129
75-79	14,859	14,361	67	17,802	17,249	95
80-84	9,160	8,925	41	12,092	11,746	74
85+	7,227	7,048	25	14,187	13,915	42
Total	765,860	725,009	14,463	772,100	729,673	12,625

McLean	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,223	3,995	716	5,286	3,970	718
1-4	21,088	16,421	2,710	21,090	16,266	2,765
5-9	26,787	21,383	3,343	26,257	20,765	3,319
10-14	27,296	22,341	3,387	26,170	21,331	3,196
15-19	34,478	28,853	4,096	38,898	33,109	4,365
20-24	54,275	46,196	5,495	56,964	48,277	5,675
25-29	28,780	22,624	2,696	29,175	23,361	2,644
30-34	28,965	22,119	2,449	28,574	22,722	2,583
35-39	27,318	21,870	2,108	27,268	22,230	2,314
40-44	25,545	21,161	1,955	24,571	20,909	2,054
45-49	24,684	21,371	2,061	25,754	22,333	2,203
50-54	26,377	23,611	1,928	27,714	24,780	2,036
55-59	25,206	22,978	1,595	26,956	24,537	1,723
60-64	21,110	19,486	1,157	23,753	22,147	1,069
65-69	16,853	15,748	681	17,923	16,857	707
70-74	11,004	10,481	277	12,579	11,917	438
75-79	7,537	7,260	173	9,412	8,940	297
80-84	4,953	4,763	122	7,486	7,155	228
85+	4,947	4,768	95	10,055	9,762	207
Total	422,426	357,429	37,044	445,885	381,368	38,541

Menard	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	316	308	7	283	279	3
1-4	1,401	1,337	51	1,236	1,213	21
5-9	1,890	1,832	48	1,973	1,907	56
10-14	2,091	2,025	45	2,075	1,991	68
15-19	2,043	1,987	33	1,874	1,797	38
20-24	1,695	1,646	38	1,573	1,508	42
25-29	1,528	1,488	27	1,578	1,541	25
30-34	1,548	1,505	34	1,841	1,806	26
35-39	1,922	1,852	57	1,804	1,777	18
40-44	1,806	1,753	29	1,845	1,793	29
45-49	1,903	1,881	14	2,147	2,117	15
50-54	2,390	2,367	19	2,614	2,563	18
55-59	2,598	2,585	10	2,439	2,391	24
60-64	2,101	2,095	4	2,278	2,254	11
65-69	1,905	1,872	18	1,993	1,977	8
70-74	1,242	1,225	5	1,384	1,373	7
75-79	907	896	6	1,126	1,122	2
80-84	588	585	2	710	704	0
85+	468	463	5	1,001	997	0
Total	30,342	29,702	452	31,774	31,110	411

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Mercer	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	388	378	10	336	331	5
1-4	1,602	1,552	43	1,654	1,610	31
5-9	2,288	2,247	27	2,416	2,352	31
10-14	2,603	2,538	44	2,593	2,514	39
15-19	2,656	2,598	42	2,247	2,179	41
20-24	2,061	1,993	37	1,921	1,869	30
25-29	2,005	1,932	60	1,785	1,758	17
30-34	2,056	2,025	17	2,039	2,004	21
35-39	2,158	2,106	40	2,207	2,180	11
40-44	2,359	2,319	32	2,252	2,230	16
45-49	2,463	2,425	22	2,756	2,731	11
50-54	2,985	2,941	23	3,066	3,014	28
55-59	3,137	3,105	11	2,941	2,914	20
60-64	2,919	2,887	9	2,811	2,796	4
65-69	2,478	2,465	6	2,457	2,441	4
70-74	1,985	1,971	8	2,089	2,086	3
75-79	1,317	1,307	4	1,492	1,492	0
80-84	897	897	0	1,103	1,100	2
85+	877	871	6	1,542	1,532	5
Total	39,234	38,557	441	39,707	39,133	319

Monroe	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	863	850	5	839	820	8
1-4	3,782	3,704	42	3,647	3,473	39
5-9	5,320	5,226	47	5,264	5,128	56
10-14	6,129	6,036	36	5,464	5,364	38
15-19	5,833	5,721	58	5,103	4,980	55
20-24	4,498	4,403	37	4,168	4,079	35
25-29	4,276	4,198	26	4,190	4,110	24
30-34	4,847	4,800	28	4,963	4,905	25
35-39	5,386	5,284	48	5,094	5,015	27
40-44	5,278	5,206	36	5,300	5,169	38
45-49	5,691	5,612	43	6,417	6,342	17
50-54	6,730	6,661	21	6,936	6,865	24
55-59	7,142	7,073	25	7,072	6,991	16
60-64	5,727	5,663	25	5,604	5,528	17
65-69	4,222	4,197	10	4,178	4,145	8
70-74	2,845	2,820	7	3,075	3,059	5
75-79	2,081	2,064	5	2,685	2,670	5
80-84	1,485	1,470	12	2,401	2,391	0
85+	1,501	1,488	3	2,770	2,758	8
Total	83,636	82,476	514	85,170	83,792	445

Montgomery	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	703	683	14	746	726	16
1-4	3,017	2,938	59	3,083	2,992	67
5-9	4,473	4,362	98	4,044	3,947	75
10-14	4,451	4,342	72	4,131	4,034	67
15-19	4,307	4,084	182	3,789	3,690	68
20-24	5,233	4,471	727	3,542	3,438	60
25-29	5,375	4,547	808	3,527	3,431	41
30-34	5,320	4,599	664	3,953	3,903	25
35-39	4,886	4,229	618	3,798	3,735	24
40-44	5,042	4,487	504	3,763	3,696	47
45-49	5,307	4,846	421	4,282	4,216	17
50-54	5,559	5,265	267	5,312	5,257	17
55-59	5,546	5,374	154	5,272	5,219	15
60-64	4,997	4,904	50	4,829	4,760	30
65-69	3,928	3,863	36	3,962	3,902	13
70-74	2,827	2,803	12	3,182	3,148	5
75-79	2,165	2,147	7	2,792	2,770	7
80-84	1,527	1,507	10	2,241	2,218	8
85+	1,551	1,538	8	3,345	3,314	15
Total	76,214	70,989	4,711	69,593	68,396	617

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Morgan	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	930	797	125	859	720	132
1-4	3,696	3,186	455	3,462	2,994	443
5-9	4,855	4,282	520	4,383	3,968	380
10-14	5,032	4,473	497	4,649	4,179	408
15-19	6,076	5,234	695	5,278	4,763	397
20-24	6,468	5,400	977	5,936	5,411	451
25-29	5,868	4,883	885	5,269	4,846	371
30-34	6,144	4,876	1,159	4,868	4,569	240
35-39	5,627	4,579	967	4,579	4,323	215
40-44	5,125	4,345	694	4,586	4,333	173
45-49	5,407	4,789	546	5,156	4,908	176
50-54	6,326	5,769	485	6,167	5,941	184
55-59	6,488	6,034	389	6,350	6,113	187
60-64	5,620	5,366	202	5,774	5,613	112
65-69	4,811	4,701	76	5,139	5,033	78
70-74	3,357	3,256	79	4,098	4,014	76
75-79	2,410	2,343	59	3,139	3,083	53
80-84	1,701	1,663	25	2,438	2,396	36
85+	1,563	1,543	19	3,517	3,490	14
Total	87,504	77,519	8,854	85,647	80,697	4,126
Moultrie	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	479	471	6	468	465	3
1-4	1,878	1,844	24	1,960	1,920	33
5-9	2,685	2,635	37	2,506	2,445	48
10-14	2,817	2,755	33	2,644	2,593	44
15-19	2,536	2,487	30	2,224	2,179	30
20-24	2,051	2,006	28	1,922	1,876	24
25-29	2,102	2,056	26	2,071	2,041	15
30-34	2,190	2,137	40	2,320	2,294	19
35-39	2,108	2,081	22	2,241	2,208	13
40-44	2,024	1,995	15	2,074	2,036	11
45-49	2,140	2,121	13	2,141	2,124	12
50-54	2,408	2,382	3	2,617	2,573	6
55-59	2,408	2,391	7	2,602	2,588	2
60-64	2,343	2,327	5	2,408	2,384	10
65-69	1,886	1,882	4	2,103	2,093	6
70-74	1,386	1,381	1	1,484	1,468	5
75-79	1,035	1,025	9	1,194	1,191	1
80-84	755	749	6	1,048	1,044	0
85+	702	696	6	1,632	1,632	0
Total	35,933	35,421	315	37,659	37,154	282
Ogle	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,369	1,305	37	1,287	1,222	44
1-4	5,874	5,587	180	5,482	5,177	233
5-9	8,229	7,852	244	7,864	7,501	258
10-14	8,934	8,534	230	9,139	8,784	242
15-19	8,868	8,478	268	8,310	8,008	208
20-24	7,747	7,425	215	7,088	6,869	142
25-29	6,984	6,729	170	6,689	6,475	104
30-34	7,158	6,919	135	7,185	6,993	118
35-39	7,381	7,117	162	7,382	7,154	89
40-44	7,812	7,532	167	7,729	7,519	81
45-49	8,915	8,676	118	8,919	8,737	88
50-54	10,169	10,009	82	10,015	9,833	84
55-59	9,830	9,674	78	10,023	9,896	62
60-64	8,417	8,277	77	8,165	8,060	24
65-69	6,858	6,764	46	7,204	7,137	17
70-74	5,404	5,347	13	5,868	5,794	11
75-79	3,729	3,707	8	4,381	4,332	12
80-84	2,385	2,370	5	3,236	3,221	4
85+	2,051	2,048	2	3,915	3,890	13
Total	128,114	124,350	2,237	129,881	126,602	1,834

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Peoria	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	6,766	4,357	2,059	6,421	3,985	2,063
1-4	26,619	16,863	8,110	24,962	15,667	7,800
5-9	31,692	19,859	9,874	29,933	19,019	8,966
10-14	30,499	20,153	8,871	29,361	19,479	8,433
15-19	30,353	20,948	8,285	30,037	20,584	8,462
20-24	30,649	21,094	8,008	31,682	21,736	8,875
25-29	32,885	24,582	6,216	33,628	23,654	8,018
30-34	31,650	23,362	5,292	31,725	22,707	6,610
35-39	28,610	21,384	4,519	28,876	21,455	5,500
40-44	26,542	20,485	4,204	28,067	21,074	5,272
45-49	27,083	21,642	4,058	28,689	22,306	4,981
50-54	29,035	23,870	4,143	30,460	24,339	5,015
55-59	29,464	24,637	4,056	32,761	26,962	5,050
60-64	27,092	22,965	3,546	29,994	25,106	4,210
65-69	21,983	19,188	2,345	25,471	21,844	3,077
70-74	15,664	13,920	1,457	18,305	15,996	1,976
75-79	10,696	9,469	968	13,482	12,029	1,215
80-84	7,331	6,680	495	10,797	9,757	899
85+	6,740	6,202	482	14,335	13,300	924
Total	451,353	341,660	86,988	478,986	360,999	97,346
Perry	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	524	481	38	537	494	41
1-4	2,108	1,938	151	2,088	1,960	102
5-9	2,889	2,620	228	2,803	2,583	179
10-14	3,397	3,173	202	3,053	2,909	116
15-19	3,588	2,900	624	2,564	2,430	119
20-24	5,306	3,400	1,822	2,670	2,530	116
25-29	4,801	3,489	1,232	2,603	2,499	85
30-34	4,296	3,079	1,158	2,629	2,525	74
35-39	4,213	3,212	932	2,850	2,764	56
40-44	4,023	3,172	790	3,035	2,947	52
45-49	3,938	3,252	653	2,927	2,841	56
50-54	4,055	3,566	428	3,484	3,348	99
55-59	3,795	3,486	256	3,459	3,350	86
60-64	3,560	3,398	143	3,421	3,336	62
65-69	2,776	2,695	64	3,249	3,176	58
70-74	2,134	2,082	37	2,452	2,396	39
75-79	1,560	1,542	13	1,736	1,683	36
80-84	997	972	24	1,354	1,332	18
85+	804	789	14	1,780	1,739	39
Total	58,764	49,246	8,809	48,694	46,842	1,433
Piatt	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	441	430	7	444	437	5
1-4	1,884	1,834	38	1,811	1,774	24
5-9	2,515	2,435	59	2,306	2,228	57
10-14	2,908	2,837	45	2,709	2,619	56
15-19	2,692	2,631	40	2,681	2,602	50
20-24	2,183	2,134	26	1,984	1,916	40
25-29	2,087	2,039	30	2,000	1,960	22
30-34	2,374	2,337	24	2,319	2,290	12
35-39	2,453	2,401	29	2,390	2,366	5
40-44	2,409	2,385	16	2,475	2,415	20
45-49	2,472	2,431	20	2,665	2,615	10
50-54	3,169	3,112	26	3,294	3,246	14
55-59	3,357	3,330	18	3,369	3,346	8
60-64	2,832	2,801	19	2,859	2,837	5
65-69	2,385	2,375	4	2,435	2,427	2
70-74	1,714	1,703	0	1,890	1,887	2
75-79	1,236	1,232	2	1,581	1,575	1
80-84	807	802	5	1,145	1,141	0
85+	806	799	2	1,087	1,082	3
Total	40,724	40,048	410	41,444	40,763	336

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Pike	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	476	468	8	432	429	3
1-4	2,001	1,952	41	1,750	1,725	24
5-9	2,500	2,458	32	2,411	2,386	21
10-14	2,567	2,510	37	2,462	2,428	27
15-19	2,483	2,390	68	2,213	2,162	35
20-24	2,348	2,152	172	2,028	1,989	25
25-29	2,280	2,091	172	2,200	2,182	18
30-34	2,466	2,236	203	2,095	2,081	11
35-39	2,251	2,114	125	2,116	2,092	8
40-44	2,417	2,213	180	2,168	2,151	6
45-49	2,646	2,518	110	2,360	2,333	0
50-54	2,582	2,503	56	2,742	2,710	5
55-59	2,837	2,796	31	2,855	2,828	10
60-64	2,834	2,806	20	2,799	2,781	7
65-69	2,252	2,237	7	2,236	2,213	5
70-74	1,773	1,755	10	1,959	1,943	6
75-79	1,357	1,342	4	1,608	1,605	2
80-84	853	848	3	1,321	1,317	3
85+	767	766	1	1,783	1,763	2
Total	39,690	38,155	1,280	39,538	39,118	218

Pope	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	75	73	2	52	51	1
1-4	295	271	24	214	193	16
5-9	414	379	27	367	343	20
10-14	484	459	23	400	378	21
15-19	966	559	395	570	392	171
20-24	884	545	324	534	435	94
25-29	457	397	52	415	388	14
30-34	487	451	32	508	483	20
35-39	482	479	3	484	478	3
40-44	548	539	7	574	559	5
45-49	691	652	28	600	589	3
50-54	872	861	7	833	814	6
55-59	938	897	20	1,017	987	11
60-64	948	934	6	952	934	4
65-69	902	895	4	825	808	6
70-74	705	695	6	655	638	6
75-79	541	532	3	479	479	0
80-84	394	388	5	360	360	0
85+	244	229	0	318	318	0
Total	11,327	10,235	968	10,157	9,627	401

Pulaski	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	171	120	50	160	106	54
1-4	579	398	169	634	401	226
5-9	874	536	319	844	511	320
10-14	988	603	373	985	571	403
15-19	874	528	333	767	429	323
20-24	769	461	291	756	468	260
25-29	858	529	324	771	542	219
30-34	645	445	191	805	559	239
35-39	779	548	227	786	529	247
40-44	687	455	232	860	550	297
45-49	753	540	206	758	507	243
50-54	1,013	712	294	977	634	336
55-59	1,103	760	329	1,236	747	480
60-64	1,050	727	321	1,150	801	334
65-69	884	630	254	1,021	706	306
70-74	579	396	182	740	471	269
75-79	496	340	152	578	400	177
80-84	372	265	107	451	330	121
85+	264	188	76	463	340	122
Total	13,738	9,181	4,430	14,742	9,602	4,976

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Putnam	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	136	133	3	109	107	1
1-4	627	601	26	538	494	24
5-9	832	802	22	687	672	12
10-14	921	890	29	847	832	11
15-19	877	846	30	752	717	19
20-24	842	805	34	674	648	14
25-29	693	680	10	674	638	25
30-34	806	789	6	751	733	12
35-39	784	764	8	757	743	7
40-44	786	770	7	709	683	9
45-49	860	854	4	919	913	1
50-54	1,125	1,120	0	1,157	1,143	8
55-59	1,274	1,252	16	1,229	1,219	7
60-64	1,274	1,261	13	1,071	1,063	0
65-69	1,037	1,034	3	1,055	1,050	0
70-74	770	765	5	794	781	0
75-79	517	517	0	565	563	0
80-84	342	342	0	338	337	1
85+	221	221	0	496	496	0
Total	14,724	14,446	216	14,122	13,832	151

Randolph	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	835	773	58	855	798	51
1-4	3,476	3,200	256	3,385	3,125	236
5-9	4,464	4,160	254	4,160	3,865	253
10-14	4,665	4,391	226	4,360	4,038	282
15-19	4,629	4,103	477	3,978	3,706	246
20-24	5,893	4,280	1,539	3,872	3,574	249
25-29	7,403	4,769	2,545	3,868	3,636	185
30-34	7,593	4,962	2,559	4,076	3,888	145
35-39	6,853	4,762	2,033	4,078	3,867	157
40-44	6,506	4,811	1,611	4,081	3,874	155
45-49	6,479	5,127	1,308	4,331	4,150	134
50-54	7,009	6,057	923	5,194	5,029	115
55-59	6,633	5,951	643	5,550	5,384	126
60-64	5,561	5,186	358	5,127	4,974	116
65-69	4,189	4,042	124	4,386	4,279	96
70-74	3,092	2,979	107	3,601	3,491	76
75-79	2,268	2,218	46	2,806	2,761	34
80-84	1,417	1,402	15	2,416	2,384	21
85+	1,478	1,448	30	3,232	3,192	35
Total	90,443	74,621	15,112	73,356	70,015	2,712

Richland	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	504	487	11	490	475	10
1-4	2,078	1,992	54	1,992	1,917	50
5-9	2,628	2,543	51	2,340	2,254	43
10-14	2,577	2,490	55	2,413	2,329	50
15-19	2,390	2,317	39	2,082	2,028	40
20-24	2,289	2,203	29	2,154	2,088	28
25-29	2,334	2,250	36	2,215	2,122	46
30-34	2,331	2,250	36	2,352	2,277	34
35-39	2,336	2,283	30	2,236	2,178	12
40-44	2,218	2,159	26	2,261	2,206	9
45-49	2,416	2,378	15	2,343	2,304	1
50-54	2,817	2,786	15	2,878	2,853	4
55-59	2,903	2,850	31	3,040	3,008	15
60-64	2,665	2,625	26	2,655	2,622	9
65-69	2,071	2,042	12	2,210	2,183	5
70-74	1,578	1,558	7	1,894	1,855	7
75-79	1,398	1,384	2	1,633	1,622	1
80-84	926	917	2	1,269	1,258	7
85+	853	845	0	1,879	1,863	3
Total	39,312	38,359	477	40,336	39,442	374

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Rock Island	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,705	3,477	983	4,484	3,285	918
1-4	19,015	14,265	3,791	18,308	13,627	3,618
5-9	23,415	17,858	4,552	22,579	17,211	4,233
10-14	22,875	18,270	3,879	21,433	17,024	3,588
15-19	23,428	18,801	3,753	22,126	18,049	3,316
20-24	23,091	18,468	3,714	23,066	19,012	3,248
25-29	23,194	18,703	3,441	22,570	18,374	3,106
30-34	24,232	19,141	3,275	22,132	18,234	2,639
35-39	22,742	18,333	2,976	21,344	17,986	2,575
40-44	21,083	17,331	2,833	20,629	17,625	2,250
45-49	21,944	18,586	2,663	21,414	18,785	1,975
50-54	23,883	21,082	2,205	24,512	22,144	1,796
55-59	25,754	23,332	1,862	26,812	24,494	1,814
60-64	23,639	21,841	1,415	25,486	23,090	1,787
65-69	19,355	18,023	1,086	21,736	19,973	1,371
70-74	14,380	13,290	884	16,182	15,047	920
75-79	10,413	9,725	491	12,723	11,989	632
80-84	6,836	6,464	274	9,864	9,403	384
85+	6,312	6,091	215	12,889	12,333	447
Total	360,296	303,081	44,292	370,289	317,685	40,617
Saline	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	818	760	53	766	700	60
1-4	3,031	2,828	182	2,892	2,671	187
5-9	3,651	3,300	288	3,263	2,984	214
10-14	3,775	3,444	275	3,448	3,202	169
15-19	4,720	3,576	1,083	3,158	2,928	176
20-24	3,700	3,425	227	3,473	3,243	185
25-29	3,727	3,490	175	3,759	3,618	91
30-34	3,546	3,322	181	3,552	3,395	119
35-39	3,242	3,039	149	3,469	3,284	114
40-44	3,533	3,344	126	3,571	3,357	137
45-49	4,011	3,826	141	3,930	3,749	136
50-54	4,145	3,968	137	4,454	4,296	100
55-59	4,131	4,012	86	4,529	4,362	133
60-64	4,031	3,870	123	4,263	4,107	121
65-69	3,400	3,264	104	3,752	3,616	95
70-74	2,706	2,596	84	3,111	2,987	95
75-79	1,776	1,715	50	2,488	2,376	94
80-84	1,302	1,270	27	1,822	1,770	46
85+	1,017	1,001	16	2,085	2,005	65
Total	60,262	56,050	3,507	61,785	58,650	2,337
Sangamon	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,670	4,116	1,364	5,582	4,037	1,380
1-4	24,310	18,102	5,302	22,491	16,534	5,291
5-9	32,012	24,347	6,744	30,984	23,286	6,801
10-14	33,216	25,736	6,711	32,032	24,561	6,683
15-19	31,425	24,418	6,344	29,992	23,121	6,135
20-24	29,857	22,760	5,744	31,031	23,345	6,487
25-29	30,380	24,850	4,692	32,317	25,482	5,827
30-34	31,337	26,279	4,142	33,714	27,337	5,218
35-39	29,879	24,829	4,014	31,192	25,605	4,593
40-44	28,908	24,875	3,135	30,543	25,732	3,904
45-49	31,161	27,077	3,286	32,574	28,008	3,691
50-54	35,066	31,050	3,354	37,334	32,901	3,687
55-59	34,654	31,052	3,072	38,047	33,876	3,550
60-64	31,051	28,379	2,244	35,218	31,651	2,911
65-69	25,012	22,994	1,668	29,479	26,835	2,156
70-74	16,464	15,100	1,084	20,373	18,783	1,302
75-79	11,320	10,554	568	15,178	14,101	905
80-84	7,677	7,310	328	11,805	11,076	590
85+	7,039	6,763	235	15,764	14,860	732
Total	476,438	400,591	64,031	515,650	431,131	71,843

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Schuyler	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	151	143	8	145	132	10
1-4	651	612	39	633	593	27
5-9	960	923	37	997	959	32
10-14	1,015	999	13	1,094	1,052	36
15-19	1,073	1,053	14	974	948	26
20-24	903	876	23	808	792	11
25-29	1,000	926	69	805	776	14
30-34	1,069	956	97	914	861	41
35-39	1,293	1,185	101	844	822	13
40-44	1,369	1,228	141	1,077	1,038	30
45-49	1,533	1,350	183	1,070	1,021	35
50-54	1,430	1,280	139	1,247	1,219	15
55-59	1,460	1,333	119	1,271	1,258	10
60-64	1,405	1,356	48	1,261	1,244	6
65-69	1,147	1,127	14	1,016	1,013	1
70-74	891	879	8	889	889	0
75-79	568	560	8	707	704	3
80-84	445	443	2	572	572	0
85+	410	410	0	708	703	0
Total	18,773	17,639	1,063	17,032	16,596	310
Scott	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	131	130	0	108	107	0
1-4	595	582	10	450	440	6
5-9	740	725	7	827	816	11
10-14	843	812	20	777	770	5
15-19	784	771	12	834	809	14
20-24	712	688	10	645	626	10
25-29	585	585	0	632	617	4
30-34	612	599	11	716	709	3
35-39	769	760	9	742	726	5
40-44	779	770	6	798	788	8
45-49	830	815	9	848	839	1
50-54	1,035	1,031	2	1,107	1,097	4
55-59	1,111	1,106	1	944	943	0
60-64	838	834	2	882	880	2
65-69	642	641	1	746	734	10
70-74	487	486	1	621	619	2
75-79	487	484	3	551	550	1
80-84	302	299	2	356	355	1
85+	208	208	0	444	439	0
Total	12,490	12,326	106	13,028	12,864	87
Shelby	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	646	639	6	604	591	11
1-4	2,460	2,410	41	2,403	2,349	43
5-9	3,333	3,278	34	3,068	3,019	35
10-14	3,506	3,429	55	3,248	3,203	34
15-19	3,201	3,131	44	3,230	3,194	29
20-24	3,035	2,959	40	2,851	2,817	25
25-29	2,971	2,902	30	2,855	2,806	20
30-34	2,953	2,915	13	2,871	2,830	13
35-39	3,101	3,057	19	2,848	2,821	7
40-44	3,096	3,043	35	3,030	3,010	10
45-49	3,436	3,390	28	3,336	3,300	11
50-54	4,023	3,987	20	4,098	4,054	5
55-59	4,119	4,104	4	4,248	4,221	12
60-64	3,853	3,833	5	4,020	3,979	9
65-69	3,447	3,418	11	3,639	3,608	8
70-74	2,709	2,695	2	2,834	2,818	0
75-79	1,908	1,895	1	2,064	2,047	5
80-84	1,283	1,268	5	1,705	1,699	3
85+	1,246	1,238	1	2,282	2,271	1
Total	54,326	53,591	394	55,234	54,637	281

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

St Clair	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	8,505	4,972	3,356	8,017	4,590	3,241
1-4	34,875	20,825	13,221	32,959	19,225	12,859
5-9	45,134	26,777	17,142	42,998	25,687	16,232
10-14	45,580	27,430	17,115	43,636	25,807	16,755
15-19	43,858	25,994	16,828	41,905	24,196	16,713
20-24	43,750	26,149	16,642	42,304	23,819	17,298
25-29	42,732	28,192	13,415	44,366	27,179	15,970
30-34	41,636	29,343	11,242	44,645	28,613	14,719
35-39	40,670	29,190	10,572	43,720	28,338	14,100
40-44	39,200	26,990	11,216	43,025	26,877	14,804
45-49	40,676	28,721	11,139	44,491	28,979	14,320
50-54	46,801	34,357	11,729	50,016	34,208	14,650
55-59	45,943	34,286	10,985	50,224	35,311	13,736
60-64	38,478	28,732	9,137	42,908	29,888	11,938
65-69	29,510	22,529	6,586	33,068	23,251	8,977
70-74	19,606	14,981	4,344	23,785	17,328	5,923
75-79	13,370	10,408	2,773	18,613	13,936	4,279
80-84	9,531	7,646	1,792	15,440	11,862	3,348
85+	8,677	7,134	1,465	18,408	14,774	3,483
Total	638,532	434,656	190,699	684,528	443,868	223,345

Stark	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	139	133	3	171	163	8
1-4	583	556	19	671	635	32
5-9	783	765	15	822	784	24
10-14	873	854	13	888	855	21
15-19	882	848	22	911	884	15
20-24	738	721	12	739	719	13
25-29	655	638	11	621	610	6
30-34	717	696	17	628	616	7
35-39	788	773	8	756	744	5
40-44	802	799	0	800	781	13
45-49	817	807	3	869	852	9
50-54	1,059	1,048	7	938	932	1
55-59	1,113	1,104	5	1,017	1,011	1
60-64	1,006	1,002	0	1,103	1,069	8
65-69	842	832	5	845	823	3
70-74	731	727	1	715	715	0
75-79	529	520	5	567	566	1
80-84	326	320	6	463	459	4
85+	258	258	0	615	615	0
Total	13,641	13,401	152	14,139	13,833	171

Stephenson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,236	931	286	1,195	934	254
1-4	5,187	4,038	1,091	5,142	3,991	1,105
5-9	6,891	5,446	1,366	6,934	5,418	1,430
10-14	7,333	5,970	1,278	7,011	5,509	1,386
15-19	7,145	5,905	1,107	6,632	5,309	1,213
20-24	6,625	5,503	1,019	6,354	5,172	1,103
25-29	5,920	4,965	862	6,112	5,067	992
30-34	5,685	4,920	710	6,123	5,253	800
35-39	5,451	4,700	692	6,000	5,205	675
40-44	6,084	5,378	640	6,188	5,502	599
45-49	7,279	6,411	782	7,279	6,515	684
50-54	8,205	7,436	715	8,650	7,786	766
55-59	8,826	8,128	652	9,024	8,174	758
60-64	8,119	7,517	544	8,547	7,981	475
65-69	6,715	6,311	342	7,280	6,820	370
70-74	5,014	4,777	213	5,747	5,410	296
75-79	3,798	3,621	157	4,720	4,450	248
80-84	2,879	2,785	79	3,741	3,573	155
85+	2,611	2,533	53	5,403	5,221	151
Total	111,003	97,275	12,588	118,082	103,290	13,460

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Tazewell	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,996	3,836	105	3,753	3,568	119
1-4	16,648	15,971	415	16,197	15,454	477
5-9	22,059	21,077	542	21,782	20,880	524
10-14	22,504	21,645	485	21,912	20,961	449
15-19	20,799	20,013	464	19,066	18,374	402
20-24	18,657	17,861	494	17,761	17,194	356
25-29	20,261	19,083	786	19,401	18,651	332
30-34	22,487	21,231	861	21,318	20,519	347
35-39	22,726	21,713	685	21,612	20,880	265
40-44	21,079	20,197	549	21,248	20,590	229
45-49	21,696	20,977	425	21,346	20,798	203
50-54	22,851	22,285	327	23,603	23,182	159
55-59	23,419	23,010	240	24,641	24,317	102
60-64	21,175	20,925	99	22,394	22,126	96
65-69	17,389	17,225	62	19,102	18,847	45
70-74	12,312	12,191	36	14,434	14,281	26
75-79	8,985	8,924	24	11,610	11,490	36
80-84	6,545	6,520	11	9,359	9,274	21
85+	5,780	5,754	10	11,292	11,235	20
Total	331,368	320,438	6,620	341,831	332,621	4,208
Union	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	454	439	15	470	457	12
1-4	1,911	1,841	53	1,774	1,718	48
5-9	2,540	2,415	69	2,398	2,296	54
10-14	2,779	2,655	69	2,735	2,645	50
15-19	2,453	2,334	68	2,247	2,169	47
20-24	2,448	2,363	54	2,305	2,244	46
25-29	2,717	2,587	93	2,466	2,416	36
30-34	2,452	2,337	64	2,229	2,169	25
35-39	2,439	2,305	81	2,356	2,267	40
40-44	2,634	2,515	53	2,626	2,504	64
45-49	2,783	2,681	68	2,799	2,722	38
50-54	3,151	3,100	37	3,162	3,103	37
55-59	3,273	3,208	40	3,297	3,242	23
60-64	3,074	2,998	55	3,077	3,007	30
65-69	2,599	2,529	34	2,698	2,661	14
70-74	2,003	1,988	4	2,367	2,335	16
75-79	1,667	1,643	10	1,698	1,684	11
80-84	934	923	11	1,172	1,167	5
85+	761	758	3	1,391	1,369	2
Total	43,072	41,619	881	43,267	42,175	598
Vermilion	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,560	1,819	710	2,531	1,852	656
1-4	10,685	7,732	2,830	10,319	7,696	2,515
5-9	13,721	10,383	3,143	12,937	9,800	2,943
10-14	13,244	10,471	2,591	12,761	9,922	2,620
15-19	12,778	10,217	2,406	11,852	9,298	2,373
20-24	12,315	9,486	2,666	11,581	8,915	2,506
25-29	12,124	9,329	2,617	11,449	9,184	2,087
30-34	12,023	9,496	2,375	11,289	9,224	1,862
35-39	12,034	9,613	2,290	10,857	9,051	1,494
40-44	11,885	9,802	1,886	11,058	9,440	1,372
45-49	11,620	9,962	1,489	11,735	10,194	1,317
50-54	13,466	11,810	1,480	13,758	12,185	1,403
55-59	13,844	12,344	1,384	14,326	12,721	1,419
60-64	12,680	11,434	1,099	13,640	12,252	1,180
65-69	10,641	9,904	589	11,756	10,754	854
70-74	7,977	7,423	445	8,998	8,258	594
75-79	5,637	5,326	249	7,060	6,495	453
80-84	3,730	3,515	185	5,326	5,024	265
85+	3,435	3,244	176	6,185	5,884	257
Total	196,399	163,310	30,610	199,418	168,149	28,170

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Wabash	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	404	388	11	317	302	8
1-4	1,549	1,466	57	1,293	1,252	30
5-9	1,850	1,781	42	1,762	1,696	38
10-14	1,813	1,752	43	1,743	1,675	35
15-19	1,755	1,636	30	1,557	1,523	24
20-24	1,873	1,677	69	1,573	1,501	32
25-29	1,697	1,617	44	1,665	1,607	27
30-34	1,775	1,714	36	1,642	1,597	19
35-39	1,701	1,667	4	1,544	1,510	6
40-44	1,567	1,536	9	1,626	1,590	12
45-49	1,542	1,510	21	1,655	1,611	23
50-54	2,075	2,035	24	2,034	1,986	16
55-59	2,208	2,187	4	2,352	2,315	14
60-64	2,061	2,031	18	2,156	2,133	7
65-69	1,651	1,628	13	1,646	1,633	7
70-74	1,184	1,160	14	1,310	1,304	1
75-79	884	880	2	1,042	1,034	0
80-84	631	626	0	973	964	5
85+	618	616	2	1,263	1,255	0
Total	28,838	27,907	443	29,153	28,488	304
Warren	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	568	476	51	535	468	51
1-4	2,389	1,948	191	1,902	1,680	139
5-9	2,666	2,425	121	2,642	2,393	155
10-14	2,629	2,406	153	2,728	2,527	136
15-19	3,582	3,320	165	3,565	3,325	181
20-24	3,333	3,072	148	3,366	3,167	143
25-29	2,187	1,949	102	2,170	1,913	68
30-34	2,473	2,104	161	2,385	2,164	78
35-39	2,517	2,260	120	2,310	2,159	76
40-44	2,409	2,226	92	2,446	2,311	64
45-49	2,464	2,290	115	2,403	2,312	53
50-54	2,773	2,624	97	2,811	2,720	58
55-59	3,062	2,902	67	3,131	3,053	38
60-64	2,959	2,867	31	2,994	2,935	27
65-69	2,436	2,375	51	2,475	2,424	23
70-74	1,745	1,704	24	1,943	1,924	14
75-79	1,401	1,383	6	1,722	1,682	30
80-84	819	808	7	1,227	1,203	17
85+	620	598	17	1,541	1,520	13
Total	43,032	39,737	1,719	44,296	41,880	1,364
Washington	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	387	375	9	402	388	10
1-4	1,566	1,494	52	1,511	1,463	38
5-9	2,061	1,992	54	2,064	2,013	41
10-14	2,323	2,230	67	2,180	2,086	65
15-19	2,066	1,937	102	1,977	1,874	70
20-24	1,895	1,825	54	1,925	1,869	41
25-29	2,171	2,116	40	1,923	1,904	11
30-34	2,129	2,075	40	1,976	1,933	26
35-39	2,179	2,148	13	2,143	2,104	26
40-44	2,140	2,102	24	1,999	1,977	6
45-49	2,208	2,167	32	2,226	2,192	9
50-54	2,790	2,749	26	2,800	2,776	17
55-59	3,004	2,984	7	2,809	2,788	10
60-64	2,681	2,651	16	2,282	2,259	6
65-69	2,007	1,993	6	1,878	1,868	5
70-74	1,421	1,413	1	1,694	1,669	11
75-79	1,109	1,108	1	1,400	1,389	0
80-84	782	780	1	947	943	1
85+	779	772	1	1,361	1,361	0
Total	35,698	34,911	546	35,497	34,856	393

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Wayne	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	496	486	7	533	523	7
1-4	2,022	1,982	25	2,072	2,025	31
5-9	2,692	2,621	45	2,500	2,432	56
10-14	2,681	2,585	64	2,636	2,540	55
15-19	2,446	2,363	38	2,326	2,261	22
20-24	2,308	2,255	20	2,076	2,042	21
25-29	2,330	2,293	30	2,200	2,133	46
30-34	2,352	2,327	15	2,322	2,222	24
35-39	2,301	2,283	4	2,519	2,432	9
40-44	2,344	2,300	17	2,318	2,277	13
45-49	2,548	2,494	16	2,480	2,444	13
50-54	2,839	2,783	27	2,869	2,849	4
55-59	3,095	3,059	14	2,941	2,921	9
60-64	2,720	2,685	25	2,861	2,852	3
65-69	2,401	2,385	6	2,522	2,502	5
70-74	1,946	1,936	2	2,225	2,220	0
75-79	1,543	1,531	5	1,779	1,773	0
80-84	989	987	1	1,345	1,330	2
85+	766	760	1	1,425	1,414	0
Total	40,819	40,115	362	41,949	41,192	320
White	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	411	398	12	397	377	7
1-4	1,777	1,722	40	1,711	1,634	25
5-9	2,250	2,198	23	2,303	2,245	32
10-14	2,134	2,090	32	2,085	2,048	21
15-19	1,949	1,904	31	1,847	1,806	27
20-24	1,734	1,681	46	1,757	1,708	31
25-29	1,944	1,887	40	1,904	1,877	8
30-34	2,172	2,103	41	2,101	2,077	5
35-39	1,959	1,917	33	1,990	1,968	15
40-44	1,812	1,782	20	1,828	1,804	12
45-49	2,172	2,071	63	2,033	2,006	15
50-54	2,602	2,562	21	2,606	2,561	18
55-59	2,774	2,733	27	2,714	2,682	13
60-64	2,332	2,299	20	2,480	2,458	2
65-69	2,045	2,013	7	2,218	2,207	5
70-74	1,575	1,563	2	1,826	1,816	3
75-79	1,292	1,281	8	1,615	1,609	1
80-84	874	861	0	1,273	1,262	7
85+	822	821	0	1,578	1,561	5
Total	34,630	33,886	466	36,266	35,706	252
Whiteside	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	1,589	1,499	80	1,518	1,425	83
1-4	6,796	6,408	341	6,404	6,022	326
5-9	9,140	8,627	393	8,520	7,971	427
10-14	9,276	8,800	342	9,110	8,581	380
15-19	9,291	8,858	323	8,754	8,216	409
20-24	8,388	7,937	339	7,768	7,461	226
25-29	7,830	7,469	280	7,545	7,250	223
30-34	7,538	7,103	323	7,653	7,349	207
35-39	7,855	7,486	278	7,438	7,192	137
40-44	8,384	8,097	176	8,352	8,103	153
45-49	9,100	8,784	169	9,031	8,814	114
50-54	9,955	9,693	174	10,117	9,883	146
55-59	10,690	10,457	126	10,833	10,621	114
60-64	9,946	9,725	109	10,132	9,899	84
65-69	8,045	7,884	76	8,562	8,415	65
70-74	5,981	5,901	48	6,695	6,595	40
75-79	4,493	4,437	40	5,327	5,255	31
80-84	3,000	2,964	22	4,124	4,088	20
85+	2,922	2,906	3	5,712	5,675	6
Total	140,219	135,035	3,642	143,595	138,815	3,191

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Will	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	19,637	15,901	2,698	19,094	15,326	2,747
1-4	86,515	69,470	11,548	82,545	66,414	10,846
5-9	125,624	100,118	16,114	120,779	95,705	15,794
10-14	141,160	112,035	18,760	134,443	106,347	17,673
15-19	136,473	107,479	20,836	126,303	100,063	18,221
20-24	114,027	88,900	19,394	106,986	84,296	16,855
25-29	97,397	77,463	14,920	92,593	72,664	13,696
30-34	103,156	84,209	13,122	105,204	84,249	13,180
35-39	113,444	92,327	13,062	118,334	93,333	14,570
40-44	125,996	100,709	14,587	129,286	101,775	16,253
45-49	132,906	109,061	14,534	135,247	109,128	16,409
50-54	129,888	109,252	13,548	129,782	107,943	15,086
55-59	112,962	95,691	11,843	114,164	95,298	13,184
60-64	87,932	74,744	8,719	91,645	76,333	10,489
65-69	68,052	58,268	6,369	75,671	63,770	7,985
70-74	47,298	41,140	3,852	54,004	46,360	4,671
75-79	29,487	25,790	2,065	37,454	32,655	3,030
80-84	18,316	16,265	1,149	25,972	23,160	1,795
85+	14,941	13,667	709	30,332	27,750	1,754
Total	1,705,211	1,392,489	207,829	1,729,838	1,402,569	214,238
Williamson	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,015	1,826	157	1,927	1,744	151
1-4	8,288	7,520	614	7,771	6,947	612
5-9	10,782	9,772	805	10,016	9,040	730
10-14	10,599	9,711	753	10,307	9,431	679
15-19	9,488	8,645	713	8,879	8,127	602
20-24	9,617	8,524	920	9,239	8,503	545
25-29	11,599	10,199	1,095	10,893	10,073	529
30-34	11,426	10,114	1,099	10,823	10,028	473
35-39	11,520	10,238	1,001	10,372	9,677	461
40-44	11,042	10,021	838	10,299	9,708	366
45-49	11,014	10,095	718	10,360	9,779	369
50-54	11,642	10,981	491	11,715	11,220	326
55-59	11,637	11,165	350	11,957	11,485	302
60-64	10,318	9,997	239	10,997	10,576	288
65-69	9,312	9,045	176	10,162	9,843	198
70-74	6,873	6,614	163	8,281	8,066	111
75-79	4,909	4,799	60	6,183	6,067	69
80-84	3,084	3,007	43	4,197	4,110	59
85+	2,512	2,440	50	4,829	4,757	49
Total	167,677	154,713	10,285	169,207	159,181	6,919
Winnebago	**Males**			**Females**		
Age	Total Population	White	Black	Total Population	White	Black
<1	9,132	6,755	2,019	8,861	6,533	2,000
1-4	37,031	27,479	8,052	35,056	26,333	7,352
5-9	48,403	36,003	10,258	46,068	34,471	9,634
10-14	49,636	37,476	9,950	47,449	35,845	9,241
15-19	47,621	36,626	8,981	45,526	35,225	8,348
20-24	44,512	34,438	8,289	45,336	34,531	9,000
25-29	44,058	34,754	7,563	45,308	34,815	8,627
30-34	43,429	35,161	6,154	45,076	35,622	7,214
35-39	41,757	34,568	5,351	43,434	34,833	6,633
40-44	43,548	36,339	5,392	44,550	36,365	6,063
45-49	46,221	39,331	5,125	47,477	39,830	5,797
50-54	50,921	44,118	5,309	51,921	44,156	6,068
55-59	50,218	44,187	4,708	52,077	45,083	5,499
60-64	43,937	39,020	3,713	47,339	41,626	4,511
65-69	36,021	32,304	2,926	39,779	35,560	3,322
70-74	26,221	23,735	1,754	30,075	26,956	2,380
75-79	17,197	15,739	1,014	21,849	19,659	1,665
80-84	11,741	10,864	697	16,803	15,557	1,016
85+	10,820	10,221	460	21,377	20,236	955
Total	702,424	579,118	97,715	735,361	603,236	105,325

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Woodford	**Males**			**Females**		
Age	**Total Population**	**White**	**Black**	**Total Population**	**White**	**Black**
<1	1,132	1,106	22	980	959	20
1-4	5,036	4,888	88	4,545	4,397	113
5-9	6,947	6,667	131	6,449	6,274	114
10-14	7,341	7,135	121	6,736	6,548	117
15-19	6,996	6,721	142	6,779	6,591	124
20-24	5,941	5,773	107	5,787	5,582	127
25-29	5,119	4,975	89	4,735	4,638	42
30-34	5,382	5,284	54	5,740	5,512	48
35-39	5,942	5,849	58	5,806	5,711	44
40-44	5,641	5,548	36	5,688	5,585	21
45-49	6,152	6,027	57	6,145	6,006	29
50-54	7,028	6,911	39	7,105	6,987	33
55-59	7,142	7,066	25	7,182	7,098	29
60-64	6,551	6,489	26	6,496	6,384	39
65-69	5,053	4,983	13	4,846	4,760	24
70-74	3,365	3,331	12	3,687	3,662	2
75-79	2,485	2,468	5	2,977	2,951	6
80-84	1,692	1,689	2	2,420	2,404	5
85+	1,829	1,827	2	3,782	3,776	2
Total	96,774	94,737	1,029	97,885	95,825	939

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Illinois	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	398,402	94,672	303,730	380,818	91,443	289,375
1-4	1,610,870	390,487	1,220,383	1,540,713	378,207	1,162,506
5-9	2,082,273	529,896	1,552,377	2,003,675	513,988	1,489,687
10-14	2,148,692	524,208	1,624,484	2,061,634	502,711	1,558,923
15-19	2,183,715	483,906	1,699,809	2,082,895	466,926	1,615,969
20-24	2,267,016	457,555	1,809,461	2,188,213	431,914	1,756,299
25-29	2,273,994	449,496	1,824,498	2,217,642	401,088	1,816,554
30-34	2,227,757	455,508	1,772,249	2,210,735	411,385	1,799,350
35-39	2,098,390	446,305	1,652,085	2,094,866	409,578	1,685,288
40-44	2,040,859	412,392	1,628,467	2,064,900	382,214	1,682,686
45-49	2,092,273	348,404	1,743,869	2,132,616	318,983	1,813,633
50-54	2,193,493	280,336	1,913,157	2,268,471	259,569	2,008,902
55-59	2,139,403	222,086	1,917,317	2,252,905	211,130	2,041,775
60-64	1,810,689	160,909	1,649,780	1,962,829	157,901	1,804,928
65-69	1,428,054	108,234	1,319,820	1,606,653	114,700	1,491,953
70-74	992,355	65,511	926,844	1,192,988	77,393	1,115,595
75-79	680,174	42,206	637,968	889,424	52,939	836,485
80-84	460,300	26,437	433,863	681,264	36,637	644,627
85+	428,514	22,474	406,040	874,200	34,785	839,415
Total	31,557,223	5,521,022	26,036,201	32,707,441	5,253,491	27,453,950
Cook	**Males**			**Females**		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	174,233	55,754	118,479	166,665	53,806	112,859
1-4	673,306	227,571	445,735	647,253	219,692	427,561
5-9	823,558	304,524	519,034	798,125	294,310	503,815
10-14	817,937	298,953	518,984	792,083	286,927	505,156
15-19	817,191	275,208	541,983	799,674	268,932	530,742
20-24	889,845	268,701	621,144	901,336	259,553	641,783
25-29	1,088,533	280,046	808,487	1,102,636	257,331	845,305
30-34	1,038,144	280,794	757,350	1,048,557	257,555	791,002
35-39	910,883	270,069	640,814	919,247	250,458	668,789
40-44	840,482	250,600	589,882	862,654	231,715	630,939
45-49	824,179	213,249	610,930	851,569	196,337	655,232
50-54	833,426	174,185	659,241	879,500	165,072	714,428
55-59	812,745	143,406	669,339	885,565	139,900	745,665
60-64	681,080	107,463	573,617	774,658	107,389	667,269
65-69	530,346	73,304	457,042	629,439	78,840	550,599
70-74	360,866	44,555	316,311	464,789	54,031	410,758
75-79	248,828	28,871	219,957	351,872	37,290	314,582
80-84	172,216	18,191	154,025	268,250	25,568	242,682
85+	165,838	15,447	150,391	345,477	24,072	321,405
Total	12,703,636	3,330,891	9,372,745	13,489,349	3,208,778	10,280,571
DuPage	**Males**			**Females**		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	27,329	5,991	21,338	26,112	5,683	20,429
1-4	114,081	24,493	89,588	109,890	24,158	85,732
5-9	151,553	34,019	117,534	144,761	33,357	111,404
10-14	160,557	33,177	127,380	154,236	31,908	122,328
15-19	161,829	29,945	131,884	153,656	28,724	124,932
20-24	149,669	26,846	122,823	143,300	24,536	118,764
25-29	148,820	26,880	121,940	141,470	22,418	119,052
30-34	153,026	27,686	125,340	150,974	24,369	126,605
35-39	150,148	27,656	122,492	150,649	25,249	125,400
40-44	147,578	24,727	122,851	152,733	24,354	128,379
45-49	159,232	21,840	137,392	167,752	20,487	147,265
50-54	170,717	17,327	153,390	183,507	16,436	167,071
55-59	167,793	12,688	155,105	179,286	12,465	166,821
60-64	140,652	8,669	131,983	150,176	8,544	141,632
65-69	107,654	5,405	102,249	118,252	6,047	112,205
70-74	72,385	3,130	69,255	84,560	3,887	80,673
75-79	45,829	2,075	43,754	57,967	2,570	55,397
80-84	29,840	1,271	28,569	44,734	1,742	42,992
85+	29,016	1,032	27,984	60,923	1,932	58,991
Total	2,287,708	334,857	1,952,851	2,374,938	318,866	2,056,072

Total five-year population, 2013-2017, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Kane	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	17,182	7,825	9,357	16,283	7,466	8,817
1-4	71,847	31,555	40,292	69,592	31,068	38,524
5-9	100,039	44,489	55,550	96,845	43,687	53,158
10-14	106,782	45,000	61,782	101,843	43,409	58,434
15-19	100,592	39,312	61,280	95,140	38,230	56,910
20-24	85,518	34,643	50,875	81,635	32,763	48,872
25-29	78,441	31,691	46,750	75,032	28,832	46,200
30-34	85,331	33,385	51,946	83,610	30,498	53,112
35-39	90,043	35,453	54,590	88,965	32,296	56,669
40-44	92,139	32,780	59,359	92,820	30,960	61,860
45-49	95,070	27,110	67,960	94,549	24,704	69,845
50-54	94,396	21,204	73,192	94,279	18,411	75,868
55-59	85,277	15,571	69,706	86,245	14,329	71,916
60-64	69,435	10,512	58,923	73,525	10,251	63,274
65-69	54,286	7,205	47,081	59,678	7,191	52,487
70-74	36,332	4,312	32,020	43,133	4,702	38,431
75-79	23,906	2,616	21,290	28,891	3,041	25,850
80-84	14,850	1,433	13,417	21,154	1,887	19,267
85+	12,937	1,196	11,741	25,290	1,684	23,606
Total	1,314,403	427,292	887,111	1,328,509	405,409	923,100
Lake	**Males**			**Females**		
Age	**Total Population**	**Hispanic**	**Non-Hispanic**	**Total Population**	**Hispanic**	**Non-Hispanic**
<1	19,794	6,902	12,892	18,924	6,595	12,329
1-4	87,286	28,903	58,383	83,089	27,986	55,103
5-9	123,859	39,428	84,431	118,222	38,457	79,765
10-14	136,124	39,777	96,347	129,684	37,842	91,842
15-19	146,955	37,979	108,976	129,931	34,890	95,041
20-24	136,968	33,752	103,216	113,096	29,852	83,244
25-29	99,754	27,758	71,996	89,717	24,370	65,347
30-34	99,967	28,489	71,478	99,586	26,513	73,073
35-39	106,249	29,656	76,593	110,059	28,456	81,603
40-44	114,732	28,356	86,376	118,596	27,216	91,380
45-49	125,834	24,600	101,234	130,408	22,630	107,778
50-54	133,735	19,613	114,122	139,255	18,079	121,176
55-59	126,077	14,218	111,859	129,882	12,862	117,020
60-64	99,961	9,133	90,828	104,709	8,774	95,935
65-69	75,935	5,821	70,114	81,118	6,105	75,013
70-74	50,947	3,253	47,694	57,361	3,780	53,581
75-79	32,192	2,144	30,048	40,182	2,459	37,723
80-84	21,562	1,247	20,315	30,084	1,611	28,473
85+	21,050	893	20,157	38,841	1,546	37,295
Total	1,758,981	381,922	1,377,059	1,762,744	360,023	1,402,721
Will	**Males**			**Females**		
Age	**Total Population**	**Hispanic**	**Non-Hispanic**	**Total Population**	**Hispanic**	**Non-Hispanic**
<1	19,637	4,898	14,739	19,094	4,914	14,180
1-4	86,515	20,621	65,894	82,545	20,201	62,344
5-9	125,624	29,882	95,742	120,779	29,494	91,285
10-14	141,160	31,811	109,349	134,443	30,050	104,393
15-19	136,473	29,422	107,051	126,303	27,468	98,835
20-24	114,027	24,561	89,466	106,986	23,017	83,969
25-29	97,397	20,978	76,419	92,593	19,345	73,248
30-34	103,156	22,171	80,985	105,204	20,690	84,514
35-39	113,444	23,614	89,830	118,334	22,478	95,856
40-44	125,996	23,208	102,788	129,286	22,304	106,982
45-49	132,906	19,774	113,132	135,247	18,034	117,213
50-54	129,888	14,856	115,032	129,782	13,411	116,371
55-59	112,962	10,603	102,359	114,164	9,356	104,808
60-64	87,932	6,988	80,944	91,645	6,585	85,060
65-69	68,052	4,492	63,560	75,671	4,774	70,897
70-74	47,298	2,949	44,349	54,004	3,195	50,809
75-79	29,487	1,737	27,750	37,454	2,205	35,249
80-84	18,316	1,118	17,198	25,972	1,689	24,283
85+	14,941	930	14,011	30,332	1,315	29,017
Total	1,705,211	294,613	1,410,598	1,729,838	280,525	1,449,313

APPENDIX B

ISCR County Cancer Site Groups

ISCR cancer site groups used in county tables	**SEER site recodes**
1 oral cavity & pharynx	20010-20100
2 esophagus	21010
3 stomach	21020
4 colorectal	21041-21052
5 liver	21071
6 pancreas	21100
7 lung & bronchus	22030
8 bone	23000
9 melanoma of skin	25010
10 breast-invasive	26000 (behavior 3 only)
11 cervix	27010
12 uterus	27020-27030
13 ovary	27040
14 prostate	28010
15 testis	28020
16 urinary bladder	29010
17 kidney & renal pelvis	29020
18 brain & CNS	31010-31040
19 Hodgkin's lymphoma	33011-33012
20 non-Hodgkin's lymphoma	33041-33042
21 myeloma	34000
22 leukemia	35011-35043
23 all other sites	21030, 21060, 21072, 21080, 21090, 21110, 21120, 21130, 22010, 22020, 22050, 22060, 24000, 25020, 27050, 27060, 27070 28030, 28040, 29030, 29040, 30000, 32010, 32020, 36010, 36020, 37000
24 breast *in situ*	26000 (behavior 2 only)

APPENDIX C

Formulas for Rates

Appendix C – formulas for rates

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. The standard populations used for this report is the U.S. populations 2000. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^{y} \left[\left(\frac{count_i}{pop_i} \right) \times 100{,}000 \times \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the ith age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AArate} = \left[\sum_{i=x}^{y} \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100{,}000$$

Age-Adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^{y} stdmil_j \right)}$$

$$v = \sum_{i=x}^{y} \left(w_i^2 \times count_i \right)$$

The endpoints of a p × 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(\frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

$$CI_{high} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v}\right)\right) \times 100{,}000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studies is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

References:

Johnson NL, Kotz S. *Distributions in Statistics: Discrete Distributions.* Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.