


Infant Sleep Habits

Percentage (%) of recent mothers in Illinois whose babies usually were placed to sleep without soft objects or loose bedding

Defined as a composite of three items (Q60f, g, h) indicating that the infant usually slept without 1) blankets; 2) toys, cushions, or pillows; 3) crib bumper pads



	Percentage <sup>1</sup>	95% CI <sup>2</sup>		Respondents <sup>3</sup>	Estimated Population Affected <sup>4</sup>	
<b>All</b>	Overall	57.5	54.2	60.7	1,102	68,276
<b>Maternal Age</b>	<20 yrs	42.3	26.7	59.7	40	1,760
	20 to 24 yrs	36.6	28.8	45.2	173	8,309
	25 to 29 yrs	52.7	46.5	58.9	291	16,041
	30 to 34 yrs	67.3	61.8	72.5	345	24,422
	=>35 yrs	70.6	64.0	76.3	253	17,743
<b>Race/Ethnicity</b>	NH White	67.7	63.4	71.8	579	42,152
	NH Black	44.4	36.3	52.8	184	8,683
	Hispanic	43.8	37.0	50.8	237	11,728
	Other	55.0	43.7	65.9	94	5,065
<b>Education</b>	<12 yrs	35.2	25.7	46.1	107	4,003
	12 yrs	41.3	34.5	48.5	235	11,233
	>12 yrs	66.2	62.3	69.8	751	52,382
<b>Birth Weight</b>	Low	49.1	43.3	54.8	288	4,155
	Normal	58.2	54.6	61.6	814	64,122
<b>Marital Status</b>	Married	68.7	64.8	72.4	672	48,420
	Other	41.2	36.0	46.5	430	19,857
<b>Insurer Now</b>	Medicaid	40.5	35.0	46.2	379	16,394
	Private	69.4	65.1	73.3	602	44,443
	Uninsured	48.9	38.7	59.3	102	6,000

<sup>1</sup>Percentage = Weighted percentage

<sup>2</sup>CI = Confidence interval lower/upper bounds

-- Indicates denominator <30 respondents or numerator <6 respondents

<sup>3</sup>Respondents = The total number who responded to the survey question

<sup>4</sup>Estimated Population Affected = Estimated number of Illinois mothers/infants with characteristic or condition