State of Illinois
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2017

Epidemiologic Report Series 20:06

April 2020

IDPH
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2017

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2020

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number 6-NU58DP006315-03-01 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Garner K, Shen T. Illinois State Cancer Incidence Review and Update, 1986-2017. Epidemiologic Report Series 20:06. Springfield, Ill.: Illinois Department of Public Health, April 2020.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE

1986-2017

TABLE OF CONTENTS

Overview 1

Technical Notes 2

SECTION I

Cancer Incidence by Race, Illinois, 1986-2017 ..... I-1

All Sites Combined I-2

Oral Cavity and Pharynx I-8

Digestive System I-62

Respiratory System I-128

Bones and Joints I-146

Soft Tissue, Including Heart I-152

Skin Excluding Basal and Squamous I-158

Breast Excluding *In Situ* I-170

Female Genital System I-176

Male Genital System I-188

Urinary System I-196

Eye and Orbit I-220

Brain and Other Nervous System I-226

Endocrine System I-238

Lymphoma I-250

Myeloma I-268

Leukemia I-274

Mesothelioma I-310

Kaposi Sarcoma I-316

Ill-defined and Unknown Sites I-322

Female Breast *In Situ* I-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2017 ..... II-1

All Sites Combined II-2

Oral Cavity and Pharynx II-5

Digestive System II-32

Respiratory System II-65

Bones and Joints II-74

Soft Tissue, Including Heart..... II-77
Skin Excluding Basal and Squamous..... II-80
Breast Excluding In Situ..... II-86
Female Genital System..... II-89
Male Genital System..... II-95
Urinary System (Including Bladder In Situ)..... II-99
Eye and Orbit..... II-111
Brain and Other Nervous System..... II-114
Endocrine System..... II-120
Lymphoma..... II-126
Myeloma..... II-135
Leukemia..... II-138
Mesothelioma..... II-156
Kaposi Sarcoma..... II-159
Ill-defined and Unknown Sites..... II-162
Female Breast In Situ..... II-165

SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2017..... III-1
All Sites..... III-2
Leukemia..... III-3
Lymphomas and Reticuloendothelial Neoplasms..... III-6
CNS and Miscellaneous Intracranial and Intraspinal Neoplasms..... III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors..... III-14
Retinoblastoma..... III-16
Renal Tumor..... III-17
Hepatic Tumor..... III-19
Malignant Bone Tumor..... III-21
Soft Tissue and Other Extraosseous Sarcomas..... III-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads..... III-26
Other Malignant Epithelial Neoplasms and Melanomas..... III-29
Other and Unspecified Malignant Neoplasms..... III-32

Appendix A: Illinois Populations Used for Rate Calculations 1986-2017..... A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008..... B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008.. C-1
Appendix D: Formulas for Rates..... D-1

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE
1986-2017

OVERVIEW

This is the 27th release of the annual Illinois state cancer statistics report. This report presents Illinois' cancer incidence for 1986 through 2017 for all races combined, whites, blacks and Asian/other races and for 1990 through 2017 for Hispanics (any race), non-Hispanics (any race), non-Hispanic whites and non-Hispanic blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2017 are included in a separate section. Cancer mortality data is presented in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2018 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR) and the United States Cancer Statistics (USCS) of the U.S Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national and state publications.[1-5]

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95 percent confidence intervals for rates are displayed for the combined 1986-2017 time-period as well as for individual years. For cancers occurring in both genders, separate tables are presented for both males and females. Pediatric cancer incidence rates are presented for all races, both sexes and by two age groups: 0-14 and 0-19 years.

INCIDENCE HIGHLIGHTS

- A total of 1,891,426 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2017, including 69,222 new cases reported in 2017. The overall race distribution for cases in 2017 was 82.6 percent white, 13.3 percent black, 3.1 percent Asian/other races, and 1.1 percent unknown race.

- For the ethnicity/race categories, a total of 1,712,498 cases of invasive cancer among Illinois residents were reported to ISCR from 1990 through 2017. The ethnicity/race distribution for cases diagnosed in 2017 was 7.2 percent Hispanics (any race) and 92.8 percent non-Hispanics (any race); among non-Hispanic cases, non-Hispanic whites accounted for 81.5 percent and non-Hispanic blacks 14.2 percent.

- In 2017, black males continue to have the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their white or black counterparts.

- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 29.8 percent of 34,687 invasive cancer diagnoses in women during 2017. The predominance of breast cancer among females persists for all major race and ethnicity groups.

- The incidence of female breast cancer diagnosed in the *in situ* stage increased steadily for every race and ethnicity group across 1986-1999 with an annual percent increase of 8.2 percent, but slowed after 1999. The annual percent change between 1999 and 2012 was an increase of 1. 7 percent for all races. Between 2012 and 2017 the annual percent changed direction and decreased by 1.9 percent annually. These trends suggested that screening mammography usage and the earlier detection of breast cancer among Illinois women has plateaued.

- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 24.1 percent of 34,535 new cancer diagnoses in men during 2017. Black males had the highest prostate cancer incidence rates among all race groups, approximately 67.7 percent higher than those observed for white males and over three and a half times those observed for males of Asian/other races in 2017.

- The incidence of male prostate cancer realized an 18.7 annual percent increase between 1989 and 1992. The rate then dropped slightly before plateauing between 1995 and 2008. From 2008 to 2013 the annual percent change for prostate cancer incidence indicated a 9.2 percent decrease on average. After 2013 the trend again flattened out through 2017. The same trend was seen across 1986-2017 in both white and black men.

- A total of 18,342 new cases of cancer were diagnosed during 1986-2017 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system, and lymphoma.

TECHNICAL NOTES

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are believed to be reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008) and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents and their standards of quality.[6] Between 1986 and 2017, 5.8 percent of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths to identify cases not reported to ISCR. Between 1986 and 2017, 1.6 percent of reported cases were identified from death certificate clearance.

Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2019.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public, however the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, whites, blacks and Asian/other races from 1986 through 2017, and for Hispanics, non-Hispanics, non-Hispanic white and non-Hispanic black for 1990 through 2017 were obtained from both the intercensal and Vintage 2018 bridged-race post censal population estimates files. Population estimates by age, sex, race and Hispanic origin were produced by the United States Bureau of Census Population Estimates Program (http://www.census.gov/programs-surveys/popest.html), in collaboration with the National Center for Health Statistics, and with support from the National Cancer Institute (NCI) through an interagency agreement. The population estimates incorporate intercensal (for 2000-2009) and Vintage 2018 (for 2010-2017) bridged single-race estimates are derived from the original multiple race categories in the 2000 and 2010 Censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

The intercensal estimates provide an adjustment of previous population estimates based on the actual 2010 census results (https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf).[7,8] Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Site Coding for Incidence Data: All cases diagnosed during 1986 through 2017 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.[9] Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)[5] and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and other state publications.[3-5] The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, Myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Pediatric Cancer Groups: Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition* (ICCC-3)[10] and ICD-O-3. The main classification table of SEER recode scheme used in the present report was listed in Appendix C.

Rate Calculation: The SEER*Stat® software package,[11] developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95 percent level using Tiwari method.[12] Algorithms used for the calculation of standard errors and 95 percent confidence intervals are displayed in Appendix D.

Race-specific Rates: The race-specific categories in this report are all races combined, whites, blacks and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55 percent of the American Indian/Alaska Native population.[13] If a race code in the ISCR database is white, black, other or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for whites, blacks or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA) improvements have been, and will continue to be, made in classifying cancer incidence cases as Asian or Pacific Islander. Through the use of the birthplace and first, last and maiden name fields, NAPIIA assigns a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other and unknown.[14]

Since 1991 the ISCR has included the race category "Other Unspecified" in an aggregate group that contained "Asian and Other Races." Beginning with the 2010 data year the "Other Unspecified" race group will not be included in the aggregate "Asian and Other Races" aggregate group used in the report. Cases identified as a race of "Other Unspecified" will continue to be included in the "All Races" grouping. This was done in an effort to maintain comparability to other state and national reporting sources.

Ethnicity/Race Rates: Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).[15] NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.[16] Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic whites and non-Hispanic blacks. In order to be consistent with national and other state reports, cases reported as "unknown" ethnicity are included in the non-Hispanic group.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,[2] ISCR has been awarded gold certification for all diagnosis years from 1996 through 2016.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2019, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method)[a] (% As of 11-19)	Pass EDITS (%)	DCO[b] (%)	Unresolved Duplicate[c] (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.2
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.5
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.3
1995	99	100	2.6	0.03	0.0	0.0	0.0	0.3
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.4
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.6
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.8
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.8
2000	100	100	2.3	0.03	0.0	0.0	0.0	0.9
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.8
2002	100	100	2.6	0.00	0.0	0.0	0.0	0.9
2003	100	100	1.5	0.02	0.0	0.0	0.0	1.0
2004	100	100	1.7	0.01	0.0	0.0	0.0	0.9
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.1
2006	100	100	2.0	0.00	0.0	0.0	0.0	0.8
2007	100	100	1.2	0.00	0.0	0.0	0.0	0.8
2008	100	100	1.7	0.07	0.0	0.0	0.0	1.0
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.1
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.1
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.3
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.2
2013	100	100	1.0	0.02	0.0	0.0	0.0	1.0
2014	100	100	2.1	0.02	0.0	0.0	0.0	1.1
2015	100	100	2.1	0.09	0.0	0.0	0.0	1.2
2016	100	100	2.0	0.09	0.0	0.0	0.0	1.0
2017	100	100	2.1	0.06	0.0	0.0	0.0	1.1

~ not applicable
a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.
b. DCO follow back not started until end of 1993 reporting year
c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may not be real but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., fewer than 16).

- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95 percent complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the "true" rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.

- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000 and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity- and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000 or 2010 (see notes under "Population Estimates").

- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95 percent probability, where the "true" rate may fall. The comparison of two sets of confidence intervals is only approximately equivalent to statistical significance tests for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.[17]

REFERENCES

1. Thornton M (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 18*. Twenty First Edition. Springfield, Ill.: North American Association of Central Cancer Registries, February 2018, revised October 2018.

2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.

3. Sherman R, Firth R, De P, et al (eds). Cancer in North America: 2012-2016. *Volume One: Combined Cancer Incidence for the United States,Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2019.

4. Sherman R, Firth R, De P, et al (eds). Cancer in North America: 2012-2016. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2019.

5. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2016, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2016/, based on November 2018 SEER data submission, posted to the SEER website, April 2019.

6. Lehnherr M and Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1.* Springfield, Ill.: Illinois Department of Public Health, January 2002.

7. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2018.* U.S. Census Bureau . https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2010-2018/2018-est-relnotes.pdf Accessed March 30, 2019.

8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. http://seer.cancer.gov/popdata/. Accessed January 27, 2020.

9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.

10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer*. 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.3.6, August 6, 2019.

12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.

13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.

14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification.* Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.

15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1].* Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.

16. Howe HL. *Evaluation of NHIA Submission for 1997-2001.* Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.

17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I
Cancer Incidence by Race
Illinois, 1986-2017

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,891,426	474.4	0.35	473.7	475.0	1,600,220	473.0	0.38	472.3	473.7
1986	43,023	406.2	1.99	402.4	410.2	37,702	402.9	2.11	398.8	407.1
1987	45,263	424.2	2.02	420.3	428.2	39,754	423.0	2.15	418.8	427.2
1988	45,202	420.6	2.00	416.7	424.5	39,355	416.2	2.13	412.1	420.4
1989	45,440	420.7	2.00	416.8	424.6	39,593	417.4	2.12	413.3	421.6
1990	47,501	435.3	2.02	431.3	439.2	41,479	433.4	2.15	429.2	437.7
1991	49,081	443.6	2.02	439.6	447.6	43,140	445.3	2.16	441.1	449.6
1992	52,038	464.0	2.05	460.0	468.0	45,601	465.7	2.20	461.4	470.0
1993	52,843	465.9	2.04	461.9	469.9	45,736	462.8	2.18	458.5	467.1
1994	55,553	486.6	2.07	482.5	490.6	47,892	482.5	2.21	478.1	486.8
1995	55,196	479.7	2.05	475.7	483.7	47,209	474.0	2.19	469.7	478.3
1996	56,363	487.0	2.06	483.0	491.0	48,088	481.2	2.20	476.9	485.5
1997	56,666	485.5	2.04	481.5	489.5	48,405	481.4	2.19	477.1	485.7
1998	57,770	490.0	2.04	486.0	494.0	49,073	484.2	2.19	480.0	488.6
1999	58,862	494.8	2.04	490.8	498.8	50,296	493.6	2.20	489.3	497.9
2000	59,180	493.4	2.03	489.4	497.4	50,221	490.4	2.19	486.2	494.8
2001	60,927	503.8	2.04	499.8	507.8	51,721	502.2	2.21	497.9	506.5
2002	62,362	510.6	2.05	506.6	514.7	52,875	509.5	2.22	505.2	513.9
2003	61,016	493.6	2.00	489.6	497.5	51,514	491.7	2.17	487.5	496.0
2004	61,614	493.6	2.00	489.7	497.5	51,979	493.0	2.17	488.8	497.3
2005	62,024	491.0	1.98	487.2	494.9	52,021	489.0	2.16	484.8	493.3
2006	63,920	501.2	2.00	497.3	505.2	53,494	499.5	2.17	495.2	503.7
2007	65,126	502.9	1.99	499.0	506.8	54,504	502.5	2.17	498.2	506.7
2008	66,548	505.4	1.98	501.5	509.3	55,655	505.8	2.17	501.6	510.1
2009	66,884	500.3	1.96	496.5	504.1	55,709	500.2	2.15	496.0	504.4
2010	65,621	482.9	1.91	479.2	486.7	54,441	482.1	2.10	478.0	486.2
2011	66,986	484.9	1.90	481.1	488.6	55,557	485.3	2.09	481.2	489.5
2012	65,907	468.3	1.86	464.7	472.0	54,525	469.0	2.05	465.0	473.0
2013	66,490	464.7	1.83	461.1	468.3	54,975	466.3	2.03	462.4	470.3
2014	68,017	467.6	1.83	464.0	471.2	56,081	469.1	2.02	465.2	473.1
2015	69,309	470.6	1.83	467.0	474.2	57,046	473.1	2.03	469.2	477.1
2016	69,472	466.7	1.81	463.1	470.2	57,435	472.3	2.02	468.3	476.2
2017	69,222	458.5	1.78	455.0	462.0	57,144	464.4	1.99	460.5	468.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	242,114	507.7	1.05	505.7	509.8	34,475	264.0	1.52	261.0	267.0
1986	4,901	442.0	6.56	429.2	455.0	345	230.0	14.40	202.7	259.8
1987	5,075	449.5	6.53	436.7	462.4	358	220.8	13.30	195.5	248.2
1988	5,352	465.5	6.59	452.7	478.6	389	243.7	14.18	216.7	272.8
1989	5,351	461.3	6.51	448.6	474.2	410	238.3	13.53	212.6	266.1
1990	5,512	468.7	6.52	456.0	481.6	411	230.5	13.01	205.7	257.2
1991	5,309	439.9	6.22	427.8	452.3	374	201.5	11.90	178.8	225.9
1992	5,809	472.1	6.37	459.6	484.7	467	244.6	13.04	219.8	271.3
1993	6,400	510.7	6.57	497.9	523.7	585	266.7	12.59	242.6	292.3
1994	6,911	545.3	6.74	532.2	558.7	608	270.9	12.40	247.1	296.1
1995	7,106	546.9	6.65	534.0	560.1	703	279.4	11.81	256.7	303.4
1996	7,330	554.6	6.63	541.7	567.8	746	288.1	11.95	265.2	312.4
1997	7,179	533.1	6.43	520.6	545.9	785	270.9	10.74	250.2	292.6
1998	7,461	545.2	6.45	532.6	557.9	815	279.6	10.93	258.6	301.8
1999	7,281	520.3	6.22	508.2	532.6	861	281.0	10.73	260.4	302.7
2000	7,587	531.5	6.22	519.4	543.9	903	270.2	9.91	251.1	290.2
2001	7,800	541.4	6.25	529.2	553.8	960	267.5	9.52	249.2	286.8
2002	7,926	539.1	6.18	527.1	551.4	1,012	276.6	9.51	258.3	295.8
2003	7,922	528.2	6.05	516.5	540.2	1,000	255.8	8.79	238.8	273.5
2004	8,001	524.4	5.98	512.7	536.2	1,074	260.9	8.66	244.2	278.3
2005	8,090	522.2	5.93	510.7	534.0	1,222	276.4	8.59	259.8	293.7
2006	8,574	542.2	5.98	530.6	554.0	1,312	281.6	8.40	265.4	298.5
2007	8,690	539.5	5.91	528.0	551.2	1,384	279.3	8.10	263.6	295.6
2008	8,796	533.8	5.82	522.4	545.3	1,435	270.6	7.71	255.7	286.1
2009	8,989	532.1	5.74	520.9	543.5	1,430	265.0	7.56	250.4	280.2
2010	8,843	514.1	5.60	503.2	525.2	1,591	276.1	7.42	261.8	291.0
2011	8,869	502.4	5.46	491.7	513.2	1,654	272.7	7.15	258.9	287.1
2012	8,841	490.9	5.35	480.5	501.5	1,758	270.0	6.81	256.8	283.6
2013	9,041	490.9	5.29	480.6	501.4	1,800	264.7	6.56	252.1	277.9
2014	9,234	493.1	5.26	482.8	503.5	1,928	266.8	6.33	254.6	279.5
2015	9,424	491.3	5.19	481.2	501.6	1,997	265.7	6.17	253.7	278.0
2016	9,293	480.1	5.11	470.1	490.2	2,031	255.8	5.84	244.5	267.5
2017	9,217	467.4	4.99	457.7	477.3	2,127	259.3	5.76	248.2	270.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	953,171	552.6	0.58	551.5	553.7	805,188	545.5	0.62	544.3	546.7
1986	21,078	482.7	3.48	475.9	489.6	18,368	474.7	3.65	467.6	481.9
1987	22,155	502.1	3.51	495.2	509.0	19,352	495.6	3.70	488.4	502.9
1988	21,853	492.6	3.47	485.8	499.4	18,981	484.6	3.65	477.5	491.8
1989	22,287	497.2	3.45	490.4	504.0	19,404	490.4	3.64	483.3	497.6
1990	23,464	519.4	3.51	512.5	526.3	20,414	512.0	3.70	504.7	519.3
1991	24,992	543.6	3.55	536.7	550.6	21,996	543.1	3.77	535.8	550.6
1992	27,219	583.2	3.64	576.1	590.4	23,763	578.6	3.85	571.1	586.2
1993	27,310	576.8	3.58	569.8	583.9	23,589	568.1	3.78	560.8	575.6
1994	28,164	591.8	3.62	584.8	598.9	24,111	578.9	3.81	571.5	586.4
1995	28,007	579.2	3.54	572.3	586.2	23,742	563.4	3.72	556.1	570.7
1996	28,336	580.3	3.51	573.4	587.2	23,939	564.1	3.70	556.8	571.4
1997	28,664	581.3	3.49	574.5	588.2	24,405	570.8	3.70	563.5	578.0
1998	28,961	581.2	3.47	574.5	588.1	24,508	568.0	3.67	560.8	575.2
1999	29,772	589.8	3.46	583.0	596.6	25,379	582.1	3.69	574.9	589.3
2000	30,050	588.7	3.44	582.0	595.5	25,362	577.1	3.65	570.0	584.3
2001	31,049	603.1	3.47	596.3	609.9	26,317	595.0	3.70	587.7	602.3
2002	32,112	616.9	3.49	610.0	623.7	27,281	611.2	3.73	603.9	618.5
2003	31,445	593.7	3.39	587.1	600.4	26,531	586.1	3.63	579.0	593.2
2004	31,656	588.3	3.35	581.7	594.9	26,639	580.7	3.59	573.6	587.7
2005	31,470	575.1	3.29	568.6	581.6	26,315	565.3	3.52	558.5	572.3
2006	32,502	585.1	3.30	578.6	591.6	27,174	576.5	3.54	569.6	583.5
2007	33,511	591.3	3.29	584.8	597.7	27,902	581.3	3.53	574.4	588.3
2008	34,167	589.3	3.25	582.9	595.7	28,505	581.9	3.50	575.0	588.8
2009	33,942	572.3	3.17	566.1	578.5	28,176	564.1	3.42	557.4	570.8
2010	33,108	547.6	3.08	541.6	553.7	27,469	540.5	3.33	534.0	547.1
2011	33,806	546.7	3.05	540.8	552.7	28,082	541.5	3.30	535.0	548.0
2012	32,869	519.2	2.94	513.5	525.0	27,232	514.2	3.19	507.9	520.4
2013	32,930	509.5	2.88	503.9	515.2	27,355	506.9	3.13	500.7	513.0
2014	33,361	504.7	2.83	499.1	510.3	27,600	501.1	3.09	495.1	507.2
2015	34,385	511.3	2.83	505.7	516.8	28,289	506.8	3.09	500.8	512.9
2016	34,011	498.8	2.78	493.3	504.2	28,301	501.2	3.06	495.2	507.2
2017	34,535	497.4	2.75	492.0	502.8	28,707	499.7	3.03	493.8	505.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	123,729	638.4	1.91	634.6	642.1	15,822	285.9	2.51	281.0	290.8
1986	2,530	567.1	12.13	543.6	591.3	158	245.6	22.76	203.0	293.7
1987	2,606	580.3	12.17	556.7	604.6	166	263.1	24.22	217.8	314.1
1988	2,644	573.1	11.95	550.0	597.0	180	279.8	24.27	234.3	330.7
1989	2,676	580.2	12.01	556.9	604.1	163	237.1	21.69	196.5	282.7
1990	2,792	600.4	12.21	576.7	624.8	207	303.7	24.59	257.4	355.0
1991	2,713	565.5	11.60	543.0	588.6	163	225.9	20.54	187.4	269.0
1992	3,155	655.4	12.49	631.1	680.2	236	314.9	24.13	269.4	365.0
1993	3,400	683.4	12.53	659.0	708.3	268	309.9	22.25	267.8	356.0
1994	3,692	740.5	13.04	715.1	766.4	283	307.6	21.31	267.3	351.7
1995	3,862	748.8	12.84	723.8	774.3	314	314.9	20.40	276.1	357.0
1996	3,938	742.0	12.54	717.6	766.9	360	346.3	21.65	305.2	390.8
1997	3,724	685.4	11.88	662.3	709.0	369	316.0	18.91	280.0	354.9
1998	3,846	703.1	11.99	679.8	726.9	370	311.7	18.70	276.1	350.2
1999	3,738	670.4	11.56	647.9	693.4	412	337.8	19.94	299.8	378.7
2000	4,037	707.5	11.72	684.7	730.8	409	292.0	16.64	260.3	326.1
2001	4,000	692.0	11.53	669.6	714.9	449	302.5	16.70	270.6	336.7
2002	4,023	683.4	11.38	661.3	706.0	472	315.8	16.46	284.4	349.5
2003	4,145	682.0	11.15	660.3	704.1	432	267.5	14.60	239.6	297.4
2004	4,166	676.6	11.08	655.0	698.6	511	300.3	15.04	271.5	331.0
2005	4,172	668.8	10.97	647.5	690.7	572	314.8	14.89	286.3	345.1
2006	4,411	687.5	10.92	666.2	709.2	621	321.8	14.45	294.1	351.2
2007	4,618	707.2	10.98	685.9	729.0	648	301.8	13.29	276.3	328.9
2008	4,614	685.4	10.63	664.7	706.5	661	292.3	12.85	267.7	318.4
2009	4,600	658.5	10.22	638.6	678.8	697	296.4	12.62	272.2	322.0
2010	4,472	629.5	9.93	610.2	649.2	723	295.2	12.23	271.8	320.1
2011	4,423	601.5	9.51	583.0	620.4	741	289.9	11.75	267.3	313.7
2012	4,371	584.9	9.30	566.9	603.4	798	281.6	10.88	260.7	303.7
2013	4,397	574.5	9.08	556.9	592.6	798	267.6	10.18	248.0	288.2
2014	4,453	569.1	8.94	551.8	586.9	879	277.1	9.98	257.9	297.4
2015	4,663	579.3	8.88	562.1	597.0	927	279.0	9.70	260.3	298.6
2016	4,400	537.7	8.47	521.2	554.6	906	252.4	8.74	235.6	270.1
2017	4,448	535.4	8.38	519.1	552.1	929	256.7	8.75	239.8	274.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	938,255	425.5	0.44	424.6	426.4	795,032	429.0	0.49	428.0	430.0
1986	21,945	367.9	2.54	362.9	372.9	19,334	369.4	2.73	364.1	374.8
1987	23,108	385.4	2.59	380.3	390.5	20,402	389.0	2.80	383.6	394.6
1988	23,349	385.8	2.57	380.8	390.9	20,374	385.4	2.76	380.0	390.8
1989	23,153	381.8	2.55	376.8	386.8	20,189	382.1	2.75	376.7	387.5
1990	24,037	392.2	2.57	387.1	397.2	21,065	395.5	2.79	390.1	401.0
1991	24,089	388.1	2.54	383.2	393.1	21,144	392.7	2.76	387.3	398.1
1992	24,819	395.1	2.54	390.1	400.1	21,838	401.7	2.77	396.3	407.2
1993	25,533	400.0	2.53	395.0	405.0	22,147	401.4	2.74	396.1	406.9
1994	27,389	424.3	2.59	419.2	429.4	23,781	427.0	2.81	421.5	432.5
1995	27,189	419.9	2.57	414.9	425.0	23,467	422.1	2.80	416.6	427.6
1996	28,027	429.7	2.59	424.7	434.8	24,149	432.5	2.82	427.0	438.0
1997	28,002	426.0	2.57	421.0	431.1	24,000	427.5	2.80	422.0	433.0
1998	28,809	434.0	2.57	428.9	439.0	24,565	434.3	2.80	428.8	439.8
1999	29,090	435.2	2.57	430.2	440.3	24,917	439.2	2.81	433.7	444.7
2000	29,130	432.5	2.55	427.5	437.5	24,859	436.4	2.80	431.0	442.0
2001	29,878	439.8	2.56	434.8	444.9	25,404	443.5	2.81	438.0	449.1
2002	30,250	441.9	2.56	436.9	446.9	25,594	444.1	2.81	438.6	449.6
2003	29,571	428.2	2.51	423.3	433.2	24,983	431.2	2.76	425.8	436.6
2004	29,958	430.7	2.51	425.8	435.7	25,340	435.6	2.77	430.2	441.1
2005	30,554	435.6	2.51	430.7	440.5	25,706	439.4	2.78	434.0	444.9
2006	31,418	445.1	2.54	440.2	450.1	26,320	448.5	2.81	443.0	454.0
2007	31,615	443.4	2.52	438.5	448.4	26,602	450.4	2.81	444.9	456.0
2008	32,381	448.4	2.52	443.5	453.4	27,150	454.8	2.81	449.4	460.4
2009	32,942	451.3	2.52	446.4	456.3	27,533	457.8	2.81	452.3	463.4
2010	32,513	439.0	2.48	434.1	443.8	26,972	443.1	2.76	437.7	448.6
2011	33,180	443.1	2.48	438.3	448.0	27,475	448.3	2.77	442.8	453.7
2012	33,038	435.4	2.44	430.7	440.3	27,293	440.7	2.74	435.4	446.1
2013	33,560	436.3	2.43	431.5	441.1	27,620	441.8	2.73	436.4	447.2
2014	34,656	446.0	2.45	441.2	450.8	28,481	452.0	2.76	446.6	457.4
2015	34,924	445.3	2.45	440.5	450.2	28,757	453.9	2.76	448.5	459.4
2016	35,461	448.6	2.45	443.8	453.4	29,134	457.5	2.78	452.0	462.9
2017	34,687	434.0	2.40	429.3	438.7	28,437	442.9	2.72	437.6	448.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	118,385	424.5	1.25	422.1	427.0	18,653	251.8	1.93	248.1	255.7
1986	2,371	363.2	7.64	348.4	378.5	187	221.0	18.64	186.0	260.2
1987	2,469	369.1	7.59	354.4	384.3	192	194.7	15.26	165.9	226.9
1988	2,708	399.5	7.84	384.3	415.2	209	221.3	17.27	188.7	257.5
1989	2,675	389.7	7.68	374.8	405.1	247	246.8	17.64	213.4	283.6
1990	2,720	390.0	7.61	375.2	405.1	204	181.1	14.04	154.6	210.6
1991	2,596	362.7	7.25	348.7	377.2	211	188.4	14.49	161.0	218.7
1992	2,654	361.3	7.12	347.5	375.6	231	198.9	14.66	171.2	229.5
1993	3,000	403.3	7.47	388.7	418.1	317	241.3	15.02	212.8	272.4
1994	3,219	426.2	7.61	411.4	441.3	325	248.8	15.20	219.9	280.2
1995	3,244	420.1	7.47	405.6	435.0	389	260.8	14.47	233.2	290.6
1996	3,392	433.8	7.54	419.1	448.8	386	252.8	14.12	225.9	281.9
1997	3,455	434.5	7.47	420.0	449.3	416	244.5	12.95	219.8	271.2
1998	3,615	445.1	7.48	430.6	460.0	445	261.4	13.48	235.6	289.1
1999	3,543	426.6	7.23	412.6	441.0	449	248.9	12.65	224.7	274.9
2000	3,550	419.1	7.09	405.3	433.2	494	258.3	12.47	234.5	283.8
2001	3,800	444.9	7.28	430.7	459.3	511	248.0	11.70	225.6	271.9
2002	3,903	448.5	7.24	434.4	462.9	540	252.9	11.60	230.7	276.6
2003	3,777	427.9	7.02	414.3	441.9	568	253.1	11.25	231.5	276.0
2004	3,835	427.1	6.95	413.6	440.9	563	236.8	10.57	216.5	258.4
2005	3,918	430.2	6.93	416.7	444.0	650	253.5	10.52	233.3	274.9
2006	4,163	449.4	7.03	435.7	463.4	691	256.5	10.30	236.7	277.5
2007	4,072	432.3	6.84	419.0	445.9	736	265.1	10.30	245.3	286.1
2008	4,182	435.7	6.81	422.4	449.2	774	259.8	9.82	240.9	279.8
2009	4,389	449.4	6.87	436.1	463.1	733	243.8	9.49	225.5	263.1
2010	4,371	439.2	6.73	426.1	452.6	868	266.5	9.49	248.2	285.7
2011	4,446	436.7	6.65	423.8	449.9	913	265.0	9.15	247.3	283.5
2012	4,470	430.7	6.54	417.9	443.7	960	265.5	8.92	248.3	283.6
2013	4,644	437.6	6.53	424.9	450.6	1,002	264.9	8.67	248.2	282.5
2014	4,781	445.8	6.56	433.0	458.8	1,049	262.8	8.35	246.7	279.7
2015	4,761	435.4	6.43	422.9	448.2	1,070	258.7	8.12	243.0	275.1
2016	4,893	444.4	6.48	431.8	457.3	1,125	261.1	7.94	245.7	277.1
2017	4,769	425.2	6.29	413.0	437.7	1,198	265.9	7.81	250.8	281.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	45,280	11.3	0.05	11.2	11.4	37,346	11.0	0.06	10.9	11.2
1986	1,208	11.5	0.34	10.8	12.2	973	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	976	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	954	10.2	0.33	9.5	10.9
1989	1,126	10.5	0.32	9.9	11.1	918	9.7	0.33	9.1	10.4
1990	1,155	10.8	0.32	10.2	11.4	927	9.9	0.33	9.2	10.5
1991	1,132	10.4	0.31	9.8	11.0	910	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	953	9.8	0.32	9.2	10.4
1995	1,302	11.5	0.32	10.9	12.1	1,075	11.0	0.34	10.4	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,057	10.7	0.33	10.1	11.4
1997	1,314	11.4	0.31	10.8	12.0	1,072	10.9	0.33	10.2	11.5
1998	1,253	10.7	0.30	10.1	11.3	1,007	10.1	0.32	9.5	10.7
1999	1,312	11.1	0.31	10.5	11.7	1,081	10.7	0.33	10.1	11.4
2000	1,293	10.8	0.30	10.2	11.4	1,063	10.5	0.32	9.9	11.1
2001	1,266	10.4	0.29	9.9	11.0	1,048	10.2	0.32	9.6	10.9
2002	1,353	11.0	0.30	10.4	11.6	1,117	10.8	0.32	10.2	11.4
2003	1,333	10.7	0.29	10.1	11.3	1,111	10.6	0.32	10.0	11.2
2004	1,434	11.3	0.30	10.8	11.9	1,145	10.8	0.32	10.2	11.5
2005	1,343	10.5	0.29	9.9	11.0	1,115	10.4	0.31	9.8	11.1
2006	1,400	10.7	0.29	10.2	11.3	1,158	10.7	0.32	10.1	11.3
2007	1,519	11.5	0.30	10.9	12.1	1,255	11.4	0.33	10.8	12.1
2008	1,583	11.7	0.30	11.2	12.3	1,318	11.8	0.33	11.2	12.4
2009	1,596	11.7	0.30	11.2	12.3	1,333	11.8	0.33	11.2	12.5
2010	1,597	11.5	0.29	10.9	12.0	1,296	11.2	0.32	10.6	11.9
2011	1,740	12.3	0.30	11.7	12.9	1,452	12.4	0.33	11.8	13.1
2012	1,730	12.0	0.29	11.4	12.6	1,444	12.1	0.33	11.5	12.8
2013	1,760	12.0	0.29	11.5	12.6	1,465	12.1	0.32	11.5	12.7
2014	1,782	11.9	0.29	11.4	12.5	1,487	12.1	0.32	11.5	12.7
2015	1,855	12.4	0.29	11.8	13.0	1,549	12.7	0.33	12.0	13.3
2016	1,863	12.2	0.29	11.7	12.8	1,561	12.5	0.32	11.9	13.2
2017	1,911	12.4	0.29	11.8	13.0	1,648	13.1	0.33	12.5	13.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,496	12.8	0.16	12.5	13.1	1,125	7.9	0.25	7.5	8.5
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	195	16.1	1.18	13.9	18.6	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	203	15.6	1.12	13.5	18.0	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	14	5.3	1.53	2.7	9.3
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	22	7.5	1.85	4.4	12.0
1996	215	15.2	1.05	13.2	17.4	19	7.1	1.76	4.1	11.4
1997	209	14.6	1.02	12.6	16.7	29	9.6	1.95	6.1	14.2
1998	210	14.3	1.00	12.4	16.4	27	7.4	1.49	4.8	11.0
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	194	12.6	0.91	10.9	14.5	26	6.7	1.43	4.2	10.1
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	203	12.9	0.92	11.2	14.9	27	6.5	1.35	4.2	9.7
2003	187	11.5	0.85	9.9	13.3	25	6.3	1.38	3.9	9.6
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	174	10.3	0.79	8.8	11.9	44	8.9	1.44	6.3	12.2
2006	180	10.3	0.78	8.8	11.9	53	11.5	1.72	8.3	15.3
2007	212	12.3	0.86	10.7	14.1	44	7.8	1.25	5.5	10.6
2008	217	12.2	0.85	10.6	14.0	39	7.4	1.25	5.1	10.2
2009	198	11.0	0.80	9.5	12.7	48	7.5	1.12	5.5	10.1
2010	220	12.1	0.83	10.5	13.8	68	11.2	1.43	8.5	14.3
2011	216	11.5	0.80	10.0	13.2	55	8.8	1.26	6.5	11.6
2012	221	11.6	0.80	10.1	13.3	55	7.5	1.05	5.6	9.9
2013	219	11.6	0.80	10.1	13.3	54	7.3	1.03	5.4	9.6
2014	217	11.5	0.80	10.0	13.2	61	7.8	1.02	5.9	10.1
2015	217	10.7	0.75	9.3	12.3	69	8.9	1.11	6.9	11.4
2016	210	10.6	0.75	9.1	12.1	66	8.1	1.02	6.3	10.4
2017	180	8.6	0.65	7.3	9.9	63	7.5	0.97	5.8	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	31,240	17.3	0.10	17.1	17.5	25,649	16.7	0.11	16.5	16.9
1986	826	18.0	0.65	16.8	19.3	655	16.1	0.65	14.9	17.5
1987	811	17.6	0.64	16.4	18.9	658	16.2	0.65	15.0	17.6
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	753	16.1	0.60	15.0	17.4	604	14.8	0.62	13.6	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	757	15.9	0.59	14.8	17.1	602	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	632	14.8	0.60	13.7	16.1
1995	890	17.7	0.60	16.6	18.9	722	16.7	0.63	15.5	18.0
1996	881	17.5	0.60	16.3	18.7	711	16.4	0.62	15.2	17.7
1997	879	17.2	0.59	16.1	18.4	706	16.2	0.62	15.0	17.4
1998	851	16.2	0.56	15.2	17.4	671	15.0	0.58	13.9	16.2
1999	875	16.5	0.56	15.4	17.6	721	15.9	0.60	14.8	17.2
2000	890	16.6	0.56	15.5	17.7	720	15.8	0.59	14.7	17.0
2001	876	16.1	0.55	15.0	17.2	727	15.8	0.59	14.6	17.0
2002	913	16.5	0.55	15.4	17.6	736	15.7	0.58	14.6	16.9
2003	904	16.2	0.55	15.2	17.3	743	15.8	0.58	14.7	17.0
2004	1,012	17.6	0.56	16.5	18.7	796	16.4	0.59	15.3	17.6
2005	930	15.9	0.53	14.9	17.0	770	15.7	0.57	14.6	16.8
2006	952	16.0	0.53	14.9	17.0	787	15.7	0.57	14.6	16.9
2007	1,061	17.4	0.54	16.4	18.5	872	17.1	0.59	15.9	18.3
2008	1,084	17.4	0.54	16.3	18.5	899	17.2	0.58	16.1	18.4
2009	1,098	17.4	0.53	16.3	18.5	929	17.6	0.59	16.5	18.8
2010	1,132	17.5	0.53	16.5	18.6	926	17.1	0.57	16.0	18.3
2011	1,243	18.8	0.55	17.7	19.9	1,029	18.6	0.59	17.5	19.8
2012	1,214	18.1	0.53	17.0	19.1	1,008	18.0	0.58	16.9	19.2
2013	1,266	18.7	0.54	17.7	19.8	1,060	18.7	0.59	17.6	19.9
2014	1,237	17.8	0.52	16.8	18.9	1,043	17.9	0.57	16.8	19.1
2015	1,312	18.7	0.53	17.7	19.8	1,101	18.9	0.59	17.8	20.1
2016	1,323	18.5	0.52	17.5	19.6	1,114	18.7	0.58	17.6	19.9
2017	1,353	18.8	0.52	17.7	19.8	1,176	19.7	0.59	18.6	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,632	21.4	0.33	20.8	22.1	752	11.7	0.46	10.8	12.6
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	145	28.4	2.46	23.8	33.6	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	22.0	31.1	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	12	10.4	3.38	4.8	19.5
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	12	10.3	3.34	4.8	18.9
1997	153	25.2	2.12	21.2	29.7	20	13.6	3.22	8.0	21.6
1998	155	24.8	2.07	21.0	29.2	16	9.3	2.51	5.0	15.8
1999	138	21.1	1.84	17.6	25.0	12	7.0	2.14	3.5	12.8
2000	152	23.2	1.94	19.6	27.3	13	7.9	2.46	3.8	14.2
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	154	23.0	1.91	19.4	27.1	19	10.7	2.72	6.1	17.4
2003	141	19.7	1.70	16.5	23.4	13	7.0	2.13	3.5	12.5
2004	176	25.1	1.98	21.4	29.3	31	16.4	3.31	10.5	24.0
2005	131	18.1	1.62	15.0	21.5	24	10.3	2.26	6.3	15.7
2006	121	15.9	1.49	13.2	19.1	40	19.2	3.38	13.1	26.9
2007	155	21.1	1.77	17.8	24.9	29	10.6	2.13	6.9	15.7
2008	151	20.4	1.75	17.1	24.1	29	13.0	2.69	8.2	19.2
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	148	19.4	1.68	16.2	22.9	48	17.1	2.70	12.2	23.2
2011	160	20.0	1.64	16.9	23.4	40	13.7	2.36	9.5	19.1
2012	157	19.1	1.59	16.2	22.5	41	11.4	1.89	8.0	15.8
2013	152	19.1	1.62	16.1	22.5	39	11.1	1.88	7.7	15.4
2014	138	17.5	1.55	14.6	20.8	44	11.9	1.83	8.6	16.1
2015	155	18.2	1.52	15.4	21.5	46	12.6	1.92	9.2	17.0
2016	143	17.0	1.48	14.2	20.1	49	12.8	1.88	9.4	17.0
2017	119	13.3	1.27	10.9	16.0	43	11.5	1.80	8.2	15.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	14,040	6.4	0.05	6.3	6.5	11,697	6.3	0.06	6.2	6.4
1986	382	6.5	0.34	5.8	7.2	318	6.0	0.35	5.4	6.8
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	311	5.9	0.34	5.2	6.6
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	368	6.0	0.32	5.4	6.7	294	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	308	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	412	6.3	0.32	5.7	7.0	353	6.3	0.34	5.7	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	435	6.7	0.33	6.1	7.4	366	6.6	0.35	6.0	7.4
1998	402	6.1	0.31	5.5	6.7	336	6.0	0.33	5.4	6.7
1999	437	6.6	0.32	6.0	7.3	360	6.5	0.34	5.8	7.2
2000	403	6.1	0.30	5.5	6.7	343	6.1	0.33	5.5	6.8
2001	390	5.8	0.29	5.2	6.4	321	5.6	0.32	5.0	6.3
2002	440	6.5	0.31	5.9	7.1	381	6.7	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	368	6.3	0.33	5.7	7.0
2004	422	6.1	0.30	5.5	6.7	349	6.1	0.33	5.4	6.7
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	448	6.3	0.30	5.7	6.9	371	6.2	0.33	5.6	6.9
2007	458	6.4	0.30	5.9	7.1	383	6.5	0.34	5.9	7.2
2008	499	6.9	0.31	6.3	7.5	419	7.0	0.34	6.3	7.7
2009	498	6.9	0.31	6.3	7.5	404	6.7	0.34	6.1	7.4
2010	465	6.3	0.30	5.7	6.9	370	6.1	0.32	5.5	6.8
2011	497	6.6	0.30	6.0	7.2	423	6.8	0.34	6.2	7.5
2012	516	6.7	0.30	6.1	7.3	436	6.9	0.34	6.2	7.6
2013	494	6.3	0.29	5.8	6.9	405	6.3	0.32	5.7	7.0
2014	545	6.8	0.30	6.3	7.5	444	6.8	0.33	6.2	7.5
2015	543	6.9	0.30	6.3	7.5	448	7.1	0.35	6.4	7.8
2016	540	6.8	0.30	6.2	7.4	447	7.0	0.34	6.3	7.7
2017	558	6.8	0.30	6.3	7.4	472	7.2	0.34	6.5	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,864	6.5	0.15	6.2	6.8	373	4.8	0.26	4.3	5.4
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	60	7.8	1.03	5.9	10.1	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	5	1.9	0.88	0.6	5.3
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	56	6.8	0.93	5.2	8.9	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	11	5.8	1.79	2.8	10.6
1999	60	7.0	0.91	5.3	9.0	15	7.3	1.98	3.9	12.3
2000	42	4.8	0.74	3.4	6.4	13	5.9	1.73	3.0	10.4
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	8	3.3	1.21	1.3	6.7
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.76	2.8	10.2
2004	56	6.0	0.80	4.5	7.8	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	13	5.1	1.53	2.6	9.0
2007	57	5.9	0.78	4.4	7.6	15	5.3	1.43	2.9	8.9
2008	66	6.6	0.82	5.1	8.4	10	3.0	0.98	1.4	5.7
2009	70	7.0	0.85	5.5	8.9	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	20	6.3	1.47	3.8	9.9
2011	56	5.3	0.72	4.0	6.9	15	4.7	1.27	2.5	7.8
2012	64	6.0	0.76	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	67	6.2	0.77	4.8	7.9	15	4.0	1.07	2.2	6.7
2014	79	7.3	0.84	5.8	9.2	17	4.1	1.03	2.4	6.7
2015	62	5.3	0.69	4.1	6.9	23	5.5	1.17	3.5	8.3
2016	67	5.9	0.74	4.6	7.5	17	4.1	1.02	2.4	6.7
2017	61	5.2	0.67	3.9	6.7	20	4.2	0.96	2.5	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,773	0.7	0.01	0.7	0.7	2,668	0.8	0.02	0.8	0.8
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	114	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	108	1.2	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	94	0.8	0.09	0.7	1.0	90	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	99	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	81	0.7	0.08	0.5	0.9	80	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	83	0.8	0.09	0.6	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	57	0.6	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	96	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	66	0.6	0.08	0.5	0.8
2004	83	0.7	0.07	0.5	0.8	79	0.8	0.09	0.6	1.0
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8
2008	79	0.6	0.07	0.5	0.8	73	0.7	0.08	0.5	0.9
2009	74	0.6	0.07	0.4	0.7	67	0.6	0.07	0.5	0.8
2010	84	0.6	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2011	61	0.4	0.06	0.3	0.6	60	0.5	0.07	0.4	0.7
2012	58	0.4	0.05	0.3	0.5	56	0.5	0.06	0.4	0.6
2013	71	0.5	0.06	0.4	0.6	64	0.5	0.07	0.4	0.7
2014	66	0.5	0.06	0.4	0.6	59	0.5	0.06	0.4	0.6
2015	75	0.5	0.06	0.4	0.7	70	0.6	0.07	0.5	0.8
2016	71	0.5	0.06	0.4	0.6	61	0.5	0.06	0.4	0.6
2017	73	0.5	0.06	0.4	0.6	70	0.6	0.07	0.5	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	39	0.1	0.01	0.1	0.1	7	0.1	0.02	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	0					1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	1	0.1	0.07	0.0	0.4	2	0.3	0.25	0.0	1.2
2014	0					0				
2015	0					0				
2016	0					1	0.1	0.12	0.0	0.7
2017	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,186	1.3	0.03	1.3	1.4	2,120	1.5	0.03	1.4	1.5
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	99	2.6	0.28	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	92	2.5	0.27	2.0	3.1
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	68	1.7	0.20	1.3	2.1
1995	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	64	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	44	1.0	0.16	0.7	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	65	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5
2008	52	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2009	55	1.0	0.13	0.7	1.3	49	1.0	0.15	0.7	1.3
2010	63	1.1	0.14	0.8	1.4	60	1.2	0.16	0.9	1.6
2011	44	0.8	0.12	0.6	1.0	43	0.9	0.14	0.6	1.2
2012	46	0.8	0.11	0.5	1.0	44	0.9	0.13	0.6	1.2
2013	50	0.8	0.12	0.6	1.1	48	0.9	0.14	0.7	1.3
2014	46	0.7	0.11	0.5	1.0	41	0.8	0.12	0.5	1.0
2015	55	0.9	0.12	0.7	1.1	52	1.0	0.14	0.7	1.3
2016	56	0.9	0.12	0.7	1.1	48	0.9	0.13	0.7	1.2
2017	53	0.8	0.12	0.6	1.1	51	1.0	0.14	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	21	0.1	0.03	0.1	0.2	4	0.1	0.03	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	0					1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				
2014	0					0				
2015	0					0				
2016	0					1	0.3	0.26	0.0	1.5
2017	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	587	0.3	0.01	0.2	0.3	548	0.3	0.01	0.3	0.3
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	23	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2002	30	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2003	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2008	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.06	0.2	0.4
2012	12	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3
2013	21	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2014	20	0.2	0.05	0.1	0.4	18	0.3	0.06	0.2	0.4
2015	20	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5
2016	15	0.2	0.05	0.1	0.3	13	0.2	0.05	0.1	0.3
2017	20	0.2	0.06	0.1	0.4	19	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lip										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	18	0.1	0.02	0.0	0.1	3	0.1	0.03	0.0	0.1
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	1	0.1	0.11	0.0	0.6	2	0.6	0.46	0.1	2.2
2014	0					0				
2015	0					0				
2016	0					0				
2017	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,906	3.0	0.03	2.9	3.0	10,133	3.0	0.03	2.9	3.1
1986	261	2.5	0.15	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	244	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	233	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	342	3.0	0.16	2.7	3.3	289	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	228	2.3	0.15	2.0	2.6
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	253	2.5	0.16	2.2	2.8
2001	291	2.4	0.14	2.1	2.7	238	2.3	0.15	2.0	2.6
2002	355	2.9	0.15	2.6	3.2	295	2.9	0.17	2.5	3.2
2003	343	2.7	0.15	2.5	3.1	294	2.8	0.16	2.5	3.2
2004	384	3.0	0.15	2.7	3.3	316	3.0	0.17	2.7	3.3
2005	397	3.1	0.16	2.8	3.4	340	3.2	0.17	2.8	3.5
2006	374	2.8	0.15	2.6	3.2	314	2.9	0.16	2.6	3.2
2007	456	3.5	0.16	3.2	3.8	404	3.7	0.19	3.3	4.1
2008	429	3.2	0.15	2.9	3.5	385	3.4	0.18	3.1	3.8
2009	432	3.2	0.16	2.9	3.5	375	3.3	0.17	3.0	3.7
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5
2011	477	3.4	0.16	3.1	3.7	405	3.5	0.18	3.1	3.8
2012	535	3.7	0.16	3.4	4.0	471	4.0	0.19	3.6	4.4
2013	540	3.6	0.16	3.3	3.9	463	3.8	0.18	3.4	4.1
2014	559	3.7	0.16	3.4	4.1	488	4.0	0.18	3.6	4.3
2015	563	3.7	0.16	3.4	4.0	496	4.0	0.18	3.7	4.4
2016	558	3.6	0.16	3.3	4.0	493	3.9	0.18	3.6	4.3
2017	634	4.1	0.17	3.8	4.4	562	4.5	0.19	4.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,413	2.8	0.08	2.6	2.9	277	1.9	0.12	1.7	2.2
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	40	3.3	0.52	2.3	4.4	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	51	3.1	0.44	2.3	4.1	7	1.7	0.66	0.6	3.6
2003	39	2.5	0.40	1.8	3.4	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	37	2.2	0.37	1.6	3.1	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	39	2.2	0.36	1.6	3.1	11	2.4	0.77	1.1	4.4
2008	34	1.9	0.33	1.3	2.7	9	1.7	0.62	0.8	3.4
2009	36	2.0	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	16	2.8	0.74	1.5	4.6
2011	52	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	50	2.7	0.38	2.0	3.5	10	1.4	0.48	0.7	2.7
2013	58	2.9	0.40	2.2	3.8	11	1.5	0.49	0.7	2.8
2014	51	2.7	0.39	2.0	3.6	18	2.4	0.56	1.4	3.8
2015	46	2.3	0.35	1.7	3.1	15	1.8	0.46	1.0	3.0
2016	45	2.2	0.33	1.6	3.0	16	1.9	0.49	1.1	3.2
2017	45	2.2	0.34	1.6	3.0	19	2.3	0.54	1.3	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	8,150	4.4	0.05	4.3	4.5	6,875	4.4	0.05	4.3	4.5
1986	175	3.7	0.28	3.1	4.3	137	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	159	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	163	3.7	0.29	3.2	4.3
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	219	4.2	0.29	3.7	4.8	180	4.0	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	138	3.1	0.26	2.6	3.6
1999	211	3.9	0.27	3.4	4.4	180	3.9	0.29	3.3	4.5
2000	200	3.7	0.26	3.2	4.2	162	3.5	0.28	3.0	4.1
2001	203	3.6	0.26	3.2	4.2	164	3.5	0.27	3.0	4.1
2002	245	4.3	0.28	3.8	4.9	199	4.2	0.30	3.6	4.8
2003	239	4.2	0.28	3.7	4.8	202	4.2	0.30	3.7	4.9
2004	264	4.5	0.28	4.0	5.1	211	4.3	0.30	3.7	4.9
2005	273	4.6	0.28	4.1	5.2	232	4.6	0.31	4.0	5.3
2006	259	4.2	0.27	3.7	4.8	219	4.3	0.29	3.7	4.9
2007	316	5.1	0.29	4.6	5.7	276	5.3	0.32	4.7	6.0
2008	295	4.7	0.28	4.1	5.2	266	5.0	0.31	4.4	5.7
2009	286	4.5	0.27	4.0	5.0	249	4.7	0.30	4.1	5.3
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3
2011	329	4.9	0.28	4.4	5.5	279	5.0	0.30	4.4	5.6
2012	376	5.6	0.30	5.0	6.2	327	5.8	0.33	5.2	6.5
2013	384	5.5	0.29	4.9	6.1	333	5.7	0.32	5.1	6.4
2014	381	5.4	0.28	4.9	6.0	338	5.7	0.32	5.1	6.4
2015	400	5.7	0.29	5.1	6.2	353	6.0	0.33	5.4	6.7
2016	397	5.5	0.28	4.9	6.0	350	5.8	0.32	5.2	6.5
2017	451	6.2	0.30	5.6	6.8	401	6.7	0.34	6.0	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,044	4.8	0.15	4.5	5.1	178	2.8	0.23	2.4	3.3
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	31	5.9	1.08	4.0	8.4	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	34	6.0	1.08	4.0	8.5	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	29	4.1	0.76	2.7	5.9	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	39	5.5	0.89	3.9	7.6	5	2.9	1.37	0.8	7.0
2003	30	4.5	0.87	3.0	6.6	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	30	4.3	0.81	2.9	6.2	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	32	4.3	0.77	2.9	6.1	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	6	3.0	1.33	1.0	6.7
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	11	4.2	1.37	2.0	7.8
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.9
2012	39	5.0	0.83	3.5	6.9	7	2.3	1.01	0.8	5.1
2013	40	4.8	0.79	3.4	6.6	6	1.7	0.71	0.6	3.8
2014	31	4.0	0.74	2.7	5.7	11	3.0	0.90	1.5	5.4
2015	33	4.0	0.72	2.7	5.7	11	2.8	0.85	1.4	5.1
2016	34	3.9	0.70	2.7	5.5	13	3.3	0.93	1.8	5.8
2017	33	3.9	0.71	2.7	5.6	11	3.2	1.00	1.5	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,756	1.7	0.03	1.7	1.8	3,258	1.8	0.03	1.7	1.8
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	123	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1999	121	1.9	0.17	1.5	2.2	106	1.9	0.19	1.6	2.3
2000	106	1.6	0.15	1.3	1.9	91	1.6	0.17	1.3	2.0
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	110	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	104	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0
2004	120	1.7	0.16	1.4	2.1	105	1.8	0.18	1.5	2.2
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	95	1.6	0.17	1.3	2.0
2007	140	2.0	0.17	1.7	2.3	128	2.2	0.19	1.8	2.6
2008	134	1.9	0.16	1.6	2.2	119	2.0	0.19	1.7	2.4
2009	146	2.1	0.17	1.7	2.4	126	2.1	0.19	1.8	2.6
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1
2011	148	2.0	0.17	1.7	2.4	126	2.1	0.19	1.7	2.5
2012	159	2.1	0.17	1.8	2.4	144	2.3	0.20	1.9	2.7
2013	156	2.0	0.16	1.7	2.3	130	2.0	0.18	1.7	2.4
2014	178	2.3	0.17	1.9	2.6	150	2.3	0.19	2.0	2.8
2015	163	2.0	0.16	1.7	2.4	143	2.2	0.19	1.9	2.6
2016	161	2.0	0.17	1.7	2.4	143	2.2	0.19	1.9	2.7
2017	183	2.2	0.17	1.9	2.6	161	2.5	0.20	2.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Tongue										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	369	1.3	0.07	1.2	1.4	99	1.2	0.13	1.0	1.5
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	13	1.7	0.47	0.9	2.8	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	11	1.3	0.38	0.6	2.3	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	4	1.6	0.86	0.4	4.2
2008	11	1.1	0.32	0.5	1.9	3	0.9	0.50	0.2	2.7
2009	14	1.5	0.39	0.8	2.4	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	15	1.4	0.37	0.8	2.4	6	1.5	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	5	1.4	0.66	0.4	3.4
2014	20	1.9	0.42	1.1	2.9	7	1.8	0.69	0.7	3.8
2015	13	1.1	0.32	0.6	1.9	4	0.8	0.42	0.2	2.3
2016	11	0.9	0.29	0.5	1.7	3	0.7	0.40	0.1	2.1
2017	12	1.0	0.30	0.5	1.8	8	1.6	0.58	0.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,743	1.2	0.02	1.2	1.2	4,013	1.2	0.02	1.2	1.2
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1995	135	1.2	0.10	1.0	1.4	115	1.2	0.11	1.0	1.4
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5
1997	156	1.3	0.11	1.1	1.6	135	1.4	0.12	1.1	1.6
1998	140	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6
2003	142	1.1	0.10	1.0	1.3	128	1.2	0.11	1.0	1.4
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3
2006	149	1.2	0.10	1.0	1.4	123	1.2	0.10	1.0	1.4
2007	173	1.3	0.10	1.1	1.6	146	1.4	0.11	1.1	1.6
2008	153	1.2	0.10	1.0	1.4	122	1.1	0.10	0.9	1.3
2009	179	1.4	0.10	1.2	1.6	151	1.4	0.12	1.2	1.6
2010	174	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5
2011	168	1.3	0.10	1.1	1.5	142	1.3	0.11	1.1	1.5
2012	210	1.5	0.11	1.3	1.7	171	1.5	0.12	1.3	1.7
2013	171	1.2	0.10	1.1	1.4	133	1.2	0.10	1.0	1.4
2014	191	1.3	0.10	1.2	1.5	150	1.3	0.11	1.1	1.5
2015	202	1.4	0.10	1.2	1.6	166	1.4	0.11	1.2	1.7
2016	197	1.4	0.10	1.2	1.6	159	1.4	0.11	1.2	1.6
2017	198	1.3	0.10	1.2	1.5	165	1.4	0.11	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	562	1.1	0.05	1.0	1.2	129	0.9	0.09	0.8	1.1
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	4	0.9	0.46	0.2	2.8
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	1	0.4	0.41	0.0	1.9
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	4	0.6	0.32	0.2	1.7
2008	25	1.4	0.29	0.9	2.1	5	1.1	0.54	0.3	2.7
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	25	1.5	0.31	1.0	2.3	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.6	7	1.2	0.49	0.4	2.5
2012	29	1.5	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	28	1.5	0.29	1.0	2.2	6	0.8	0.36	0.3	1.9
2014	33	1.8	0.33	1.3	2.6	7	0.9	0.33	0.3	1.8
2015	26	1.3	0.26	0.8	1.9	8	1.0	0.35	0.4	2.0
2016	33	1.8	0.32	1.2	2.5	4	0.6	0.28	0.2	1.4
2017	26	1.3	0.26	0.8	1.9	7	0.8	0.32	0.3	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,646	1.6	0.03	1.5	1.6	2,293	1.6	0.03	1.5	1.7
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0
1998	77	1.5	0.18	1.2	1.9	65	1.5	0.19	1.2	1.9
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2
2003	80	1.5	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7
2006	78	1.4	0.16	1.1	1.8	68	1.5	0.18	1.1	1.9
2007	102	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4
2008	88	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4
2010	96	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0
2011	104	1.8	0.18	1.5	2.2	87	1.8	0.19	1.4	2.2
2012	119	1.9	0.18	1.6	2.3	96	1.9	0.20	1.5	2.3
2013	97	1.6	0.17	1.3	2.0	75	1.5	0.18	1.2	1.9
2014	103	1.6	0.16	1.3	1.9	84	1.6	0.18	1.2	2.0
2015	128	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5
2016	103	1.6	0.16	1.3	2.0	88	1.7	0.18	1.3	2.1
2017	109	1.6	0.16	1.3	2.0	96	1.7	0.18	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	272	1.3	0.08	1.1	1.5	65	1.1	0.15	0.8	1.4
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	0				
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	2	0.7	0.48	0.1	2.8
2008	12	1.8	0.57	0.9	3.2	4	2.2	1.20	0.5	5.7
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	9	1.6	0.55	0.7	3.0	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.2	0.81	0.2	3.8
2012	18	2.2	0.53	1.3	3.5	4	1.1	0.54	0.3	2.9
2013	17	2.2	0.56	1.3	3.6	3	1.2	0.80	0.2	3.7
2014	15	1.7	0.46	1.0	2.9	4	1.1	0.55	0.3	2.9
2015	15	1.9	0.51	1.1	3.2	5	1.3	0.61	0.4	3.2
2016	11	1.2	0.38	0.6	2.2	3	0.8	0.46	0.2	2.4
2017	10	1.1	0.37	0.5	2.1	3	0.7	0.41	0.1	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,097	1.0	0.02	0.9	1.0	1,720	1.0	0.02	0.9	1.0
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3
1995	60	0.9	0.12	0.7	1.2	46	0.9	0.13	0.6	1.2
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
1997	75	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.6
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3
2003	62	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2
2007	71	1.0	0.12	0.8	1.3	58	1.0	0.13	0.8	1.3
2008	65	0.9	0.11	0.7	1.2	50	0.8	0.12	0.6	1.1
2009	76	1.1	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5
2013	74	1.0	0.12	0.8	1.2	58	1.0	0.13	0.7	1.3
2014	88	1.1	0.12	0.9	1.4	66	1.0	0.13	0.8	1.3
2015	74	1.0	0.12	0.8	1.3	59	1.0	0.14	0.8	1.3
2016	94	1.3	0.13	1.0	1.6	71	1.2	0.15	0.9	1.5
2017	89	1.2	0.13	0.9	1.5	69	1.1	0.14	0.9	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Salivary Gland										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	290	1.0	0.06	0.9	1.1	64	0.8	0.11	0.6	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	2	0.8	0.57	0.1	3.8
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0
2014	18	1.8	0.44	1.1	2.9	3	0.7	0.38	0.1	2.0
2015	11	0.9	0.28	0.4	1.7	3	0.7	0.40	0.1	2.1
2016	22	2.2	0.47	1.3	3.3	1	0.3	0.32	0.0	1.6
2017	16	1.4	0.36	0.8	2.3	4	0.9	0.48	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,431	0.9	0.01	0.8	0.9	2,746	0.8	0.02	0.8	0.8
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	109	1.1	0.11	0.9	1.4
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	98	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	62	0.6	0.08	0.5	0.8
2006	105	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0
2007	88	0.7	0.07	0.5	0.8	71	0.6	0.08	0.5	0.8
2008	110	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9
2010	81	0.6	0.06	0.5	0.7	64	0.5	0.07	0.4	0.7
2011	92	0.6	0.07	0.5	0.8	78	0.6	0.07	0.5	0.8
2012	96	0.7	0.07	0.5	0.8	76	0.6	0.07	0.5	0.8
2013	101	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8
2014	82	0.5	0.06	0.4	0.7	62	0.5	0.06	0.4	0.6
2015	99	0.7	0.07	0.5	0.8	89	0.7	0.08	0.6	0.9
2016	82	0.5	0.06	0.4	0.7	74	0.6	0.07	0.5	0.8
2017	77	0.5	0.06	0.4	0.6	66	0.5	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	636	1.2	0.05	1.2	1.4	34	0.3	0.05	0.2	0.4
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	26	2.0	0.38	1.3	2.9	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	18	1.1	0.25	0.6	1.7	0				
2007	16	0.9	0.24	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	19	1.1	0.25	0.6	1.7	1	0.1	0.12	0.0	0.8
2013	18	0.8	0.20	0.5	1.4	1	0.1	0.10	0.0	0.7
2014	16	0.9	0.23	0.5	1.5	4	0.5	0.26	0.1	1.4
2015	7	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2016	6	0.3	0.13	0.1	0.7	2	0.3	0.23	0.0	1.1
2017	9	0.4	0.12	0.2	0.7	1	0.1	0.09	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,435	1.3	0.03	1.3	1.4	1,915	1.2	0.03	1.2	1.3
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5
1991	93	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	63	1.4	0.18	1.1	1.8
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2
1996	98	1.9	0.19	1.5	2.3	74	1.7	0.20	1.3	2.1
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4
2005	54	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.2
2006	73	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2007	58	0.9	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2008	73	1.1	0.14	0.9	1.4	61	1.2	0.15	0.9	1.5
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4
2010	55	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.1
2011	65	0.9	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
2012	67	0.9	0.12	0.7	1.2	54	0.9	0.12	0.7	1.2
2013	77	1.1	0.13	0.9	1.4	61	1.0	0.14	0.8	1.4
2014	62	0.9	0.11	0.7	1.1	50	0.8	0.12	0.6	1.1
2015	68	1.0	0.12	0.7	1.2	63	1.1	0.14	0.8	1.4
2016	49	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
2017	50	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	483	2.2	0.10	2.0	2.4	25	0.4	0.07	0.2	0.5
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	16	2.7	0.68	1.5	4.4	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	13	1.7	0.49	0.9	3.0	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	12	1.6	0.48	0.8	2.8	1	0.3	0.25	0.0	1.7
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6
2014	9	1.3	0.45	0.6	2.5	3	0.8	0.46	0.2	2.4
2015	3	0.3	0.19	0.1	1.0	2	0.5	0.37	0.1	2.0
2016	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.5
2017	7	0.7	0.25	0.3	1.4	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	996	0.5	0.01	0.4	0.5	831	0.5	0.02	0.4	0.5
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
1991	43	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.9
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7
2007	30	0.4	0.07	0.3	0.6	26	0.4	0.08	0.3	0.6
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.05	0.1	0.4	12	0.2	0.05	0.1	0.3
2015	31	0.4	0.07	0.3	0.5	26	0.4	0.08	0.3	0.6
2016	33	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6
2017	27	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	153	0.5	0.04	0.5	0.6	9	0.2	0.06	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	3	0.3	0.17	0.1	0.9	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.8
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				
2014	7	0.6	0.24	0.3	1.3	1	0.3	0.28	0.0	1.5
2015	4	0.3	0.17	0.1	0.9	0				
2016	2	0.2	0.14	0.0	0.7	1	0.3	0.30	0.0	1.5
2017	2	0.2	0.10	0.0	0.6	1	0.2	0.17	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,853	1.7	0.02	1.7	1.8	5,640	1.7	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	167	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	169	1.7	0.13	1.5	2.0
1998	181	1.5	0.11	1.3	1.8	154	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	173	1.7	0.13	1.5	2.0
2001	199	1.6	0.12	1.4	1.9	167	1.6	0.13	1.4	1.9
2002	207	1.7	0.12	1.5	1.9	163	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	180	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	191	1.5	0.11	1.3	1.7	158	1.5	0.12	1.3	1.7
2006	215	1.7	0.11	1.4	1.9	177	1.6	0.12	1.4	1.9
2007	206	1.6	0.11	1.4	1.8	161	1.5	0.12	1.3	1.7
2008	257	1.9	0.12	1.7	2.2	205	1.9	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	196	1.8	0.13	1.5	2.0
2010	255	1.9	0.12	1.6	2.1	203	1.8	0.13	1.6	2.1
2011	262	1.9	0.12	1.6	2.1	219	1.9	0.13	1.6	2.1
2012	238	1.7	0.11	1.5	1.9	199	1.7	0.12	1.5	2.0
2013	238	1.7	0.11	1.5	1.9	203	1.7	0.12	1.5	2.0
2014	256	1.7	0.11	1.5	2.0	211	1.8	0.12	1.5	2.0
2015	275	1.9	0.11	1.6	2.1	218	1.8	0.12	1.6	2.1
2016	258	1.7	0.11	1.5	1.9	207	1.7	0.12	1.4	1.9
2017	265	1.7	0.11	1.5	2.0	223	1.8	0.12	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	944	1.9	0.06	1.8	2.0	220	1.6	0.11	1.4	1.8
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	1	0.6	0.59	0.0	3.1
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	5	2.2	1.02	0.7	5.1
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	3	0.7	0.40	0.1	2.3
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	15	1.0	0.25	0.5	1.6	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	37	2.4	0.41	1.7	3.4	7	1.7	0.69	0.6	3.6
2003	34	2.2	0.38	1.5	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	11	2.7	0.89	1.2	4.9
2007	36	2.2	0.37	1.5	3.0	8	1.3	0.48	0.6	2.7
2008	38	2.2	0.37	1.5	3.0	12	2.2	0.68	1.1	4.0
2009	31	1.8	0.32	1.2	2.5	9	1.4	0.45	0.6	2.6
2010	38	2.0	0.33	1.4	2.8	12	1.8	0.55	0.9	3.3
2011	26	1.5	0.29	0.9	2.1	14	2.6	0.74	1.3	4.4
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	24	1.3	0.28	0.8	2.0	10	1.2	0.38	0.6	2.2
2014	30	1.6	0.29	1.1	2.3	13	1.5	0.43	0.8	2.6
2015	37	1.9	0.32	1.4	2.7	17	2.3	0.57	1.3	3.7
2016	27	1.4	0.28	0.9	2.1	19	2.2	0.52	1.3	3.5
2017	21	1.0	0.22	0.6	1.6	20	2.4	0.54	1.4	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,867	2.2	0.04	2.1	2.2	3,092	2.0	0.04	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	97	2.3	0.23	1.8	2.8
1997	118	2.4	0.22	2.0	2.8	102	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	88	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	78	1.7	0.20	1.4	2.1
2003	117	2.1	0.20	1.8	2.6	92	2.0	0.21	1.6	2.4
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	106	1.9	0.18	1.5	2.3	86	1.8	0.20	1.4	2.2
2006	118	2.0	0.19	1.7	2.5	92	1.9	0.20	1.5	2.3
2007	116	2.0	0.19	1.6	2.4	88	1.8	0.19	1.4	2.2
2008	143	2.3	0.20	2.0	2.8	108	2.1	0.21	1.7	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	147	2.4	0.20	2.0	2.8	115	2.2	0.21	1.8	2.7
2011	152	2.3	0.19	2.0	2.8	122	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	110	2.0	0.20	1.7	2.4
2013	145	2.2	0.19	1.9	2.6	120	2.2	0.21	1.8	2.7
2014	144	2.2	0.18	1.8	2.6	116	2.1	0.20	1.7	2.5
2015	165	2.4	0.19	2.0	2.8	126	2.2	0.20	1.8	2.6
2016	147	2.1	0.18	1.8	2.5	114	2.0	0.19	1.6	2.4
2017	149	2.1	0.17	1.8	2.5	124	2.1	0.19	1.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	590	2.9	0.12	2.6	3.1	153	2.3	0.20	1.9	2.7
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	1	1.4	1.38	0.0	7.3
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	2	1.5	1.06	0.2	5.9
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	8	1.2	0.43	0.5	2.4	1	0.4	0.42	0.0	3.3
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	24	3.9	0.84	2.4	5.9	5	2.7	1.33	0.8	6.8
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.68	1.7	4.5	7	2.5	0.96	1.0	5.3
2008	26	3.4	0.70	2.2	5.1	8	3.7	1.50	1.4	7.7
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7
2010	23	3.0	0.66	1.8	4.5	8	2.3	0.83	1.0	4.8
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.4
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.75	1.0	4.4
2013	16	2.0	0.52	1.1	3.3	8	2.1	0.74	0.9	4.2
2014	16	2.2	0.56	1.2	3.6	11	2.7	0.83	1.3	5.0
2015	28	3.5	0.69	2.3	5.1	9	2.3	0.78	1.1	4.5
2016	15	2.1	0.58	1.2	3.6	14	3.5	0.95	1.9	5.9
2017	9	1.0	0.34	0.5	2.0	15	3.8	0.99	2.1	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,986	1.3	0.02	1.3	1.4	2,548	1.3	0.03	1.3	1.4
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1
1988	81	1.3	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
1998	77	1.1	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7
2000	96	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2001	91	1.3	0.14	1.0	1.6	75	1.2	0.14	1.0	1.5
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5
2006	97	1.3	0.14	1.1	1.6	85	1.4	0.15	1.1	1.7
2007	90	1.3	0.13	1.0	1.6	73	1.2	0.15	1.0	1.6
2008	114	1.5	0.14	1.3	1.8	97	1.5	0.16	1.3	1.9
2009	103	1.4	0.14	1.2	1.8	88	1.5	0.16	1.2	1.9
2010	108	1.4	0.14	1.2	1.7	88	1.4	0.15	1.1	1.8
2011	110	1.4	0.14	1.2	1.7	97	1.5	0.16	1.2	1.8
2012	104	1.3	0.13	1.1	1.6	89	1.4	0.15	1.1	1.7
2013	93	1.2	0.13	1.0	1.5	83	1.3	0.14	1.0	1.6
2014	112	1.4	0.13	1.1	1.7	95	1.4	0.15	1.1	1.7
2015	110	1.4	0.13	1.1	1.7	92	1.4	0.15	1.1	1.8
2016	111	1.4	0.13	1.1	1.7	93	1.4	0.15	1.1	1.7
2017	116	1.4	0.14	1.2	1.7	99	1.5	0.15	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gum and Other Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	354	1.3	0.07	1.1	1.4	67	1.0	0.13	0.7	1.2
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	1	0.4	0.44	0.0	2.9
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	3	1.6	0.98	0.3	4.8
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	13	1.5	0.43	0.8	2.6	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	2	1.4	0.96	0.2	4.3
2007	16	1.7	0.42	1.0	2.7	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.36	0.6	2.2	4	1.2	0.58	0.3	3.1
2009	13	1.3	0.37	0.7	2.3	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	4	1.3	0.71	0.3	3.5
2011	10	0.9	0.30	0.5	1.8	2	1.0	0.67	0.1	3.1
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6
2014	14	1.2	0.33	0.7	2.1	2	0.5	0.33	0.1	1.8
2015	9	0.8	0.27	0.4	1.5	8	2.1	0.76	0.9	4.1
2016	12	1.0	0.29	0.5	1.8	5	1.2	0.54	0.4	2.8
2017	12	1.0	0.30	0.5	1.8	5	1.1	0.49	0.4	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,262	0.6	0.01	0.5	0.6	1,480	0.4	0.01	0.4	0.5
1986	74	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	78	0.6	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	67	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	53	0.5	0.07	0.4	0.6
2007	71	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	78	0.6	0.06	0.4	0.7	44	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.5
2014	68	0.5	0.06	0.4	0.6	38	0.3	0.05	0.2	0.4
2015	85	0.6	0.07	0.5	0.7	48	0.4	0.06	0.3	0.6
2016	80	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.5
2017	74	0.5	0.06	0.4	0.6	48	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	456	0.9	0.04	0.8	1.0	309	2.0	0.12	1.8	2.3
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	9	2.1	0.76	0.9	4.2
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	9	1.4	0.48	0.6	2.8
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	14	0.8	0.21	0.4	1.3	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.55	1.2	3.6
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.52	1.1	3.3
2014	17	0.9	0.22	0.5	1.5	11	1.4	0.42	0.7	2.5
2015	17	0.8	0.19	0.5	1.3	19	2.5	0.58	1.5	3.9
2016	17	0.9	0.21	0.5	1.4	13	1.7	0.47	0.9	2.9
2017	15	0.7	0.18	0.4	1.2	9	1.1	0.38	0.5	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,539	0.8	0.02	0.8	0.9	1,008	0.7	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	45	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	38	0.8	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	60	0.9	0.12	0.7	1.1	34	0.6	0.11	0.4	0.9
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.5	0.9
2014	46	0.7	0.10	0.5	0.9	26	0.4	0.09	0.3	0.7
2015	52	0.8	0.11	0.6	1.0	28	0.5	0.09	0.3	0.7
2016	56	0.8	0.11	0.6	1.0	34	0.5	0.10	0.4	0.8
2017	51	0.7	0.11	0.5	1.0	32	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	315	1.4	0.08	1.2	1.6	205	2.9	0.22	2.5	3.3
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	3	0.8	0.48	0.2	3.1
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.5	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.95	1.9	6.1
2013	8	1.1	0.41	0.5	2.2	15	4.0	1.07	2.2	6.8
2014	10	1.4	0.44	0.6	2.5	8	2.0	0.71	0.9	4.1
2015	11	1.1	0.35	0.6	2.1	13	3.5	1.01	1.8	6.2
2016	14	1.6	0.43	0.8	2.7	7	2.0	0.81	0.8	4.3
2017	9	0.9	0.32	0.4	1.8	8	2.2	0.79	0.9	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	723	0.3	0.01	0.3	0.4	472	0.3	0.01	0.2	0.3
1986	25	0.4	0.09	0.3	0.7	19	0.4	0.09	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4
2000	25	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4
2006	25	0.4	0.07	0.2	0.5	15	0.3	0.06	0.1	0.4
2007	18	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3
2013	13	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	22	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2015	33	0.4	0.08	0.3	0.6	20	0.3	0.08	0.2	0.5
2016	24	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4
2017	23	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Nasopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	141	0.5	0.04	0.4	0.6	104	1.3	0.13	1.0	1.6
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	3	1.1	0.67	0.2	3.7
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	3	0.3	0.17	0.1	0.9	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.6	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4
2014	7	0.6	0.22	0.2	1.2	3	0.8	0.47	0.1	2.3
2015	6	0.5	0.22	0.2	1.2	6	1.4	0.59	0.5	3.2
2016	3	0.3	0.17	0.1	0.9	6	1.5	0.61	0.5	3.2
2017	6	0.5	0.22	0.2	1.2	1	0.2	0.20	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,052	0.5	0.01	0.5	0.5	1,588	0.5	0.01	0.4	0.5
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1998	69	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2003	69	0.6	0.07	0.4	0.7	58	0.6	0.07	0.4	0.7
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7
2006	69	0.5	0.06	0.4	0.7	54	0.5	0.07	0.4	0.6
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8
2010	106	0.8	0.07	0.6	0.9	76	0.6	0.07	0.5	0.8
2011	119	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2012	80	0.5	0.06	0.4	0.7	59	0.5	0.06	0.4	0.6
2013	84	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7
2014	91	0.6	0.06	0.5	0.7	66	0.5	0.07	0.4	0.7
2015	78	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.7
2016	89	0.6	0.06	0.5	0.7	78	0.6	0.07	0.5	0.8
2017	87	0.5	0.06	0.4	0.7	68	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	438	0.9	0.04	0.8	0.9	21	0.2	0.04	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	25	1.7	0.35	1.1	2.6	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	11	0.6	0.19	0.3	1.1	0				
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	25	1.4	0.28	0.9	2.0	5	1.0	0.47	0.3	2.3
2011	26	1.4	0.27	0.9	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	12	0.7	0.19	0.3	1.1	0				
2014	24	1.2	0.25	0.8	1.8	1	0.2	0.15	0.0	0.8
2015	14	0.7	0.20	0.4	1.2	0				
2016	10	0.5	0.15	0.2	0.9	0				
2017	17	0.8	0.20	0.5	1.3	2	0.2	0.15	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,558	0.8	0.02	0.8	0.9	1,204	0.8	0.02	0.7	0.8
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	35	0.8	0.13	0.5	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	49	0.9	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	43	0.8	0.13	0.6	1.1
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	83	1.3	0.14	1.0	1.6	60	1.1	0.14	0.8	1.4
2011	89	1.3	0.15	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	58	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.0
2013	59	0.9	0.12	0.7	1.1	52	0.9	0.13	0.7	1.2
2014	71	1.0	0.12	0.8	1.3	51	0.8	0.12	0.6	1.1
2015	61	0.8	0.11	0.6	1.1	50	0.8	0.12	0.6	1.1
2016	77	1.1	0.12	0.8	1.3	67	1.1	0.14	0.9	1.5
2017	68	0.9	0.11	0.7	1.1	54	0.8	0.11	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	333	1.5	0.08	1.3	1.7	17	0.3	0.09	0.2	0.6
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	21	3.4	0.75	2.0	5.2	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	9	1.2	0.40	0.5	2.3	0				
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	18	2.2	0.54	1.3	3.6	5	2.3	1.18	0.6	5.6
2011	20	2.4	0.56	1.5	3.8	2	0.9	0.66	0.1	3.1
2012	13	1.6	0.46	0.8	2.8	0				
2013	7	0.9	0.36	0.4	1.9	0				
2014	19	2.3	0.56	1.4	3.7	1	0.3	0.32	0.0	1.8
2015	11	1.3	0.41	0.6	2.4	0				
2016	9	1.0	0.35	0.4	2.0	0				
2017	13	1.5	0.43	0.8	2.6	1	0.2	0.23	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	494	0.2	0.01	0.2	0.2	384	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2015	17	0.2	0.05	0.1	0.4	14	0.2	0.06	0.1	0.4
2016	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2017	19	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Oropharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	105	0.4	0.04	0.3	0.4	4	0.1	0.03	0.0	0.1
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.4	0				
2013	5	0.5	0.21	0.1	1.1	0				
2014	5	0.4	0.18	0.1	1.0	0				
2015	3	0.3	0.18	0.1	0.9	0				
2016	1	0.1	0.07	0.0	0.5	0				
2017	4	0.3	0.14	0.1	0.8	1	0.2	0.18	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,429	0.9	0.01	0.8	0.9	2,610	0.8	0.01	0.7	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9
2007	108	0.8	0.08	0.7	1.0	75	0.7	0.08	0.5	0.8
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9
2013	100	0.7	0.07	0.6	0.8	76	0.6	0.07	0.5	0.8
2014	103	0.7	0.07	0.6	0.8	82	0.7	0.07	0.5	0.8
2015	109	0.7	0.07	0.6	0.9	84	0.7	0.08	0.5	0.9
2016	116	0.7	0.07	0.6	0.9	95	0.7	0.08	0.6	0.9
2017	97	0.6	0.06	0.5	0.8	80	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	769	1.5	0.06	1.4	1.6	43	0.4	0.06	0.3	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.6
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1
2014	18	1.0	0.24	0.6	1.6	3	0.5	0.30	0.1	1.5
2015	22	1.1	0.24	0.7	1.7	2	0.3	0.25	0.0	1.2
2016	16	0.8	0.21	0.5	1.3	4	0.5	0.26	0.1	1.3
2017	15	0.7	0.18	0.4	1.1	2	0.3	0.22	0.0	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,746	1.5	0.03	1.5	1.6	2,069	1.3	0.03	1.3	1.4
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8
2004	109	1.9	0.18	1.6	2.3	74	1.6	0.18	1.2	2.0
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	88	1.5	0.16	1.2	1.8	62	1.3	0.16	1.0	1.6
2007	85	1.4	0.15	1.1	1.7	56	1.1	0.14	0.8	1.4
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8
2012	97	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
2013	84	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
2014	76	1.1	0.13	0.9	1.4	59	1.0	0.14	0.8	1.3
2015	90	1.3	0.14	1.1	1.6	69	1.2	0.15	1.0	1.6
2016	93	1.3	0.14	1.0	1.6	76	1.2	0.14	1.0	1.6
2017	75	1.0	0.12	0.8	1.3	61	1.0	0.14	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	635	3.0	0.12	2.7	3.2	36	0.7	0.13	0.5	1.0
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0
2004	33	4.6	0.81	3.1	6.5	2	1.4	1.12	0.1	5.1
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3
2009	7	0.9	0.36	0.4	1.9	0				
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6
2011	20	2.7	0.62	1.6	4.2	3	1.2	0.76	0.2	3.6
2012	23	2.7	0.58	1.7	4.2	0				
2013	17	2.2	0.55	1.2	3.5	0				
2014	15	2.0	0.55	1.1	3.4	2	0.9	0.63	0.1	2.9
2015	19	2.4	0.57	1.4	3.7	1	0.5	0.50	0.0	2.3
2016	14	1.8	0.50	0.9	3.0	3	0.9	0.52	0.2	2.6
2017	12	1.3	0.38	0.7	2.3	2	0.7	0.48	0.1	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	683	0.3	0.01	0.3	0.3	541	0.3	0.01	0.3	0.3
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	16	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
2006	24	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	27	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.5
2015	19	0.2	0.05	0.1	0.4	15	0.2	0.06	0.1	0.4
2016	23	0.3	0.06	0.2	0.4	19	0.3	0.06	0.2	0.4
2017	22	0.3	0.05	0.2	0.4	19	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	134	0.5	0.04	0.4	0.6	7	0.1	0.04	0.0	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	3	0.3	0.18	0.1	0.9	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.23	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.41	0.0	2.0
2014	3	0.3	0.18	0.1	0.9	1	0.2	0.19	0.0	1.3
2015	3	0.3	0.15	0.1	0.8	1	0.3	0.25	0.0	1.4
2016	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2017	3	0.3	0.15	0.1	0.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	367,908	92.4	0.15	92.1	92.7	305,207	89.6	0.16	89.3	89.9
1986	9,867	93.9	0.96	92.0	95.8	8,530	91.1	1.00	89.1	93.0
1987	10,108	95.3	0.96	93.5	97.2	8,751	92.8	1.00	90.9	94.8
1988	10,119	94.8	0.95	92.9	96.7	8,692	91.6	0.99	89.7	93.6
1989	9,938	92.6	0.94	90.8	94.5	8,556	89.9	0.98	88.0	91.9
1990	10,198	94.1	0.94	92.2	95.9	8,779	91.3	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,617	88.8	0.96	86.9	90.7
1992	10,169	91.3	0.91	89.5	93.1	8,781	89.4	0.96	87.5	91.3
1993	10,272	91.1	0.90	89.4	92.9	8,786	88.5	0.95	86.7	90.4
1994	10,917	96.0	0.92	94.2	97.8	9,328	93.3	0.97	91.5	95.3
1995	10,921	95.3	0.91	93.5	97.1	9,159	91.3	0.96	89.5	93.2
1996	11,101	96.2	0.91	94.4	98.0	9,334	92.6	0.96	90.7	94.5
1997	11,208	96.2	0.91	94.5	98.0	9,443	93.1	0.96	91.2	95.0
1998	11,896	101.0	0.93	99.2	102.8	10,004	97.8	0.98	95.9	99.7
1999	11,679	98.2	0.91	96.4	100.0	9,863	95.8	0.97	93.9	97.7
2000	11,909	99.3	0.91	97.5	101.1	9,962	96.2	0.97	94.3	98.1
2001	11,748	97.1	0.90	95.4	98.9	9,789	94.0	0.95	92.1	95.9
2002	12,023	98.6	0.90	96.8	100.3	9,937	94.9	0.95	93.1	96.8
2003	11,824	95.7	0.88	94.0	97.4	9,735	92.0	0.94	90.2	93.9
2004	12,176	97.6	0.89	95.9	99.4	10,111	95.1	0.95	93.2	96.9
2005	12,048	95.3	0.87	93.6	97.1	9,901	92.1	0.93	90.3	93.9
2006	12,066	94.4	0.87	92.7	96.1	9,792	90.4	0.92	88.6	92.2
2007	12,104	93.3	0.85	91.6	95.0	9,881	90.0	0.91	88.2	91.8
2008	12,091	91.6	0.84	90.0	93.3	9,800	88.2	0.90	86.4	90.0
2009	12,001	89.7	0.83	88.0	91.3	9,758	86.8	0.89	85.0	88.5
2010	11,967	88.0	0.82	86.4	89.6	9,637	84.6	0.87	82.8	86.3
2011	12,252	88.5	0.81	87.0	90.2	9,815	85.1	0.87	83.4	86.9
2012	12,128	85.6	0.79	84.1	87.2	9,795	83.0	0.85	81.3	84.7
2013	12,334	85.7	0.78	84.1	87.2	9,884	82.8	0.85	81.2	84.5
2014	12,488	85.1	0.78	83.6	86.7	9,967	82.1	0.84	80.5	83.8
2015	12,802	86.4	0.78	84.9	88.0	10,275	84.2	0.85	82.5	85.8
2016	12,929	86.3	0.78	84.8	87.8	10,356	84.2	0.85	82.5	85.8
2017	12,654	83.3	0.76	81.8	84.8	10,189	82.0	0.83	80.4	83.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	52,954	114.6	0.51	113.6	115.6	8,257	68.2	0.80	66.7	69.8
1986	1,222	114.1	3.39	107.6	121.0	105	78.9	9.09	62.1	98.4
1987	1,254	115.3	3.37	108.8	122.1	96	69.3	8.04	54.4	86.6
1988	1,306	120.0	3.43	113.4	126.9	103	81.0	9.00	64.3	100.1
1989	1,254	112.5	3.27	106.2	119.1	111	75.1	8.12	60.1	92.4
1990	1,296	115.2	3.30	108.8	121.8	117	78.8	8.28	63.4	96.4
1991	1,221	106.4	3.13	100.3	112.7	100	61.5	6.94	48.7	76.4
1992	1,233	102.8	3.01	97.0	108.9	126	69.9	7.02	56.8	84.8
1993	1,310	110.3	3.13	104.2	116.6	163	83.6	7.46	69.6	99.3
1994	1,421	117.4	3.19	111.2	123.8	152	73.1	6.57	60.7	86.9
1995	1,555	125.0	3.25	118.7	131.5	188	84.4	6.80	71.6	98.6
1996	1,549	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,550	121.1	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,654	127.3	3.20	121.1	133.7	203	78.2	6.08	66.7	90.8
1999	1,537	114.3	2.97	108.6	120.3	241	88.0	6.40	75.9	101.3
2000	1,656	120.3	3.01	114.5	126.4	244	82.5	5.80	71.5	94.5
2001	1,686	121.1	3.01	115.3	127.2	233	71.0	5.12	61.3	81.7
2002	1,760	124.3	3.03	118.5	130.4	271	85.8	5.67	75.1	97.5
2003	1,773	123.5	2.99	117.7	129.5	257	71.5	4.81	62.4	81.5
2004	1,767	120.1	2.92	114.4	125.9	262	68.9	4.62	60.2	78.5
2005	1,813	121.1	2.90	115.5	126.9	274	66.7	4.37	58.4	75.7
2006	1,896	122.8	2.88	117.3	128.6	316	71.4	4.33	63.1	80.3
2007	1,836	116.8	2.79	111.4	122.3	339	72.4	4.26	64.3	81.2
2008	1,893	117.9	2.77	112.5	123.5	341	69.0	4.04	61.3	77.3
2009	1,860	112.8	2.68	107.6	118.2	315	63.7	3.88	56.3	71.7
2010	1,907	114.1	2.68	108.9	119.5	356	67.3	3.83	60.0	75.2
2011	2,006	115.4	2.64	110.3	120.7	359	62.9	3.54	56.1	70.2
2012	1,830	104.0	2.49	99.2	109.0	430	71.1	3.64	64.2	78.6
2013	1,997	109.5	2.51	104.6	114.5	378	57.7	3.14	51.8	64.2
2014	1,984	107.2	2.47	102.4	112.2	425	61.8	3.13	55.8	68.2
2015	1,988	104.7	2.41	100.0	109.5	455	63.3	3.09	57.4	69.6
2016	2,023	105.6	2.40	100.9	110.4	464	60.3	2.89	54.8	66.2
2017	1,917	98.0	2.29	93.6	102.6	445	55.3	2.69	50.2	60.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	194,653	114.5	0.26	114.0	115.1	161,801	111.0	0.28	110.5	111.6
1986	5,052	117.9	1.73	114.5	121.3	4,373	115.2	1.82	111.7	118.9
1987	5,183	120.2	1.74	116.8	123.6	4,446	116.5	1.82	112.9	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,457	116.1	1.81	112.6	119.7
1989	5,070	115.5	1.68	112.3	118.9	4,363	112.4	1.76	109.0	115.9
1990	5,208	117.6	1.69	114.3	120.9	4,464	113.9	1.76	110.5	117.4
1991	5,155	114.9	1.65	111.7	118.2	4,466	113.0	1.74	109.6	116.4
1992	5,324	117.0	1.65	113.7	120.2	4,592	114.5	1.74	111.2	118.0
1993	5,244	113.4	1.61	110.2	116.6	4,463	109.8	1.68	106.5	113.1
1994	5,529	118.8	1.64	115.6	122.1	4,716	115.5	1.72	112.2	118.9
1995	5,662	120.5	1.64	117.3	123.7	4,716	115.0	1.71	111.6	118.3
1996	5,698	120.0	1.62	116.8	123.2	4,766	115.2	1.70	111.9	118.6
1997	5,762	120.0	1.61	116.9	123.2	4,863	116.4	1.69	113.1	119.8
1998	6,112	125.7	1.63	122.5	128.9	5,159	122.0	1.72	118.7	125.4
1999	6,140	124.1	1.61	121.0	127.3	5,186	121.0	1.70	117.7	124.4
2000	6,260	124.8	1.60	121.6	127.9	5,239	120.9	1.69	117.7	124.3
2001	6,097	120.6	1.57	117.5	123.7	5,107	117.3	1.66	114.1	120.6
2002	6,349	123.4	1.57	120.3	126.5	5,279	119.4	1.66	116.2	122.7
2003	6,311	120.9	1.54	117.9	123.9	5,230	116.9	1.63	113.7	120.1
2004	6,485	121.9	1.54	118.9	125.0	5,422	119.2	1.64	116.0	122.5
2005	6,367	117.5	1.50	114.6	120.5	5,239	113.3	1.58	110.2	116.4
2006	6,454	116.9	1.48	114.0	119.9	5,256	112.0	1.57	109.0	115.1
2007	6,414	114.0	1.45	111.2	116.9	5,230	109.5	1.53	106.5	112.5
2008	6,481	112.9	1.43	110.1	115.7	5,251	107.9	1.51	105.0	110.9
2009	6,484	110.3	1.40	107.6	113.1	5,255	105.9	1.49	103.0	108.9
2010	6,511	108.8	1.38	106.1	111.5	5,302	105.0	1.47	102.1	107.9
2011	6,680	108.8	1.36	106.2	111.5	5,410	105.1	1.46	102.3	108.0
2012	6,746	107.0	1.34	104.4	109.7	5,482	103.4	1.43	100.6	106.3
2013	6,753	105.1	1.31	102.6	107.7	5,444	101.5	1.41	98.7	104.3
2014	6,877	104.3	1.29	101.8	106.9	5,526	100.5	1.38	97.8	103.2
2015	7,135	106.8	1.30	104.2	109.4	5,785	104.1	1.40	101.4	106.9
2016	7,000	102.9	1.26	100.4	105.4	5,652	99.9	1.36	97.2	102.6
2017	6,915	100.3	1.24	97.9	102.8	5,662	99.2	1.35	96.6	101.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	27,292	144.0	0.92	142.2	145.8	4,715	86.7	1.40	83.9	89.4
1986	618	137.1	5.91	125.7	149.1	58	80.8	12.38	58.4	108.5
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	670	150.9	6.23	138.9	163.5	58	99.3	14.80	72.4	131.8
1989	642	142.1	6.00	130.6	154.3	54	84.9	13.21	61.0	114.1
1990	662	145.6	6.04	134.0	157.8	79	121.6	16.03	92.2	156.2
1991	620	130.9	5.60	120.1	142.3	52	73.7	11.72	52.5	99.6
1992	638	134.9	5.72	123.9	146.5	77	92.9	12.24	70.5	119.5
1993	684	141.4	5.77	130.4	153.1	91	108.3	13.59	83.3	137.5
1994	730	150.8	5.95	139.4	162.9	76	78.5	10.38	59.5	101.2
1995	821	164.7	6.14	152.9	177.1	112	114.1	12.16	91.5	140.0
1996	799	153.3	5.75	142.2	164.9	121	121.0	13.04	96.8	148.8
1997	777	146.8	5.58	136.1	158.1	107	102.4	11.62	80.9	127.2
1998	835	158.7	5.83	147.5	170.5	104	91.8	10.42	72.5	114.1
1999	786	145.4	5.47	134.9	156.5	142	122.5	12.83	98.6	149.6
2000	857	153.7	5.54	143.0	164.9	139	100.5	9.80	82.2	121.2
2001	836	146.2	5.33	136.0	157.0	131	88.3	9.01	71.5	107.4
2002	889	154.3	5.49	143.8	165.4	152	110.5	10.23	91.4	132.0
2003	916	155.5	5.43	145.0	166.5	130	81.1	8.11	66.0	98.3
2004	895	148.0	5.23	138.0	158.6	146	87.4	8.17	72.2	104.7
2005	939	154.1	5.34	143.9	164.9	153	82.9	7.58	68.7	98.9
2006	990	155.0	5.18	145.0	165.4	175	90.4	7.67	76.0	106.5
2007	947	147.4	5.07	137.6	157.7	204	97.0	7.70	82.5	113.1
2008	996	152.9	5.13	143.0	163.3	197	92.1	7.39	78.2	107.6
2009	1,004	147.6	4.92	138.2	157.6	186	80.9	6.68	68.3	94.9
2010	966	140.0	4.76	130.8	149.6	206	87.9	6.80	75.1	102.1
2011	1,027	142.1	4.67	133.1	151.6	203	78.6	6.10	67.1	91.3
2012	967	134.0	4.54	125.3	143.2	258	92.6	6.28	80.7	105.7
2013	1,054	138.7	4.49	130.1	147.8	203	67.3	5.08	57.7	77.9
2014	1,057	137.5	4.44	128.9	146.5	242	76.5	5.26	66.5	87.5
2015	1,031	129.9	4.24	121.7	138.4	273	83.4	5.35	73.3	94.5
2016	1,024	129.4	4.23	121.2	137.9	279	79.8	4.99	70.3	90.1
2017	944	117.2	3.99	109.5	125.3	244	67.5	4.50	59.0	76.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	173,255	75.7	0.18	75.4	76.1	143,406	73.2	0.20	72.8	73.6
1986	4,815	77.6	1.13	75.4	79.8	4,157	74.8	1.18	72.5	77.1
1987	4,925	78.4	1.13	76.2	80.7	4,305	76.9	1.19	74.5	79.2
1988	4,924	77.5	1.12	75.3	79.7	4,235	74.6	1.16	72.4	77.0
1989	4,868	76.8	1.11	74.6	79.0	4,193	74.3	1.17	72.0	76.6
1990	4,990	77.9	1.12	75.7	80.1	4,315	75.8	1.17	73.5	78.2
1991	4,816	74.1	1.08	72.0	76.2	4,151	72.0	1.14	69.8	74.2
1992	4,845	73.5	1.07	71.4	75.6	4,189	71.7	1.12	69.5	73.9
1993	5,028	75.3	1.07	73.3	77.5	4,323	73.5	1.13	71.3	75.7
1994	5,388	79.7	1.10	77.6	81.9	4,612	77.4	1.16	75.1	79.7
1995	5,259	77.7	1.08	75.6	79.9	4,443	74.8	1.14	72.5	77.0
1996	5,403	79.0	1.08	76.9	81.1	4,568	76.2	1.14	74.0	78.5
1997	5,446	79.2	1.08	77.1	81.3	4,580	76.3	1.14	74.1	78.6
1998	5,784	83.5	1.11	81.3	85.7	4,845	80.4	1.17	78.1	82.7
1999	5,539	79.3	1.07	77.2	81.4	4,677	77.0	1.14	74.8	79.3
2000	5,649	80.4	1.08	78.3	82.5	4,723	77.6	1.15	75.4	79.9
2001	5,651	79.9	1.07	77.9	82.1	4,682	76.9	1.14	74.6	79.1
2002	5,674	79.8	1.07	77.8	82.0	4,658	76.1	1.13	73.9	78.4
2003	5,513	77.0	1.05	75.0	79.1	4,505	73.4	1.11	71.3	75.6
2004	5,691	78.9	1.06	76.8	81.0	4,689	76.1	1.13	73.9	78.4
2005	5,681	78.2	1.05	76.2	80.3	4,662	75.4	1.12	73.2	77.6
2006	5,612	77.0	1.04	75.0	79.1	4,536	73.3	1.11	71.2	75.5
2007	5,690	77.2	1.04	75.2	79.2	4,651	74.6	1.12	72.5	76.9
2008	5,610	75.3	1.02	73.3	77.3	4,549	72.7	1.10	70.5	74.9
2009	5,517	73.3	1.00	71.3	75.3	4,503	71.4	1.09	69.2	73.5
2010	5,456	71.4	0.98	69.4	73.3	4,335	67.9	1.06	65.9	70.0
2011	5,572	72.0	0.98	70.1	73.9	4,405	68.5	1.06	66.4	70.6
2012	5,382	68.4	0.95	66.5	70.3	4,313	66.2	1.03	64.2	68.2
2013	5,581	70.0	0.96	68.2	71.9	4,440	67.6	1.04	65.6	69.7
2014	5,611	69.7	0.95	67.9	71.6	4,441	67.0	1.03	64.9	69.0
2015	5,667	69.6	0.95	67.8	71.5	4,490	67.3	1.03	65.2	69.3
2016	5,929	72.7	0.97	70.8	74.7	4,704	70.9	1.07	68.9	73.1
2017	5,739	69.2	0.94	67.3	71.0	4,527	67.3	1.04	65.3	69.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	25,662	94.5	0.60	93.4	95.7	3,542	53.7	0.95	51.9	55.6
1986	604	97.6	4.06	89.8	105.9	47	74.3	12.50	51.8	102.0
1987	583	91.4	3.86	84.0	99.3	33	43.1	8.28	28.4	62.0
1988	636	99.2	4.01	91.5	107.3	45	66.9	11.18	46.8	91.7
1989	612	93.2	3.83	85.8	101.0	57	68.4	10.29	49.8	91.1
1990	634	95.0	3.84	87.6	102.8	38	45.9	8.24	31.2	64.5
1991	601	89.1	3.69	82.0	96.6	48	52.7	8.48	37.4	71.6
1992	595	83.2	3.45	76.5	90.2	49	51.5	8.16	36.7	69.5
1993	626	89.0	3.60	82.1	96.3	72	65.1	8.47	49.6	83.6
1994	691	95.8	3.69	88.7	103.3	76	67.9	8.44	52.3	86.1
1995	734	99.2	3.70	92.1	106.7	76	61.9	7.72	47.7	78.6
1996	750	101.1	3.73	93.9	108.6	78	64.8	8.03	50.1	82.2
1997	773	102.3	3.72	95.2	109.9	82	52.7	6.28	41.1	66.4
1998	819	106.2	3.74	99.0	113.7	99	68.0	7.37	54.3	83.8
1999	751	93.9	3.45	87.3	100.9	99	65.3	6.99	52.3	80.3
2000	799	97.9	3.49	91.2	105.0	105	67.1	6.98	54.2	82.0
2001	850	103.1	3.56	96.2	110.3	102	57.6	6.07	46.3	70.6
2002	871	104.0	3.55	97.2	111.2	119	67.5	6.55	55.3	81.4
2003	857	101.2	3.48	94.4	108.2	127	64.6	6.01	53.4	77.4
2004	872	100.6	3.43	94.0	107.5	116	55.1	5.40	45.0	66.6
2005	874	99.1	3.38	92.6	106.0	121	53.8	5.18	44.2	64.9
2006	906	100.2	3.36	93.8	107.0	141	57.2	5.07	47.7	68.0
2007	889	96.4	3.27	90.1	103.0	135	53.3	4.84	44.2	63.6
2008	897	94.9	3.20	88.7	101.3	144	51.7	4.56	43.2	61.4
2009	856	89.0	3.08	83.1	95.3	129	49.3	4.58	40.7	59.0
2010	941	96.0	3.17	89.9	102.4	150	51.1	4.41	42.9	60.5
2011	979	96.4	3.12	90.4	102.7	156	50.5	4.23	42.6	59.5
2012	863	83.7	2.89	78.1	89.6	172	53.3	4.26	45.3	62.3
2013	943	89.1	2.95	83.4	95.1	175	49.4	3.89	42.0	57.6
2014	927	87.0	2.91	81.4	92.9	183	49.7	3.80	42.6	57.7
2015	957	87.4	2.88	81.8	93.2	182	46.9	3.58	40.1	54.4
2016	999	89.6	2.89	84.0	95.4	185	44.6	3.36	38.2	51.6
2017	973	85.5	2.79	80.1	91.2	201	45.5	3.28	39.3	52.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	20,770	5.2	0.04	5.1	5.2	16,711	4.9	0.04	4.8	5.0
1986	545	5.2	0.23	4.7	5.6	364	3.9	0.21	3.5	4.3
1987	516	4.8	0.22	4.4	5.3	357	3.8	0.20	3.4	4.2
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2
1989	539	5.0	0.22	4.6	5.5	393	4.1	0.21	3.7	4.6
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8
2000	710	5.9	0.22	5.5	6.4	567	5.5	0.23	5.1	6.0
2001	680	5.7	0.22	5.2	6.1	556	5.4	0.23	5.0	5.9
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7
2003	661	5.3	0.21	4.9	5.8	555	5.3	0.22	4.8	5.7
2004	700	5.6	0.21	5.2	6.1	585	5.6	0.23	5.1	6.0
2005	665	5.2	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8
2007	710	5.4	0.20	5.0	5.8	595	5.4	0.22	4.9	5.8
2008	722	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0
2009	724	5.4	0.20	5.0	5.8	622	5.5	0.22	5.1	6.0
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2
2011	734	5.2	0.20	4.9	5.6	622	5.3	0.22	4.9	5.8
2012	762	5.3	0.20	5.0	5.7	653	5.5	0.22	5.1	5.9
2013	712	4.9	0.18	4.5	5.2	610	5.0	0.21	4.6	5.5
2014	739	4.9	0.18	4.6	5.3	632	5.1	0.21	4.7	5.5
2015	761	5.0	0.18	4.6	5.4	659	5.2	0.21	4.8	5.6
2016	705	4.6	0.18	4.3	5.0	593	4.7	0.20	4.3	5.1
2017	693	4.5	0.17	4.1	4.8	596	4.7	0.20	4.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,746	7.7	0.13	7.4	7.9	277	2.3	0.15	2.0	2.6
1986	176	15.3	1.18	13.1	17.8	5	5.6	2.58	1.7	12.5
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	141	11.8	1.02	9.9	14.0	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	5	1.4	0.72	0.4	3.4
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	8	1.4	0.54	0.6	2.9
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	95	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	93	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5
2014	80	4.2	0.48	3.3	5.3	25	3.4	0.72	2.2	5.1
2015	88	4.4	0.49	3.5	5.5	13	1.7	0.50	0.9	3.0
2016	92	4.7	0.50	3.8	5.8	19	2.5	0.60	1.5	3.9
2017	83	4.0	0.45	3.2	5.0	11	1.4	0.42	0.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	15,846	9.0	0.07	8.9	9.2	13,000	8.7	0.08	8.5	8.8
1986	398	8.8	0.46	7.9	9.7	273	6.9	0.43	6.1	7.8
1987	380	8.3	0.44	7.5	9.2	263	6.5	0.41	5.7	7.4
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4
1989	393	8.5	0.44	7.7	9.4	285	7.0	0.43	6.2	7.9
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3
1995	503	10.3	0.46	9.4	11.2	383	9.0	0.47	8.1	9.9
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2
1998	520	10.4	0.46	9.5	11.3	425	9.8	0.48	8.9	10.8
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9
2000	539	10.5	0.46	9.7	11.5	439	10.0	0.48	9.1	11.0
2001	498	9.6	0.43	8.7	10.5	409	9.2	0.46	8.3	10.1
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2
2003	518	9.8	0.43	8.9	10.6	446	9.8	0.47	8.9	10.8
2004	528	9.6	0.42	8.8	10.5	456	9.7	0.46	8.9	10.7
2005	520	9.4	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6
2007	532	9.2	0.41	8.4	10.0	456	9.3	0.44	8.4	10.2
2008	580	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2
2009	556	9.4	0.41	8.6	10.2	475	9.5	0.44	8.7	10.4
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1
2011	569	9.1	0.39	8.4	9.9	499	9.5	0.43	8.6	10.4
2012	587	9.3	0.39	8.5	10.1	520	9.7	0.44	8.9	10.6
2013	570	8.7	0.38	8.0	9.5	498	9.1	0.42	8.3	10.0
2014	588	8.7	0.37	8.0	9.4	517	9.1	0.41	8.3	9.9
2015	613	8.9	0.37	8.2	9.7	537	9.4	0.41	8.6	10.2
2016	539	7.8	0.34	7.1	8.5	460	7.9	0.38	7.2	8.7
2017	544	7.8	0.34	7.1	8.5	480	8.3	0.39	7.5	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,632	12.9	0.26	12.4	13.4	183	3.3	0.27	2.8	3.9
1986	122	24.5	2.30	20.2	29.4	3	7.8	4.58	1.6	21.2
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	103	20.2	2.07	16.3	24.7	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	95	16.4	1.77	13.1	20.2	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	1	0.4	0.36	0.0	2.5
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	6	2.6	1.17	0.8	5.9
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.8	10.2	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.17	6.6	11.3	8	3.9	1.57	1.4	7.9
2012	60	8.2	1.12	6.2	10.7	4	1.6	0.85	0.4	4.1
2013	66	8.5	1.10	6.5	11.0	5	1.9	0.92	0.6	4.6
2014	52	6.7	0.96	4.9	8.8	18	5.6	1.40	3.2	9.0
2015	66	7.9	1.01	6.0	10.1	9	2.6	0.91	1.2	5.1
2016	62	7.9	1.06	6.0	10.3	16	4.8	1.30	2.6	8.0
2017	55	6.4	0.90	4.8	8.4	6	1.7	0.73	0.6	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,924	2.2	0.03	2.1	2.2	3,711	1.9	0.03	1.8	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	149	2.3	0.19	1.9	2.6	106	1.8	0.17	1.4	2.1
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	152	2.2	0.18	1.9	2.6	113	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	172	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	168	2.2	0.17	1.9	2.5	147	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	175	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	142	1.7	0.15	1.4	2.0	112	1.6	0.16	1.3	2.0
2014	151	1.8	0.15	1.6	2.2	115	1.7	0.16	1.4	2.1
2015	148	1.7	0.14	1.5	2.0	122	1.7	0.16	1.4	2.1
2016	166	2.0	0.16	1.7	2.3	133	1.9	0.17	1.6	2.3
2017	149	1.8	0.15	1.5	2.1	116	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Esophagus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,114	4.0	0.12	3.7	4.2	94	1.5	0.16	1.2	1.8
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	40	4.7	0.75	3.4	6.4	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.58	2.5	4.9	5	1.9	0.86	0.6	4.3
2012	35	3.3	0.57	2.3	4.7	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.48	1.6	3.6	3	0.7	0.39	0.1	2.1
2014	28	2.5	0.48	1.6	3.6	7	1.7	0.65	0.7	3.6
2015	22	1.9	0.41	1.2	2.9	4	0.9	0.49	0.2	2.5
2016	30	2.6	0.49	1.8	3.8	3	0.7	0.42	0.1	2.1
2017	28	2.3	0.45	1.5	3.4	5	1.1	0.50	0.3	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	31,003	7.8	0.04	7.7	7.9	23,778	7.0	0.05	6.9	7.1
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7
1987	942	8.9	0.29	8.4	9.5	739	7.9	0.29	7.4	8.5
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1
1990	954	8.8	0.29	8.3	9.4	777	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	739	7.6	0.28	7.1	8.2
1992	938	8.4	0.28	7.9	9.0	736	7.5	0.28	7.0	8.1
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4
1994	945	8.3	0.27	7.8	8.9	746	7.5	0.28	7.0	8.1
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0
1996	968	8.4	0.27	7.9	8.9	745	7.4	0.27	6.9	8.0
1997	977	8.4	0.27	7.9	8.9	753	7.4	0.27	6.9	8.0
1998	1,004	8.5	0.27	8.0	9.1	768	7.5	0.27	7.0	8.0
1999	937	7.9	0.26	7.4	8.4	743	7.2	0.26	6.7	7.7
2000	911	7.6	0.25	7.1	8.1	686	6.6	0.25	6.1	7.1
2001	922	7.6	0.25	7.1	8.1	699	6.7	0.25	6.2	7.2
2002	975	8.0	0.26	7.5	8.5	753	7.2	0.26	6.7	7.7
2003	962	7.8	0.25	7.3	8.3	752	7.1	0.26	6.6	7.6
2004	936	7.5	0.25	7.1	8.0	716	6.7	0.25	6.3	7.3
2005	915	7.2	0.24	6.8	7.7	686	6.3	0.24	5.9	6.8
2006	916	7.2	0.24	6.7	7.7	665	6.2	0.24	5.7	6.7
2007	947	7.3	0.24	6.9	7.8	704	6.5	0.25	6.0	7.0
2008	945	7.2	0.24	6.8	7.7	702	6.4	0.24	5.9	6.9
2009	969	7.3	0.24	6.9	7.8	708	6.4	0.24	5.9	6.9
2010	934	7.0	0.23	6.5	7.4	698	6.2	0.24	5.7	6.7
2011	1,009	7.3	0.23	6.9	7.8	748	6.5	0.24	6.1	7.0
2012	976	6.9	0.23	6.5	7.4	753	6.4	0.24	6.0	6.9
2013	1,054	7.5	0.23	7.0	7.9	781	6.7	0.24	6.2	7.2
2014	1,032	7.1	0.23	6.7	7.6	768	6.4	0.24	6.0	6.9
2015	1,064	7.2	0.23	6.8	7.7	803	6.6	0.24	6.2	7.1
2016	1,054	7.1	0.22	6.7	7.6	789	6.5	0.24	6.0	7.0
2017	1,069	7.1	0.22	6.7	7.6	804	6.6	0.24	6.1	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,835	13.0	0.17	12.6	13.3	1,258	10.7	0.32	10.0	11.3
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	21	15.8	4.12	8.7	25.5
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	154	13.8	1.15	11.6	16.2	23	15.8	3.87	9.1	24.9
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	178	14.5	1.11	12.4	16.8	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	154	11.6	0.96	9.8	13.6	36	13.2	2.46	8.9	18.8
2000	180	13.4	1.02	11.5	15.5	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	41	12.7	2.21	8.7	17.6
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	177	12.4	0.95	10.6	14.4	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	42	11.0	1.84	7.7	15.1
2006	196	12.8	0.93	11.0	14.7	45	10.8	1.73	7.7	14.7
2007	188	12.3	0.92	10.6	14.3	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	43	9.3	1.54	6.6	12.8
2009	212	13.0	0.91	11.3	14.9	41	8.2	1.39	5.7	11.3
2010	174	10.7	0.83	9.1	12.4	54	11.0	1.63	8.1	14.6
2011	203	12.0	0.86	10.4	13.8	49	8.8	1.35	6.4	11.9
2012	159	9.3	0.76	7.9	10.9	57	9.4	1.31	7.0	12.3
2013	205	11.7	0.84	10.2	13.5	58	9.8	1.35	7.3	12.8
2014	213	11.8	0.83	10.2	13.5	47	7.1	1.09	5.2	9.6
2015	191	10.2	0.76	8.8	11.8	63	9.0	1.17	6.8	11.6
2016	214	11.6	0.81	10.1	13.3	47	6.4	0.96	4.6	8.5
2017	203	10.7	0.77	9.3	12.4	53	6.7	0.95	5.0	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	18,881	11.2	0.08	11.1	11.4	14,675	10.2	0.09	10.0	10.3
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1
1989	619	14.3	0.60	13.1	15.5	500	13.0	0.60	11.9	14.3
1990	571	13.1	0.57	12.0	14.3	455	11.9	0.57	10.8	13.0
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9
1992	560	12.3	0.54	11.3	13.4	445	11.1	0.54	10.0	12.2
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1
1994	579	12.5	0.53	11.5	13.6	456	11.3	0.54	10.3	12.4
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9
1996	603	12.8	0.53	11.8	13.9	468	11.4	0.54	10.4	12.5
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6
1998	593	12.2	0.51	11.2	13.3	466	11.0	0.52	10.0	12.1
1999	564	11.4	0.49	10.5	12.4	447	10.5	0.50	9.5	11.5
2000	549	11.0	0.48	10.1	12.0	414	9.6	0.48	8.7	10.6
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5
2002	594	11.7	0.49	10.7	12.6	467	10.7	0.50	9.7	11.7
2003	571	11.1	0.47	10.2	12.1	456	10.4	0.49	9.4	11.4
2004	583	11.1	0.46	10.2	12.0	457	10.1	0.48	9.2	11.1
2005	554	10.3	0.45	9.5	11.2	413	9.0	0.45	8.1	9.9
2006	549	10.0	0.44	9.2	10.9	408	8.8	0.44	8.0	9.7
2007	569	10.2	0.44	9.4	11.1	426	9.0	0.44	8.2	9.9
2008	570	10.2	0.43	9.3	11.1	423	8.8	0.44	8.0	9.7
2009	590	10.0	0.42	9.2	10.9	434	8.8	0.43	8.0	9.7
2010	587	10.0	0.42	9.2	10.8	446	9.0	0.43	8.2	9.9
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.1
2012	637	10.3	0.42	9.5	11.1	505	9.6	0.44	8.8	10.5
2013	646	10.3	0.42	9.5	11.2	497	9.4	0.43	8.6	10.3
2014	618	9.6	0.39	8.8	10.4	471	8.7	0.41	7.9	9.6
2015	657	9.9	0.40	9.2	10.7	514	9.3	0.42	8.5	10.1
2016	635	9.6	0.39	8.9	10.4	494	8.9	0.41	8.1	9.8
2017	636	9.5	0.38	8.7	10.3	500	9.0	0.41	8.2	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,387	18.6	0.34	18.0	19.3	733	13.8	0.57	12.8	15.0
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	102	23.9	2.53	19.2	29.2	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	111	21.6	2.17	17.6	26.3	12	13.0	4.65	5.6	24.8
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	23	21.3	5.35	12.1	33.8
2000	103	19.4	2.03	15.6	23.7	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	21	13.1	3.37	7.4	21.2
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	99	17.7	1.91	14.1	21.7	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	27	15.6	3.39	9.7	23.5
2006	112	17.5	1.75	14.3	21.3	23	12.2	2.85	7.2	18.9
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	26	13.1	2.86	8.1	19.7
2009	126	18.7	1.75	15.4	22.4	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	120	17.6	1.69	14.5	21.2	32	13.1	2.55	8.6	19.0
2012	89	13.4	1.51	10.6	16.7	41	15.0	2.54	10.4	20.7
2013	111	15.7	1.55	12.8	19.0	33	11.5	2.13	7.7	16.4
2014	121	16.7	1.60	13.7	20.1	23	7.6	1.69	4.6	11.6
2015	104	13.6	1.39	11.0	16.6	36	11.1	1.93	7.6	15.5
2016	106	14.5	1.46	11.8	17.6	32	9.5	1.74	6.4	13.6
2017	105	14.2	1.44	11.5	17.3	26	7.4	1.54	4.7	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	12,122	5.3	0.05	5.2	5.4	9,103	4.7	0.05	4.6	4.8
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0
1987	373	5.9	0.31	5.3	6.5	300	5.3	0.31	4.7	5.9
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	383	6.0	0.31	5.4	6.7	306	5.4	0.31	4.8	6.0
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3
1991	355	5.4	0.29	4.8	6.0	280	4.8	0.29	4.2	5.4
1992	378	5.7	0.30	5.2	6.4	291	5.0	0.30	4.4	5.6
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	366	5.4	0.28	4.8	6.0	290	4.8	0.29	4.3	5.4
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2
1997	371	5.4	0.28	4.9	6.0	275	4.5	0.28	4.0	5.1
1998	411	5.8	0.29	5.3	6.4	302	4.9	0.29	4.4	5.5
1999	373	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0
2001	381	5.3	0.27	4.8	5.8	284	4.6	0.28	4.1	5.2
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8
2005	361	4.9	0.26	4.4	5.5	273	4.4	0.27	3.9	5.0
2006	367	5.1	0.27	4.6	5.6	257	4.2	0.27	3.7	4.7
2007	378	5.2	0.27	4.7	5.7	278	4.5	0.28	4.0	5.1
2008	375	5.1	0.27	4.6	5.7	279	4.5	0.27	4.0	5.1
2009	379	5.2	0.27	4.6	5.7	274	4.5	0.28	4.0	5.1
2010	347	4.7	0.25	4.2	5.2	252	4.0	0.26	3.5	4.6
2011	384	4.9	0.26	4.5	5.5	281	4.4	0.27	3.8	4.9
2012	339	4.4	0.24	3.9	4.9	248	3.8	0.25	3.4	4.3
2013	408	5.2	0.26	4.7	5.7	284	4.4	0.27	3.9	5.0
2014	414	5.2	0.26	4.7	5.8	297	4.6	0.27	4.0	5.1
2015	407	5.1	0.26	4.6	5.7	289	4.4	0.27	3.9	5.0
2016	419	5.1	0.26	4.6	5.7	295	4.5	0.27	4.0	5.0
2017	433	5.3	0.26	4.8	5.8	304	4.6	0.27	4.0	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Stomach										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,448	9.2	0.19	8.8	9.6	525	8.1	0.37	7.4	8.9
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	3	2.1	1.28	0.4	7.6
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	67	10.5	1.31	8.1	13.4	9	11.1	4.48	4.2	22.7
1990	54	8.2	1.14	6.1	10.7	7	8.4	3.83	2.7	18.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	67	9.3	1.15	7.2	11.8	9	7.1	2.43	3.2	13.6
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	64	8.2	1.04	6.3	10.5	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	15	7.2	1.98	3.9	12.0
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	75	8.4	0.97	6.6	10.5	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	17	6.5	1.67	3.6	10.5
2009	86	8.9	0.98	7.1	11.1	15	6.1	1.66	3.3	10.2
2010	72	7.6	0.91	5.9	9.6	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.91	6.5	10.2	17	5.6	1.41	3.1	9.0
2012	70	6.9	0.84	5.4	8.8	16	4.9	1.28	2.7	8.1
2013	94	8.9	0.94	7.2	11.0	25	8.0	1.65	5.1	11.8
2014	92	8.7	0.92	7.0	10.7	24	6.7	1.41	4.2	10.0
2015	87	8.1	0.88	6.4	10.0	27	7.1	1.41	4.6	10.4
2016	108	9.7	0.95	7.9	11.8	15	3.7	0.98	2.1	6.2
2017	98	8.9	0.91	7.2	10.8	27	6.1	1.20	4.0	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	8,035	2.0	0.02	2.0	2.1	6,318	1.9	0.02	1.8	1.9
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	184	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1998	216	1.8	0.13	1.6	2.1	178	1.8	0.13	1.5	2.1
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0
2000	211	1.8	0.12	1.5	2.0	173	1.7	0.13	1.5	2.0
2001	237	2.0	0.13	1.7	2.2	188	1.8	0.13	1.6	2.1
2002	268	2.2	0.13	1.9	2.5	210	2.0	0.14	1.8	2.3
2003	210	1.7	0.12	1.5	2.0	163	1.5	0.12	1.3	1.8
2004	250	2.0	0.13	1.8	2.3	196	1.9	0.13	1.6	2.1
2005	280	2.2	0.13	2.0	2.5	226	2.1	0.14	1.8	2.4
2006	263	2.1	0.13	1.8	2.3	200	1.9	0.13	1.6	2.2
2007	305	2.3	0.13	2.1	2.6	241	2.2	0.14	1.9	2.5
2008	311	2.4	0.14	2.1	2.7	233	2.1	0.14	1.9	2.4
2009	342	2.6	0.14	2.3	2.8	266	2.4	0.15	2.1	2.7
2010	346	2.6	0.14	2.3	2.9	259	2.3	0.15	2.0	2.6
2011	355	2.6	0.14	2.3	2.9	273	2.4	0.15	2.1	2.7
2012	386	2.7	0.14	2.4	3.0	304	2.6	0.15	2.3	2.9
2013	382	2.7	0.14	2.4	2.9	299	2.5	0.15	2.2	2.8
2014	378	2.6	0.14	2.4	2.9	287	2.4	0.15	2.2	2.7
2015	418	2.8	0.14	2.6	3.1	329	2.7	0.15	2.4	3.0
2016	403	2.7	0.14	2.5	3.0	304	2.5	0.15	2.2	2.8
2017	403	2.7	0.14	2.5	3.0	307	2.5	0.15	2.3	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,503	3.2	0.08	3.0	3.3	161	1.3	0.11	1.1	1.5
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	37	2.6	0.44	1.8	3.7	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	44	3.1	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	51	3.4	0.49	2.5	4.5	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	48	3.1	0.46	2.3	4.2	6	1.1	0.43	0.4	2.4
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	57	3.4	0.46	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	69	4.3	0.53	3.3	5.5	7	1.0	0.39	0.4	2.2
2009	67	4.1	0.51	3.1	5.2	6	1.6	0.67	0.6	3.4
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	65	3.6	0.46	2.8	4.6	13	2.3	0.67	1.2	4.0
2012	70	3.9	0.48	3.1	5.0	11	1.7	0.56	0.8	3.2
2013	78	4.2	0.48	3.3	5.2	3	0.6	0.35	0.1	1.7
2014	76	4.2	0.49	3.3	5.2	5	0.6	0.27	0.2	1.5
2015	76	4.1	0.48	3.2	5.1	9	1.2	0.41	0.5	2.3
2016	82	4.3	0.48	3.4	5.3	8	1.1	0.40	0.5	2.2
2017	86	4.5	0.50	3.6	5.6	10	1.3	0.43	0.6	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,206	2.4	0.04	2.4	2.5	3,345	2.3	0.04	2.2	2.3
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	71	1.7	0.21	1.3	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	106	2.1	0.21	1.7	2.6	83	1.9	0.21	1.5	2.4
2001	124	2.4	0.22	2.0	2.9	99	2.3	0.23	1.8	2.8
2002	135	2.5	0.22	2.1	3.0	108	2.4	0.23	1.9	2.8
2003	121	2.3	0.21	1.9	2.8	92	2.1	0.22	1.7	2.5
2004	140	2.5	0.22	2.1	3.0	111	2.4	0.23	1.9	2.8
2005	151	2.7	0.22	2.3	3.2	125	2.6	0.24	2.2	3.1
2006	137	2.4	0.21	2.0	2.9	112	2.3	0.22	1.9	2.8
2007	146	2.5	0.21	2.1	3.0	118	2.4	0.22	2.0	2.9
2008	151	2.6	0.22	2.2	3.1	113	2.3	0.22	1.9	2.8
2009	185	3.1	0.23	2.6	3.6	146	2.9	0.24	2.4	3.4
2010	184	3.1	0.23	2.7	3.6	141	2.9	0.25	2.4	3.4
2011	175	2.8	0.21	2.4	3.2	142	2.7	0.23	2.3	3.2
2012	216	3.4	0.24	3.0	3.9	167	3.1	0.25	2.7	3.7
2013	177	2.7	0.21	2.3	3.2	139	2.6	0.22	2.1	3.0
2014	194	3.0	0.22	2.6	3.5	144	2.7	0.23	2.2	3.1
2015	229	3.5	0.24	3.0	4.0	189	3.5	0.26	3.0	4.0
2016	226	3.3	0.23	2.9	3.8	174	3.1	0.24	2.6	3.6
2017	218	3.2	0.22	2.8	3.6	171	3.0	0.24	2.6	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	738	3.8	0.14	3.5	4.0	89	1.6	0.19	1.3	2.0
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	20	3.2	0.74	2.0	5.0	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	20	3.3	0.80	1.9	5.2	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	22	3.5	0.78	2.1	5.3	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	23	3.2	0.68	2.0	4.8	3	1.5	0.93	0.2	4.4
2008	33	5.0	0.90	3.4	7.1	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	5	2.8	1.32	0.9	6.5
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.4
2011	23	2.9	0.63	1.8	4.4	8	3.0	1.13	1.2	6.1
2012	42	5.9	0.95	4.2	8.0	6	2.2	1.02	0.7	5.0
2013	35	4.7	0.82	3.2	6.6	2	0.7	0.55	0.1	2.6
2014	43	5.6	0.89	4.0	7.6	2	0.5	0.35	0.1	2.0
2015	32	4.0	0.74	2.7	5.7	4	1.3	0.66	0.3	3.3
2016	41	5.1	0.83	3.6	7.0	7	2.1	0.84	0.8	4.4
2017	40	5.0	0.82	3.5	6.9	7	2.2	0.85	0.9	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,829	1.7	0.03	1.7	1.8	2,973	1.6	0.03	1.5	1.6
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	87	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	113	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	133	1.9	0.17	1.6	2.3	102	1.8	0.18	1.4	2.1
2003	89	1.3	0.13	1.0	1.6	71	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	129	1.8	0.16	1.5	2.1	101	1.7	0.17	1.4	2.0
2006	126	1.8	0.16	1.5	2.2	88	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	157	2.1	0.17	1.8	2.5	120	2.0	0.18	1.6	2.3
2010	162	2.1	0.17	1.8	2.5	118	1.9	0.18	1.5	2.2
2011	180	2.4	0.18	2.1	2.8	131	2.1	0.19	1.8	2.6
2012	170	2.1	0.17	1.8	2.5	137	2.1	0.18	1.8	2.5
2013	205	2.6	0.19	2.3	3.0	160	2.5	0.20	2.1	3.0
2014	184	2.4	0.18	2.1	2.8	143	2.3	0.20	1.9	2.7
2015	189	2.3	0.17	2.0	2.7	140	2.0	0.18	1.7	2.4
2016	177	2.2	0.17	1.9	2.6	130	2.0	0.18	1.7	2.4
2017	185	2.3	0.18	2.0	2.7	136	2.1	0.19	1.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	765	2.7	0.10	2.6	3.0	72	1.0	0.12	0.8	1.3
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	21	2.4	0.53	1.5	3.7	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	2	0.7	0.51	0.1	2.7
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.64	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	34	3.5	0.60	2.4	4.9	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	42	4.1	0.64	2.9	5.6	5	1.6	0.74	0.5	3.8
2012	28	2.6	0.50	1.7	3.8	5	1.4	0.67	0.4	3.4
2013	43	3.9	0.60	2.8	5.3	1	0.4	0.41	0.0	2.0
2014	33	3.1	0.56	2.2	4.4	3	0.7	0.40	0.1	2.1
2015	44	4.1	0.64	3.0	5.6	5	1.1	0.51	0.4	2.7
2016	41	3.7	0.60	2.7	5.1	1	0.3	0.25	0.0	1.4
2017	46	4.3	0.64	3.1	5.7	3	0.6	0.36	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	214,572	54.0	0.12	53.8	54.2	181,530	53.3	0.13	53.1	53.5
1986	6,475	61.7	0.78	60.2	63.3	5,792	61.9	0.82	60.3	63.5
1987	6,703	63.1	0.78	61.6	64.7	6,008	63.6	0.83	62.0	65.2
1988	6,653	62.3	0.77	60.8	63.8	5,872	61.9	0.82	60.3	63.5
1989	6,405	59.6	0.75	58.1	61.1	5,677	59.5	0.80	57.9	61.1
1990	6,634	61.2	0.76	59.7	62.7	5,878	61.1	0.80	59.5	62.7
1991	6,572	59.8	0.74	58.4	61.3	5,827	59.9	0.79	58.4	61.5
1992	6,569	59.0	0.73	57.5	60.4	5,855	59.5	0.78	58.0	61.1
1993	6,594	58.4	0.72	57.0	59.9	5,777	58.1	0.77	56.6	59.6
1994	6,832	60.0	0.73	58.6	61.5	5,990	59.8	0.78	58.3	61.4
1995	6,713	58.6	0.72	57.2	60.0	5,802	57.7	0.76	56.3	59.3
1996	6,803	58.9	0.72	57.5	60.3	5,888	58.3	0.76	56.8	59.8
1997	7,050	60.5	0.72	59.1	62.0	6,063	59.6	0.77	58.2	61.2
1998	7,372	62.6	0.73	61.2	64.0	6,310	61.5	0.78	60.0	63.1
1999	7,187	60.4	0.71	59.0	61.8	6,183	59.9	0.76	58.4	61.4
2000	7,327	61.1	0.71	59.7	62.5	6,256	60.3	0.76	58.8	61.8
2001	7,080	58.5	0.70	57.2	59.9	6,002	57.5	0.74	56.0	59.0
2002	7,278	59.7	0.70	58.3	61.0	6,119	58.4	0.75	56.9	59.8
2003	7,093	57.4	0.68	56.1	58.8	5,889	55.6	0.73	54.2	57.1
2004	7,198	57.8	0.68	56.4	59.1	6,033	56.7	0.73	55.3	58.2
2005	6,975	55.3	0.66	54.0	56.6	5,790	53.9	0.71	52.5	55.3
2006	7,040	55.1	0.66	53.8	56.4	5,795	53.4	0.71	52.0	54.8
2007	6,828	52.7	0.64	51.5	54.0	5,643	51.5	0.69	50.1	52.9
2008	6,713	50.9	0.63	49.7	52.2	5,499	49.5	0.67	48.2	50.9
2009	6,294	47.1	0.60	46.0	48.3	5,161	46.0	0.65	44.7	47.2
2010	6,361	46.8	0.59	45.6	48.0	5,149	45.2	0.64	44.0	46.5
2011	6,444	46.7	0.59	45.6	47.9	5,191	45.1	0.64	43.9	46.4
2012	6,172	43.9	0.57	42.8	45.0	4,980	42.5	0.61	41.3	43.7
2013	6,218	43.4	0.56	42.3	44.5	4,989	42.0	0.61	40.8	43.2
2014	6,201	42.6	0.55	41.5	43.7	4,974	41.2	0.60	40.1	42.4
2015	6,275	42.8	0.55	41.7	43.9	5,078	42.0	0.60	40.9	43.2
2016	6,440	43.5	0.55	42.4	44.6	5,167	42.5	0.61	41.4	43.7
2017	6,073	40.4	0.53	39.4	41.5	4,893	39.9	0.59	38.8	41.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	28,110	61.3	0.37	60.5	62.0	3,883	31.8	0.55	30.7	32.8
1986	636	60.7	2.50	55.9	65.8	41	33.2	6.23	22.2	47.3
1987	643	59.5	2.43	54.9	64.4	46	35.3	5.80	24.8	48.2
1988	715	65.8	2.54	60.9	71.0	52	42.5	6.69	30.4	57.2
1989	666	60.6	2.42	55.9	65.5	49	32.5	5.30	23.0	44.3
1990	700	63.6	2.48	58.8	68.6	50	36.1	5.82	25.6	48.9
1991	672	59.2	2.35	54.7	64.0	45	27.8	4.50	19.7	37.8
1992	640	54.3	2.21	50.1	58.8	54	31.5	4.88	22.7	42.3
1993	735	62.9	2.39	58.4	67.8	73	36.6	4.82	27.8	47.1
1994	759	63.3	2.36	58.8	68.1	69	32.8	4.40	24.7	42.3
1995	805	65.6	2.37	61.0	70.4	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	876	69.6	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	942	73.2	2.43	68.5	78.1	94	37.8	4.37	29.7	47.2
1999	862	64.2	2.23	59.9	68.7	111	40.9	4.39	32.7	50.2
2000	920	67.2	2.26	62.9	71.8	118	39.9	4.06	32.3	48.5
2001	936	67.9	2.26	63.5	72.5	111	33.0	3.43	26.6	40.3
2002	997	71.2	2.30	66.8	75.8	123	38.6	3.78	31.6	46.6
2003	1,035	72.3	2.30	67.9	77.0	122	33.4	3.26	27.3	40.3
2004	1,016	68.7	2.20	64.5	73.2	119	30.9	3.08	25.1	37.4
2005	984	65.8	2.14	61.7	70.1	153	36.2	3.16	30.3	42.9
2006	1,039	67.8	2.15	63.7	72.1	163	36.4	3.08	30.6	42.9
2007	988	62.9	2.04	59.0	67.0	161	34.7	2.96	29.2	41.0
2008	1,011	63.2	2.03	59.3	67.3	162	32.2	2.74	27.1	38.0
2009	953	58.1	1.93	54.3	61.9	135	27.1	2.53	22.4	32.4
2010	997	60.0	1.95	56.3	64.0	171	32.6	2.68	27.6	38.3
2011	1,050	60.5	1.91	56.8	64.3	158	27.8	2.36	23.4	32.8
2012	942	54.2	1.81	50.7	57.8	206	33.9	2.49	29.2	39.1
2013	994	55.0	1.78	51.5	58.6	190	27.8	2.13	23.8	32.3
2014	970	53.1	1.75	49.7	56.6	180	26.0	2.03	22.2	30.3
2015	937	49.8	1.67	46.6	53.2	205	27.7	2.01	23.9	31.9
2016	991	52.1	1.69	48.8	55.5	220	28.1	1.94	24.4	32.1
2017	897	46.3	1.58	43.3	49.6	220	27.3	1.89	23.8	31.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	108,054	64.1	0.20	63.7	64.5	91,877	63.5	0.21	63.1	63.9
1986	3,177	75.1	1.39	72.4	77.9	2,872	76.2	1.48	73.3	79.2
1987	3,289	76.6	1.39	73.9	79.3	2,957	77.4	1.48	74.5	80.4
1988	3,282	76.3	1.39	73.6	79.1	2,908	76.1	1.47	73.3	79.1
1989	3,129	72.0	1.34	69.4	74.7	2,786	72.2	1.41	69.4	75.0
1990	3,264	74.4	1.35	71.8	77.1	2,898	74.4	1.43	71.6	77.3
1991	3,281	73.9	1.33	71.3	76.5	2,936	74.8	1.42	72.0	77.6
1992	3,344	74.3	1.32	71.7	76.9	2,990	75.2	1.41	72.5	78.1
1993	3,241	70.8	1.28	68.3	73.4	2,843	70.5	1.36	67.8	73.2
1994	3,255	70.4	1.27	67.9	72.9	2,875	70.6	1.35	67.9	73.2
1995	3,263	70.2	1.26	67.7	72.7	2,822	69.3	1.33	66.7	71.9
1996	3,290	69.9	1.25	67.5	72.4	2,863	69.7	1.33	67.1	72.3
1997	3,478	73.0	1.26	70.5	75.5	3,007	72.3	1.34	69.7	75.0
1998	3,616	74.9	1.27	72.5	77.4	3,118	74.1	1.34	71.5	76.8
1999	3,607	73.7	1.25	71.3	76.2	3,124	73.5	1.33	70.9	76.1
2000	3,690	74.1	1.24	71.7	76.6	3,165	73.4	1.32	70.9	76.1
2001	3,529	70.6	1.21	68.2	73.0	3,025	70.1	1.29	67.6	72.6
2002	3,674	72.0	1.21	69.7	74.4	3,124	71.0	1.28	68.5	73.6
2003	3,633	70.0	1.18	67.7	72.4	3,051	68.5	1.25	66.1	71.0
2004	3,618	68.6	1.16	66.3	70.9	3,047	67.5	1.24	65.1	70.0
2005	3,510	65.3	1.12	63.1	67.5	2,930	63.7	1.19	61.4	66.1
2006	3,531	64.6	1.11	62.4	66.8	2,921	62.7	1.17	60.4	65.0
2007	3,465	62.2	1.08	60.1	64.4	2,878	60.8	1.15	58.6	63.1
2008	3,419	59.9	1.04	57.9	62.0	2,792	57.8	1.11	55.6	60.0
2009	3,212	55.2	0.99	53.2	57.2	2,616	53.2	1.06	51.1	55.3
2010	3,325	55.9	0.99	54.0	57.9	2,727	54.3	1.06	52.2	56.4
2011	3,322	54.5	0.97	52.6	56.4	2,711	53.1	1.04	51.1	55.2
2012	3,243	52.2	0.94	50.3	54.0	2,641	50.5	1.00	48.5	52.5
2013	3,240	50.8	0.91	49.0	52.6	2,602	48.8	0.98	47.0	50.8
2014	3,257	50.0	0.90	48.2	51.7	2,625	48.2	0.96	46.3	50.1
2015	3,342	50.6	0.90	48.8	52.4	2,727	49.6	0.97	47.8	51.6
2016	3,327	49.4	0.88	47.7	51.2	2,693	48.1	0.95	46.3	50.0
2017	3,201	47.0	0.85	45.4	48.7	2,603	46.2	0.93	44.4	48.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	13,481	72.7	0.66	71.4	74.0	2,116	38.9	0.94	37.1	40.8
1986	283	66.6	4.27	58.5	75.5	21	36.2	9.42	20.2	58.7
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	337	78.3	4.57	69.6	87.6	31	58.9	12.09	37.6	86.3
1989	315	72.8	4.40	64.4	81.9	20	37.2	9.24	21.4	58.8
1990	330	76.0	4.48	67.5	85.2	33	54.6	11.25	34.8	80.1
1991	312	68.2	4.12	60.3	76.7	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	31	37.3	7.73	23.8	55.1
1993	355	76.2	4.34	67.9	85.1	39	44.5	8.24	29.8	63.1
1994	342	73.6	4.27	65.4	82.3	32	31.6	6.24	20.6	46.0
1995	385	79.7	4.33	71.4	88.6	45	45.4	7.50	31.9	62.2
1996	362	70.1	3.90	62.7	78.2	60	57.6	8.87	41.6	77.2
1997	405	78.7	4.16	70.7	87.2	54	53.0	8.47	37.7	71.7
1998	443	85.7	4.32	77.4	94.5	46	43.1	7.64	29.5	60.1
1999	403	76.5	4.04	68.8	84.7	61	53.5	8.54	38.1	72.3
2000	446	81.7	4.08	73.9	90.1	63	45.2	6.63	33.2	59.8
2001	424	76.0	3.90	68.6	84.0	63	42.3	6.13	31.2	55.8
2002	467	84.5	4.15	76.6	93.0	63	48.1	6.89	35.6	63.2
2003	496	85.5	4.06	77.8	93.8	60	39.0	5.80	28.5	51.7
2004	487	81.0	3.87	73.6	88.9	66	41.3	5.81	30.7	54.0
2005	470	79.3	3.88	71.9	87.2	83	43.7	5.41	33.7	55.4
2006	506	81.4	3.81	74.1	89.2	83	42.9	5.30	33.1	54.4
2007	475	74.6	3.62	67.7	82.0	89	43.9	5.26	34.2	55.2
2008	502	77.4	3.66	70.4	84.8	97	44.3	5.08	34.9	55.2
2009	498	74.8	3.55	68.0	82.1	72	31.2	4.13	23.7	40.2
2010	486	71.6	3.43	65.1	78.6	91	40.1	4.65	31.5	50.1
2011	505	69.4	3.25	63.2	76.0	81	31.7	3.90	24.5	40.2
2012	459	65.0	3.19	58.9	71.5	117	41.5	4.14	33.8	50.4
2013	499	67.0	3.15	60.9	73.4	105	33.4	3.53	26.8	41.0
2014	497	66.1	3.11	60.2	72.5	99	30.8	3.31	24.7	38.0
2015	462	60.4	2.95	54.7	66.4	120	35.3	3.40	28.9	42.6
2016	481	61.2	2.91	55.6	67.1	122	34.4	3.24	28.3	41.3
2017	433	55.5	2.78	50.1	61.2	124	34.5	3.21	28.5	41.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	106,518	46.5	0.14	46.2	46.8	89,653	45.6	0.15	45.3	45.9
1986	3,298	53.0	0.93	51.2	54.9	2,920	52.4	0.99	50.5	54.4
1987	3,414	54.4	0.94	52.5	56.2	3,051	54.4	1.00	52.5	56.4
1988	3,371	52.9	0.92	51.1	54.7	2,964	52.1	0.97	50.2	54.0
1989	3,276	51.5	0.91	49.7	53.3	2,891	50.9	0.96	49.1	52.9
1990	3,370	52.3	0.91	50.6	54.1	2,980	52.0	0.97	50.2	54.0
1991	3,291	50.5	0.89	48.8	52.3	2,891	50.0	0.94	48.2	51.9
1992	3,225	48.8	0.87	47.1	50.5	2,865	48.8	0.93	47.0	50.7
1993	3,353	50.0	0.87	48.3	51.7	2,934	49.6	0.93	47.8	51.4
1994	3,577	52.9	0.89	51.2	54.7	3,115	52.2	0.95	50.4	54.1
1995	3,450	50.8	0.87	49.1	52.5	2,980	49.9	0.93	48.1	51.8
1996	3,513	51.2	0.87	49.5	52.9	3,025	50.3	0.93	48.5	52.2
1997	3,572	51.7	0.87	50.0	53.5	3,056	50.7	0.93	48.9	52.6
1998	3,756	54.1	0.89	52.3	55.8	3,192	52.8	0.95	51.0	54.7
1999	3,580	51.1	0.86	49.5	52.9	3,059	50.2	0.92	48.4	52.1
2000	3,637	51.5	0.86	49.9	53.3	3,091	50.5	0.92	48.7	52.4
2001	3,551	50.1	0.85	48.4	51.8	2,977	48.6	0.90	46.9	50.4
2002	3,604	50.6	0.85	48.9	52.3	2,995	48.8	0.90	47.0	50.6
2003	3,460	48.3	0.83	46.7	50.0	2,838	46.2	0.88	44.4	47.9
2004	3,580	49.5	0.84	47.9	51.2	2,986	48.3	0.90	46.5	50.1
2005	3,465	47.7	0.82	46.1	49.3	2,860	46.1	0.88	44.4	47.9
2006	3,509	48.0	0.82	46.4	49.7	2,874	46.4	0.88	44.7	48.1
2007	3,363	45.5	0.80	44.0	47.1	2,765	44.3	0.86	42.6	46.0
2008	3,294	44.2	0.78	42.7	45.7	2,707	43.2	0.85	41.6	44.9
2009	3,082	41.0	0.75	39.6	42.5	2,545	40.4	0.82	38.8	42.0
2010	3,036	39.6	0.73	38.2	41.0	2,422	37.9	0.79	36.4	39.5
2011	3,122	40.2	0.73	38.8	41.7	2,480	38.4	0.79	36.9	40.0
2012	2,929	37.3	0.70	35.9	38.7	2,339	35.9	0.76	34.4	37.4
2013	2,978	37.5	0.70	36.1	38.9	2,387	36.4	0.77	34.9	38.0
2014	2,944	36.7	0.69	35.3	38.0	2,349	35.5	0.75	34.0	37.0
2015	2,933	36.4	0.69	35.0	37.7	2,351	35.5	0.76	34.1	37.1
2016	3,113	38.8	0.71	37.4	40.2	2,474	37.9	0.79	36.4	39.5
2017	2,872	35.0	0.67	33.7	36.4	2,290	34.5	0.75	33.0	36.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon and Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	14,629	53.9	0.45	53.0	54.7	1,767	26.2	0.66	25.0	27.5
1986	353	57.0	3.10	51.1	63.4	20	30.6	8.18	16.8	50.0
1987	339	52.8	2.93	47.2	58.8	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.05	52.4	64.5	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	370	56.0	2.96	50.3	62.1	17	22.2	5.91	12.2	36.3
1991	360	53.2	2.85	47.8	59.1	26	28.2	5.99	17.7	42.1
1992	328	46.4	2.60	41.5	51.8	23	26.5	6.19	15.8	40.9
1993	380	54.4	2.82	49.0	60.2	34	30.4	5.77	20.2	43.6
1994	417	57.9	2.87	52.4	63.8	37	32.9	5.96	22.3	46.4
1995	420	56.9	2.81	51.5	62.6	45	37.5	6.15	26.4	51.2
1996	440	59.5	2.86	54.0	65.4	42	35.7	5.99	24.9	49.0
1997	471	62.7	2.92	57.1	68.7	36	22.3	3.94	15.3	31.4
1998	499	64.9	2.93	59.2	70.8	48	34.3	5.32	24.7	46.1
1999	459	57.0	2.68	51.9	62.5	50	32.9	4.98	23.9	44.0
2000	474	58.0	2.68	52.9	63.5	55	35.0	5.04	25.8	46.1
2001	512	62.2	2.77	56.9	67.9	48	25.9	3.99	18.7	34.8
2002	530	63.1	2.76	57.8	68.7	60	32.3	4.41	24.2	41.9
2003	539	63.4	2.75	58.1	69.0	62	30.1	4.01	22.8	39.0
2004	529	60.5	2.65	55.4	65.9	53	23.9	3.46	17.6	31.5
2005	514	57.7	2.57	52.7	62.9	70	30.3	3.82	23.3	38.7
2006	533	58.7	2.57	53.8	64.0	80	31.7	3.74	24.8	39.9
2007	513	55.4	2.47	50.6	60.4	72	28.0	3.49	21.6	35.6
2008	509	54.0	2.42	49.4	59.0	65	23.0	3.02	17.5	29.7
2009	455	47.3	2.24	43.0	51.9	63	23.3	3.11	17.6	30.1
2010	511	52.0	2.33	47.5	56.7	80	26.9	3.17	21.0	33.8
2011	545	53.7	2.33	49.2	58.5	77	24.9	2.97	19.4	31.4
2012	483	47.1	2.17	42.9	51.5	89	27.4	3.04	21.7	33.9
2013	495	46.9	2.14	42.8	51.3	85	23.3	2.64	18.4	29.0
2014	473	44.6	2.08	40.6	48.9	81	22.0	2.52	17.3	27.5
2015	475	43.4	2.03	39.5	47.6	85	21.4	2.40	17.0	26.6
2016	510	46.1	2.08	42.1	50.4	98	23.1	2.39	18.7	28.3
2017	464	40.8	1.93	37.1	44.8	96	21.8	2.26	17.6	26.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	155,476	39.2	0.10	39.0	39.4	130,916	38.4	0.11	38.2	38.6
1986	4,687	44.9	0.66	43.6	46.3	4,163	44.7	0.70	43.3	46.1
1987	4,852	45.8	0.67	44.6	47.2	4,341	46.0	0.71	44.7	47.4
1988	4,857	45.6	0.66	44.3	46.9	4,254	44.9	0.69	43.5	46.3
1989	4,680	43.6	0.64	42.3	44.9	4,129	43.3	0.68	41.9	44.6
1990	4,859	44.9	0.65	43.6	46.2	4,270	44.4	0.69	43.1	45.8
1991	4,721	43.1	0.63	41.8	44.3	4,184	43.1	0.67	41.7	44.4
1992	4,754	42.7	0.62	41.5	43.9	4,207	42.7	0.66	41.4	44.0
1993	4,811	42.7	0.62	41.5	43.9	4,208	42.3	0.65	41.0	43.6
1994	5,113	45.0	0.63	43.8	46.2	4,456	44.5	0.67	43.2	45.8
1995	4,882	42.6	0.61	41.4	43.8	4,169	41.4	0.64	40.1	42.7
1996	5,000	43.3	0.61	42.1	44.5	4,294	42.4	0.65	41.1	43.7
1997	5,136	44.1	0.62	42.9	45.3	4,398	43.1	0.65	41.9	44.4
1998	5,422	46.0	0.62	44.8	47.2	4,583	44.5	0.66	43.3	45.9
1999	5,275	44.3	0.61	43.1	45.5	4,492	43.4	0.65	42.1	44.7
2000	5,417	45.1	0.61	44.0	46.4	4,591	44.1	0.65	42.8	45.4
2001	5,239	43.3	0.60	42.1	44.5	4,403	42.0	0.63	40.8	43.3
2002	5,259	43.1	0.59	41.9	44.3	4,376	41.6	0.63	40.4	42.8
2003	5,234	42.4	0.59	41.2	43.6	4,320	40.7	0.62	39.5	41.9
2004	5,236	42.1	0.58	40.9	43.2	4,376	41.0	0.62	39.8	42.3
2005	5,030	39.9	0.57	38.8	41.1	4,162	38.7	0.60	37.5	39.9
2006	5,107	40.1	0.56	39.0	41.3	4,190	38.6	0.60	37.5	39.8
2007	4,985	38.6	0.55	37.5	39.7	4,119	37.5	0.59	36.4	38.7
2008	4,772	36.4	0.53	35.3	37.4	3,887	35.0	0.57	33.9	36.2
2009	4,534	34.1	0.51	33.1	35.2	3,707	33.1	0.55	32.0	34.2
2010	4,498	33.3	0.50	32.3	34.3	3,604	31.7	0.54	30.7	32.8
2011	4,624	33.7	0.50	32.7	34.7	3,726	32.5	0.54	31.4	33.6
2012	4,392	31.4	0.48	30.5	32.4	3,538	30.2	0.52	29.2	31.2
2013	4,413	30.9	0.47	30.0	31.8	3,531	29.7	0.51	28.7	30.7
2014	4,402	30.3	0.46	29.4	31.2	3,501	29.1	0.50	28.1	30.1
2015	4,455	30.4	0.46	29.5	31.3	3,605	29.8	0.51	28.8	30.8
2016	4,574	31.0	0.47	30.1	31.9	3,684	30.3	0.51	29.4	31.4
2017	4,256	28.3	0.44	27.5	29.2	3,448	28.0	0.49	27.1	29.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	21,503	47.3	0.33	46.7	48.0	2,398	20.2	0.44	19.3	21.1
1986	493	47.4	2.22	43.2	51.9	26	23.1	5.41	13.8	35.6
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	28	24.1	5.22	15.0	36.0
1989	511	46.8	2.13	42.7	51.1	32	20.1	4.01	13.0	29.3
1990	551	50.2	2.21	46.0	54.7	34	25.0	4.94	16.3	36.2
1991	498	44.1	2.03	40.2	48.2	20	14.0	3.40	8.2	22.0
1992	497	42.3	1.95	38.6	46.3	34	21.9	4.21	14.4	31.4
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	600	50.7	2.12	46.6	55.0	51	24.9	3.89	17.9	33.5
1995	644	53.0	2.14	48.9	57.3	57	26.7	3.88	19.6	35.2
1996	634	51.1	2.08	47.1	55.3	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.5	55	21.7	3.20	15.9	28.8
1998	759	59.5	2.21	55.3	64.0	65	27.2	3.75	20.4	35.4
1999	680	51.1	2.00	47.2	55.1	79	29.6	3.73	22.8	37.7
2000	727	53.7	2.03	49.8	57.9	83	28.5	3.45	22.2	36.0
2001	738	54.0	2.03	50.1	58.1	75	21.4	2.72	16.4	27.4
2002	779	55.9	2.04	52.0	60.0	82	26.7	3.21	20.7	33.6
2003	806	56.9	2.05	53.0	61.1	76	20.9	2.58	16.1	26.5
2004	771	52.8	1.94	49.1	56.8	72	19.3	2.48	14.7	24.7
2005	747	50.8	1.90	47.1	54.6	89	21.7	2.45	17.1	27.0
2006	797	52.5	1.90	48.9	56.4	96	20.7	2.29	16.5	25.6
2007	751	48.5	1.81	45.0	52.1	90	20.2	2.29	16.0	25.1
2008	762	48.3	1.79	44.8	51.9	101	21.1	2.28	16.9	26.0
2009	716	44.4	1.70	41.1	47.9	80	16.9	2.04	13.1	21.3
2010	763	46.5	1.72	43.2	50.0	100	19.7	2.11	15.7	24.2
2011	776	45.4	1.67	42.2	48.8	91	16.2	1.81	12.8	20.1
2012	697	40.9	1.58	37.8	44.1	131	22.5	2.08	18.6	26.9
2013	739	41.5	1.56	38.5	44.7	115	17.7	1.75	14.4	21.5
2014	741	40.9	1.54	37.9	44.0	108	15.9	1.59	12.9	19.3
2015	697	37.4	1.45	34.6	40.3	129	17.9	1.64	14.8	21.4
2016	718	38.1	1.45	35.3	41.0	134	17.3	1.53	14.4	20.6
2017	641	33.4	1.35	30.8	36.2	130	16.7	1.50	13.8	19.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	74,571	44.8	0.17	44.5	45.1	62,998	44.0	0.18	43.7	44.4
1986	2,226	53.3	1.18	51.0	55.7	2,004	53.8	1.25	51.4	56.3
1987	2,276	53.8	1.18	51.5	56.2	2,037	54.2	1.25	51.7	56.7
1988	2,269	53.2	1.16	51.0	55.6	1,989	52.5	1.22	50.1	54.9
1989	2,202	51.0	1.13	48.8	53.2	1,950	50.9	1.19	48.6	53.3
1990	2,295	52.7	1.14	50.5	54.9	2,018	52.1	1.20	49.8	54.5
1991	2,274	51.6	1.12	49.4	53.9	2,031	52.2	1.20	49.9	54.6
1992	2,343	52.7	1.12	50.5	54.9	2,074	52.8	1.19	50.5	55.2
1993	2,254	49.7	1.08	47.6	51.8	1,971	49.3	1.14	47.1	51.5
1994	2,333	51.2	1.09	49.0	53.3	2,047	50.9	1.15	48.6	53.2
1995	2,272	49.3	1.06	47.2	51.4	1,931	47.8	1.11	45.6	50.0
1996	2,292	49.3	1.05	47.3	51.4	1,969	48.4	1.11	46.3	50.7
1997	2,397	50.8	1.06	48.8	52.9	2,052	49.8	1.12	47.7	52.1
1998	2,519	52.6	1.07	50.6	54.8	2,135	51.2	1.12	49.0	53.4
1999	2,501	51.6	1.05	49.6	53.7	2,150	51.0	1.11	48.9	53.2
2000	2,584	52.5	1.05	50.5	54.6	2,199	51.5	1.11	49.4	53.8
2001	2,482	50.2	1.02	48.3	52.3	2,101	49.2	1.08	47.1	51.4
2002	2,518	50.0	1.01	48.0	52.0	2,110	48.6	1.07	46.5	50.7
2003	2,587	50.4	1.01	48.4	52.4	2,158	48.9	1.06	46.8	51.0
2004	2,484	47.8	0.97	45.9	49.7	2,099	47.1	1.04	45.1	49.2
2005	2,406	45.3	0.94	43.5	47.2	2,010	44.2	1.00	42.2	46.2
2006	2,452	45.6	0.94	43.8	47.5	2,020	44.0	0.99	42.1	46.0
2007	2,413	43.9	0.91	42.1	45.7	1,991	42.5	0.97	40.6	44.4
2008	2,295	40.8	0.87	39.1	42.5	1,850	38.8	0.91	37.0	40.6
2009	2,179	38.1	0.83	36.5	39.8	1,767	36.5	0.88	34.8	38.2
2010	2,237	38.3	0.83	36.7	40.0	1,806	36.6	0.88	34.9	38.4
2011	2,257	37.6	0.81	36.1	39.3	1,844	36.6	0.87	34.9	38.3
2012	2,182	35.8	0.78	34.3	37.4	1,770	34.4	0.83	32.8	36.1
2013	2,190	34.9	0.76	33.4	36.4	1,747	33.2	0.81	31.7	34.9
2014	2,224	34.6	0.75	33.1	36.1	1,775	33.0	0.80	31.5	34.6
2015	2,237	34.3	0.74	32.9	35.8	1,822	33.5	0.80	32.0	35.1
2016	2,269	34.1	0.74	32.7	35.6	1,835	33.2	0.79	31.6	34.8
2017	2,122	31.6	0.70	30.2	33.0	1,736	31.1	0.77	29.6	32.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	9,977	54.7	0.58	53.6	55.9	1,247	24.0	0.75	22.5	25.5
1986	210	50.7	3.78	43.6	58.6	11	23.8	8.51	10.1	45.0
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	258	61.4	4.09	53.7	69.9	17	35.3	10.07	18.4	59.2
1989	235	54.9	3.83	47.7	62.9	12	20.4	6.29	10.0	36.1
1990	251	58.4	3.94	50.9	66.5	24	39.4	9.59	22.9	61.7
1991	227	49.3	3.49	42.7	56.6	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	18	24.5	6.64	13.2	40.3
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	260	57.3	3.82	50.0	65.2	24	25.8	5.88	15.6	39.6
1995	303	63.1	3.86	55.8	71.1	30	33.0	6.57	21.4	48.0
1996	285	56.3	3.55	49.6	63.6	36	38.8	7.75	25.1	56.3
1997	305	59.5	3.62	52.6	67.0	31	30.4	6.24	19.5	44.7
1998	352	68.5	3.88	61.1	76.5	27	27.1	6.20	16.3	41.3
1999	298	57.2	3.52	50.5	64.5	40	37.7	7.30	24.8	54.1
2000	336	63.0	3.64	56.1	70.5	44	32.8	5.85	22.3	45.9
2001	329	59.8	3.48	53.2	67.0	40	25.6	4.63	17.4	36.2
2002	358	65.1	3.64	58.1	72.6	39	31.4	5.73	21.2	44.2
2003	375	66.4	3.63	59.5	73.9	36	24.1	4.70	15.8	34.7
2004	341	57.6	3.29	51.3	64.3	35	23.4	4.47	15.5	33.5
2005	339	59.0	3.40	52.6	66.0	39	21.0	3.68	14.4	29.4
2006	374	61.3	3.34	54.9	68.2	50	25.1	4.07	17.8	34.2
2007	361	57.8	3.21	51.7	64.4	45	23.4	3.89	16.4	32.1
2008	375	58.8	3.21	52.7	65.4	56	27.3	4.10	19.9	36.4
2009	349	54.2	3.06	48.4	60.5	43	20.7	3.54	14.3	28.6
2010	361	53.9	3.00	48.2	60.1	55	25.0	3.75	18.2	33.3
2011	356	50.2	2.80	44.9	56.0	41	17.1	2.95	11.8	23.8
2012	325	47.7	2.77	42.4	53.4	72	26.6	3.38	20.4	34.0
2013	360	49.5	2.75	44.3	55.2	62	21.5	2.99	16.1	28.1
2014	373	50.6	2.75	45.3	56.2	53	16.5	2.39	12.1	21.8
2015	328	43.4	2.51	38.6	48.6	75	22.5	2.75	17.5	28.6
2016	338	43.7	2.48	39.0	48.8	77	22.2	2.64	17.3	28.0
2017	291	38.1	2.33	33.7	42.9	70	20.1	2.50	15.5	25.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	80,905	35.1	0.12	34.9	35.3	67,918	34.3	0.13	34.0	34.5
1986	2,461	39.6	0.81	38.1	41.2	2,159	38.8	0.85	37.2	40.5
1987	2,576	40.9	0.81	39.3	42.5	2,304	40.9	0.86	39.2	42.6
1988	2,588	40.5	0.80	38.9	42.1	2,265	39.6	0.84	38.0	41.3
1989	2,478	38.8	0.79	37.2	40.3	2,179	38.1	0.83	36.5	39.8
1990	2,564	39.7	0.79	38.2	41.3	2,252	39.1	0.84	37.5	40.8
1991	2,447	37.5	0.77	36.0	39.0	2,153	37.0	0.81	35.5	38.7
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7
1993	2,557	38.0	0.76	36.5	39.5	2,237	37.5	0.80	35.9	39.1
1994	2,780	40.9	0.78	39.4	42.5	2,409	40.1	0.83	38.5	41.8
1995	2,610	38.2	0.75	36.8	39.7	2,238	37.2	0.80	35.6	38.8
1996	2,708	39.3	0.76	37.8	40.8	2,325	38.4	0.81	36.8	40.0
1997	2,739	39.4	0.76	38.0	41.0	2,346	38.6	0.81	37.0	40.2
1998	2,903	41.5	0.78	40.0	43.0	2,448	40.1	0.82	38.5	41.7
1999	2,774	39.4	0.75	37.9	40.9	2,342	38.0	0.80	36.5	39.6
2000	2,833	39.9	0.76	38.4	41.4	2,392	38.7	0.80	37.1	40.3
2001	2,757	38.6	0.74	37.1	40.1	2,302	37.1	0.79	35.6	38.7
2002	2,741	38.3	0.74	36.8	39.7	2,266	36.6	0.78	35.0	38.1
2003	2,647	36.7	0.72	35.3	38.2	2,162	34.8	0.76	33.3	36.3
2004	2,752	37.8	0.73	36.4	39.2	2,277	36.4	0.78	34.9	38.0
2005	2,624	35.9	0.71	34.5	37.3	2,152	34.3	0.75	32.8	35.8
2006	2,655	36.2	0.71	34.8	37.6	2,170	34.7	0.76	33.2	36.2
2007	2,572	34.6	0.69	33.3	36.0	2,128	33.7	0.75	32.2	35.2
2008	2,477	33.1	0.68	31.8	34.5	2,037	32.3	0.73	30.9	33.7
2009	2,355	31.1	0.65	29.9	32.5	1,940	30.5	0.71	29.1	31.9
2010	2,261	29.3	0.63	28.1	30.6	1,798	27.8	0.67	26.5	29.2
2011	2,367	30.4	0.64	29.2	31.7	1,882	29.0	0.69	27.6	30.3
2012	2,210	27.9	0.61	26.8	29.2	1,768	26.8	0.65	25.5	28.1
2013	2,223	27.9	0.60	26.7	29.1	1,784	27.0	0.66	25.7	28.3
2014	2,178	26.9	0.59	25.8	28.1	1,726	25.8	0.64	24.6	27.1
2015	2,218	27.3	0.59	26.1	28.4	1,783	26.6	0.65	25.4	27.9
2016	2,305	28.5	0.61	27.3	29.7	1,849	28.1	0.68	26.7	29.4
2017	2,134	25.7	0.57	24.6	26.9	1,712	25.4	0.64	24.1	26.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Colon excluding Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,526	42.6	0.40	41.9	43.4	1,151	17.4	0.54	16.4	18.5
1986	283	45.7	2.78	40.4	51.4	15	22.8	6.99	11.3	39.9
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	310	48.0	2.78	42.7	53.7	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	12	14.9	4.70	7.2	26.5
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	340	47.6	2.61	42.6	52.9	27	24.0	5.13	15.1	35.9
1995	341	46.6	2.55	41.8	51.9	27	22.1	4.65	13.9	32.8
1996	349	47.2	2.55	42.4	52.5	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	407	53.3	2.67	48.2	58.8	38	27.7	4.81	19.1	38.5
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	391	48.1	2.45	43.4	53.2	39	25.1	4.26	17.4	34.6
2001	409	49.9	2.48	45.1	55.0	35	18.0	3.27	12.2	25.5
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	431	50.9	2.47	46.2	56.0	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	408	46.1	2.30	41.7	50.9	50	22.0	3.27	16.0	29.2
2006	423	46.9	2.30	42.5	51.6	46	17.7	2.74	12.7	23.8
2007	390	42.6	2.18	38.4	47.0	45	17.9	2.81	12.8	24.2
2008	387	41.5	2.13	37.4	45.9	45	16.5	2.61	11.8	22.4
2009	367	38.3	2.02	34.4	42.5	37	13.8	2.41	9.5	19.3
2010	402	41.2	2.08	37.2	45.5	45	15.7	2.46	11.3	21.2
2011	420	41.7	2.06	37.8	46.0	50	15.8	2.35	11.6	21.1
2012	372	36.6	1.92	32.9	40.6	59	18.8	2.57	14.2	24.5
2013	379	36.3	1.89	32.7	40.3	53	14.9	2.15	11.0	19.7
2014	368	34.6	1.83	31.1	38.4	55	15.1	2.10	11.3	19.8
2015	369	33.7	1.79	30.3	37.4	54	14.0	1.96	10.4	18.4
2016	380	34.4	1.80	31.0	38.1	57	13.3	1.81	10.0	17.4
2017	350	30.9	1.68	27.7	34.4	60	14.0	1.84	10.6	18.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	59,096	14.8	0.06	14.7	14.9	50,614	14.9	0.07	14.8	15.0
1986	1,788	16.8	0.40	16.0	17.6	1,629	17.2	0.43	16.4	18.1
1987	1,851	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4
1988	1,796	16.7	0.40	15.9	17.5	1,618	17.0	0.43	16.2	17.8
1989	1,725	16.0	0.39	15.3	16.8	1,548	16.2	0.42	15.4	17.1
1990	1,775	16.3	0.39	15.5	17.1	1,608	16.7	0.42	15.9	17.5
1991	1,851	16.8	0.39	16.0	17.5	1,643	16.9	0.42	16.1	17.7
1992	1,815	16.3	0.38	15.5	17.0	1,648	16.8	0.42	16.0	17.6
1993	1,783	15.8	0.37	15.0	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,719	15.0	0.36	14.3	15.8	1,534	15.3	0.39	14.6	16.1
1995	1,831	16.0	0.37	15.3	16.7	1,633	16.4	0.41	15.6	17.2
1996	1,803	15.6	0.37	14.9	16.4	1,594	15.9	0.40	15.1	16.7
1997	1,914	16.5	0.38	15.7	17.2	1,665	16.5	0.41	15.7	17.3
1998	1,950	16.6	0.38	15.9	17.3	1,727	17.0	0.41	16.2	17.8
1999	1,912	16.1	0.37	15.4	16.8	1,691	16.5	0.40	15.8	17.3
2000	1,910	15.9	0.36	15.2	16.7	1,665	16.2	0.40	15.4	17.0
2001	1,841	15.2	0.36	14.5	15.9	1,599	15.5	0.39	14.7	16.3
2002	2,019	16.6	0.37	15.8	17.3	1,743	16.8	0.40	16.0	17.6
2003	1,859	15.0	0.35	14.4	15.7	1,569	14.9	0.38	14.2	15.7
2004	1,962	15.7	0.36	15.0	16.4	1,657	15.7	0.39	14.9	16.4
2005	1,945	15.3	0.35	14.7	16.0	1,628	15.2	0.38	14.5	16.0
2006	1,933	15.0	0.34	14.3	15.7	1,605	14.8	0.37	14.1	15.5
2007	1,843	14.2	0.33	13.5	14.8	1,524	14.0	0.36	13.3	14.7
2008	1,941	14.6	0.33	13.9	15.2	1,612	14.5	0.36	13.8	15.2
2009	1,760	13.0	0.31	12.4	13.6	1,454	12.9	0.34	12.2	13.6
2010	1,863	13.5	0.32	12.9	14.2	1,545	13.5	0.35	12.8	14.2
2011	1,820	13.0	0.31	12.4	13.6	1,465	12.7	0.34	12.0	13.3
2012	1,780	12.5	0.30	11.9	13.1	1,442	12.3	0.33	11.6	12.9
2013	1,805	12.5	0.30	11.9	13.1	1,458	12.3	0.33	11.6	12.9
2014	1,799	12.3	0.29	11.7	12.8	1,473	12.2	0.32	11.6	12.8
2015	1,820	12.4	0.30	11.8	12.9	1,473	12.2	0.33	11.6	12.9
2016	1,866	12.5	0.30	12.0	13.1	1,483	12.2	0.33	11.6	12.8
2017	1,817	12.1	0.29	11.5	12.7	1,445	11.9	0.32	11.3	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,607	13.9	0.17	13.6	14.3	1,485	11.6	0.32	11.0	12.2
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	164	14.9	1.19	12.6	17.4	19	15.6	4.00	8.8	25.1
1988	147	12.9	1.10	10.8	15.2	24	18.4	4.18	11.1	28.1
1989	155	13.8	1.14	11.6	16.2	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	174	15.1	1.18	12.9	17.6	25	13.8	2.94	8.6	20.7
1992	143	12.0	1.04	10.1	14.2	20	9.6	2.47	5.4	15.6
1993	179	15.5	1.19	13.2	18.0	30	13.7	2.74	8.9	20.0
1994	159	12.6	1.02	10.7	14.8	18	7.9	2.05	4.4	12.9
1995	161	12.6	1.02	10.7	14.8	33	14.5	2.88	9.5	21.1
1996	168	13.2	1.03	11.2	15.3	37	13.8	2.44	9.4	19.4
1997	209	16.3	1.16	14.1	18.7	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	29	10.6	2.24	6.7	15.8
1999	182	13.2	0.99	11.3	15.2	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	35	11.4	2.13	7.6	16.2
2001	198	13.9	1.01	12.0	16.0	36	11.6	2.09	7.9	16.3
2002	218	15.3	1.06	13.3	17.5	41	12.0	1.99	8.4	16.4
2003	229	15.4	1.04	13.4	17.6	46	12.5	2.00	8.9	17.0
2004	245	15.9	1.03	13.9	18.0	47	11.6	1.83	8.3	15.7
2005	237	15.1	1.00	13.2	17.1	64	14.5	1.99	10.9	18.9
2006	242	15.3	1.00	13.4	17.3	67	15.7	2.06	11.9	20.2
2007	237	14.4	0.96	12.6	16.4	71	14.6	1.88	11.1	18.7
2008	249	15.0	0.97	13.1	17.0	61	11.1	1.53	8.3	14.5
2009	237	13.7	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.6	0.91	11.8	15.4	71	13.0	1.66	10.0	16.6
2011	274	15.0	0.93	13.3	17.0	67	11.6	1.52	8.9	15.0
2012	245	13.3	0.87	11.6	15.1	75	11.4	1.38	8.9	14.4
2013	255	13.4	0.86	11.8	15.2	75	10.1	1.22	7.9	12.8
2014	229	12.2	0.82	10.7	13.9	72	10.2	1.25	7.9	12.9
2015	240	12.5	0.83	10.9	14.2	76	9.8	1.17	7.7	12.4
2016	273	14.0	0.87	12.3	15.8	86	10.8	1.19	8.6	13.4
2017	256	12.9	0.83	11.4	14.7	90	10.7	1.15	8.6	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	33,483	19.3	0.11	19.1	19.5	28,879	19.5	0.12	19.2	19.7
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0
1987	1,013	22.8	0.74	21.3	24.3	920	23.3	0.79	21.7	24.9
1988	1,013	23.1	0.75	21.6	24.6	919	23.7	0.81	22.1	25.3
1989	927	21.0	0.72	19.6	22.5	836	21.3	0.76	19.8	22.8
1990	969	21.8	0.72	20.4	23.2	880	22.3	0.77	20.8	23.8
1991	1,007	22.2	0.72	20.8	23.7	905	22.6	0.77	21.1	24.2
1992	1,001	21.6	0.70	20.3	23.0	916	22.4	0.76	21.0	24.0
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7
1994	922	19.2	0.65	18.0	20.5	828	19.7	0.70	18.4	21.1
1995	991	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0
1996	998	20.6	0.66	19.3	21.9	894	21.2	0.72	19.8	22.7
1997	1,081	22.2	0.68	20.8	23.5	955	22.5	0.74	21.1	24.0
1998	1,097	22.3	0.68	21.0	23.7	983	23.0	0.74	21.5	24.5
1999	1,106	22.1	0.67	20.8	23.4	974	22.5	0.73	21.1	23.9
2000	1,106	21.6	0.66	20.3	22.9	966	21.9	0.71	20.5	23.3
2001	1,047	20.4	0.64	19.1	21.6	924	20.8	0.69	19.5	22.2
2002	1,156	22.0	0.66	20.8	23.3	1,014	22.5	0.71	21.1	23.9
2003	1,046	19.6	0.62	18.4	20.9	893	19.7	0.66	18.4	21.0
2004	1,134	20.8	0.63	19.6	22.1	948	20.4	0.67	19.1	21.8
2005	1,104	19.9	0.61	18.8	21.2	920	19.5	0.65	18.3	20.9
2006	1,079	19.0	0.59	17.9	20.2	901	18.7	0.63	17.5	19.9
2007	1,052	18.3	0.58	17.2	19.5	887	18.3	0.62	17.1	19.5
2008	1,124	19.1	0.58	18.0	20.3	942	19.0	0.63	17.8	20.3
2009	1,033	17.0	0.54	16.0	18.1	849	16.7	0.58	15.6	17.9
2010	1,088	17.6	0.55	16.6	18.7	921	17.7	0.59	16.5	18.9
2011	1,065	16.9	0.53	15.9	17.9	867	16.5	0.57	15.4	17.7
2012	1,061	16.4	0.51	15.4	17.4	871	16.1	0.56	15.0	17.2
2013	1,050	15.9	0.50	14.9	16.9	855	15.6	0.55	14.6	16.7
2014	1,033	15.4	0.49	14.4	16.4	850	15.2	0.53	14.2	16.3
2015	1,105	16.3	0.50	15.3	17.3	905	16.1	0.55	15.1	17.2
2016	1,058	15.3	0.48	14.3	16.3	858	15.0	0.52	13.9	16.0
2017	1,079	15.5	0.48	14.6	16.5	867	15.1	0.53	14.1	16.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,504	18.0	0.32	17.3	18.6	869	15.0	0.56	13.9	16.1
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	80	17.9	2.16	13.9	22.6	8	16.8	6.77	6.3	33.9
1990	79	17.6	2.13	13.7	22.2	9	15.2	5.88	6.0	30.3
1991	85	18.9	2.19	14.8	23.6	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	13	12.9	3.96	6.3	23.1
1993	95	20.2	2.25	16.1	25.0	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	82	16.6	1.95	13.0	20.8	15	12.4	3.62	6.4	21.6
1996	77	13.8	1.64	10.8	17.4	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	105	19.3	1.98	15.6	23.5	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	19	12.5	3.12	7.1	20.1
2001	95	16.2	1.75	12.9	19.9	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	24	16.7	3.84	10.0	25.7
2003	121	19.1	1.82	15.7	23.0	24	14.9	3.39	9.0	22.9
2004	146	23.4	2.04	19.6	27.7	31	17.9	3.70	11.4	26.4
2005	131	20.3	1.86	16.8	24.2	44	22.7	3.97	15.6	31.6
2006	132	20.1	1.84	16.7	24.0	33	17.8	3.40	11.7	25.5
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	127	18.6	1.74	15.3	22.3	41	17.0	3.00	11.6	23.8
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	36	15.0	2.75	10.1	21.3
2011	149	19.2	1.65	16.1	22.7	40	14.6	2.55	10.0	20.4
2012	134	17.3	1.57	14.4	20.7	45	14.9	2.38	10.6	20.3
2013	139	17.4	1.55	14.5	20.7	43	11.9	1.88	8.5	16.2
2014	124	15.6	1.46	12.8	18.7	46	14.4	2.29	10.2	19.5
2015	134	17.0	1.54	14.1	20.3	45	12.7	1.99	9.1	17.3
2016	143	17.5	1.52	14.6	20.7	45	12.2	1.88	8.8	16.5
2017	142	17.3	1.52	14.5	20.6	54	14.4	2.02	10.7	18.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	25,613	11.4	0.07	11.3	11.5	21,735	11.4	0.08	11.2	11.6
1986	837	13.4	0.47	12.5	14.3	761	13.6	0.50	12.7	14.6
1987	838	13.5	0.47	12.6	14.4	747	13.5	0.50	12.6	14.6
1988	783	12.4	0.45	11.5	13.3	699	12.4	0.48	11.5	13.4
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8
1990	806	12.6	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9
1991	844	13.1	0.46	12.2	14.0	738	13.0	0.49	12.0	14.0
1992	814	12.5	0.44	11.6	13.4	732	12.7	0.48	11.8	13.7
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1
1995	840	12.6	0.44	11.7	13.5	742	12.8	0.48	11.9	13.7
1996	805	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8
1997	833	12.3	0.43	11.5	13.2	710	12.1	0.46	11.2	13.0
1998	853	12.6	0.43	11.8	13.5	744	12.8	0.47	11.9	13.7
1999	806	11.8	0.42	11.0	12.6	717	12.2	0.46	11.3	13.1
2000	804	11.6	0.41	10.9	12.5	699	11.8	0.45	10.9	12.7
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4
2002	863	12.4	0.42	11.5	13.2	729	12.2	0.46	11.3	13.2
2003	813	11.6	0.41	10.8	12.4	676	11.3	0.44	10.5	12.2
2004	828	11.7	0.41	10.9	12.6	709	11.9	0.45	11.0	12.8
2005	841	11.8	0.41	11.0	12.6	708	11.8	0.45	10.9	12.7
2006	854	11.9	0.41	11.1	12.7	704	11.7	0.45	10.9	12.6
2007	791	10.9	0.39	10.2	11.7	637	10.6	0.43	9.8	11.4
2008	817	11.1	0.39	10.3	11.9	670	10.9	0.43	10.1	11.8
2009	727	9.9	0.37	9.2	10.6	605	9.9	0.41	9.1	10.7
2010	775	10.3	0.37	9.5	11.0	624	10.1	0.41	9.3	10.9
2011	755	9.8	0.36	9.1	10.6	598	9.4	0.40	8.7	10.2
2012	719	9.3	0.35	8.6	10.0	571	9.1	0.39	8.3	9.9
2013	755	9.6	0.36	8.9	10.4	603	9.4	0.39	8.7	10.3
2014	766	9.7	0.36	9.1	10.5	623	9.7	0.40	8.9	10.5
2015	715	9.1	0.35	8.4	9.8	568	8.9	0.39	8.2	9.7
2016	808	10.3	0.37	9.6	11.1	625	9.9	0.41	9.1	10.7
2017	738	9.3	0.35	8.6	10.0	578	9.1	0.39	8.3	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Rectum and Rectosigmoid Junction										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,103	11.2	0.20	10.8	11.6	616	8.9	0.37	8.1	9.6
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	83	12.8	1.43	10.2	15.9	7	9.2	3.57	3.6	19.0
1988	68	10.3	1.27	7.9	13.0	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	70	10.7	1.29	8.3	13.5	7	7.8	3.09	3.0	16.3
1991	89	12.7	1.38	10.2	15.7	14	13.3	3.72	7.0	22.7
1992	72	10.2	1.22	7.9	12.8	7	6.8	3.03	2.2	15.0
1993	84	12.3	1.35	9.8	15.2	14	10.5	3.01	5.4	18.1
1994	77	10.4	1.19	8.2	13.0	10	8.9	3.04	3.9	16.6
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	109	14.3	1.38	11.7	17.3	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	10	6.6	2.27	2.9	12.4
1999	77	9.4	1.07	7.4	11.7	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	16	9.9	2.70	5.4	16.5
2001	103	12.3	1.22	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	109	12.8	1.24	10.5	15.5	17	8.7	2.18	4.9	14.0
2003	108	12.5	1.21	10.2	15.1	22	10.6	2.41	6.4	16.4
2004	99	10.9	1.11	8.9	13.3	16	7.0	1.83	3.9	11.5
2005	106	11.5	1.13	9.4	14.0	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	123	12.8	1.17	10.6	15.3	27	10.2	2.07	6.5	15.0
2008	122	12.5	1.15	10.4	15.0	20	6.5	1.52	3.9	10.2
2009	88	9.0	0.97	7.2	11.1	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	125	12.0	1.09	10.0	14.3	27	9.1	1.82	5.9	13.3
2012	111	10.5	1.01	8.6	12.7	30	8.5	1.62	5.6	12.3
2013	116	10.6	1.00	8.7	12.7	32	8.4	1.53	5.6	11.9
2014	105	10.0	0.99	8.1	12.1	26	6.9	1.38	4.4	10.2
2015	106	9.7	0.96	7.9	11.8	31	7.4	1.37	5.0	10.6
2016	130	11.7	1.04	9.7	13.9	41	9.8	1.56	7.0	13.4
2017	114	10.0	0.95	8.2	12.0	36	7.8	1.31	5.4	10.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,722	1.4	0.02	1.4	1.5	4,770	1.4	0.02	1.4	1.5
1986	97	0.9	0.09	0.7	1.1	81	0.9	0.10	0.7	1.1
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3
1996	116	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	171	1.4	0.11	1.2	1.7	141	1.4	0.12	1.2	1.6
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6
2002	156	1.3	0.10	1.1	1.5	129	1.3	0.11	1.1	1.5
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1
2005	175	1.4	0.10	1.2	1.6	143	1.3	0.11	1.1	1.6
2006	180	1.4	0.11	1.2	1.6	143	1.3	0.11	1.1	1.6
2007	223	1.7	0.11	1.5	1.9	187	1.7	0.13	1.5	2.0
2008	207	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7
2009	244	1.8	0.12	1.6	2.1	205	1.8	0.13	1.6	2.1
2010	231	1.7	0.11	1.5	1.9	182	1.6	0.12	1.4	1.9
2011	226	1.6	0.11	1.4	1.9	179	1.6	0.12	1.3	1.8
2012	245	1.7	0.11	1.5	1.9	206	1.7	0.12	1.5	2.0
2013	275	1.9	0.12	1.7	2.2	238	2.0	0.13	1.8	2.3
2014	300	2.0	0.12	1.8	2.3	250	2.0	0.13	1.8	2.3
2015	257	1.7	0.11	1.5	1.9	217	1.7	0.12	1.5	2.0
2016	305	2.0	0.12	1.8	2.3	259	2.1	0.13	1.8	2.4
2017	293	1.9	0.11	1.7	2.1	238	1.9	0.13	1.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	876	1.8	0.06	1.7	1.9	46	0.4	0.06	0.3	0.5
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	24	1.5	0.30	0.9	2.2	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	5	1.6	0.78	0.5	3.8
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	3	0.5	0.32	0.1	1.6
2009	34	2.0	0.35	1.4	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.3	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	33	1.8	0.32	1.3	2.6	4	0.6	0.28	0.2	1.5
2013	34	1.9	0.32	1.3	2.6	0				
2014	48	2.5	0.37	1.8	3.3	1	0.2	0.20	0.0	1.0
2015	35	1.8	0.30	1.2	2.5	2	0.2	0.16	0.0	0.9
2016	41	2.1	0.34	1.5	2.9	4	0.5	0.24	0.1	1.3
2017	50	2.6	0.37	1.9	3.4	4	0.5	0.26	0.1	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,203	1.2	0.03	1.2	1.3	1,751	1.2	0.03	1.1	1.2
1986	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6
2002	64	1.1	0.14	0.9	1.5	50	1.1	0.15	0.8	1.4
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1
2005	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.9	1.5
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5
2007	79	1.4	0.16	1.1	1.7	65	1.4	0.17	1.0	1.7
2008	86	1.4	0.16	1.1	1.8	63	1.3	0.16	1.0	1.6
2009	88	1.5	0.16	1.2	1.8	71	1.4	0.17	1.1	1.8
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5
2011	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.8	1.4
2012	101	1.5	0.16	1.3	1.9	81	1.5	0.17	1.2	1.9
2013	106	1.7	0.17	1.4	2.0	88	1.7	0.18	1.4	2.1
2014	122	1.8	0.17	1.5	2.2	99	1.8	0.18	1.4	2.2
2015	100	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2016	104	1.5	0.15	1.2	1.8	82	1.4	0.16	1.1	1.8
2017	111	1.6	0.16	1.3	2.0	82	1.5	0.16	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	413	1.9	0.10	1.7	2.1	22	0.4	0.09	0.2	0.6
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	13	1.7	0.46	0.9	2.9	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	14	2.0	0.57	1.1	3.5	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.9	6.3	0				
2011	18	2.4	0.57	1.4	3.8	2	0.6	0.39	0.1	2.3
2012	16	1.9	0.47	1.1	3.1	3	0.8	0.47	0.2	2.6
2013	15	2.0	0.52	1.1	3.3	0				
2014	22	2.4	0.53	1.5	3.7	1	0.4	0.44	0.0	2.1
2015	14	1.5	0.40	0.8	2.5	1	0.2	0.22	0.0	1.5
2016	21	2.5	0.56	1.5	3.8	1	0.3	0.27	0.0	1.6
2017	26	3.2	0.66	2.1	4.8	3	1.0	0.61	0.2	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,519	1.6	0.03	1.6	1.7	3,019	1.6	0.03	1.6	1.7
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
1996	71	1.1	0.13	0.9	1.4	60	1.1	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8
2000	105	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8
2002	92	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.8
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2006	100	1.4	0.14	1.2	1.7	87	1.5	0.16	1.2	1.9
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5
2008	121	1.7	0.15	1.4	2.0	99	1.7	0.17	1.3	2.0
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6
2010	137	1.8	0.16	1.5	2.2	118	1.9	0.18	1.6	2.3
2011	150	2.0	0.16	1.7	2.3	124	2.0	0.18	1.7	2.4
2012	144	1.8	0.16	1.6	2.2	125	1.9	0.18	1.6	2.3
2013	169	2.2	0.17	1.9	2.5	150	2.4	0.20	2.0	2.8
2014	178	2.2	0.17	1.9	2.6	151	2.3	0.19	2.0	2.7
2015	157	1.9	0.16	1.6	2.3	132	2.0	0.18	1.6	2.4
2016	201	2.5	0.18	2.1	2.9	177	2.7	0.21	2.3	3.2
2017	182	2.2	0.16	1.9	2.5	156	2.3	0.19	2.0	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	463	1.6	0.08	1.5	1.8	24	0.3	0.07	0.2	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	2	1.0	0.74	0.1	3.5
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	3	1.0	0.61	0.2	3.0
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.6
2011	22	2.1	0.45	1.3	3.2	3	0.7	0.40	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	19	1.8	0.42	1.1	2.8	0				
2014	26	2.4	0.49	1.6	3.6	0				
2015	21	1.9	0.42	1.2	2.9	1	0.3	0.25	0.0	1.4
2016	20	1.9	0.42	1.1	2.9	3	0.7	0.39	0.1	2.0
2017	24	2.1	0.43	1.3	3.1	1	0.2	0.17	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	19,084	4.7	0.03	4.7	4.8	14,362	4.2	0.04	4.1	4.3
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2
1988	260	2.4	0.15	2.1	2.7	205	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.15	1.7	2.3
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6
1995	438	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6
1996	461	4.0	0.19	3.6	4.4	329	3.3	0.18	2.9	3.7
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4
2001	552	4.6	0.19	4.2	5.0	425	4.1	0.20	3.7	4.5
2002	592	4.9	0.20	4.5	5.3	444	4.3	0.20	3.9	4.7
2003	577	4.7	0.19	4.3	5.1	444	4.2	0.20	3.8	4.6
2004	640	5.1	0.20	4.7	5.5	491	4.7	0.21	4.3	5.1
2005	692	5.4	0.21	5.0	5.9	531	5.0	0.22	4.6	5.4
2006	688	5.3	0.20	4.9	5.7	518	4.8	0.21	4.4	5.2
2007	751	5.7	0.21	5.3	6.1	548	5.0	0.21	4.6	5.4
2008	743	5.5	0.20	5.1	5.9	543	4.8	0.21	4.4	5.3
2009	852	6.2	0.22	5.8	6.6	662	5.8	0.23	5.4	6.3
2010	890	6.4	0.22	6.0	6.8	680	5.9	0.23	5.5	6.4
2011	850	5.9	0.21	5.5	6.3	628	5.3	0.22	4.9	5.8
2012	901	6.1	0.21	5.7	6.5	689	5.6	0.22	5.2	6.1
2013	907	6.1	0.21	5.7	6.5	673	5.5	0.22	5.1	6.0
2014	998	6.5	0.21	6.1	6.9	737	5.9	0.22	5.5	6.4
2015	1,036	6.7	0.21	6.3	7.1	772	6.1	0.22	5.7	6.5
2016	1,001	6.3	0.20	5.9	6.7	743	5.7	0.22	5.3	6.2
2017	956	5.9	0.20	5.6	6.3	718	5.5	0.21	5.1	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,513	7.2	0.12	6.9	7.4	1,142	9.0	0.28	8.5	9.6
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	8	4.7	1.71	2.0	9.5
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	92	7.4	0.79	5.9	9.1	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	107	7.3	0.72	6.0	8.9	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	137	7.5	0.65	6.3	8.9	51	10.2	1.54	7.4	13.6
2010	158	8.7	0.71	7.4	10.2	49	8.4	1.27	6.1	11.2
2011	171	8.9	0.70	7.6	10.4	46	7.1	1.09	5.1	9.6
2012	154	7.9	0.65	6.7	9.3	53	8.9	1.30	6.5	11.8
2013	184	9.1	0.69	7.8	10.6	46	6.9	1.07	4.9	9.3
2014	182	8.8	0.67	7.5	10.2	71	10.3	1.26	7.9	13.0
2015	187	8.9	0.67	7.7	10.3	70	9.6	1.19	7.4	12.3
2016	179	8.4	0.64	7.2	9.8	75	9.2	1.10	7.2	11.7
2017	172	7.8	0.61	6.7	9.2	58	6.8	0.91	5.1	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	13,462	7.5	0.07	7.4	7.7	10,113	6.7	0.07	6.5	6.8
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6
1994	280	5.9	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8
1995	297	6.1	0.36	5.4	6.9	222	5.2	0.35	4.5	6.0
1996	307	6.2	0.36	5.5	6.9	208	4.8	0.34	4.2	5.6
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0
2001	377	7.2	0.38	6.5	8.0	291	6.5	0.38	5.8	7.3
2002	409	7.6	0.38	6.9	8.4	312	6.8	0.39	6.1	7.6
2003	408	7.4	0.37	6.7	8.2	317	6.8	0.38	6.1	7.6
2004	449	7.9	0.38	7.2	8.7	350	7.3	0.39	6.6	8.1
2005	502	8.8	0.40	8.1	9.7	388	8.1	0.42	7.3	9.0
2006	491	8.4	0.39	7.7	9.2	371	7.6	0.40	6.9	8.4
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6
2008	517	8.4	0.38	7.7	9.2	377	7.3	0.38	6.6	8.1
2009	648	10.4	0.42	9.6	11.3	504	9.7	0.44	8.8	10.6
2010	626	9.8	0.40	9.0	10.6	484	9.1	0.42	8.3	10.0
2011	640	9.7	0.39	9.0	10.5	463	8.5	0.40	7.7	9.3
2012	669	9.7	0.39	9.0	10.5	510	8.9	0.40	8.1	9.7
2013	667	9.7	0.38	8.9	10.4	490	8.6	0.40	7.8	9.4
2014	744	10.4	0.39	9.7	11.2	554	9.4	0.41	8.7	10.3
2015	768	10.8	0.40	10.0	11.6	574	9.7	0.42	8.9	10.6
2016	721	9.7	0.37	9.0	10.5	536	8.8	0.39	8.0	9.6
2017	664	8.9	0.36	8.2	9.6	502	8.2	0.38	7.5	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,476	11.9	0.25	11.4	12.4	830	14.2	0.54	13.2	15.3
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	53	11.6	1.70	8.5	15.3	13	11.2	3.32	5.6	19.8
1995	58	11.7	1.68	8.7	15.4	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	68	10.7	1.36	8.2	13.7	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	102	13.1	1.35	10.6	16.0	41	17.9	3.18	12.2	25.1
2010	105	13.3	1.35	10.8	16.2	35	12.4	2.24	8.4	17.6
2011	137	16.8	1.50	14.0	20.0	37	12.0	2.04	8.3	16.7
2012	120	14.2	1.34	11.7	17.0	38	15.0	2.70	10.2	21.1
2013	141	16.3	1.43	13.6	19.4	33	10.9	2.03	7.3	15.6
2014	134	15.1	1.37	12.6	18.1	50	15.5	2.36	11.3	20.8
2015	140	15.3	1.34	12.8	18.2	52	15.7	2.30	11.5	20.8
2016	125	13.7	1.27	11.3	16.4	57	14.9	2.06	11.2	19.5
2017	116	12.5	1.21	10.3	15.1	39	9.8	1.62	6.9	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,622	2.5	0.03	2.4	2.6	4,249	2.2	0.03	2.1	2.3
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1988	95	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5
1990	78	1.3	0.15	1.0	1.6	65	1.2	0.16	1.0	1.6
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7
1994	141	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2
1995	141	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2
1996	154	2.3	0.18	1.9	2.7	121	2.0	0.18	1.7	2.4
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6
2003	169	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5
2004	191	2.7	0.20	2.3	3.1	141	2.4	0.20	2.0	2.8
2005	190	2.7	0.20	2.3	3.1	143	2.4	0.20	2.0	2.8
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8
2007	206	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1
2009	204	2.8	0.20	2.4	3.2	158	2.6	0.21	2.2	3.0
2010	264	3.5	0.22	3.1	4.0	196	3.2	0.23	2.7	3.7
2011	210	2.8	0.19	2.4	3.2	165	2.6	0.21	2.3	3.1
2012	232	3.0	0.20	2.6	3.4	179	2.7	0.21	2.3	3.2
2013	240	3.0	0.20	2.7	3.5	183	2.9	0.22	2.5	3.3
2014	254	3.1	0.20	2.8	3.6	183	2.8	0.21	2.4	3.3
2015	268	3.3	0.20	2.9	3.7	198	2.9	0.21	2.5	3.4
2016	280	3.3	0.20	2.9	3.7	207	3.0	0.22	2.6	3.5
2017	292	3.4	0.20	3.0	3.8	216	3.1	0.22	2.7	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,037	3.8	0.12	3.5	4.0	312	4.8	0.28	4.3	5.4
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	3	3.8	2.20	0.8	10.9
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	26	3.6	0.71	2.3	5.2	4	3.2	1.68	0.8	8.3
1995	34	4.7	0.81	3.2	6.5	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	53	5.3	0.73	3.9	6.9	14	4.9	1.36	2.6	8.3
2011	34	3.3	0.57	2.2	4.6	9	2.7	0.96	1.2	5.3
2012	34	3.2	0.56	2.2	4.5	15	4.4	1.17	2.4	7.3
2013	43	3.8	0.59	2.8	5.2	13	3.5	1.02	1.8	6.1
2014	48	4.2	0.61	3.1	5.6	21	6.1	1.37	3.8	9.4
2015	47	4.2	0.62	3.0	5.6	18	4.7	1.15	2.7	7.5
2016	54	4.5	0.62	3.4	5.9	18	4.4	1.08	2.6	7.1
2017	56	4.5	0.61	3.4	5.9	19	4.4	1.04	2.6	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,628	1.4	0.02	1.4	1.5	4,724	1.4	0.02	1.3	1.4
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8
1990	161	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6
2001	171	1.4	0.11	1.2	1.6	155	1.5	0.12	1.3	1.7
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	168	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6
2007	170	1.3	0.10	1.1	1.5	146	1.3	0.11	1.1	1.6
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7
2009	186	1.4	0.10	1.2	1.6	148	1.3	0.11	1.1	1.5
2010	176	1.3	0.10	1.1	1.5	133	1.2	0.10	1.0	1.4
2011	201	1.5	0.11	1.3	1.7	157	1.4	0.11	1.2	1.6
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4
2013	196	1.4	0.10	1.2	1.6	149	1.3	0.11	1.1	1.5
2014	205	1.4	0.10	1.2	1.6	157	1.3	0.11	1.1	1.5
2015	215	1.5	0.10	1.3	1.7	169	1.4	0.11	1.2	1.6
2016	208	1.4	0.10	1.2	1.6	161	1.3	0.11	1.1	1.6
2017	187	1.2	0.09	1.1	1.4	139	1.1	0.10	0.9	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	736	1.6	0.06	1.5	1.7	150	1.3	0.11	1.1	1.5
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	10	1.1	0.34	0.5	1.9	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	37	2.2	0.37	1.5	3.0	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.6	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.34	1.4	2.8	10	1.5	0.49	0.7	2.8
2014	34	1.8	0.31	1.2	2.5	11	1.6	0.52	0.8	3.0
2015	34	1.8	0.31	1.2	2.5	10	1.5	0.47	0.7	2.7
2016	42	2.2	0.34	1.6	3.0	5	0.6	0.26	0.2	1.4
2017	38	1.9	0.32	1.4	2.7	8	0.9	0.33	0.4	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,549	1.0	0.02	0.9	1.0	1,289	0.9	0.03	0.9	1.0
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5
1988	44	1.1	0.18	0.8	1.5	37	1.0	0.18	0.7	1.4
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1993	28	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	53	1.1	0.15	0.8	1.5	48	1.2	0.17	0.9	1.5
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4
2003	37	0.8	0.12	0.5	1.0	31	0.7	0.13	0.5	1.0
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3
2007	50	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1
2009	55	1.0	0.13	0.7	1.3	42	0.9	0.14	0.6	1.2
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1
2013	58	1.0	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2
2014	49	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2015	59	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
2016	62	0.9	0.12	0.7	1.2	47	0.8	0.13	0.6	1.1
2017	61	0.9	0.12	0.7	1.2	45	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	202	1.2	0.09	1.0	1.3	54	1.0	0.14	0.7	1.3
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	0				
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	0				
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.86	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.51	0.7	2.9	2	0.8	0.59	0.1	2.9
2013	13	1.8	0.53	0.9	3.1	2	0.6	0.41	0.1	2.2
2014	8	1.0	0.39	0.4	2.1	5	1.8	0.85	0.5	4.2
2015	7	0.9	0.38	0.4	2.0	5	1.4	0.64	0.4	3.3
2016	13	1.7	0.48	0.9	2.9	2	0.6	0.43	0.1	2.1
2017	12	1.5	0.46	0.8	2.7	3	0.7	0.38	0.1	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,079	1.8	0.03	1.7	1.8	3,435	1.7	0.03	1.7	1.8
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2
1988	144	2.3	0.19	1.9	2.7	128	2.3	0.21	1.9	2.7
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4
1990	121	1.9	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4
1993	103	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4
1999	106	1.5	0.15	1.2	1.8	95	1.6	0.16	1.3	1.9
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2
2001	126	1.8	0.16	1.5	2.2	115	1.9	0.18	1.6	2.3
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0
2003	135	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4
2006	118	1.6	0.15	1.3	1.9	102	1.6	0.16	1.3	1.9
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0
2010	118	1.5	0.14	1.3	1.9	89	1.4	0.15	1.1	1.7
2011	132	1.7	0.15	1.4	2.0	101	1.6	0.16	1.3	1.9
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8
2013	138	1.7	0.15	1.5	2.1	106	1.6	0.16	1.3	2.0
2014	156	1.9	0.16	1.6	2.3	121	1.8	0.17	1.5	2.2
2015	156	1.9	0.15	1.6	2.2	122	1.8	0.17	1.5	2.2
2016	146	1.8	0.15	1.5	2.1	114	1.8	0.17	1.4	2.1
2017	126	1.5	0.14	1.3	1.8	94	1.4	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Gallbladder										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	534	2.0	0.09	1.8	2.1	96	1.5	0.16	1.2	1.8
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	9	1.5	0.52	0.7	2.9	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	4	2.5	1.27	0.6	6.9
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	6	3.8	1.59	1.4	8.0
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	26	2.5	0.50	1.6	3.7	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.85	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5
2014	26	2.4	0.48	1.6	3.5	6	1.5	0.65	0.5	3.4
2015	27	2.4	0.46	1.6	3.5	5	1.4	0.65	0.5	3.3
2016	29	2.5	0.47	1.7	3.6	3	0.5	0.31	0.1	1.7
2017	26	2.3	0.45	1.5	3.3	5	1.1	0.52	0.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	48,352	12.1	0.06	12.0	12.2	40,255	11.8	0.06	11.7	11.9
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0
1987	1,062	10.0	0.31	9.4	10.6	883	9.4	0.32	8.8	10.0
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1
1989	1,053	9.9	0.31	9.3	10.5	894	9.5	0.32	8.9	10.2
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9
1992	1,068	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8
1994	1,327	11.7	0.32	11.0	12.3	1,105	11.1	0.33	10.4	11.7
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9
1996	1,383	12.0	0.32	11.4	12.7	1,174	11.7	0.34	11.0	12.4
1997	1,317	11.3	0.31	10.7	11.9	1,128	11.1	0.33	10.5	11.8
1998	1,416	12.0	0.32	11.4	12.7	1,205	11.8	0.34	11.1	12.5
1999	1,432	12.1	0.32	11.5	12.7	1,203	11.7	0.34	11.0	12.4
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8
2001	1,509	12.5	0.32	11.9	13.1	1,259	12.1	0.34	11.5	12.8
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5
2003	1,535	12.4	0.32	11.8	13.1	1,260	11.9	0.34	11.2	12.6
2004	1,601	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3
2005	1,674	13.2	0.32	12.6	13.9	1,365	12.6	0.34	12.0	13.3
2006	1,599	12.6	0.32	12.0	13.2	1,294	11.9	0.33	11.3	12.6
2007	1,661	12.8	0.32	12.2	13.5	1,377	12.5	0.34	11.9	13.2
2008	1,730	13.1	0.32	12.5	13.8	1,432	12.8	0.34	12.2	13.5
2009	1,827	13.7	0.32	13.1	14.3	1,515	13.4	0.35	12.7	14.1
2010	1,778	13.2	0.32	12.6	13.8	1,486	13.0	0.34	12.4	13.7
2011	1,797	13.0	0.31	12.4	13.7	1,489	12.9	0.34	12.3	13.6
2012	1,846	13.0	0.31	12.4	13.6	1,517	12.8	0.33	12.2	13.5
2013	1,901	13.1	0.31	12.5	13.7	1,564	12.9	0.33	12.3	13.6
2014	1,944	13.2	0.30	12.6	13.8	1,583	12.9	0.33	12.3	13.6
2015	2,050	13.8	0.31	13.2	14.4	1,646	13.4	0.34	12.8	14.1
2016	2,023	13.4	0.30	12.8	14.0	1,676	13.5	0.34	12.8	14.1
2017	2,184	14.1	0.31	13.5	14.8	1,830	14.4	0.34	13.7	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,186	15.9	0.19	15.5	16.3	841	7.5	0.27	6.9	8.0
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	11	9.9	3.33	4.5	18.1
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	125	11.4	1.04	9.4	13.6	9	5.6	2.19	2.2	11.3
1992	157	13.0	1.07	11.0	15.3	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	246	17.4	1.14	15.3	19.8	28	8.5	1.71	5.5	12.4
2004	221	15.2	1.04	13.2	17.4	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.6	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	31	6.4	1.25	4.2	9.3
2008	256	16.2	1.04	14.3	18.4	40	9.2	1.56	6.4	12.7
2009	274	17.3	1.07	15.3	19.5	37	7.8	1.38	5.3	10.9
2010	253	15.9	1.02	13.9	18.0	34	6.4	1.18	4.3	9.1
2011	263	15.7	0.99	13.8	17.7	42	7.5	1.24	5.3	10.3
2012	280	16.2	0.99	14.3	18.3	44	7.5	1.21	5.3	10.3
2013	293	16.5	0.98	14.6	18.5	39	6.3	1.07	4.4	8.8
2014	301	16.6	0.98	14.7	18.6	56	8.4	1.17	6.2	11.0
2015	351	19.0	1.04	17.1	21.2	48	7.0	1.05	5.1	9.3
2016	300	15.8	0.94	14.1	17.8	43	5.9	0.93	4.2	8.0
2017	302	15.5	0.91	13.7	17.4	38	4.9	0.82	3.4	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	23,765	14.0	0.09	13.8	14.2	19,989	13.7	0.10	13.5	13.9
1986	493	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1
1989	475	10.6	0.50	9.6	11.6	413	10.5	0.53	9.5	11.6
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6
1992	514	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5
1997	620	12.8	0.52	11.8	13.9	534	12.7	0.56	11.7	13.9
1998	644	13.3	0.53	12.3	14.4	551	13.1	0.57	12.1	14.3
1999	692	13.9	0.54	12.9	15.0	590	13.7	0.57	12.6	14.8
2000	744	14.8	0.55	13.8	15.9	633	14.6	0.59	13.5	15.8
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9
2004	818	15.5	0.55	14.4	16.6	699	15.5	0.59	14.4	16.7
2005	788	14.7	0.53	13.6	15.7	644	14.0	0.56	13.0	15.2
2006	803	14.6	0.52	13.6	15.7	653	13.9	0.55	12.9	15.1
2007	815	14.6	0.52	13.6	15.6	682	14.3	0.55	13.2	15.4
2008	871	15.4	0.53	14.3	16.4	729	15.1	0.57	14.0	16.2
2009	903	15.5	0.53	14.5	16.6	757	15.3	0.57	14.2	16.5
2010	888	15.1	0.52	14.1	16.2	759	15.2	0.56	14.1	16.4
2011	902	14.9	0.51	13.9	15.9	768	15.0	0.55	13.9	16.1
2012	919	14.6	0.49	13.6	15.6	758	14.3	0.53	13.2	15.3
2013	979	15.3	0.50	14.4	16.4	824	15.4	0.55	14.3	16.5
2014	1,010	15.5	0.50	14.5	16.5	841	15.4	0.54	14.3	16.5
2015	1,048	16.0	0.51	15.0	17.0	849	15.5	0.55	14.5	16.6
2016	1,032	15.5	0.50	14.6	16.5	873	15.7	0.55	14.7	16.8
2017	1,130	16.3	0.50	15.3	17.3	973	16.9	0.55	15.8	18.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,318	17.8	0.32	17.1	18.4	422	8.3	0.45	7.5	9.2
1986	68	14.4	1.85	11.0	18.4	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	3	2.6	1.52	0.5	9.1
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	53	12.0	1.74	8.8	15.9	4	7.0	4.48	1.1	19.6
1992	76	16.7	2.05	12.9	21.1	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	128	22.2	2.08	18.3	26.6	17	11.5	3.18	6.2	19.2
2004	104	16.5	1.70	13.4	20.2	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.3	1.88	16.8	24.3	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	22	9.1	2.23	5.3	14.5
2008	121	18.8	1.80	15.5	22.7	21	11.8	2.87	6.9	18.5
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	108	16.1	1.63	13.1	19.6	18	7.4	1.88	4.2	12.0
2011	117	17.2	1.67	14.1	20.8	17	7.5	2.02	4.1	12.4
2012	138	19.4	1.73	16.1	23.1	22	7.8	1.80	4.6	12.1
2013	136	18.2	1.65	15.2	21.7	16	5.9	1.57	3.2	9.7
2014	140	18.5	1.64	15.4	22.0	28	8.7	1.76	5.6	12.8
2015	169	22.1	1.78	18.7	25.9	27	8.2	1.67	5.2	12.1
2016	138	18.2	1.62	15.2	21.6	19	6.0	1.45	3.5	9.5
2017	133	16.0	1.45	13.3	19.1	16	4.6	1.20	2.6	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	24,587	10.6	0.07	10.5	10.8	20,266	10.2	0.07	10.1	10.4
1986	552	8.7	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1
1987	548	8.7	0.37	7.9	9.4	453	8.0	0.38	7.3	8.8
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0
1994	678	9.9	0.38	9.2	10.7	564	9.4	0.40	8.6	10.2
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6
1996	730	10.6	0.40	9.9	11.5	620	10.3	0.42	9.5	11.2
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7
1998	772	11.1	0.40	10.3	11.9	654	10.8	0.43	10.0	11.7
1999	740	10.5	0.39	9.8	11.3	613	10.0	0.41	9.2	10.9
2000	740	10.5	0.39	9.8	11.3	615	10.1	0.41	9.3	11.0
2001	771	10.9	0.40	10.2	11.7	634	10.4	0.42	9.6	11.2
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3
2003	772	10.7	0.39	10.0	11.5	642	10.4	0.42	9.6	11.2
2004	783	10.7	0.39	9.9	11.4	654	10.4	0.41	9.6	11.2
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4
2006	796	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1
2007	846	11.4	0.40	10.6	12.2	695	11.0	0.43	10.2	11.9
2008	859	11.4	0.39	10.6	12.2	703	11.0	0.42	10.2	11.9
2009	924	12.1	0.40	11.3	12.9	758	11.8	0.44	10.9	12.6
2010	890	11.5	0.39	10.8	12.3	727	11.3	0.43	10.4	12.1
2011	895	11.5	0.39	10.7	12.2	721	11.0	0.42	10.2	11.9
2012	927	11.7	0.39	10.9	12.5	759	11.6	0.43	10.7	12.5
2013	922	11.4	0.38	10.6	12.2	740	11.0	0.41	10.2	11.8
2014	934	11.4	0.38	10.7	12.2	742	10.9	0.41	10.2	11.8
2015	1,002	12.0	0.39	11.3	12.8	797	11.7	0.42	10.9	12.5
2016	991	11.8	0.38	11.1	12.6	803	11.6	0.42	10.8	12.5
2017	1,054	12.3	0.39	11.6	13.1	857	12.3	0.43	11.5	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Pancreas										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,868	14.4	0.23	14.0	14.9	419	6.8	0.35	6.1	7.5
1986	77	12.6	1.47	9.8	15.7	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	117	13.8	1.29	11.4	16.6	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	21	8.2	1.89	5.0	12.7
2010	145	15.3	1.29	12.9	18.0	16	5.5	1.45	3.0	9.0
2011	146	14.5	1.22	12.2	17.1	25	7.9	1.64	5.0	11.8
2012	142	13.9	1.18	11.7	16.4	22	7.1	1.59	4.3	10.9
2013	157	15.3	1.23	12.9	17.9	23	6.6	1.44	4.1	10.1
2014	161	15.2	1.22	12.9	17.8	28	8.0	1.57	5.3	11.7
2015	182	16.7	1.26	14.3	19.3	21	5.8	1.31	3.6	8.9
2016	162	14.4	1.15	12.2	16.8	24	6.0	1.26	3.8	9.0
2017	169	14.8	1.16	12.7	17.3	22	5.0	1.09	3.1	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	297,780	74.4	0.14	74.1	74.6	250,671	73.3	0.15	73.0	73.6
1986	7,206	66.6	0.80	65.0	68.2	6,186	64.5	0.83	62.9	66.2
1987	7,760	71.6	0.82	70.0	73.2	6,662	69.7	0.87	68.0	71.4
1988	7,443	68.2	0.80	66.6	69.7	6,328	65.7	0.84	64.1	67.4
1989	7,653	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1
1990	7,959	72.1	0.82	70.5	73.7	6,791	70.0	0.86	68.3	71.7
1991	7,926	70.9	0.80	69.3	72.5	6,809	69.3	0.85	67.6	71.0
1992	8,357	74.2	0.82	72.6	75.8	7,139	72.4	0.86	70.8	74.2
1993	8,757	77.1	0.83	75.5	78.7	7,378	74.4	0.87	72.7	76.1
1994	9,334	81.5	0.85	79.9	83.2	7,948	79.6	0.90	77.8	81.4
1995	9,361	81.3	0.84	79.6	82.9	7,879	78.7	0.89	77.0	80.5
1996	9,369	81.1	0.84	79.5	82.8	7,862	78.5	0.89	76.7	80.2
1997	9,246	79.4	0.83	77.8	81.0	7,796	77.3	0.88	75.6	79.1
1998	9,383	79.8	0.82	78.2	81.5	7,894	77.7	0.88	76.0	79.5
1999	9,461	79.9	0.82	78.3	81.5	7,993	78.4	0.88	76.7	80.1
2000	9,335	78.3	0.81	76.7	79.9	7,934	77.6	0.87	75.9	79.3
2001	9,459	78.8	0.81	77.2	80.4	8,013	77.9	0.87	76.2	79.7
2002	9,759	80.5	0.82	78.9	82.1	8,228	79.4	0.88	77.7	81.2
2003	9,771	79.6	0.81	78.1	81.2	8,240	78.9	0.87	77.2	80.6
2004	9,516	76.9	0.79	75.4	78.5	7,966	75.8	0.85	74.1	77.5
2005	9,707	77.6	0.79	76.0	79.1	8,157	77.1	0.86	75.4	78.8
2006	9,929	78.7	0.79	77.1	80.2	8,315	77.9	0.86	76.2	79.6
2007	10,068	78.5	0.79	77.0	80.1	8,436	78.0	0.86	76.4	79.7
2008	10,081	77.2	0.78	75.7	78.7	8,515	77.5	0.85	75.9	79.2
2009	10,284	77.7	0.78	76.2	79.3	8,663	78.2	0.85	76.5	79.8
2010	9,981	74.2	0.75	72.7	75.7	8,347	74.1	0.82	72.5	75.7
2011	10,050	73.2	0.74	71.8	74.7	8,421	73.4	0.81	71.8	75.0
2012	10,014	71.6	0.73	70.1	73.0	8,286	71.1	0.79	69.5	72.6
2013	9,827	68.5	0.70	67.1	69.9	8,146	68.3	0.77	66.8	69.8
2014	10,367	70.9	0.71	69.5	72.3	8,664	71.6	0.78	70.0	73.1
2015	10,227	68.6	0.69	67.3	70.0	8,419	68.5	0.76	67.0	70.0
2016	10,103	67.0	0.68	65.7	68.3	8,372	67.3	0.75	65.8	68.8
2017	10,087	65.4	0.66	64.1	66.7	8,371	66.0	0.73	64.5	67.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	42,951	90.9	0.45	90.0	91.8	3,738	32.3	0.56	31.2	33.4
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,047	90.1	2.85	84.6	95.8	46	34.0	5.60	23.9	46.5
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	45	29.6	4.95	20.7	40.6
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.4	76	40.1	5.26	30.5	51.5
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,395	106.3	2.90	100.7	112.1	81	34.3	4.19	26.6	43.4
1996	1,406	107.0	2.90	101.4	112.8	93	41.5	4.78	32.7	51.7
1997	1,352	100.4	2.77	95.0	106.0	90	35.7	4.14	28.1	44.6
1998	1,365	100.3	2.76	95.0	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	93	36.7	4.11	29.1	45.5
2000	1,290	91.1	2.58	86.2	96.3	99	34.0	3.67	27.2	41.9
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,401	96.3	2.62	91.2	101.6	118	37.7	3.74	30.7	45.6
2003	1,413	95.5	2.58	90.5	100.6	104	31.1	3.26	25.0	38.0
2004	1,425	95.3	2.57	90.3	100.4	115	33.2	3.32	27.0	40.3
2005	1,407	92.0	2.50	87.2	97.0	128	32.4	3.07	26.7	38.9
2006	1,463	94.3	2.51	89.4	99.3	138	34.9	3.18	28.9	41.6
2007	1,472	94.0	2.50	89.1	99.0	151	36.3	3.18	30.4	43.0
2008	1,408	87.3	2.38	82.7	92.1	142	30.9	2.81	25.7	36.9
2009	1,440	86.5	2.33	82.0	91.2	162	32.9	2.78	27.7	38.8
2010	1,441	85.4	2.31	80.9	90.0	173	34.0	2.76	28.8	39.8
2011	1,433	83.7	2.26	79.3	88.2	171	31.6	2.57	26.8	37.0
2012	1,521	87.2	2.29	82.8	91.8	190	31.9	2.45	27.2	37.0
2013	1,469	81.4	2.18	77.2	85.8	197	31.5	2.36	27.0	36.4
2014	1,483	80.1	2.13	76.0	84.4	197	29.9	2.23	25.7	34.5
2015	1,552	81.5	2.12	77.4	85.7	232	33.8	2.31	29.4	38.6
2016	1,514	79.4	2.09	75.3	83.6	195	25.6	1.90	22.1	29.6
2017	1,477	75.4	2.01	71.5	79.5	204	26.5	1.90	22.9	30.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	171,480	99.7	0.24	99.3	100.2	143,623	97.3	0.26	96.8	97.8
1986	4,891	107.4	1.59	104.3	110.6	4,175	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,410	108.8	1.69	105.5	112.2
1988	4,837	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.5
1989	4,965	106.9	1.56	103.8	110.0	4,196	102.1	1.62	98.9	105.3
1990	5,089	109.2	1.57	106.2	112.4	4,310	105.0	1.64	101.8	108.3
1991	5,030	106.3	1.54	103.3	109.3	4,306	103.3	1.61	100.2	106.5
1992	5,215	108.7	1.54	105.7	111.8	4,426	105.1	1.61	102.0	108.3
1993	5,418	112.9	1.56	109.8	116.0	4,540	107.9	1.63	104.7	111.1
1994	5,701	118.6	1.60	115.5	121.8	4,832	114.9	1.68	111.7	118.3
1995	5,670	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,592	114.7	1.56	111.6	117.7	4,663	109.8	1.63	106.6	113.0
1997	5,514	111.9	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,546	111.3	1.51	108.4	114.3	4,612	106.7	1.58	103.6	109.9
1999	5,527	110.0	1.50	107.1	113.0	4,638	106.7	1.58	103.6	109.8
2000	5,436	106.9	1.46	104.0	109.8	4,568	104.1	1.55	101.1	107.2
2001	5,460	107.2	1.47	104.3	110.1	4,575	104.3	1.55	101.3	107.4
2002	5,537	107.7	1.46	104.8	110.6	4,669	105.7	1.56	102.7	108.8
2003	5,497	104.7	1.43	101.9	107.5	4,611	102.5	1.52	99.5	105.5
2004	5,305	99.9	1.39	97.2	102.6	4,403	96.9	1.47	94.0	99.8
2005	5,378	99.6	1.38	96.9	102.3	4,472	97.1	1.47	94.3	100.1
2006	5,448	100.4	1.38	97.7	103.1	4,542	98.2	1.47	95.3	101.1
2007	5,497	99.2	1.36	96.6	102.0	4,568	96.9	1.45	94.1	99.8
2008	5,416	95.6	1.32	93.0	98.2	4,555	94.7	1.42	91.9	97.5
2009	5,485	94.9	1.31	92.3	97.5	4,610	94.4	1.41	91.7	97.2
2010	5,326	90.4	1.27	87.9	92.9	4,438	89.2	1.36	86.6	92.0
2011	5,453	90.7	1.26	88.2	93.1	4,543	89.4	1.35	86.8	92.1
2012	5,309	86.2	1.21	83.9	88.6	4,395	84.7	1.31	82.2	87.3
2013	5,355	84.4	1.18	82.1	86.8	4,439	83.2	1.28	80.8	85.8
2014	5,456	84.1	1.17	81.9	86.5	4,535	83.4	1.27	81.0	85.9
2015	5,392	81.5	1.14	79.3	83.8	4,415	79.9	1.23	77.5	82.3
2016	5,248	78.3	1.11	76.1	80.5	4,357	77.9	1.21	75.5	80.3
2017	5,321	77.6	1.09	75.5	79.8	4,374	76.6	1.19	74.3	78.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	25,259	131.0	0.86	129.3	132.7	2,347	46.1	1.04	44.1	48.2
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	32	58.7	12.08	37.5	86.2
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	731	154.8	6.06	143.2	167.1	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	681	134.7	5.41	124.3	145.7	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.83	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	899	168.3	5.90	156.9	180.2	48	50.9	8.51	35.6	69.9
1996	865	162.5	5.79	151.4	174.2	61	64.3	9.44	47.2	85.0
1997	855	155.4	5.54	144.7	166.6	59	51.3	7.27	38.0	67.4
1998	846	154.4	5.56	143.7	165.6	77	64.1	8.04	49.3	81.6
1999	824	147.3	5.36	136.9	158.1	59	57.2	8.33	42.1	75.4
2000	802	138.8	5.12	129.0	149.2	57	43.5	6.41	31.8	57.6
2001	807	138.9	5.11	129.0	149.2	72	59.6	8.20	44.6	77.3
2002	796	133.7	4.96	124.1	143.7	66	48.9	6.68	36.7	63.4
2003	805	133.2	4.92	123.8	143.2	69	49.6	6.67	37.4	64.0
2004	823	136.9	5.02	127.2	147.0	74	47.3	6.14	36.0	60.6
2005	811	130.9	4.84	121.6	140.7	84	50.0	6.01	38.9	62.9
2006	810	129.3	4.79	120.0	139.0	87	54.8	6.52	42.8	68.8
2007	842	133.3	4.85	124.0	143.1	82	48.2	5.83	37.4	60.7
2008	777	118.7	4.49	110.0	127.7	78	38.1	4.95	29.1	48.9
2009	762	111.3	4.25	103.1	119.9	104	48.5	5.38	38.6	60.0
2010	779	111.8	4.23	103.7	120.4	102	46.5	5.08	37.1	57.4
2011	787	113.0	4.22	104.9	121.6	110	46.7	4.85	37.7	57.1
2012	788	111.7	4.18	103.6	120.1	117	45.0	4.56	36.5	54.7
2013	794	108.8	4.06	101.0	117.1	114	40.2	4.06	32.6	48.9
2014	787	105.0	3.93	97.5	113.0	119	39.5	3.85	32.3	47.7
2015	826	107.6	3.93	100.0	115.5	136	44.7	4.09	37.1	53.4
2016	756	97.1	3.69	90.0	104.6	123	35.0	3.29	28.8	42.0
2017	791	100.3	3.73	93.2	107.9	133	38.6	3.48	32.0	46.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	126,300	56.1	0.16	55.8	56.4	107,048	56.0	0.17	55.7	56.4
1986	2,315	38.4	0.82	36.8	40.0	2,011	37.9	0.87	36.3	39.7
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6
1988	2,606	42.8	0.85	41.1	44.5	2,195	41.1	0.90	39.4	42.9
1989	2,688	43.7	0.86	42.0	45.4	2,317	43.0	0.91	41.3	44.9
1990	2,870	46.5	0.88	44.7	48.2	2,481	46.0	0.94	44.2	47.9
1991	2,896	46.0	0.87	44.3	47.7	2,503	45.5	0.93	43.7	47.3
1992	3,142	49.6	0.90	47.9	51.4	2,713	49.4	0.96	47.5	51.3
1993	3,339	52.1	0.91	50.3	53.9	2,838	51.0	0.97	49.1	53.0
1994	3,633	55.9	0.94	54.0	57.7	3,116	55.2	1.00	53.2	57.2
1995	3,691	56.7	0.94	54.9	58.6	3,160	56.1	1.01	54.1	58.1
1996	3,777	57.7	0.95	55.9	59.6	3,199	56.7	1.02	54.7	58.7
1997	3,732	56.4	0.93	54.6	58.2	3,202	56.2	1.00	54.2	58.2
1998	3,837	57.5	0.93	55.6	59.3	3,282	57.2	1.01	55.3	59.2
1999	3,934	58.6	0.94	56.8	60.5	3,355	58.3	1.02	56.3	60.3
2000	3,899	57.7	0.93	55.9	59.5	3,366	58.4	1.02	56.4	60.4
2001	3,999	58.7	0.93	56.9	60.6	3,438	59.4	1.02	57.4	61.5
2002	4,222	61.5	0.95	59.7	63.4	3,559	61.1	1.03	59.1	63.2
2003	4,274	61.9	0.95	60.1	63.8	3,629	62.2	1.04	60.2	64.3
2004	4,211	60.5	0.94	58.7	62.4	3,563	60.7	1.03	58.7	62.7
2005	4,329	61.7	0.94	59.8	63.6	3,685	62.5	1.04	60.5	64.6
2006	4,481	63.3	0.95	61.4	65.2	3,773	63.4	1.04	61.4	65.5
2007	4,571	63.6	0.95	61.8	65.5	3,868	64.3	1.05	62.3	66.4
2008	4,665	63.9	0.95	62.1	65.8	3,960	65.1	1.05	63.0	67.2
2009	4,799	65.2	0.95	63.4	67.1	4,053	66.2	1.05	64.1	68.3
2010	4,655	62.2	0.92	60.4	64.1	3,909	62.9	1.02	60.9	64.9
2011	4,597	60.2	0.90	58.4	62.0	3,878	61.4	1.00	59.5	63.4
2012	4,705	60.8	0.90	59.1	62.6	3,891	61.0	1.00	59.0	63.0
2013	4,472	56.5	0.86	54.9	58.2	3,707	56.9	0.95	55.0	58.8
2014	4,911	61.0	0.88	59.3	62.8	4,129	62.7	0.99	60.8	64.7
2015	4,835	59.1	0.87	57.4	60.8	4,004	60.0	0.97	58.1	61.9
2016	4,855	58.5	0.85	56.8	60.2	4,015	59.3	0.96	57.5	61.2
2017	4,766	56.2	0.83	54.5	57.8	3,997	57.9	0.93	56.1	59.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Respiratory System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	17,692	63.9	0.49	63.0	64.9	1,391	21.7	0.61	20.5	22.9
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	326	48.2	2.70	43.1	53.8	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	356	51.6	2.77	46.3	57.3	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	374	51.9	2.71	46.7	57.5	13	16.4	5.15	7.9	28.9
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	26	25.3	5.66	15.4	38.4
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	496	64.6	2.93	59.0	70.6	33	23.0	4.24	15.5	32.8
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	497	62.9	2.84	57.4	68.7	31	23.1	4.59	15.0	33.6
1998	519	64.7	2.86	59.2	70.5	30	22.4	4.31	14.7	32.2
1999	544	66.5	2.87	61.0	72.3	34	22.5	4.10	15.2	31.8
2000	488	58.8	2.68	53.7	64.3	42	26.6	4.30	18.8	36.2
2001	529	63.4	2.77	58.1	69.1	27	15.0	3.03	9.7	22.1
2002	605	71.0	2.91	65.4	76.9	52	29.3	4.30	21.5	38.8
2003	608	70.1	2.86	64.6	75.9	35	18.0	3.19	12.3	25.3
2004	602	68.1	2.80	62.7	73.8	41	22.4	3.64	15.9	30.6
2005	596	66.5	2.75	61.2	72.1	44	19.5	3.09	13.9	26.4
2006	653	71.6	2.83	66.2	77.4	51	21.3	3.12	15.6	28.2
2007	630	68.6	2.76	63.3	74.2	69	27.7	3.53	21.2	35.5
2008	631	66.7	2.68	61.5	72.1	64	25.8	3.39	19.6	33.3
2009	678	69.9	2.72	64.7	75.5	58	21.5	2.97	16.1	28.1
2010	662	67.6	2.66	62.4	73.0	71	24.6	3.06	18.9	31.3
2011	646	63.8	2.55	58.9	69.0	61	19.7	2.64	14.9	25.5
2012	733	71.3	2.68	66.2	76.8	73	21.9	2.67	17.0	27.8
2013	675	63.7	2.49	59.0	68.8	83	24.5	2.79	19.3	30.5
2014	696	63.6	2.45	58.9	68.6	78	21.8	2.55	17.0	27.3
2015	726	64.8	2.45	60.1	69.8	96	25.2	2.66	20.3	31.0
2016	758	67.4	2.49	62.6	72.5	72	17.8	2.14	13.8	22.5
2017	686	59.2	2.30	54.8	63.9	71	16.8	2.04	13.1	21.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	18,434	4.6	0.03	4.5	4.6	14,797	4.3	0.04	4.3	4.4
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	592	5.2	0.22	4.8	5.7	483	4.9	0.23	4.5	5.4
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8
1996	642	5.6	0.22	5.2	6.1	521	5.3	0.23	4.9	5.8
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3
1998	566	4.8	0.20	4.4	5.2	450	4.5	0.21	4.1	4.9
1999	576	4.9	0.20	4.5	5.3	460	4.6	0.21	4.2	5.0
2000	603	5.1	0.21	4.7	5.5	493	4.9	0.22	4.5	5.3
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7
2002	594	4.9	0.20	4.5	5.3	473	4.6	0.21	4.2	5.0
2003	559	4.5	0.19	4.1	4.9	429	4.1	0.20	3.7	4.5
2004	536	4.2	0.18	3.9	4.6	419	4.0	0.19	3.6	4.4
2005	559	4.4	0.19	4.0	4.8	454	4.2	0.20	3.9	4.7
2006	532	4.1	0.18	3.8	4.5	432	4.0	0.19	3.7	4.4
2007	580	4.4	0.18	4.0	4.8	458	4.2	0.20	3.8	4.6
2008	556	4.1	0.18	3.8	4.5	466	4.2	0.19	3.8	4.6
2009	555	4.0	0.17	3.7	4.4	443	3.9	0.19	3.5	4.3
2010	584	4.1	0.17	3.8	4.5	463	4.0	0.19	3.6	4.4
2011	553	3.9	0.17	3.6	4.3	459	3.9	0.19	3.6	4.3
2012	544	3.8	0.16	3.5	4.1	433	3.6	0.18	3.3	4.0
2013	529	3.6	0.16	3.3	3.9	415	3.4	0.17	3.1	3.7
2014	568	3.8	0.16	3.4	4.1	450	3.6	0.17	3.3	4.0
2015	544	3.6	0.16	3.3	3.9	420	3.4	0.17	3.1	3.7
2016	555	3.5	0.15	3.2	3.8	447	3.5	0.17	3.2	3.8
2017	549	3.5	0.15	3.2	3.8	448	3.5	0.17	3.2	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,409	6.9	0.12	6.6	7.1	158	1.2	0.10	1.0	1.5
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	9	2.8	0.95	1.2	5.4
1998	110	7.8	0.76	6.4	9.5	1	0.2	0.24	0.0	1.7
1999	110	7.4	0.72	6.1	9.0	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	7	2.0	0.78	0.8	4.2
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	117	7.7	0.72	6.3	9.2	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	101	6.1	0.62	5.0	7.5	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	115	6.8	0.65	5.6	8.2	5	0.8	0.37	0.3	2.0
2008	82	4.7	0.53	3.8	5.9	4	0.8	0.42	0.2	2.0
2009	104	5.7	0.57	4.7	7.0	4	0.8	0.40	0.2	2.0
2010	115	6.0	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	86	4.8	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	104	5.7	0.58	4.7	7.0	6	0.9	0.38	0.3	2.0
2013	104	5.6	0.57	4.6	6.9	8	1.1	0.38	0.5	2.1
2014	106	5.4	0.54	4.4	6.6	10	1.4	0.46	0.6	2.6
2015	108	5.3	0.52	4.3	6.4	12	1.7	0.50	0.8	2.9
2016	96	4.7	0.49	3.8	5.8	11	1.4	0.44	0.7	2.6
2017	95	4.7	0.50	3.8	5.8	2	0.3	0.24	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	14,689	8.2	0.07	8.1	8.3	11,868	7.8	0.07	7.6	7.9
1986	444	9.4	0.46	8.5	10.3	363	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	461	9.8	0.46	8.9	10.7	366	8.9	0.47	8.0	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	493	9.8	0.45	8.9	10.7	398	9.0	0.46	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	384	8.9	0.46	8.0	9.8
1995	509	10.3	0.46	9.4	11.3	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	398	9.2	0.47	8.3	10.2
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	376	8.5	0.44	7.7	9.4
1999	479	9.2	0.42	8.4	10.1	382	8.6	0.44	7.7	9.5
2000	488	9.2	0.42	8.4	10.1	401	8.9	0.44	8.0	9.8
2001	451	8.6	0.41	7.8	9.4	355	7.9	0.43	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	385	8.4	0.43	7.5	9.2
2003	435	8.0	0.39	7.2	8.8	344	7.4	0.40	6.6	8.2
2004	436	7.8	0.38	7.1	8.6	348	7.4	0.40	6.6	8.2
2005	443	7.8	0.37	7.1	8.5	357	7.4	0.40	6.7	8.2
2006	436	7.5	0.37	6.8	8.3	356	7.3	0.39	6.6	8.1
2007	465	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	375	7.3	0.38	6.5	8.1
2009	436	7.0	0.34	6.4	7.7	347	6.7	0.37	6.0	7.5
2010	450	7.0	0.34	6.4	7.7	358	6.8	0.37	6.1	7.5
2011	439	7.0	0.34	6.3	7.7	371	7.0	0.37	6.3	7.8
2012	415	6.5	0.33	5.8	7.1	337	6.2	0.35	5.6	6.9
2013	426	6.3	0.31	5.7	6.9	337	5.9	0.33	5.3	6.6
2014	443	6.4	0.31	5.8	7.1	351	6.1	0.34	5.5	6.8
2015	436	6.2	0.31	5.6	6.8	338	5.8	0.32	5.2	6.5
2016	432	6.1	0.30	5.5	6.7	352	6.0	0.33	5.3	6.6
2017	426	5.9	0.30	5.4	6.5	345	5.8	0.32	5.2	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,638	12.8	0.26	12.3	13.3	132	2.3	0.21	1.9	2.7
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	97	17.3	1.82	13.9	21.2	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	86	14.7	1.63	11.6	18.2	1	0.5	0.50	0.0	3.9
1999	91	14.8	1.60	11.9	18.3	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	4	2.3	1.26	0.6	6.5
2001	90	13.9	1.50	11.2	17.2	6	3.0	1.30	1.0	7.1
2002	86	13.7	1.54	10.9	17.1	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.4	1.46	9.7	15.5	6	3.4	1.47	1.1	7.5
2005	82	11.6	1.32	9.2	14.5	2	1.0	0.75	0.1	3.8
2006	72	10.6	1.32	8.2	13.5	4	2.2	1.18	0.5	5.7
2007	100	14.1	1.46	11.4	17.3	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	84	11.1	1.25	8.8	13.8	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.4	1.12	6.4	10.9	4	2.1	1.14	0.5	5.3
2012	73	10.1	1.23	7.8	12.7	4	1.4	0.72	0.4	3.6
2013	80	10.9	1.28	8.5	13.7	7	2.0	0.77	0.8	4.3
2014	81	10.0	1.16	7.8	12.5	10	3.1	1.03	1.4	5.8
2015	84	10.0	1.14	7.9	12.5	11	3.2	1.01	1.6	5.9
2016	71	8.7	1.08	6.7	11.0	8	2.1	0.76	0.9	4.2
2017	75	8.9	1.08	6.9	11.3	2	0.8	0.53	0.1	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,745	1.7	0.03	1.7	1.8	2,929	1.6	0.03	1.5	1.7
1986	108	1.9	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9
1990	130	2.2	0.19	1.8	2.6	107	2.1	0.20	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2
1993	111	1.8	0.17	1.5	2.2	87	1.6	0.18	1.3	2.0
1994	120	1.9	0.18	1.6	2.3	99	1.9	0.19	1.5	2.3
1995	149	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.7
1999	97	1.5	0.15	1.2	1.9	78	1.5	0.16	1.1	1.8
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1
2001	112	1.7	0.16	1.4	2.1	85	1.6	0.17	1.2	1.9
2002	120	1.8	0.16	1.5	2.1	88	1.6	0.17	1.3	1.9
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1
2006	96	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
2007	115	1.7	0.15	1.4	2.0	98	1.7	0.17	1.4	2.1
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2010	134	1.7	0.15	1.4	2.1	105	1.6	0.16	1.3	2.0
2011	114	1.5	0.14	1.2	1.8	88	1.4	0.15	1.1	1.8
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8
2013	103	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.6
2014	125	1.5	0.14	1.3	1.9	99	1.5	0.15	1.2	1.8
2015	108	1.3	0.13	1.1	1.6	82	1.3	0.14	1.0	1.6
2016	123	1.4	0.13	1.2	1.7	95	1.4	0.14	1.1	1.7
2017	123	1.5	0.14	1.2	1.8	103	1.5	0.15	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Larynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	771	2.7	0.10	2.5	2.9	26	0.4	0.08	0.3	0.6
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	37	4.8	0.79	3.4	6.6	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	2	1.3	0.94	0.2	4.7
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	25	2.9	0.58	1.9	4.2	1	0.4	0.43	0.0	2.6
2002	31	3.4	0.62	2.3	4.9	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	19	2.0	0.46	1.2	3.1	0				
2007	15	1.6	0.42	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.35	0.6	2.1	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	27	2.5	0.49	1.7	3.7	1	0.5	0.50	0.0	2.3
2011	24	2.2	0.46	1.4	3.4	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.3	1	0.2	0.22	0.0	1.4
2014	25	2.3	0.46	1.5	3.4	0				
2015	24	2.0	0.41	1.3	3.0	1	0.3	0.34	0.0	1.7
2016	25	2.0	0.40	1.3	2.9	3	0.8	0.49	0.2	2.4
2017	20	1.9	0.43	1.2	2.9	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	275,808	68.9	0.13	68.7	69.2	232,850	68.1	0.14	67.8	68.4
1986	6,552	60.6	0.76	59.1	62.1	5,645	58.9	0.80	57.3	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,023	63.0	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,787	60.0	0.80	58.4	61.6
1989	6,957	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,284	65.9	0.78	64.4	67.5	6,246	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,215	63.2	0.81	61.6	64.8
1992	7,644	67.7	0.78	66.2	69.3	6,566	66.5	0.83	64.9	68.1
1993	8,035	70.7	0.79	69.2	72.3	6,791	68.4	0.83	66.8	70.0
1994	8,639	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,614	74.7	0.81	73.1	76.3	7,283	72.6	0.85	70.9	74.3
1996	8,620	74.6	0.80	73.0	76.2	7,244	72.2	0.85	70.5	73.9
1997	8,534	73.2	0.79	71.7	74.8	7,239	71.7	0.84	70.1	73.4
1998	8,703	74.0	0.79	72.5	75.6	7,345	72.3	0.84	70.6	74.0
1999	8,763	74.0	0.79	72.4	75.6	7,425	72.8	0.85	71.1	74.4
2000	8,619	72.3	0.78	70.8	73.8	7,350	71.8	0.84	70.1	73.4
2001	8,794	73.2	0.78	71.7	74.8	7,485	72.8	0.84	71.1	74.4
2002	9,041	74.6	0.79	73.1	76.2	7,644	73.8	0.85	72.1	75.5
2003	9,090	74.2	0.78	72.7	75.7	7,701	73.8	0.84	72.1	75.4
2004	8,881	71.9	0.77	70.4	73.4	7,458	71.0	0.83	69.4	72.6
2005	9,054	72.4	0.77	71.0	74.0	7,625	72.1	0.83	70.5	73.7
2006	9,280	73.6	0.77	72.1	75.2	7,785	73.0	0.83	71.3	74.6
2007	9,364	73.2	0.76	71.7	74.7	7,877	72.9	0.83	71.3	74.6
2008	9,398	72.1	0.75	70.6	73.6	7,943	72.4	0.82	70.8	74.0
2009	9,617	72.9	0.75	71.4	74.3	8,128	73.4	0.82	71.8	75.1
2010	9,291	69.2	0.73	67.8	70.7	7,789	69.3	0.80	67.7	70.8
2011	9,384	68.4	0.72	67.0	69.9	7,867	68.6	0.79	67.1	70.2
2012	9,360	67.0	0.70	65.6	68.4	7,759	66.6	0.77	65.1	68.1
2013	9,185	64.1	0.68	62.8	65.4	7,632	64.0	0.74	62.6	65.5
2014	9,673	66.3	0.69	64.9	67.6	8,108	67.1	0.76	65.6	68.6
2015	9,572	64.3	0.67	63.0	65.6	7,902	64.2	0.74	62.8	65.7
2016	9,427	62.6	0.66	61.3	63.9	7,836	63.1	0.73	61.6	64.5
2017	9,429	61.2	0.64	60.0	62.5	7,834	61.8	0.71	60.4	63.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	39,123	83.2	0.43	82.3	84.0	3,503	30.5	0.55	29.5	31.6
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	41	31.6	5.49	21.8	44.0
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	40	27.7	4.86	19.0	38.5
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	67	34.9	4.92	25.9	45.6
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,248	95.6	2.76	90.2	101.1	79	33.3	4.14	25.7	42.3
1996	1,285	98.1	2.79	92.8	103.7	87	39.4	4.68	30.8	49.5
1997	1,214	90.7	2.64	85.6	96.0	76	31.6	3.99	24.3	40.3
1998	1,243	91.7	2.64	86.6	97.0	104	39.7	4.17	31.9	48.6
1999	1,245	90.3	2.60	85.3	95.5	87	35.1	4.06	27.6	43.8
2000	1,174	83.3	2.47	78.6	88.3	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,274	88.0	2.51	83.2	93.1	114	36.7	3.70	29.8	44.5
2003	1,277	86.8	2.47	82.0	91.7	100	29.8	3.20	23.9	36.7
2004	1,309	87.9	2.47	83.1	92.8	106	30.8	3.20	24.8	37.6
2005	1,291	85.0	2.41	80.3	89.8	126	32.0	3.05	26.3	38.4
2006	1,356	87.8	2.43	83.1	92.7	131	33.3	3.12	27.5	39.9
2007	1,340	86.0	2.40	81.4	90.9	141	34.7	3.13	28.8	41.3
2008	1,310	81.6	2.31	77.2	86.3	134	29.4	2.75	24.3	35.2
2009	1,321	79.8	2.25	75.5	84.4	153	31.4	2.73	26.3	37.1
2010	1,316	78.9	2.23	74.6	83.4	168	33.0	2.72	27.9	38.7
2011	1,333	78.1	2.19	73.8	82.5	163	30.0	2.50	25.3	35.3
2012	1,403	80.7	2.21	76.4	85.1	183	30.9	2.42	26.3	35.9
2013	1,354	75.2	2.10	71.2	79.4	186	30.1	2.32	25.7	34.9
2014	1,363	73.9	2.05	70.0	78.1	183	28.0	2.16	23.9	32.5
2015	1,433	75.6	2.05	71.6	79.7	217	31.7	2.25	27.5	36.4
2016	1,396	73.5	2.02	69.6	77.6	177	23.4	1.81	20.0	27.2
2017	1,367	69.9	1.94	66.2	73.9	199	25.8	1.87	22.2	29.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	154,630	90.3	0.23	89.9	90.8	129,895	88.3	0.25	87.8	88.8
1986	4,383	96.6	1.51	93.6	99.6	3,755	93.2	1.58	90.2	96.4
1987	4,571	100.1	1.53	97.1	103.1	3,909	96.8	1.60	93.7	100.0
1988	4,338	94.1	1.47	91.3	97.1	3,707	91.1	1.54	88.1	94.1
1989	4,415	95.1	1.47	92.2	98.0	3,738	91.0	1.53	88.0	94.0
1990	4,574	98.3	1.49	95.4	101.3	3,900	95.1	1.56	92.0	98.2
1991	4,480	94.9	1.45	92.1	97.8	3,853	92.6	1.53	89.7	95.7
1992	4,679	97.7	1.46	94.8	100.6	3,987	94.7	1.53	91.7	97.8
1993	4,863	101.9	1.49	99.0	104.8	4,086	97.6	1.55	94.6	100.7
1994	5,167	107.9	1.53	104.9	110.9	4,394	104.8	1.61	101.7	108.0
1995	5,097	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2
1996	5,030	103.5	1.48	100.6	106.4	4,201	99.2	1.55	96.1	102.2
1997	4,960	101.1	1.46	98.3	104.0	4,162	97.7	1.53	94.7	100.8
1998	5,012	101.0	1.44	98.2	103.8	4,178	96.9	1.51	94.0	99.9
1999	4,977	99.5	1.43	96.7	102.3	4,194	96.7	1.51	93.8	99.7
2000	4,880	96.4	1.39	93.7	99.2	4,110	94.0	1.48	91.2	97.0
2001	4,951	97.5	1.40	94.8	100.3	4,171	95.3	1.49	92.4	98.2
2002	4,975	97.3	1.40	94.6	100.1	4,205	95.7	1.49	92.8	98.6
2003	4,990	95.5	1.37	92.8	98.2	4,203	93.8	1.46	90.9	96.7
2004	4,813	91.0	1.33	88.5	93.7	4,002	88.4	1.41	85.6	91.2
2005	4,874	90.8	1.32	88.2	93.4	4,066	88.7	1.41	86.0	91.5
2006	4,944	91.7	1.32	89.1	94.3	4,131	89.7	1.41	87.0	92.6
2007	4,963	90.2	1.30	87.6	92.7	4,144	88.4	1.39	85.7	91.1
2008	4,881	86.7	1.26	84.3	89.3	4,108	85.9	1.36	83.3	88.7
2009	4,983	86.8	1.25	84.3	89.2	4,209	86.6	1.36	84.0	89.3
2010	4,809	82.2	1.21	79.9	84.6	4,019	81.3	1.31	78.7	83.9
2011	4,940	82.5	1.20	80.1	84.9	4,108	81.2	1.29	78.6	83.7
2012	4,836	78.9	1.16	76.6	81.2	4,008	77.6	1.25	75.1	80.1
2013	4,862	77.1	1.13	74.9	79.3	4,042	76.2	1.23	73.8	78.7
2014	4,943	76.7	1.12	74.5	78.9	4,123	76.2	1.21	73.8	78.6
2015	4,881	74.2	1.09	72.0	76.3	4,011	72.8	1.18	70.5	75.1
2016	4,736	71.0	1.06	68.9	73.1	3,945	70.8	1.16	68.5	73.1
2017	4,823	70.6	1.04	68.6	72.7	3,970	69.7	1.13	67.5	72.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	22,380	117.1	0.82	115.5	118.7	2,166	43.2	1.02	41.2	45.2
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.3	28	54.9	11.91	34.1	82.2
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	646	137.0	5.70	126.0	148.5	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	590	117.8	5.10	108.0	128.2	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.7	41	47.1	8.14	32.5	65.4
1995	792	149.5	5.59	138.7	160.8	46	48.7	8.36	33.7	67.4
1996	772	146.1	5.52	135.5	157.3	56	60.0	9.17	43.4	80.1
1997	746	137.4	5.25	127.3	148.0	48	44.6	6.96	32.0	60.1
1998	752	138.4	5.30	128.2	149.2	76	63.6	8.02	48.9	81.1
1999	724	131.2	5.10	121.4	141.5	54	54.3	8.22	39.4	72.3
2000	715	124.6	4.87	115.3	134.5	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	702	118.8	4.70	109.8	128.3	64	48.1	6.65	35.9	62.6
2003	711	118.4	4.65	109.4	127.8	66	47.1	6.50	35.2	61.2
2004	740	124.1	4.80	114.9	133.9	68	43.9	5.96	33.0	56.9
2005	718	117.7	4.64	108.8	127.1	82	49.0	5.96	38.0	61.8
2006	727	117.0	4.57	108.2	126.2	81	51.8	6.39	40.1	65.6
2007	739	118.7	4.62	109.8	128.1	76	46.1	5.76	35.5	58.5
2008	699	107.7	4.29	99.4	116.4	71	35.6	4.83	26.8	46.1
2009	669	99.1	4.04	91.4	107.3	98	46.2	5.27	36.5	57.5
2010	685	100.5	4.05	92.8	108.8	99	45.5	5.04	36.1	56.3
2011	717	103.6	4.05	95.8	111.8	104	44.1	4.70	35.4	54.1
2012	709	100.8	3.98	93.2	108.9	112	43.4	4.50	35.1	53.0
2013	709	97.3	3.84	89.9	105.1	105	37.7	3.98	30.3	46.2
2014	700	94.2	3.74	87.1	101.8	108	36.2	3.71	29.3	44.1
2015	736	96.7	3.74	89.5	104.3	122	40.8	3.94	33.4	49.1
2016	671	86.6	3.50	79.9	93.7	111	31.8	3.14	25.9	38.5
2017	706	90.2	3.55	83.4	97.5	129	37.3	3.42	30.9	44.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	121,178	53.8	0.16	53.4	54.1	102,955	53.8	0.17	53.5	54.1
1986	2,169	35.9	0.79	34.4	37.5	1,890	35.6	0.84	34.0	37.3
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8
1988	2,464	40.3	0.83	38.7	42.0	2,080	38.9	0.87	37.2	40.6
1989	2,542	41.2	0.83	39.6	42.9	2,205	40.9	0.89	39.2	42.7
1990	2,710	43.8	0.85	42.2	45.5	2,346	43.4	0.91	41.6	45.2
1991	2,721	43.1	0.84	41.5	44.8	2,362	42.8	0.90	41.1	44.6
1992	2,965	46.8	0.87	45.1	48.5	2,579	46.8	0.94	45.0	48.7
1993	3,172	49.4	0.89	47.7	51.2	2,705	48.6	0.95	46.7	50.5
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6
1995	3,517	53.9	0.92	52.1	55.8	3,027	53.6	0.99	51.7	55.6
1996	3,590	54.8	0.92	53.0	56.6	3,043	53.8	0.99	51.9	55.8
1997	3,574	53.9	0.91	52.2	55.7	3,077	53.9	0.98	52.0	55.9
1998	3,691	55.2	0.91	53.5	57.1	3,167	55.2	0.99	53.3	57.2
1999	3,786	56.3	0.92	54.5	58.2	3,231	56.1	1.00	54.1	58.1
2000	3,739	55.3	0.91	53.5	57.1	3,240	56.1	1.00	54.2	58.1
2001	3,843	56.4	0.91	54.6	58.2	3,314	57.2	1.00	55.2	59.2
2002	4,066	59.2	0.93	57.4	61.1	3,439	59.0	1.02	57.0	61.0
2003	4,100	59.3	0.93	57.5	61.2	3,498	59.9	1.02	57.9	61.9
2004	4,068	58.4	0.92	56.6	60.3	3,456	58.8	1.01	56.8	60.8
2005	4,180	59.5	0.93	57.7	61.4	3,559	60.3	1.02	58.3	62.3
2006	4,336	61.2	0.94	59.4	63.1	3,654	61.4	1.03	59.4	63.4
2007	4,401	61.2	0.93	59.4	63.1	3,733	62.0	1.03	60.0	64.1
2008	4,517	61.9	0.93	60.1	63.8	3,835	63.0	1.03	61.0	65.1
2009	4,634	63.0	0.94	61.2	64.9	3,919	64.0	1.04	61.9	66.0
2010	4,482	59.9	0.91	58.2	61.8	3,770	60.7	1.00	58.7	62.7
2011	4,444	58.1	0.89	56.4	59.9	3,759	59.5	0.99	57.6	61.4
2012	4,524	58.5	0.88	56.8	60.2	3,751	58.8	0.98	56.9	60.7
2013	4,323	54.6	0.84	52.9	56.2	3,590	55.0	0.93	53.2	56.8
2014	4,730	58.8	0.87	57.1	60.5	3,985	60.5	0.98	58.6	62.5
2015	4,691	57.3	0.85	55.6	59.0	3,891	58.2	0.95	56.3	60.1
2016	4,691	56.5	0.84	54.9	58.2	3,891	57.5	0.94	55.7	59.4
2017	4,606	54.3	0.81	52.7	55.9	3,864	56.0	0.92	54.2	57.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	16,743	60.6	0.47	59.7	61.6	1,337	20.9	0.60	19.7	22.1
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	323	46.9	2.65	41.9	52.4	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	341	47.5	2.60	42.5	52.8	13	16.4	5.15	7.9	28.9
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	25	24.6	5.62	14.9	37.7
1994	462	62.0	2.91	56.4	68.0	27	23.8	4.99	15.0	35.3
1995	456	59.6	2.81	54.2	65.3	33	23.0	4.24	15.5	32.8
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	468	59.3	2.76	54.0	65.0	28	21.4	4.47	13.5	31.6
1998	491	61.2	2.78	55.9	66.9	28	20.9	4.16	13.6	30.5
1999	521	63.8	2.82	58.4	69.6	33	22.1	4.07	14.8	31.3
2000	459	55.5	2.61	50.5	60.8	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	572	67.4	2.84	61.9	73.1	50	28.2	4.21	20.5	37.5
2003	566	65.5	2.77	60.2	71.2	34	17.7	3.18	12.0	24.9
2004	569	64.4	2.72	59.2	70.0	38	20.9	3.52	14.6	28.8
2005	573	64.0	2.70	58.8	69.5	44	19.5	3.09	13.9	26.4
2006	629	69.2	2.78	63.8	74.8	50	20.9	3.10	15.3	27.8
2007	601	65.4	2.70	60.3	70.9	65	26.5	3.48	20.1	34.1
2008	611	64.7	2.65	59.6	70.1	63	25.3	3.34	19.2	32.6
2009	652	67.4	2.67	62.2	72.8	55	20.5	2.92	15.2	27.0
2010	631	64.6	2.61	59.6	69.9	69	23.8	3.00	18.3	30.4
2011	616	60.9	2.49	56.1	66.0	59	19.0	2.58	14.2	24.7
2012	694	67.7	2.61	62.6	73.0	71	21.4	2.65	16.5	27.2
2013	645	61.0	2.44	56.3	66.0	81	24.0	2.77	18.9	30.0
2014	663	60.6	2.39	56.0	65.5	75	21.0	2.52	16.4	26.5
2015	697	62.4	2.41	57.7	67.3	95	24.9	2.64	20.0	30.6
2016	725	64.7	2.45	60.0	69.7	66	16.2	2.05	12.5	20.8
2017	661	56.9	2.25	52.6	61.5	70	16.6	2.03	12.9	21.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,426	0.9	0.01	0.8	0.9	2,876	0.9	0.02	0.9	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	79	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1990	106	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	119	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2002	110	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1
2006	129	1.0	0.09	0.9	1.2	107	1.1	0.10	0.9	1.3
2007	129	1.0	0.09	0.8	1.2	105	1.0	0.10	0.9	1.3
2008	94	0.7	0.08	0.6	0.9	81	0.8	0.09	0.6	1.0
2009	110	0.9	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2010	103	0.8	0.08	0.6	1.0	86	0.8	0.09	0.7	1.0
2011	108	0.8	0.08	0.7	1.0	85	0.8	0.09	0.6	1.0
2012	121	0.9	0.08	0.8	1.1	102	1.0	0.10	0.8	1.2
2013	127	1.0	0.09	0.8	1.2	110	1.1	0.10	0.9	1.3
2014	123	0.9	0.08	0.8	1.1	99	0.9	0.09	0.7	1.1
2015	103	0.8	0.08	0.6	0.9	89	0.9	0.09	0.7	1.1
2016	124	0.9	0.08	0.8	1.1	105	1.0	0.10	0.8	1.2
2017	132	1.0	0.09	0.8	1.2	102	1.0	0.10	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	404	0.7	0.04	0.6	0.8	104	0.7	0.07	0.5	0.8
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	1	0.5	0.51	0.0	3.2
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	8	0.4	0.16	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	17	0.8	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	8	0.4	0.13	0.2	0.8	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	14	0.8	0.21	0.4	1.3	2	0.3	0.19	0.0	1.1
2011	17	0.8	0.20	0.5	1.3	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	3	0.4	0.22	0.1	1.2
2013	13	0.7	0.18	0.3	1.1	3	0.4	0.21	0.1	1.1
2014	15	0.8	0.21	0.4	1.3	8	0.9	0.33	0.4	1.9
2015	9	0.4	0.14	0.2	0.8	5	0.8	0.36	0.2	1.8
2016	14	0.7	0.20	0.4	1.3	4	0.5	0.27	0.1	1.4
2017	17	0.9	0.23	0.5	1.5	8	1.0	0.36	0.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,881	1.0	0.02	1.0	1.1	1,577	1.0	0.03	1.0	1.1
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1989	50	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
1990	57	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5
2000	66	1.1	0.14	0.9	1.4	54	1.1	0.15	0.8	1.5
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3
2005	64	1.1	0.13	0.8	1.4	50	1.0	0.15	0.8	1.4
2006	67	1.1	0.14	0.9	1.4	53	1.1	0.16	0.8	1.5
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1
2009	59	0.9	0.12	0.7	1.2	52	1.0	0.14	0.8	1.4
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3
2011	60	1.0	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2012	69	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2013	76	1.2	0.14	1.0	1.5	66	1.3	0.17	1.0	1.7
2014	76	1.1	0.13	0.9	1.4	60	1.1	0.15	0.8	1.4
2015	58	0.9	0.12	0.7	1.2	51	1.0	0.14	0.7	1.3
2016	64	1.0	0.12	0.7	1.2	52	1.0	0.14	0.7	1.3
2017	64	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	220	0.9	0.06	0.7	1.0	60	0.7	0.10	0.5	1.0
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	1	1.2	1.19	0.0	7.4
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	6	0.8	0.37	0.2	1.9	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	10	0.9	0.30	0.4	1.8	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	6	0.7	0.28	0.2	1.5	2	0.5	0.38	0.1	2.3
2011	13	1.4	0.41	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	3	0.8	0.44	0.2	2.5
2013	8	0.8	0.30	0.3	1.7	2	0.5	0.32	0.1	1.9
2014	9	1.1	0.41	0.5	2.2	6	1.4	0.57	0.5	3.2
2015	3	0.3	0.17	0.1	0.9	4	1.2	0.66	0.3	3.2
2016	9	1.0	0.36	0.5	2.0	2	0.4	0.29	0.1	1.7
2017	9	1.0	0.36	0.5	2.0	2	0.7	0.48	0.1	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,545	0.8	0.02	0.7	0.8	1,299	0.8	0.02	0.7	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	55	0.9	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	49	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	57	0.9	0.11	0.7	1.1	44	0.8	0.13	0.6	1.1
2008	50	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.1
2009	51	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	40	0.8	0.12	0.5	1.0
2012	52	0.8	0.11	0.6	1.0	41	0.8	0.12	0.5	1.0
2013	51	0.7	0.10	0.5	1.0	44	0.8	0.13	0.6	1.1
2014	47	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
2015	45	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
2016	60	0.9	0.12	0.7	1.1	53	1.0	0.14	0.7	1.3
2017	68	1.0	0.12	0.7	1.2	54	1.0	0.14	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Bones and Joints										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	184	0.6	0.04	0.5	0.7	44	0.6	0.09	0.4	0.8
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	4	0.3	0.17	0.1	0.9	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.29	0.3	1.6	0				
2011	4	0.4	0.18	0.1	0.9	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.21	0.2	1.1	1	0.3	0.27	0.0	1.5
2014	6	0.6	0.24	0.2	1.3	2	0.4	0.31	0.1	1.7
2015	6	0.5	0.22	0.2	1.2	1	0.3	0.32	0.0	1.6
2016	5	0.5	0.23	0.2	1.2	2	0.6	0.39	0.1	1.9
2017	8	0.8	0.29	0.4	1.6	6	1.3	0.53	0.5	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,729	3.0	0.03	2.9	3.0	9,605	2.9	0.03	2.9	3.0
1986	247	2.3	0.15	2.0	2.6	206	2.2	0.16	1.9	2.5
1987	274	2.5	0.16	2.2	2.9	230	2.5	0.17	2.2	2.8
1988	264	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	209	2.2	0.15	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	209	2.2	0.16	1.9	2.5
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	261	2.3	0.14	2.0	2.6	213	2.2	0.15	1.9	2.5
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	294	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	348	2.9	0.16	2.6	3.2	283	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	267	2.6	0.16	2.3	3.0
2000	302	2.5	0.14	2.2	2.8	250	2.5	0.16	2.2	2.8
2001	373	3.0	0.16	2.7	3.4	311	3.1	0.17	2.7	3.4
2002	343	2.8	0.15	2.5	3.1	288	2.8	0.16	2.5	3.1
2003	407	3.3	0.16	3.0	3.6	344	3.3	0.18	3.0	3.7
2004	390	3.1	0.16	2.8	3.4	315	3.0	0.17	2.7	3.4
2005	392	3.1	0.16	2.8	3.4	310	3.0	0.17	2.6	3.3
2006	433	3.4	0.16	3.1	3.8	351	3.3	0.18	3.0	3.7
2007	422	3.3	0.16	3.0	3.6	349	3.3	0.18	3.0	3.7
2008	434	3.4	0.16	3.1	3.7	356	3.4	0.18	3.0	3.7
2009	426	3.3	0.16	3.0	3.6	346	3.2	0.18	2.9	3.6
2010	450	3.4	0.16	3.1	3.7	366	3.3	0.18	3.0	3.7
2011	429	3.2	0.16	2.9	3.5	353	3.2	0.18	2.9	3.6
2012	462	3.4	0.16	3.1	3.7	378	3.4	0.18	3.1	3.8
2013	484	3.5	0.16	3.2	3.9	387	3.5	0.18	3.1	3.8
2014	493	3.6	0.16	3.3	3.9	388	3.4	0.18	3.1	3.8
2015	447	3.2	0.15	2.9	3.5	355	3.1	0.17	2.8	3.5
2016	497	3.6	0.16	3.3	3.9	405	3.6	0.18	3.2	4.0
2017	499	3.6	0.16	3.2	3.9	388	3.4	0.18	3.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,722	3.3	0.08	3.1	3.5	282	2.0	0.13	1.7	2.2
1986	33	2.5	0.46	1.7	3.5	5	3.6	1.71	1.1	8.6
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	33	2.3	0.43	1.6	3.3	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	42	2.9	0.48	2.1	4.0	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	6	4.0	1.97	1.1	9.3
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	39	2.4	0.39	1.7	3.3	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	44	2.7	0.42	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	45	2.8	0.42	2.0	3.7	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	57	3.3	0.45	2.5	4.3	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	9	1.7	0.62	0.7	3.4
2009	55	3.1	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	62	3.5	0.45	2.6	4.5	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	11	1.8	0.58	0.8	3.3
2012	67	3.6	0.44	2.7	4.5	13	1.9	0.56	1.0	3.3
2013	65	3.5	0.45	2.7	4.5	22	3.4	0.75	2.1	5.2
2014	80	4.2	0.48	3.3	5.3	21	2.8	0.64	1.7	4.4
2015	74	4.0	0.47	3.1	5.0	14	1.8	0.49	1.0	3.1
2016	74	3.9	0.46	3.1	4.9	15	1.9	0.50	1.0	3.2
2017	79	4.2	0.48	3.3	5.2	26	3.0	0.61	2.0	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,267	3.5	0.05	3.4	3.6	5,225	3.5	0.05	3.4	3.6
1986	125	2.6	0.25	2.2	3.2	106	2.6	0.26	2.1	3.1
1987	143	2.9	0.26	2.5	3.5	119	2.9	0.28	2.4	3.5
1988	145	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	98	2.3	0.24	1.9	2.8
1990	138	2.8	0.24	2.3	3.3	114	2.7	0.25	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	189	3.6	0.27	3.1	4.2	159	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	147	3.2	0.27	2.7	3.8
2000	153	2.8	0.23	2.4	3.3	127	2.8	0.25	2.3	3.3
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	176	3.3	0.25	2.8	3.8	152	3.4	0.28	2.9	4.0
2003	206	3.7	0.26	3.2	4.2	174	3.7	0.28	3.2	4.3
2004	211	3.8	0.26	3.3	4.3	178	3.8	0.29	3.2	4.4
2005	210	3.7	0.26	3.2	4.2	173	3.6	0.28	3.1	4.2
2006	213	3.8	0.26	3.3	4.3	183	3.9	0.29	3.3	4.5
2007	233	4.0	0.27	3.5	4.6	199	4.1	0.30	3.6	4.7
2008	229	3.9	0.26	3.4	4.5	193	4.0	0.29	3.5	4.6
2009	218	3.7	0.26	3.2	4.2	184	3.8	0.28	3.2	4.4
2010	246	4.1	0.26	3.6	4.6	200	4.0	0.28	3.4	4.6
2011	249	4.0	0.26	3.5	4.5	211	4.1	0.29	3.5	4.7
2012	240	3.8	0.25	3.3	4.3	198	3.8	0.28	3.3	4.4
2013	270	4.3	0.27	3.8	4.9	219	4.2	0.29	3.7	4.9
2014	280	4.4	0.27	3.9	5.0	230	4.4	0.30	3.9	5.1
2015	273	4.3	0.26	3.8	4.8	222	4.2	0.29	3.6	4.8
2016	265	4.1	0.26	3.6	4.7	219	4.1	0.29	3.6	4.7
2017	273	4.2	0.26	3.7	4.8	212	4.0	0.28	3.5	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	801	3.5	0.13	3.3	3.8	168	2.5	0.21	2.1	2.9
1986	15	2.5	0.69	1.3	4.2	2	4.2	3.18	0.4	14.9
1987	23	3.2	0.72	2.0	5.0	0				
1988	17	3.1	0.83	1.7	5.1	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	22	3.4	0.85	2.0	5.5	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	13	1.6	0.46	0.9	2.9	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	27	3.6	0.77	2.3	5.4	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	21	3.0	0.70	1.8	4.7	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	19	2.6	0.64	1.5	4.2	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	7	3.1	1.29	1.1	6.6
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.4	0.67	2.2	5.0	8	3.1	1.24	1.1	6.4
2012	29	3.5	0.66	2.3	5.0	10	3.1	1.11	1.3	6.1
2013	30	3.6	0.69	2.4	5.3	16	4.9	1.28	2.7	8.1
2014	34	3.9	0.68	2.7	5.5	13	3.5	1.03	1.8	6.2
2015	38	5.1	0.86	3.5	7.0	10	2.8	0.89	1.3	5.2
2016	35	4.4	0.76	3.0	6.1	9	2.3	0.80	1.0	4.5
2017	40	4.8	0.79	3.4	6.7	18	4.5	1.10	2.6	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,462	2.6	0.03	2.5	2.6	4,380	2.5	0.04	2.4	2.6
1986	122	2.1	0.19	1.7	2.5	100	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	141	2.3	0.20	1.9	2.7	113	2.2	0.21	1.8	2.6
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	140	2.2	0.19	1.9	2.6	112	2.1	0.20	1.7	2.5
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	159	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	149	2.2	0.18	1.9	2.6	123	2.2	0.20	1.8	2.7
2001	171	2.6	0.20	2.2	3.0	141	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	136	2.5	0.22	2.1	3.0
2003	201	3.0	0.21	2.6	3.4	170	3.1	0.24	2.6	3.6
2004	179	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	168	3.0	0.23	2.5	3.5
2007	189	2.8	0.20	2.4	3.2	150	2.7	0.23	2.3	3.2
2008	205	3.0	0.21	2.6	3.4	163	2.9	0.23	2.4	3.4
2009	208	3.0	0.21	2.6	3.4	162	2.9	0.23	2.5	3.4
2010	204	2.9	0.20	2.5	3.3	166	2.8	0.22	2.4	3.3
2011	180	2.5	0.19	2.2	2.9	142	2.5	0.22	2.1	3.0
2012	222	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	214	3.0	0.21	2.6	3.4	168	2.9	0.23	2.5	3.4
2014	213	2.9	0.20	2.5	3.3	158	2.6	0.22	2.2	3.1
2015	174	2.3	0.18	2.0	2.7	133	2.2	0.20	1.8	2.6
2016	232	3.1	0.21	2.7	3.6	186	3.1	0.24	2.7	3.6
2017	226	3.0	0.21	2.6	3.4	176	2.9	0.23	2.5	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	921	3.1	0.10	2.9	3.3	114	1.5	0.15	1.2	1.8
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	5	4.6	2.29	1.3	11.3
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	30	3.5	0.66	2.4	5.1	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	23	2.5	0.52	1.6	3.8	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	29	2.9	0.55	2.0	4.2	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	35	3.6	0.61	2.5	5.0	7	2.5	0.98	0.9	5.1
2010	31	3.0	0.55	2.1	4.3	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.52	0.2	2.6
2012	38	3.6	0.59	2.5	4.9	3	0.9	0.54	0.2	2.7
2013	35	3.4	0.58	2.4	4.8	6	1.9	0.81	0.7	4.2
2014	46	4.4	0.66	3.2	5.9	8	2.2	0.80	0.9	4.4
2015	36	3.3	0.56	2.3	4.6	4	1.0	0.51	0.3	2.6
2016	39	3.6	0.58	2.5	4.9	6	1.5	0.60	0.5	3.2
2017	39	3.7	0.60	2.6	5.1	8	1.8	0.65	0.8	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	60,685	15.3	0.06	15.2	15.5	57,297	17.3	0.07	17.1	17.4
1986	891	8.5	0.29	8.0	9.1	858	9.5	0.33	8.9	10.2
1987	888	8.3	0.29	7.8	8.9	862	9.4	0.33	8.8	10.1
1988	855	8.0	0.28	7.5	8.6	820	8.9	0.32	8.3	9.6
1989	969	9.0	0.29	8.4	9.5	936	10.1	0.33	9.4	10.8
1990	911	8.4	0.28	7.8	8.9	879	9.4	0.32	8.8	10.1
1991	973	8.9	0.29	8.4	9.5	946	10.2	0.33	9.5	10.8
1992	1,038	9.3	0.29	8.7	9.9	997	10.4	0.33	9.8	11.1
1993	984	8.7	0.28	8.1	9.2	954	9.8	0.32	9.2	10.5
1994	1,190	10.4	0.30	9.8	11.0	1,146	11.8	0.35	11.1	12.5
1995	1,242	10.8	0.31	10.2	11.4	1,187	12.1	0.35	11.4	12.8
1996	1,343	11.5	0.31	10.9	12.1	1,284	13.0	0.36	12.3	13.7
1997	1,463	12.4	0.33	11.8	13.1	1,383	13.9	0.37	13.1	14.6
1998	1,499	12.6	0.33	12.0	13.3	1,414	14.1	0.37	13.3	14.8
1999	1,561	13.0	0.33	12.4	13.7	1,496	14.8	0.38	14.1	15.6
2000	1,687	13.9	0.34	13.3	14.6	1,591	15.6	0.39	14.9	16.4
2001	1,800	14.7	0.35	14.1	15.4	1,689	16.5	0.40	15.7	17.3
2002	1,828	14.8	0.35	14.2	15.5	1,707	16.5	0.40	15.8	17.4
2003	1,874	15.1	0.35	14.4	15.8	1,726	16.6	0.40	15.8	17.4
2004	2,010	16.1	0.36	15.4	16.8	1,864	17.9	0.42	17.1	18.7
2005	2,233	17.7	0.38	16.9	18.4	2,031	19.3	0.43	18.5	20.2
2006	2,283	18.0	0.38	17.2	18.7	2,127	20.2	0.44	19.3	21.0
2007	2,372	18.4	0.38	17.7	19.2	2,235	21.0	0.45	20.1	21.9
2008	2,547	19.5	0.39	18.8	20.3	2,383	22.1	0.46	21.2	23.0
2009	2,572	19.5	0.39	18.8	20.3	2,408	22.1	0.46	21.3	23.1
2010	2,511	18.7	0.38	18.0	19.5	2,342	21.2	0.44	20.3	22.1
2011	2,683	19.8	0.39	19.0	20.6	2,504	22.4	0.46	21.6	23.4
2012	2,773	20.2	0.39	19.4	21.0	2,606	23.1	0.46	22.2	24.0
2013	2,706	19.3	0.38	18.6	20.1	2,578	22.5	0.45	21.6	23.4
2014	2,889	20.2	0.38	19.5	21.0	2,720	23.2	0.46	22.3	24.1
2015	3,146	22.1	0.40	21.3	22.9	2,976	25.6	0.48	24.7	26.6
2016	3,448	23.7	0.41	22.9	24.6	3,275	27.8	0.50	26.8	28.8
2017	3,516	24.2	0.42	23.4	25.1	3,373	28.7	0.51	27.7	29.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	886	1.8	0.06	1.7	1.9	243	1.7	0.12	1.5	2.0
1986	17	1.4	0.36	0.8	2.3	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	3	1.2	0.72	0.2	4.3
1988	16	1.4	0.35	0.8	2.2	0				
1989	23	1.8	0.39	1.1	2.7	1	0.5	0.51	0.0	3.2
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	18	1.4	0.35	0.8	2.3	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	19	1.3	0.30	0.8	2.0	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	24	1.7	0.37	1.1	2.6	7	2.8	1.26	0.9	6.2
1997	31	2.0	0.37	1.3	2.9	5	1.5	0.68	0.5	3.6
1998	32	2.2	0.41	1.5	3.2	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	25	1.5	0.30	1.0	2.2	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	25	1.5	0.30	0.9	2.2	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	32	2.1	0.37	1.4	2.9	17	3.9	1.04	2.1	6.4
2006	42	2.5	0.39	1.8	3.4	7	1.1	0.41	0.4	2.3
2007	37	2.2	0.37	1.6	3.1	6	0.9	0.35	0.3	2.0
2008	34	2.0	0.36	1.4	2.9	11	1.7	0.55	0.8	3.2
2009	43	2.5	0.39	1.8	3.4	12	1.8	0.56	0.9	3.3
2010	34	2.0	0.36	1.4	2.9	11	1.8	0.59	0.8	3.3
2011	30	1.6	0.29	1.0	2.2	12	2.1	0.68	1.0	3.8
2012	29	1.6	0.31	1.1	2.3	16	2.3	0.60	1.3	3.8
2013	31	1.7	0.31	1.1	2.4	6	0.7	0.30	0.3	1.6
2014	25	1.4	0.28	0.9	2.0	15	2.2	0.58	1.2	3.6
2015	33	1.9	0.33	1.3	2.6	16	2.3	0.59	1.3	3.7
2016	32	1.8	0.32	1.2	2.5	14	1.7	0.47	0.9	2.9
2017	26	1.4	0.28	0.9	2.0	16	1.9	0.50	1.1	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	33,830	19.5	0.11	19.3	19.7	32,197	21.7	0.12	21.5	22.0
1986	483	10.4	0.49	9.4	11.4	470	11.6	0.55	10.5	12.7
1987	463	9.6	0.46	8.7	10.5	454	10.8	0.52	9.8	11.9
1988	411	8.6	0.44	7.7	9.4	396	9.5	0.49	8.5	10.5
1989	534	11.1	0.50	10.2	12.1	515	12.3	0.56	11.3	13.5
1990	479	10.2	0.48	9.3	11.2	457	11.2	0.54	10.2	12.3
1991	511	10.6	0.48	9.7	11.6	500	11.9	0.55	10.9	13.0
1992	572	11.7	0.50	10.7	12.7	554	13.0	0.57	12.0	14.2
1993	534	10.8	0.48	9.9	11.8	520	12.2	0.54	11.1	13.3
1994	639	12.8	0.52	11.8	13.9	612	14.2	0.59	13.1	15.4
1995	704	14.0	0.54	12.9	15.1	683	15.7	0.61	14.5	16.9
1996	718	13.9	0.53	12.9	15.0	693	15.6	0.60	14.5	16.9
1997	829	16.0	0.56	14.9	17.2	792	17.8	0.64	16.6	19.1
1998	838	16.3	0.57	15.2	17.5	799	18.1	0.65	16.8	19.4
1999	912	17.3	0.58	16.2	18.5	878	19.5	0.66	18.2	20.8
2000	938	17.7	0.58	16.5	18.8	888	19.6	0.66	18.3	21.0
2001	1,000	18.6	0.60	17.5	19.8	939	20.5	0.68	19.2	21.9
2002	1,055	19.6	0.61	18.4	20.8	996	21.7	0.69	20.3	23.1
2003	1,032	18.8	0.60	17.7	20.0	978	21.0	0.68	19.7	22.4
2004	1,161	20.9	0.62	19.7	22.2	1,089	23.2	0.71	21.8	24.6
2005	1,224	21.9	0.64	20.7	23.2	1,128	23.9	0.72	22.5	25.4
2006	1,240	22.1	0.64	20.9	23.4	1,168	24.6	0.73	23.2	26.1
2007	1,282	22.5	0.64	21.3	23.8	1,220	25.3	0.73	23.9	26.8
2008	1,446	25.0	0.67	23.7	26.4	1,377	28.2	0.77	26.7	29.7
2009	1,418	24.1	0.65	22.9	25.4	1,329	26.8	0.75	25.4	28.3
2010	1,449	24.0	0.65	22.8	25.3	1,357	26.8	0.74	25.3	28.3
2011	1,515	25.0	0.66	23.7	26.3	1,430	28.0	0.76	26.5	29.5
2012	1,571	25.3	0.65	24.1	26.6	1,488	28.7	0.76	27.2	30.2
2013	1,523	24.2	0.64	23.0	25.5	1,461	27.8	0.74	26.3	29.3
2014	1,656	25.7	0.65	24.4	27.0	1,575	29.1	0.75	27.7	30.7
2015	1,743	26.8	0.66	25.5	28.1	1,663	30.6	0.77	29.1	32.2
2016	1,925	29.0	0.68	27.7	30.3	1,837	33.3	0.80	31.8	34.9
2017	2,025	30.2	0.69	28.9	31.6	1,951	35.1	0.81	33.5	36.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	384	1.8	0.10	1.6	2.0	129	2.0	0.20	1.7	2.5
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	9	1.8	0.64	0.8	3.5	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	8	1.7	0.64	0.6	3.4	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	11	1.9	0.61	0.9	3.5	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	3	2.1	1.31	0.4	6.9
1997	11	1.7	0.58	0.8	3.2	3	2.3	1.36	0.4	7.1
1998	14	2.0	0.55	1.1	3.5	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	10	1.4	0.44	0.6	2.5	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	9	1.2	0.42	0.5	2.4	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	11	1.8	0.59	0.8	3.3	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	16	2.2	0.56	1.2	3.6	4	1.3	0.65	0.4	3.7
2008	16	2.2	0.59	1.2	3.7	6	2.3	1.04	0.7	5.4
2009	19	2.5	0.60	1.5	4.0	6	2.4	1.09	0.8	5.5
2010	14	2.3	0.65	1.2	3.9	7	1.9	0.72	0.7	4.1
2011	14	1.8	0.50	1.0	3.1	5	2.3	1.21	0.6	5.7
2012	16	1.9	0.51	1.1	3.2	7	1.9	0.73	0.8	4.1
2013	13	1.6	0.47	0.8	2.8	1	0.2	0.24	0.0	1.6
2014	10	1.4	0.47	0.7	2.6	7	2.2	0.91	0.8	4.7
2015	13	1.7	0.49	0.9	3.0	11	3.4	1.08	1.6	6.2
2016	12	1.4	0.42	0.7	2.5	6	1.6	0.65	0.6	3.5
2017	14	1.7	0.48	0.9	2.9	9	2.8	1.00	1.2	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	26,855	12.7	0.08	12.5	12.8	25,100	14.4	0.09	14.2	14.6
1986	408	7.2	0.37	6.5	8.0	388	8.1	0.42	7.3	8.9
1987	425	7.4	0.37	6.7	8.2	408	8.4	0.43	7.6	9.3
1988	444	7.7	0.37	7.0	8.5	424	8.7	0.43	7.8	9.6
1989	435	7.4	0.36	6.7	8.1	421	8.4	0.42	7.6	9.3
1990	432	7.2	0.35	6.5	8.0	422	8.4	0.42	7.6	9.2
1991	462	7.8	0.37	7.1	8.6	446	8.9	0.43	8.1	9.8
1992	466	7.6	0.36	6.9	8.4	443	8.6	0.42	7.8	9.4
1993	450	7.2	0.34	6.6	7.9	434	8.3	0.40	7.5	9.1
1994	551	8.8	0.38	8.1	9.6	534	10.2	0.45	9.3	11.1
1995	538	8.6	0.37	7.9	9.3	504	9.6	0.43	8.8	10.5
1996	625	9.8	0.40	9.0	10.6	591	11.1	0.46	10.2	12.1
1997	634	9.9	0.40	9.2	10.7	591	11.1	0.46	10.2	12.0
1998	661	10.1	0.40	9.4	10.9	615	11.3	0.46	10.4	12.2
1999	649	10.0	0.39	9.2	10.8	618	11.5	0.47	10.6	12.4
2000	749	11.4	0.42	10.6	12.3	703	12.9	0.49	12.0	13.9
2001	800	12.1	0.43	11.2	12.9	750	13.7	0.51	12.7	14.7
2002	773	11.6	0.42	10.8	12.5	711	13.1	0.49	12.1	14.1
2003	842	12.5	0.43	11.7	13.4	748	13.5	0.50	12.6	14.5
2004	849	12.6	0.44	11.8	13.5	775	14.1	0.51	13.1	15.1
2005	1,009	14.9	0.47	14.0	15.8	903	16.3	0.55	15.2	17.4
2006	1,043	15.3	0.48	14.4	16.3	959	17.3	0.57	16.2	18.5
2007	1,090	15.9	0.49	15.0	16.9	1,015	18.4	0.59	17.2	19.5
2008	1,101	16.0	0.49	15.1	17.0	1,006	18.1	0.58	17.0	19.3
2009	1,154	16.5	0.49	15.5	17.5	1,079	19.1	0.60	18.0	20.3
2010	1,062	15.0	0.47	14.1	16.0	985	17.3	0.57	16.2	18.5
2011	1,168	16.5	0.49	15.5	17.5	1,074	18.8	0.59	17.7	20.0
2012	1,202	16.8	0.50	15.9	17.8	1,118	19.4	0.60	18.3	20.6
2013	1,183	16.1	0.48	15.1	17.0	1,117	19.0	0.59	17.9	20.2
2014	1,233	16.5	0.48	15.6	17.5	1,145	19.1	0.58	18.0	20.3
2015	1,403	19.1	0.52	18.1	20.1	1,313	22.4	0.64	21.2	23.7
2016	1,523	20.4	0.54	19.4	21.5	1,438	24.4	0.67	23.1	25.7
2017	1,491	20.0	0.53	18.9	21.0	1,422	24.1	0.67	22.8	25.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	502	1.8	0.08	1.6	1.9	114	1.5	0.14	1.2	1.8
1986	12	1.7	0.52	0.9	3.1	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	2	1.6	1.21	0.2	7.2
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	0				
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	15	1.8	0.47	1.0	3.0	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	16	1.7	0.42	1.0	2.7	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	23	2.3	0.49	1.5	3.5	2	0.5	0.37	0.1	2.2
2007	21	2.2	0.48	1.4	3.4	2	0.5	0.34	0.1	2.1
2008	18	1.9	0.46	1.1	3.1	5	1.3	0.61	0.4	3.3
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	4	1.5	0.81	0.4	3.9
2011	16	1.4	0.36	0.8	2.3	7	2.1	0.86	0.8	4.5
2012	13	1.3	0.37	0.7	2.3	9	2.6	0.89	1.1	5.0
2013	18	1.8	0.42	1.0	2.8	5	1.2	0.52	0.4	2.8
2014	15	1.3	0.35	0.8	2.2	8	2.2	0.79	0.9	4.3
2015	20	2.0	0.45	1.2	3.1	5	1.4	0.62	0.4	3.2
2016	20	2.1	0.47	1.3	3.2	8	1.8	0.64	0.8	3.6
2017	12	1.1	0.32	0.6	2.0	7	1.4	0.55	0.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	55,567	14.0	0.06	13.9	14.2	52,893	15.9	0.07	15.8	16.1
1986	800	7.7	0.28	7.1	8.2	779	8.7	0.32	8.0	9.3
1987	818	7.7	0.27	7.1	8.2	798	8.7	0.31	8.1	9.4
1988	775	7.3	0.26	6.7	7.8	752	8.2	0.30	7.6	8.8
1989	864	8.0	0.28	7.5	8.6	848	9.2	0.32	8.5	9.8
1990	811	7.4	0.26	6.9	8.0	795	8.5	0.31	7.9	9.1
1991	879	8.1	0.27	7.5	8.6	863	9.3	0.32	8.6	9.9
1992	923	8.3	0.28	7.8	8.8	903	9.5	0.32	8.9	10.1
1993	854	7.5	0.26	7.0	8.0	844	8.7	0.30	8.1	9.3
1994	1,064	9.3	0.29	8.8	9.9	1,036	10.6	0.33	10.0	11.3
1995	1,122	9.7	0.29	9.2	10.3	1,085	11.1	0.34	10.5	11.8
1996	1,205	10.3	0.30	9.8	10.9	1,167	11.8	0.35	11.1	12.5
1997	1,321	11.2	0.31	10.6	11.8	1,260	12.6	0.36	12.0	13.4
1998	1,344	11.3	0.31	10.7	11.9	1,286	12.8	0.36	12.1	13.5
1999	1,415	11.8	0.31	11.2	12.5	1,369	13.6	0.37	12.9	14.3
2000	1,519	12.6	0.32	11.9	13.2	1,442	14.2	0.37	13.5	15.0
2001	1,625	13.3	0.33	12.7	14.0	1,535	15.0	0.38	14.3	15.8
2002	1,659	13.5	0.33	12.8	14.1	1,565	15.2	0.38	14.5	16.0
2003	1,695	13.6	0.33	13.0	14.3	1,573	15.1	0.38	14.4	15.9
2004	1,838	14.7	0.34	14.0	15.4	1,715	16.5	0.40	15.7	17.3
2005	2,040	16.1	0.36	15.4	16.9	1,872	17.8	0.41	17.0	18.6
2006	2,061	16.2	0.36	15.5	16.9	1,937	18.4	0.42	17.6	19.2
2007	2,187	17.0	0.37	16.3	17.7	2,077	19.5	0.43	18.7	20.4
2008	2,330	17.9	0.37	17.1	18.6	2,198	20.4	0.44	19.5	21.2
2009	2,364	17.9	0.37	17.2	18.7	2,240	20.6	0.44	19.8	21.5
2010	2,333	17.4	0.36	16.7	18.1	2,191	19.8	0.43	19.0	20.7
2011	2,502	18.5	0.38	17.8	19.2	2,347	21.1	0.44	20.2	22.0
2012	2,585	18.8	0.38	18.1	19.5	2,447	21.7	0.45	20.8	22.6
2013	2,520	18.0	0.36	17.3	18.7	2,414	21.1	0.44	20.2	22.0
2014	2,690	18.8	0.37	18.1	19.6	2,545	21.7	0.44	20.9	22.6
2015	2,918	20.5	0.39	19.8	21.3	2,775	24.0	0.47	23.1	24.9
2016	3,218	22.1	0.40	21.4	22.9	3,071	26.1	0.48	25.2	27.1
2017	3,288	22.7	0.40	21.9	23.5	3,164	27.0	0.49	26.0	27.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	376	0.8	0.04	0.7	0.9	157	1.1	0.09	0.9	1.3
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	2	0.9	0.65	0.1	4.0
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	10	0.9	0.29	0.4	1.6	5	1.5	0.70	0.5	3.7
1997	15	1.1	0.28	0.6	1.7	3	1.0	0.57	0.2	2.9
1998	10	0.8	0.24	0.4	1.4	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	10	0.6	0.20	0.3	1.2	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	18	1.2	0.28	0.7	1.8	4	0.6	0.29	0.2	1.6
2007	16	1.0	0.26	0.6	1.6	3	0.4	0.25	0.1	1.4
2008	8	0.5	0.19	0.2	1.1	9	1.5	0.52	0.6	2.9
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	17	1.0	0.26	0.6	1.7	6	1.0	0.42	0.3	2.2
2011	14	0.8	0.21	0.4	1.3	8	1.5	0.59	0.6	3.1
2012	7	0.4	0.16	0.2	0.8	13	1.9	0.56	1.0	3.4
2013	15	0.9	0.23	0.5	1.4	5	0.6	0.27	0.2	1.5
2014	12	0.7	0.20	0.3	1.2	6	0.8	0.31	0.3	1.7
2015	15	0.9	0.22	0.5	1.4	9	1.3	0.44	0.6	2.5
2016	15	0.8	0.21	0.4	1.3	10	1.2	0.39	0.6	2.2
2017	14	0.8	0.21	0.4	1.3	13	1.6	0.45	0.8	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Males										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	31,076	17.8	0.10	17.6	18.0	29,777	20.0	0.12	19.8	20.2
1986	444	9.5	0.47	8.6	10.5	435	10.7	0.53	9.7	11.8
1987	424	8.8	0.44	7.9	9.7	416	9.9	0.50	8.9	10.9
1988	375	7.8	0.41	7.0	8.6	365	8.7	0.47	7.8	9.6
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5
1990	423	8.9	0.45	8.1	9.8	409	9.9	0.50	8.9	10.9
1991	472	9.8	0.46	8.9	10.7	468	11.1	0.52	10.1	12.2
1992	504	10.3	0.47	9.4	11.2	496	11.6	0.53	10.6	12.7
1993	473	9.5	0.44	8.6	10.4	467	10.8	0.51	9.8	11.8
1994	563	11.3	0.49	10.4	12.3	546	12.7	0.55	11.6	13.8
1995	645	12.7	0.51	11.7	13.8	631	14.4	0.58	13.3	15.6
1996	656	12.7	0.50	11.7	13.7	638	14.4	0.57	13.3	15.5
1997	748	14.4	0.53	13.3	15.5	719	16.1	0.61	14.9	17.3
1998	762	14.8	0.54	13.7	15.9	736	16.6	0.62	15.4	17.8
1999	831	15.7	0.55	14.6	16.8	806	17.8	0.63	16.6	19.1
2000	849	15.8	0.55	14.8	17.0	807	17.7	0.63	16.5	18.9
2001	910	17.0	0.57	15.9	18.1	861	18.8	0.65	17.6	20.2
2002	960	17.6	0.58	16.5	18.8	913	19.7	0.66	18.5	21.1
2003	954	17.3	0.57	16.2	18.5	904	19.3	0.65	18.1	20.6
2004	1,071	19.2	0.59	18.1	20.4	1,009	21.4	0.68	20.1	22.8
2005	1,107	19.8	0.60	18.6	21.0	1,031	21.8	0.69	20.4	23.2
2006	1,120	19.9	0.61	18.8	21.2	1,063	22.4	0.69	21.0	23.8
2007	1,193	20.9	0.62	19.7	22.2	1,142	23.7	0.71	22.3	25.1
2008	1,323	22.9	0.64	21.6	24.1	1,269	25.9	0.74	24.5	27.4
2009	1,316	22.4	0.63	21.2	23.6	1,247	25.2	0.72	23.8	26.6
2010	1,344	22.2	0.62	21.0	23.4	1,265	24.8	0.71	23.5	26.3
2011	1,409	23.2	0.63	21.9	24.4	1,336	26.1	0.73	24.7	27.6
2012	1,459	23.5	0.63	22.3	24.7	1,393	26.8	0.73	25.4	28.3
2013	1,427	22.6	0.61	21.4	23.8	1,376	26.1	0.72	24.7	27.5
2014	1,537	23.7	0.62	22.5	25.0	1,467	27.1	0.72	25.7	28.5
2015	1,608	24.6	0.63	23.4	25.9	1,541	28.3	0.74	26.9	29.8
2016	1,793	26.8	0.65	25.6	28.1	1,717	31.0	0.77	29.5	32.5
2017	1,895	28.2	0.66	26.9	29.5	1,831	32.9	0.79	31.3	34.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	155	0.8	0.07	0.7	1.0	81	1.3	0.16	1.0	1.6
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	2	1.6	1.21	0.2	6.3
1997	5	0.9	0.48	0.2	2.3	2	1.7	1.21	0.2	6.2
1998	4	0.7	0.37	0.2	1.9	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	4	0.6	0.31	0.2	1.6	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	8	1.5	0.54	0.6	2.8	4	1.1	0.56	0.3	3.1
2011	6	0.9	0.37	0.3	1.9	3	1.8	1.16	0.3	5.2
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.4
2013	6	0.8	0.36	0.3	1.8	1	0.2	0.24	0.0	1.6
2014	4	0.7	0.35	0.2	1.7	3	0.8	0.46	0.2	2.4
2015	7	1.0	0.37	0.4	2.0	5	1.7	0.79	0.5	4.0
2016	6	0.6	0.28	0.2	1.5	4	1.0	0.49	0.3	2.6
2017	7	0.8	0.33	0.3	1.8	7	2.1	0.83	0.8	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Females										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	24,491	11.6	0.07	11.4	11.7	23,116	13.3	0.09	13.2	13.5
1986	356	6.3	0.34	5.7	7.0	344	7.2	0.40	6.4	8.0
1987	394	6.9	0.35	6.2	7.6	382	7.9	0.41	7.1	8.7
1988	400	7.0	0.36	6.3	7.7	387	8.0	0.41	7.2	8.8
1989	383	6.5	0.34	5.9	7.2	375	7.6	0.40	6.8	8.4
1990	388	6.5	0.34	5.9	7.2	386	7.7	0.40	6.9	8.5
1991	407	6.9	0.35	6.2	7.6	395	8.0	0.41	7.2	8.8
1992	419	6.9	0.34	6.2	7.6	407	7.9	0.40	7.2	8.7
1993	381	6.2	0.32	5.6	6.8	377	7.3	0.38	6.5	8.0
1994	501	8.0	0.36	7.4	8.8	490	9.4	0.43	8.6	10.3
1995	477	7.6	0.35	7.0	8.4	454	8.7	0.41	7.9	9.6
1996	549	8.7	0.37	7.9	9.4	529	10.0	0.44	9.2	10.9
1997	573	9.0	0.38	8.3	9.8	541	10.3	0.45	9.4	11.2
1998	582	9.0	0.37	8.3	9.8	550	10.2	0.44	9.4	11.1
1999	584	9.0	0.37	8.3	9.8	563	10.5	0.45	9.7	11.4
2000	670	10.3	0.40	9.5	11.1	635	11.8	0.47	10.9	12.7
2001	715	10.8	0.41	10.1	11.7	674	12.5	0.48	11.5	13.4
2002	699	10.6	0.40	9.8	11.4	652	12.1	0.48	11.2	13.1
2003	741	11.1	0.41	10.3	11.9	669	12.2	0.48	11.3	13.2
2004	767	11.4	0.41	10.6	12.3	706	12.9	0.49	11.9	13.9
2005	933	13.8	0.46	12.9	14.7	841	15.3	0.53	14.2	16.3
2006	941	13.9	0.46	13.0	14.8	874	15.9	0.54	14.8	17.0
2007	994	14.6	0.47	13.7	15.5	935	17.0	0.56	15.9	18.2
2008	1,007	14.7	0.47	13.8	15.7	929	16.8	0.56	15.8	18.0
2009	1,048	15.0	0.47	14.1	16.0	993	17.7	0.58	16.6	18.9
2010	989	14.0	0.45	13.1	14.9	926	16.3	0.55	15.3	17.4
2011	1,093	15.5	0.48	14.6	16.5	1,011	17.9	0.58	16.8	19.0
2012	1,126	15.7	0.48	14.8	16.7	1,054	18.3	0.58	17.2	19.5
2013	1,093	14.9	0.46	14.0	15.8	1,038	17.7	0.57	16.6	18.9
2014	1,153	15.5	0.47	14.6	16.4	1,078	18.1	0.57	17.0	19.2
2015	1,310	17.9	0.51	16.9	18.9	1,234	21.2	0.63	20.0	22.5
2016	1,425	19.2	0.52	18.2	20.3	1,354	23.1	0.65	21.9	24.4
2017	1,393	18.7	0.52	17.7	19.8	1,333	22.7	0.65	21.5	24.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Melanoma of the Skin										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	221	0.8	0.05	0.7	0.9	76	1.0	0.11	0.7	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	1	1.1	1.06	0.0	6.5
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	7	1.0	0.39	0.4	2.1	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	6	0.7	0.28	0.3	1.5	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	10	1.1	0.34	0.5	2.0	2	0.5	0.37	0.1	2.2
2007	8	0.8	0.30	0.4	1.6	1	0.2	0.22	0.0	1.7
2008	4	0.5	0.23	0.1	1.2	3	0.9	0.51	0.2	2.7
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	2	0.8	0.58	0.1	2.7
2011	8	0.8	0.27	0.3	1.5	5	1.5	0.69	0.4	3.5
2012	4	0.4	0.21	0.1	1.1	8	2.4	0.87	1.0	4.7
2013	9	0.9	0.30	0.4	1.7	4	0.9	0.47	0.3	2.5
2014	8	0.7	0.26	0.3	1.4	3	0.7	0.43	0.2	2.2
2015	8	0.8	0.28	0.3	1.5	4	1.0	0.51	0.3	2.6
2016	9	0.9	0.30	0.4	1.7	6	1.3	0.55	0.5	3.0
2017	7	0.7	0.25	0.3	1.4	6	1.3	0.52	0.5	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	280,412	70.9	0.13	70.6	71.2	237,304	71.1	0.15	70.9	71.4
1986	6,725	65.2	0.81	63.6	66.8	5,999	66.2	0.87	64.5	67.9
1987	7,253	69.7	0.83	68.1	71.3	6,484	71.1	0.90	69.3	72.9
1988	7,408	70.7	0.83	69.1	72.4	6,574	71.7	0.90	70.0	73.5
1989	7,125	67.7	0.81	66.1	69.3	6,257	68.1	0.87	66.4	69.9
1990	7,523	70.7	0.82	69.1	72.4	6,692	72.3	0.89	70.5	74.1
1991	7,741	71.7	0.82	70.1	73.3	6,846	73.0	0.89	71.3	74.8
1992	7,915	72.3	0.82	70.7	73.9	6,981	73.5	0.89	71.8	75.3
1993	7,764	69.6	0.79	68.1	71.2	6,753	70.0	0.86	68.3	71.7
1994	8,349	74.4	0.82	72.8	76.0	7,300	75.4	0.89	73.6	77.1
1995	8,278	73.0	0.80	71.4	74.6	7,187	73.7	0.87	72.0	75.4
1996	8,479	73.9	0.81	72.4	75.5	7,337	74.6	0.87	72.8	76.3
1997	8,614	74.4	0.80	72.8	75.9	7,375	74.4	0.87	72.7	76.2
1998	8,882	75.7	0.80	74.1	77.3	7,566	75.5	0.87	73.8	77.3
1999	9,135	76.9	0.80	75.3	78.5	7,815	77.4	0.88	75.7	79.1
2000	8,894	74.0	0.78	72.5	75.6	7,609	74.7	0.86	73.1	76.4
2001	9,079	74.7	0.78	73.2	76.2	7,710	75.0	0.86	73.4	76.7
2002	8,868	72.1	0.77	70.6	73.6	7,464	72.0	0.83	70.3	73.6
2003	8,252	66.2	0.73	64.8	67.6	6,916	66.0	0.80	64.4	67.6
2004	8,379	66.5	0.73	65.1	68.0	7,079	67.0	0.80	65.4	68.6
2005	8,576	67.3	0.73	65.9	68.8	7,166	67.2	0.80	65.6	68.8
2006	8,959	69.6	0.74	68.1	71.0	7,467	69.5	0.81	67.9	71.1
2007	8,998	68.9	0.73	67.4	70.3	7,533	69.2	0.80	67.7	70.8
2008	9,173	69.3	0.73	67.8	70.7	7,662	69.6	0.80	68.0	71.1
2009	9,375	69.8	0.73	68.4	71.2	7,740	69.5	0.80	67.9	71.1
2010	9,472	69.4	0.72	68.0	70.8	7,834	69.3	0.80	67.8	70.9
2011	9,786	71.0	0.73	69.6	72.4	8,035	70.6	0.80	69.1	72.2
2012	9,618	68.7	0.71	67.3	70.1	7,889	68.6	0.79	67.1	70.2
2013	10,048	70.8	0.72	69.4	72.2	8,185	70.3	0.79	68.8	71.9
2014	10,340	72.1	0.72	70.7	73.5	8,373	71.4	0.80	69.8	73.0
2015	10,437	71.9	0.72	70.4	73.3	8,461	71.4	0.80	69.8	72.9
2016	10,531	71.8	0.72	70.4	73.3	8,609	72.1	0.80	70.6	73.7
2017	10,436	70.7	0.71	69.3	72.1	8,406	70.1	0.79	68.5	71.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	35,100	72.1	0.39	71.3	72.8	6,525	44.0	0.57	42.9	45.1
1986	654	57.0	2.30	52.6	61.7	52	27.4	4.02	20.1	36.6
1987	681	59.4	2.34	54.9	64.1	74	37.6	4.72	28.9	48.1
1988	770	66.2	2.46	61.4	71.2	55	27.5	4.02	20.2	36.6
1989	773	65.2	2.41	60.6	70.1	84	41.6	5.17	32.1	53.0
1990	733	61.3	2.32	56.8	66.0	82	34.5	4.13	26.9	43.7
1991	784	62.3	2.28	57.9	66.9	67	26.9	3.59	20.3	34.9
1992	815	64.3	2.31	59.9	69.0	77	29.2	3.68	22.4	37.4
1993	887	68.4	2.36	63.8	73.1	100	37.7	4.18	30.0	46.8
1994	918	69.6	2.36	65.1	74.4	106	38.0	4.08	30.4	46.8
1995	945	70.2	2.34	65.7	74.9	120	38.6	3.89	31.3	47.0
1996	980	71.2	2.33	66.8	75.9	124	37.0	3.55	30.3	44.6
1997	1,053	76.2	2.40	71.6	81.0	144	39.8	3.45	33.4	47.3
1998	1,103	77.7	2.38	73.1	82.5	146	40.1	3.54	33.4	47.6
1999	1,085	74.6	2.31	70.2	79.3	158	41.9	3.62	35.1	49.6
2000	1,049	70.9	2.23	66.6	75.4	155	40.1	3.53	33.5	47.6
2001	1,158	77.5	2.32	73.0	82.2	167	40.1	3.38	33.7	47.3
2002	1,164	75.0	2.24	70.6	79.5	183	40.9	3.23	34.8	47.7
2003	1,098	69.9	2.15	65.7	74.2	195	41.7	3.18	35.7	48.4
2004	1,070	67.0	2.09	63.0	71.2	196	40.3	3.09	34.5	46.8
2005	1,153	71.9	2.16	67.7	76.2	209	39.4	2.86	34.0	45.4
2006	1,196	73.1	2.15	68.9	77.5	248	45.5	3.09	39.7	52.0
2007	1,170	69.9	2.08	65.9	74.1	244	44.0	2.97	38.4	50.2
2008	1,189	70.6	2.09	66.6	74.8	270	46.3	2.98	40.7	52.5
2009	1,322	76.7	2.15	72.6	81.1	262	43.2	2.81	37.8	49.0
2010	1,276	72.8	2.08	68.8	77.0	303	46.1	2.76	40.8	51.8
2011	1,333	75.5	2.11	71.4	79.8	330	47.9	2.74	42.7	53.6
2012	1,321	72.6	2.04	68.6	76.7	358	49.4	2.71	44.2	55.0
2013	1,446	78.1	2.10	74.0	82.3	362	48.8	2.64	43.7	54.2
2014	1,512	81.3	2.14	77.2	85.6	375	47.3	2.50	42.5	52.5
2015	1,512	79.8	2.10	75.7	84.0	393	48.8	2.52	44.0	54.0
2016	1,454	75.9	2.04	71.9	80.0	401	48.3	2.46	43.6	53.4
2017	1,496	77.7	2.06	73.7	81.8	485	56.8	2.62	51.7	62.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,191	1.3	0.03	1.2	1.3	1,799	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	35	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.1
1990	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	67	1.4	0.17	1.1	1.7	57	1.3	0.17	1.0	1.7
1994	58	1.3	0.18	1.0	1.7	46	1.2	0.18	0.9	1.6
1995	74	1.5	0.18	1.2	1.9	64	1.5	0.19	1.2	2.0
1996	68	1.4	0.17	1.1	1.8	57	1.4	0.18	1.0	1.8
1997	72	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	74	1.5	0.17	1.2	1.9	61	1.4	0.18	1.1	1.8
2000	66	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.6
2001	67	1.3	0.15	1.0	1.6	57	1.3	0.17	1.0	1.6
2002	79	1.6	0.18	1.2	2.0	64	1.5	0.19	1.1	1.9
2003	71	1.4	0.16	1.1	1.7	59	1.3	0.17	1.0	1.7
2004	69	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	61	1.1	0.14	0.9	1.4	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	74	1.3	0.16	1.0	1.7	60	1.3	0.17	1.0	1.6
2009	77	1.3	0.15	1.0	1.7	59	1.2	0.16	0.9	1.6
2010	71	1.2	0.14	0.9	1.5	58	1.1	0.15	0.9	1.5
2011	90	1.5	0.16	1.2	1.8	73	1.3	0.16	1.0	1.7
2012	93	1.5	0.16	1.2	1.9	74	1.5	0.17	1.2	1.9
2013	87	1.3	0.15	1.1	1.7	65	1.2	0.15	0.9	1.5
2014	85	1.3	0.14	1.0	1.6	66	1.2	0.15	0.9	1.5
2015	76	1.1	0.13	0.9	1.4	60	1.1	0.15	0.8	1.4
2016	94	1.4	0.15	1.1	1.7	78	1.4	0.16	1.1	1.7
2017	104	1.5	0.15	1.2	1.9	82	1.5	0.16	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	340	1.8	0.11	1.6	2.1	40	0.6	0.11	0.4	0.9
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	3	0.7	0.39	0.1	1.9	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	10	2.1	0.69	1.0	3.9	1	1.0	0.97	0.0	5.7
1995	9	1.7	0.58	0.7	3.2	1	1.7	1.67	0.0	7.6
1996	8	1.7	0.66	0.7	3.4	3	1.7	0.98	0.3	5.9
1997	13	2.7	0.80	1.4	4.7	2	1.8	1.49	0.1	7.0
1998	10	1.9	0.61	0.9	3.4	1	0.6	0.57	0.0	4.0
1999	11	2.1	0.67	1.0	3.8	2	0.8	0.60	0.1	4.1
2000	9	1.5	0.55	0.6	2.9	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	1	0.4	0.39	0.0	3.0
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	7	1.2	0.46	0.5	2.4	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	16	2.1	0.54	1.2	3.4	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	14	2.3	0.63	1.2	3.8	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.51	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6
2014	15	2.0	0.55	1.1	3.4	4	1.0	0.50	0.3	2.7
2015	12	1.5	0.45	0.7	2.6	4	0.9	0.46	0.3	2.5
2016	15	2.1	0.57	1.2	3.5	0				
2017	19	2.5	0.60	1.5	3.9	3	0.7	0.40	0.1	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	278,221	128.9	0.25	128.4	129.4	235,505	130.6	0.27	130.1	131.2
1986	6,679	115.4	1.45	112.6	118.3	5,956	117.9	1.58	114.8	121.0
1987	7,198	123.8	1.49	120.9	126.7	6,436	127.1	1.63	123.9	130.3
1988	7,365	125.7	1.49	122.8	128.7	6,536	128.3	1.63	125.1	131.5
1989	7,090	120.7	1.46	117.8	123.6	6,229	122.3	1.59	119.2	125.4
1990	7,489	126.0	1.48	123.1	129.0	6,661	129.8	1.63	126.6	133.0
1991	7,694	127.9	1.48	125.0	130.9	6,805	131.2	1.63	128.0	134.4
1992	7,848	128.7	1.47	125.9	131.7	6,926	132.0	1.62	128.8	135.2
1993	7,697	124.0	1.43	121.2	126.8	6,696	125.5	1.56	122.5	128.6
1994	8,291	132.4	1.47	129.5	135.3	7,254	135.2	1.61	132.1	138.4
1995	8,204	130.5	1.45	127.7	133.4	7,123	132.9	1.60	129.8	136.1
1996	8,411	132.4	1.46	129.6	135.3	7,280	134.6	1.60	131.5	137.8
1997	8,542	133.6	1.46	130.7	136.4	7,318	135.0	1.60	131.9	138.2
1998	8,824	136.2	1.46	133.4	139.1	7,519	137.0	1.60	133.9	140.2
1999	9,061	138.8	1.47	135.9	141.7	7,754	141.0	1.62	137.9	144.2
2000	8,828	133.8	1.43	131.0	136.6	7,553	136.5	1.58	133.4	139.6
2001	9,012	135.2	1.43	132.4	138.0	7,653	137.2	1.58	134.1	140.4
2002	8,789	130.8	1.40	128.1	133.6	7,400	131.8	1.55	128.8	134.9
2003	8,181	120.5	1.34	117.9	123.1	6,857	121.4	1.48	118.5	124.3
2004	8,310	121.3	1.34	118.6	123.9	7,023	123.4	1.49	120.5	126.4
2005	8,517	123.0	1.34	120.3	125.6	7,116	124.0	1.49	121.1	127.0
2006	8,898	127.5	1.36	124.9	130.2	7,415	128.8	1.51	125.9	131.8
2007	8,928	126.7	1.35	124.1	129.4	7,476	129.0	1.51	126.0	132.0
2008	9,099	127.1	1.35	124.5	129.8	7,602	129.2	1.51	126.3	132.2
2009	9,298	128.4	1.35	125.8	131.1	7,681	129.5	1.50	126.6	132.5
2010	9,401	128.0	1.34	125.4	130.7	7,776	129.5	1.50	126.5	132.4
2011	9,696	131.0	1.36	128.4	133.7	7,962	132.1	1.51	129.1	135.1
2012	9,525	127.0	1.33	124.4	129.7	7,815	128.6	1.49	125.7	131.5
2013	9,961	131.3	1.34	128.7	134.0	8,120	132.2	1.51	129.3	135.2
2014	10,255	134.1	1.36	131.5	136.8	8,307	134.6	1.52	131.6	137.6
2015	10,361	133.9	1.35	131.3	136.6	8,401	134.8	1.52	131.8	137.8
2016	10,437	134.0	1.35	131.4	136.7	8,531	136.4	1.53	133.4	139.5
2017	10,332	132.0	1.34	129.4	134.7	8,324	132.8	1.51	129.8	135.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	34,760	123.2	0.67	121.9	124.5	6,485	81.4	1.04	79.4	83.5
1986	651	98.1	3.92	90.6	106.1	52	52.1	7.55	38.4	69.3
1987	675	101.3	3.97	93.7	109.4	73	69.3	8.61	53.5	88.5
1988	766	113.1	4.16	105.1	121.5	54	50.2	7.28	37.0	66.7
1989	767	111.3	4.08	103.4	119.5	83	76.0	9.23	59.0	96.3
1990	730	104.5	3.92	96.9	112.4	82	65.0	7.65	50.9	81.9
1991	778	106.5	3.88	99.0	114.4	67	50.2	6.56	38.1	64.8
1992	803	108.7	3.89	101.2	116.6	77	55.1	6.75	42.6	70.0
1993	877	115.6	3.96	108.0	123.6	100	69.7	7.53	55.8	86.1
1994	908	117.5	3.95	109.9	125.5	105	69.6	7.29	56.0	85.4
1995	936	119.1	3.94	111.5	127.0	119	70.6	6.91	57.7	85.5
1996	972	121.2	3.93	113.6	129.1	121	67.6	6.44	55.5	81.5
1997	1,040	128.5	4.02	120.8	136.6	142	73.7	6.34	61.8	87.3
1998	1,093	132.0	4.02	124.2	140.1	145	74.3	6.44	62.2	88.0
1999	1,074	126.7	3.89	119.2	134.5	156	76.9	6.50	64.6	90.7
2000	1,040	120.5	3.76	113.2	128.1	155	73.9	6.28	62.1	87.2
2001	1,149	131.6	3.91	124.1	139.5	167	73.8	6.02	62.5	86.6
2002	1,151	128.1	3.80	120.8	135.8	182	75.7	5.85	64.7	88.1
2003	1,086	119.2	3.64	112.2	126.5	195	77.6	5.79	66.6	89.8
2004	1,059	114.5	3.54	107.7	121.7	195	74.1	5.57	63.6	85.9
2005	1,145	122.9	3.66	115.8	130.3	208	72.9	5.23	63.0	83.9
2006	1,189	125.5	3.67	118.4	132.9	247	84.1	5.59	73.5	95.8
2007	1,158	120.0	3.56	113.1	127.2	243	81.6	5.44	71.3	93.0
2008	1,178	121.0	3.56	114.1	128.2	267	84.3	5.36	74.2	95.5
2009	1,306	131.4	3.68	124.3	138.9	261	80.0	5.14	70.2	90.7
2010	1,264	125.3	3.57	118.4	132.4	303	86.0	5.10	76.3	96.6
2011	1,319	129.2	3.61	122.2	136.4	329	89.2	5.07	79.5	99.7
2012	1,307	124.7	3.50	117.9	131.7	353	90.9	4.99	81.4	101.2
2013	1,426	133.7	3.60	126.8	141.0	361	91.2	4.91	81.8	101.3
2014	1,497	139.9	3.68	132.8	147.4	371	87.9	4.66	79.0	97.5
2015	1,500	137.7	3.63	130.7	145.0	389	90.5	4.68	81.6	100.2
2016	1,439	130.9	3.53	124.1	138.0	401	90.5	4.59	81.8	100.0
2017	1,477	133.9	3.57	127.0	141.1	482	105.4	4.86	96.1	115.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Female Genital System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	117,794	54.4	0.16	54.0	54.7	99,206	55.0	0.18	54.7	55.4
1986	3,257	55.5	1.00	53.5	57.5	2,884	56.5	1.08	54.4	58.7
1987	3,310	56.1	1.00	54.1	58.1	2,877	56.2	1.08	54.1	58.3
1988	3,230	54.2	0.97	52.4	56.2	2,776	53.9	1.05	51.8	56.0
1989	3,205	53.9	0.97	52.0	55.8	2,772	54.1	1.05	52.1	56.2
1990	3,365	55.9	0.98	54.0	57.8	2,896	55.9	1.06	53.8	58.0
1991	3,343	54.8	0.96	53.0	56.7	2,920	55.9	1.06	53.8	58.0
1992	3,385	55.2	0.96	53.3	57.1	3,001	57.3	1.07	55.2	59.4
1993	3,406	54.7	0.95	52.9	56.6	2,933	55.3	1.04	53.3	57.4
1994	3,500	55.5	0.95	53.6	57.4	3,006	55.9	1.04	53.9	58.0
1995	3,518	55.7	0.95	53.9	57.6	3,030	56.6	1.04	54.6	58.7
1996	3,740	58.9	0.97	57.0	60.8	3,224	60.1	1.07	58.0	62.2
1997	3,537	55.2	0.93	53.3	57.0	3,025	55.9	1.03	53.9	58.0
1998	3,664	56.6	0.94	54.8	58.5	3,136	57.5	1.04	55.5	59.6
1999	3,506	53.7	0.91	51.9	55.5	2,976	54.3	1.00	52.3	56.3
2000	3,501	53.2	0.90	51.5	55.0	2,925	53.2	0.99	51.2	55.2
2001	3,551	53.5	0.90	51.8	55.3	2,983	53.9	1.00	52.0	55.9
2002	3,607	53.9	0.90	52.1	55.7	3,043	54.6	1.00	52.7	56.6
2003	3,488	51.3	0.87	49.6	53.0	2,941	52.0	0.97	50.1	53.9
2004	3,553	51.8	0.87	50.1	53.5	2,991	52.6	0.97	50.7	54.6
2005	3,692	53.2	0.88	51.5	55.0	3,096	54.2	0.98	52.2	56.1
2006	3,784	54.2	0.89	52.4	55.9	3,156	54.8	0.99	52.9	56.8
2007	3,717	52.6	0.87	50.9	54.3	3,109	53.5	0.97	51.6	55.5
2008	3,870	54.0	0.88	52.3	55.8	3,223	54.9	0.98	53.0	56.8
2009	3,960	54.4	0.88	52.7	56.2	3,262	54.8	0.98	52.9	56.8
2010	3,956	53.3	0.86	51.7	55.0	3,263	53.9	0.96	52.0	55.8
2011	4,035	54.1	0.87	52.4	55.8	3,318	54.5	0.97	52.6	56.4
2012	3,950	51.7	0.84	50.1	53.4	3,253	52.5	0.94	50.6	54.3
2013	4,121	53.1	0.84	51.5	54.8	3,363	53.6	0.95	51.7	55.5
2014	4,184	53.7	0.85	52.0	55.4	3,411	54.4	0.96	52.6	56.4
2015	4,233	53.5	0.85	51.9	55.2	3,436	54.0	0.95	52.2	55.9
2016	4,372	55.2	0.86	53.5	56.9	3,549	55.8	0.97	54.0	57.8
2017	4,254	53.3	0.84	51.7	55.0	3,428	53.9	0.95	52.0	55.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	15,012	52.8	0.43	52.0	53.7	2,588	32.9	0.67	31.6	34.3
1986	333	49.6	2.79	44.2	55.3	32	28.7	5.36	19.2	41.6
1987	395	56.3	2.91	50.7	62.2	29	28.0	5.75	17.9	41.7
1988	395	56.2	2.89	50.7	62.1	45	41.2	6.66	29.2	56.5
1989	386	53.6	2.79	48.3	59.4	39	34.0	5.81	23.6	47.5
1990	424	59.4	2.94	53.7	65.4	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	36	31.2	5.62	21.2	44.2
1992	336	44.9	2.49	40.2	50.1	32	22.9	4.18	15.4	32.8
1993	413	53.2	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	444	57.6	2.78	52.3	63.3	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	439	54.8	2.65	49.7	60.2	62	38.1	5.17	28.7	49.6
1997	442	53.4	2.57	48.5	58.7	48	25.1	3.72	18.3	33.6
1998	446	52.7	2.52	47.8	57.8	59	32.7	4.68	24.2	43.1
1999	433	50.6	2.45	45.9	55.6	59	29.2	4.03	21.8	38.2
2000	455	52.0	2.46	47.3	57.1	82	38.5	4.51	30.2	48.4
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	454	51.0	2.41	46.4	55.9	84	34.9	3.97	27.6	43.6
2003	420	47.0	2.31	42.6	51.7	69	28.1	3.54	21.6	35.9
2004	457	50.6	2.38	46.0	55.5	69	27.1	3.42	20.9	34.7
2005	468	50.3	2.34	45.8	55.1	81	30.5	3.57	23.9	38.3
2006	498	53.5	2.42	48.9	58.5	86	31.2	3.54	24.7	39.0
2007	483	50.5	2.32	46.0	55.2	93	31.1	3.36	24.9	38.4
2008	504	51.2	2.30	46.8	55.9	98	31.9	3.37	25.6	39.2
2009	546	54.7	2.37	50.2	59.6	104	33.3	3.42	26.9	40.7
2010	517	50.8	2.27	46.5	55.5	129	37.2	3.39	30.9	44.5
2011	538	52.7	2.31	48.3	57.4	127	35.1	3.23	29.0	42.0
2012	537	50.7	2.22	46.4	55.3	113	29.9	2.91	24.5	36.2
2013	563	51.7	2.22	47.4	56.2	138	34.2	2.99	28.6	40.5
2014	601	54.8	2.28	50.4	59.4	129	30.7	2.76	25.5	36.6
2015	611	55.3	2.28	50.9	59.9	146	33.7	2.86	28.4	39.9
2016	627	56.8	2.32	52.4	61.6	163	36.2	2.88	30.7	42.3
2017	619	54.7	2.25	50.3	59.3	161	34.5	2.76	29.3	40.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Cervix Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	20,425	10.0	0.07	9.9	10.1	15,035	9.1	0.07	8.9	9.2
1986	727	13.0	0.50	12.1	14.0	555	11.7	0.51	10.7	12.8
1987	753	13.3	0.50	12.4	14.4	558	11.6	0.51	10.6	12.7
1988	741	13.0	0.49	12.1	14.0	541	11.2	0.49	10.3	12.2
1989	657	11.5	0.46	10.6	12.5	471	9.8	0.46	8.9	10.8
1990	739	12.8	0.48	11.9	13.8	532	10.9	0.48	10.0	11.9
1991	720	12.1	0.46	11.2	13.0	531	10.6	0.47	9.7	11.6
1992	670	11.3	0.44	10.4	12.2	518	10.4	0.46	9.5	11.4
1993	740	12.3	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8
1994	660	10.8	0.42	10.0	11.7	456	9.0	0.43	8.2	9.9
1995	747	12.2	0.45	11.3	13.1	543	10.7	0.46	9.8	11.7
1996	751	12.1	0.45	11.3	13.0	565	11.1	0.47	10.2	12.1
1997	717	11.4	0.43	10.6	12.3	545	10.6	0.46	9.7	11.5
1998	749	11.9	0.43	11.0	12.7	559	10.7	0.46	9.9	11.7
1999	694	10.9	0.42	10.1	11.8	502	9.7	0.43	8.8	10.6
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6
2001	645	10.0	0.39	9.2	10.8	487	9.3	0.42	8.5	10.1
2002	607	9.4	0.38	8.7	10.2	454	8.7	0.41	7.9	9.5
2003	625	9.6	0.39	8.9	10.4	449	8.5	0.41	7.8	9.4
2004	571	8.7	0.37	8.0	9.4	425	8.0	0.39	7.2	8.8
2005	580	8.8	0.37	8.1	9.5	428	8.1	0.40	7.4	8.9
2006	586	8.9	0.37	8.2	9.7	439	8.3	0.40	7.6	9.2
2007	568	8.5	0.36	7.8	9.3	414	7.7	0.39	7.0	8.5
2008	646	9.7	0.38	8.9	10.5	458	8.6	0.41	7.8	9.5
2009	566	8.4	0.36	7.7	9.1	385	7.2	0.37	6.5	7.9
2010	530	7.8	0.34	7.1	8.5	384	7.1	0.37	6.4	7.9
2011	559	8.1	0.35	7.5	8.9	421	7.7	0.39	7.0	8.5
2012	492	7.1	0.33	6.5	7.8	366	6.7	0.36	6.0	7.5
2013	510	7.3	0.33	6.7	8.0	381	7.0	0.37	6.3	7.8
2014	575	8.4	0.36	7.7	9.2	444	8.4	0.41	7.6	9.2
2015	498	7.3	0.34	6.6	8.0	375	7.0	0.38	6.3	7.8
2016	560	8.2	0.36	7.5	8.9	415	7.8	0.40	7.1	8.6
2017	514	7.4	0.34	6.7	8.0	386	7.2	0.38	6.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,612	16.0	0.24	15.5	16.4	526	6.6	0.30	6.0	7.2
1986	157	22.7	1.87	19.2	26.6	11	9.4	2.95	4.5	17.8
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	19	16.1	3.83	9.4	25.8
1989	167	22.5	1.78	19.1	26.2	16	13.1	3.44	7.2	22.0
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	164	21.2	1.70	18.0	24.8	12	10.0	3.08	4.9	18.1
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.6	1.66	18.5	25.1	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	156	18.3	1.49	15.5	21.5	20	13.0	3.04	7.7	20.4
1997	150	16.8	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	20	10.5	2.49	6.2	16.6
1999	163	18.3	1.45	15.6	21.4	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	27	11.8	2.36	7.6	17.5
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	144	15.5	1.30	13.1	18.3	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	14	5.0	1.42	2.7	8.7
2006	125	13.1	1.18	10.9	15.6	10	4.3	1.43	2.0	8.0
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	157	16.0	1.29	13.6	18.7	17	5.2	1.33	2.9	8.5
2009	147	14.5	1.21	12.2	17.1	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	119	11.9	1.10	9.8	14.2	11	2.9	0.88	1.4	5.3
2012	97	9.5	0.98	7.7	11.6	16	4.4	1.13	2.5	7.2
2013	107	10.2	1.00	8.4	12.4	15	3.5	0.91	1.9	5.9
2014	108	10.2	1.00	8.3	12.4	22	5.3	1.15	3.3	8.1
2015	98	9.6	0.99	7.8	11.8	22	5.5	1.19	3.4	8.3
2016	123	12.0	1.10	9.9	14.4	18	3.8	0.91	2.3	6.1
2017	103	9.7	0.98	7.9	11.8	17	3.8	0.93	2.2	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Uterus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	58,884	26.8	0.11	26.6	27.0	50,794	27.7	0.12	27.5	28.0
1986	1,449	24.1	0.65	22.8	25.4	1,345	25.6	0.72	24.2	27.0
1987	1,431	23.6	0.64	22.3	24.8	1,320	25.0	0.71	23.6	26.4
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1
1989	1,445	24.0	0.64	22.8	25.3	1,312	25.3	0.72	23.9	26.7
1990	1,435	23.5	0.63	22.2	24.7	1,304	24.7	0.70	23.3	26.1
1991	1,472	23.7	0.63	22.5	25.0	1,357	25.3	0.70	24.0	26.7
1992	1,558	25.2	0.65	23.9	26.5	1,426	26.9	0.73	25.5	28.4
1993	1,511	24.1	0.63	22.9	25.4	1,371	25.6	0.70	24.2	27.0
1994	1,588	25.0	0.63	23.8	26.3	1,449	26.7	0.71	25.3	28.1
1995	1,594	25.2	0.64	23.9	26.5	1,441	26.7	0.71	25.3	28.1
1996	1,742	27.4	0.66	26.1	28.8	1,567	29.1	0.75	27.7	30.6
1997	1,605	24.9	0.63	23.7	26.2	1,426	26.1	0.70	24.8	27.5
1998	1,699	26.2	0.64	25.0	27.5	1,501	27.4	0.71	26.0	28.8
1999	1,605	24.6	0.62	23.4	25.8	1,414	25.7	0.69	24.4	27.1
2000	1,628	24.8	0.62	23.6	26.0	1,408	25.6	0.69	24.3	27.0
2001	1,746	26.3	0.63	25.1	27.5	1,513	27.2	0.70	25.8	28.6
2002	1,775	26.4	0.63	25.2	27.7	1,536	27.4	0.70	26.0	28.8
2003	1,679	24.6	0.60	23.4	25.8	1,455	25.6	0.68	24.3	27.0
2004	1,779	25.8	0.62	24.6	27.1	1,534	26.8	0.69	25.5	28.2
2005	1,868	26.7	0.62	25.5	28.0	1,600	27.7	0.70	26.4	29.2
2006	1,975	28.0	0.64	26.8	29.3	1,659	28.5	0.71	27.2	30.0
2007	1,921	26.9	0.62	25.7	28.1	1,626	27.7	0.69	26.3	29.1
2008	1,987	27.2	0.62	26.0	28.4	1,698	28.3	0.70	27.0	29.7
2009	2,175	29.4	0.64	28.2	30.7	1,858	30.7	0.72	29.3	32.2
2010	2,181	28.8	0.63	27.6	30.1	1,835	29.7	0.71	28.3	31.1
2011	2,219	29.0	0.63	27.8	30.3	1,833	29.3	0.70	28.0	30.7
2012	2,236	28.6	0.61	27.4	29.8	1,857	29.2	0.69	27.8	30.6
2013	2,348	29.5	0.62	28.3	30.7	1,937	30.1	0.70	28.7	31.5
2014	2,367	29.3	0.62	28.1	30.6	1,905	29.3	0.69	28.0	30.7
2015	2,434	29.7	0.62	28.5	30.9	1,977	29.9	0.69	28.6	31.3
2016	2,530	30.8	0.63	29.6	32.1	2,066	31.4	0.71	30.0	32.8
2017	2,517	30.5	0.62	29.3	31.8	2,016	30.5	0.70	29.2	31.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,354	22.4	0.28	21.8	23.0	1,196	15.2	0.45	14.3	16.1
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	7	5.2	2.06	2.0	11.9
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	11	10.2	3.25	4.8	18.8
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	118	16.0	1.50	13.2	19.2	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	148	19.6	1.62	16.5	23.0	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	22	11.0	2.42	6.8	16.9
2000	170	20.1	1.55	17.2	23.4	31	13.9	2.60	9.3	20.1
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	160	18.5	1.47	15.7	21.6	34	13.3	2.34	9.1	18.8
2004	192	21.2	1.54	18.3	24.4	37	14.5	2.49	10.1	20.3
2005	206	22.2	1.56	19.2	25.4	33	11.9	2.17	8.1	17.0
2006	247	26.9	1.73	23.6	30.5	43	15.5	2.49	11.0	21.2
2007	234	24.6	1.62	21.5	27.9	46	15.0	2.28	10.8	20.2
2008	216	21.8	1.50	19.0	24.9	50	16.4	2.42	12.0	21.8
2009	246	24.7	1.59	21.6	28.0	47	15.3	2.35	11.1	20.6
2010	254	25.0	1.59	22.0	28.3	66	19.1	2.43	14.6	24.5
2011	280	27.1	1.64	23.9	30.5	69	18.7	2.33	14.4	23.8
2012	291	26.9	1.60	23.8	30.2	64	17.1	2.22	13.0	22.0
2013	289	25.4	1.52	22.5	28.6	79	19.3	2.23	15.2	24.2
2014	361	32.1	1.72	28.8	35.7	69	15.8	1.93	12.2	20.1
2015	354	30.9	1.68	27.7	34.4	76	17.4	2.03	13.6	21.8
2016	355	30.7	1.67	27.6	34.2	89	19.5	2.10	15.6	24.1
2017	373	32.2	1.71	29.0	35.8	95	20.0	2.08	16.2	24.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Corpus Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	57,312	26.1	0.11	25.9	26.3	49,651	27.1	0.12	26.9	27.4
1986	1,416	23.5	0.64	22.3	24.8	1,315	25.0	0.71	23.6	26.4
1987	1,402	23.1	0.63	21.9	24.4	1,296	24.5	0.70	23.2	25.9
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6
1989	1,420	23.6	0.64	22.4	24.9	1,291	24.9	0.71	23.5	26.3
1990	1,390	22.7	0.62	21.5	24.0	1,275	24.2	0.69	22.8	25.6
1991	1,422	22.9	0.62	21.7	24.1	1,321	24.6	0.69	23.3	26.0
1992	1,501	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5
1993	1,444	23.1	0.61	21.9	24.3	1,319	24.6	0.69	23.3	26.0
1994	1,502	23.7	0.62	22.6	25.0	1,380	25.5	0.70	24.1	26.9
1995	1,554	24.6	0.63	23.4	25.8	1,408	26.1	0.71	24.8	27.5
1996	1,711	27.0	0.66	25.7	28.3	1,541	28.7	0.74	27.2	30.2
1997	1,564	24.3	0.62	23.1	25.6	1,395	25.6	0.69	24.3	27.0
1998	1,653	25.5	0.63	24.3	26.8	1,467	26.8	0.71	25.5	28.3
1999	1,563	24.0	0.61	22.8	25.2	1,384	25.2	0.68	23.9	26.6
2000	1,585	24.2	0.61	23.0	25.4	1,377	25.1	0.68	23.8	26.5
2001	1,709	25.8	0.63	24.6	27.0	1,484	26.8	0.70	25.4	28.2
2002	1,728	25.7	0.62	24.5	27.0	1,503	26.9	0.70	25.5	28.3
2003	1,648	24.2	0.60	23.0	25.4	1,428	25.2	0.67	23.9	26.5
2004	1,738	25.3	0.61	24.1	26.5	1,503	26.4	0.69	25.1	27.8
2005	1,822	26.1	0.62	24.9	27.3	1,565	27.2	0.69	25.8	28.6
2006	1,922	27.3	0.63	26.1	28.6	1,626	28.0	0.70	26.7	29.4
2007	1,887	26.4	0.61	25.2	27.7	1,605	27.3	0.69	26.0	28.7
2008	1,931	26.4	0.61	25.2	27.6	1,662	27.7	0.69	26.4	29.1
2009	2,131	28.8	0.63	27.6	30.1	1,826	30.2	0.72	28.8	31.6
2010	2,119	28.0	0.62	26.8	29.2	1,793	29.0	0.70	27.7	30.4
2011	2,167	28.4	0.62	27.2	29.6	1,801	28.8	0.69	27.5	30.2
2012	2,187	27.9	0.61	26.7	29.1	1,823	28.6	0.68	27.3	30.0
2013	2,295	28.8	0.61	27.6	30.1	1,905	29.6	0.69	28.3	31.0
2014	2,308	28.6	0.61	27.5	29.9	1,866	28.8	0.68	27.5	30.2
2015	2,369	28.9	0.61	27.7	30.1	1,935	29.3	0.68	28.0	30.7
2016	2,457	30.0	0.62	28.8	31.2	2,013	30.7	0.70	29.3	32.1
2017	2,412	29.2	0.61	28.0	30.5	1,939	29.3	0.69	28.0	30.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,955	20.9	0.27	20.4	21.5	1,175	14.9	0.45	14.0	15.8
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	7	5.2	2.06	2.0	11.9
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	11	10.2	3.25	4.8	18.8
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	108	14.7	1.43	12.0	17.7	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	22	11.0	2.42	6.8	16.9
2000	159	18.7	1.49	15.9	21.9	30	13.6	2.57	9.0	19.6
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	156	18.0	1.45	15.3	21.1	34	13.3	2.34	9.1	18.8
2004	182	20.1	1.50	17.3	23.3	37	14.5	2.49	10.1	20.3
2005	195	21.0	1.52	18.1	24.2	33	11.9	2.17	8.1	17.0
2006	228	24.7	1.65	21.6	28.2	42	14.9	2.42	10.6	20.4
2007	224	23.4	1.58	20.4	26.7	43	13.8	2.16	9.8	18.7
2008	198	20.0	1.44	17.3	23.0	50	16.4	2.42	12.0	21.8
2009	235	23.6	1.56	20.7	26.9	46	15.0	2.33	10.8	20.3
2010	236	23.1	1.53	20.2	26.3	64	18.5	2.38	14.1	23.8
2011	264	25.6	1.60	22.5	28.9	65	17.4	2.23	13.3	22.4
2012	277	25.5	1.56	22.6	28.8	63	16.7	2.17	12.7	21.5
2013	270	23.8	1.47	21.0	26.8	79	19.3	2.23	15.2	24.2
2014	341	30.4	1.68	27.2	33.8	69	15.8	1.93	12.2	20.1
2015	333	28.8	1.61	25.7	32.2	74	16.9	2.00	13.2	21.3
2016	335	28.9	1.61	25.9	32.3	89	19.5	2.10	15.6	24.1
2017	347	30.0	1.65	26.9	33.4	95	20.0	2.08	16.2	24.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,572	0.7	0.02	0.7	0.7	1,143	0.6	0.02	0.6	0.6
1986	33	0.6	0.10	0.4	0.8	30	0.6	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	31	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	43	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	41	0.5	0.08	0.4	0.7	31	0.5	0.08	0.3	0.7
2005	46	0.6	0.09	0.5	0.8	35	0.6	0.10	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	34	0.5	0.08	0.3	0.7	21	0.3	0.08	0.2	0.5
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	44	0.6	0.09	0.4	0.8	32	0.5	0.10	0.4	0.8
2010	62	0.8	0.11	0.6	1.1	42	0.7	0.11	0.5	0.9
2011	52	0.7	0.10	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	49	0.7	0.09	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	53	0.6	0.09	0.5	0.8	32	0.5	0.08	0.3	0.6
2014	59	0.7	0.09	0.5	0.9	39	0.6	0.09	0.4	0.8
2015	65	0.8	0.10	0.6	1.1	42	0.6	0.10	0.4	0.8
2016	73	0.9	0.10	0.7	1.1	53	0.7	0.10	0.5	1.0
2017	105	1.3	0.13	1.0	1.6	77	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Uterus, NOS										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	399	1.5	0.07	1.3	1.6	21	0.3	0.07	0.2	0.5
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	4	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	11	1.4	0.43	0.7	2.5	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	10	1.1	0.34	0.5	2.0	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	16	1.5	0.38	0.8	2.4	4	1.2	0.66	0.3	3.3
2012	14	1.4	0.37	0.7	2.3	1	0.4	0.44	0.0	2.1
2013	19	1.7	0.40	1.0	2.7	0				
2014	20	1.8	0.41	1.1	2.8	0				
2015	21	2.1	0.47	1.3	3.2	2	0.5	0.35	0.1	1.8
2016	20	1.8	0.41	1.1	2.8	0				
2017	26	2.2	0.44	1.4	3.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	29,350	13.5	0.08	13.3	13.7	25,599	14.1	0.09	13.9	14.3
1986	854	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	801	15.9	0.58	14.8	17.1
1988	898	15.1	0.51	14.1	16.2	801	15.6	0.57	14.5	16.8
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	982	16.2	0.53	15.2	17.3	883	17.0	0.58	15.8	18.2
1991	951	15.9	0.52	14.8	16.9	860	16.8	0.59	15.7	18.0
1992	927	15.2	0.51	14.3	16.3	847	16.3	0.57	15.2	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,007	15.9	0.51	14.9	16.9	899	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	837	15.6	0.55	14.5	16.7
1996	996	15.5	0.50	14.6	16.5	874	16.0	0.55	15.0	17.1
1997	966	15.1	0.49	14.1	16.1	847	15.6	0.54	14.6	16.7
1998	957	14.7	0.48	13.8	15.6	853	15.5	0.54	14.5	16.6
1999	964	14.7	0.47	13.8	15.6	861	15.5	0.54	14.5	16.6
2000	892	13.3	0.45	12.5	14.2	792	14.1	0.51	13.1	15.1
2001	894	13.4	0.45	12.5	14.3	758	13.6	0.50	12.6	14.6
2002	945	14.0	0.46	13.1	14.9	817	14.5	0.51	13.5	15.6
2003	924	13.4	0.44	12.5	14.3	808	14.0	0.50	13.1	15.0
2004	940	13.5	0.44	12.7	14.4	826	14.3	0.50	13.4	15.4
2005	950	13.6	0.44	12.7	14.5	823	14.3	0.50	13.3	15.3
2006	969	13.7	0.44	12.8	14.6	840	14.3	0.50	13.4	15.3
2007	933	13.1	0.43	12.3	14.0	814	13.9	0.49	12.9	14.9
2008	902	12.6	0.42	11.7	13.4	780	13.2	0.48	12.3	14.2
2009	904	12.4	0.42	11.6	13.2	754	12.6	0.47	11.7	13.6
2010	923	12.5	0.42	11.7	13.3	763	12.6	0.46	11.7	13.5
2011	896	12.1	0.41	11.3	12.9	752	12.4	0.46	11.5	13.4
2012	857	11.3	0.39	10.5	12.1	728	11.8	0.45	10.9	12.7
2013	870	11.4	0.39	10.6	12.2	711	11.4	0.44	10.6	12.3
2014	860	11.1	0.39	10.3	11.8	733	11.6	0.44	10.8	12.5
2015	899	11.5	0.40	10.8	12.3	749	11.9	0.45	11.1	12.8
2016	846	10.8	0.38	10.1	11.6	694	11.0	0.43	10.1	11.8
2017	811	10.4	0.38	9.7	11.2	687	11.0	0.44	10.2	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,916	10.4	0.19	10.0	10.8	710	9.0	0.35	8.3	9.7
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	16	14.6	4.03	7.8	24.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	90	12.8	1.37	10.2	15.7	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	11	7.7	2.39	3.7	14.3
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	93	12.3	1.29	9.9	15.1	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	102	13.0	1.30	10.6	15.8	18	9.6	2.47	5.4	15.8
1997	97	12.0	1.24	9.7	14.7	19	9.7	2.27	5.8	15.4
1998	84	10.0	1.10	7.9	12.4	14	7.8	2.32	3.9	13.7
1999	85	10.0	1.09	8.0	12.4	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	23	12.0	2.71	7.3	18.5
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	97	10.9	1.12	8.8	13.3	12	4.4	1.32	2.2	7.9
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	92	9.9	1.04	7.9	12.1	31	10.9	2.03	7.2	15.6
2007	92	9.7	1.02	7.8	11.9	26	9.0	1.86	5.7	13.4
2008	92	9.4	0.99	7.6	11.6	25	7.9	1.62	5.0	11.7
2009	116	11.9	1.11	9.8	14.3	27	9.2	1.83	5.9	13.4
2010	112	11.0	1.06	9.1	13.3	42	12.2	1.93	8.7	16.6
2011	96	9.4	0.97	7.6	11.5	42	11.7	1.87	8.3	16.0
2012	96	9.2	0.95	7.4	11.3	27	7.0	1.38	4.6	10.3
2013	119	11.6	1.07	9.6	13.9	35	8.9	1.55	6.1	12.5
2014	90	8.4	0.90	6.7	10.4	29	7.3	1.38	4.8	10.5
2015	115	10.5	1.00	8.7	12.7	31	7.4	1.37	5.0	10.6
2016	105	10.1	1.00	8.2	12.2	42	9.8	1.54	7.0	13.3
2017	88	7.9	0.86	6.3	9.8	33	7.1	1.25	4.9	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Male Genital System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	262,658	150.1	0.30	149.5	150.7	214,494	143.0	0.31	142.4	143.6
1986	4,450	108.3	1.71	104.9	111.6	3,853	105.0	1.77	101.6	108.5
1987	4,854	115.9	1.74	112.5	119.3	4,273	114.0	1.82	110.5	117.6
1988	4,892	115.7	1.73	112.3	119.1	4,239	112.7	1.81	109.2	116.3
1989	5,163	120.6	1.75	117.1	124.0	4,516	118.6	1.83	115.0	122.2
1990	5,878	135.7	1.84	132.1	139.4	5,153	133.1	1.92	129.3	136.9
1991	7,400	165.7	2.00	161.8	169.6	6,566	165.3	2.11	161.2	169.4
1992	8,961	195.2	2.13	191.0	199.4	7,857	192.6	2.23	188.3	197.1
1993	8,623	184.7	2.04	180.7	188.7	7,449	180.4	2.14	176.3	184.7
1994	8,409	178.3	2.00	174.4	182.2	7,046	169.1	2.06	165.1	173.2
1995	7,892	164.1	1.89	160.4	167.8	6,548	155.0	1.95	151.2	158.9
1996	8,043	164.4	1.87	160.8	168.1	6,610	154.5	1.93	150.7	158.3
1997	8,358	169.2	1.88	165.6	173.0	6,999	162.6	1.97	158.8	166.5
1998	8,285	166.1	1.85	162.5	169.7	6,806	157.0	1.92	153.3	160.8
1999	8,780	173.6	1.87	170.0	177.3	7,307	166.9	1.97	163.0	170.8
2000	8,838	173.3	1.86	169.6	177.0	7,203	163.5	1.94	159.8	167.4
2001	9,376	181.7	1.90	178.0	185.5	7,729	173.9	1.99	170.1	177.9
2002	9,675	184.9	1.90	181.2	188.6	7,983	177.7	2.00	173.8	181.7
2003	8,976	168.0	1.79	164.5	171.5	7,282	159.5	1.89	155.8	163.2
2004	8,867	163.0	1.75	159.6	166.5	7,140	154.1	1.84	150.5	157.8
2005	8,709	157.1	1.71	153.8	160.5	6,938	147.3	1.79	143.8	150.8
2006	9,464	166.9	1.74	163.5	170.4	7,578	157.8	1.84	154.3	161.5
2007	10,247	177.1	1.78	173.6	180.6	8,156	166.5	1.87	162.9	170.2
2008	10,302	172.6	1.73	169.2	176.0	8,164	162.2	1.82	158.6	165.8
2009	10,065	163.5	1.67	160.2	166.8	7,877	152.1	1.75	148.7	155.5
2010	9,123	144.6	1.55	141.6	147.7	7,175	135.6	1.63	132.4	138.8
2011	9,296	143.9	1.53	140.9	146.9	7,343	135.9	1.62	132.7	139.1
2012	8,298	124.2	1.40	121.4	126.9	6,393	114.7	1.47	111.8	117.6
2013	8,001	117.1	1.34	114.4	119.7	6,329	110.9	1.43	108.2	113.8
2014	7,969	113.8	1.31	111.2	116.4	6,203	106.6	1.39	103.9	109.3
2015	8,348	116.8	1.31	114.3	119.4	6,373	107.7	1.38	105.0	110.5
2016	8,374	115.2	1.29	112.7	117.8	6,599	110.3	1.39	107.6	113.1
2017	8,742	118.2	1.30	115.6	120.7	6,807	111.4	1.38	108.7	114.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	40,753	213.3	1.11	211.2	215.5	3,440	62.9	1.17	60.7	65.3
1986	574	147.9	6.65	135.2	161.4	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	612	149.1	6.47	136.7	162.2	28	50.2	10.68	31.5	74.7
1989	608	146.9	6.36	134.7	159.8	25	45.2	10.37	27.2	69.0
1990	667	168.8	7.02	155.3	183.0	37	56.5	10.59	37.7	80.5
1991	756	176.0	6.86	162.8	189.9	30	53.5	10.67	34.7	77.6
1992	1,031	234.7	7.80	219.7	250.4	53	94.1	14.54	67.8	125.7
1993	1,109	241.0	7.72	226.1	256.6	42	64.1	10.99	44.4	88.5
1994	1,266	276.1	8.30	260.1	292.8	71	97.8	13.19	73.6	126.2
1995	1,251	260.0	7.81	244.9	275.7	60	69.6	10.14	51.2	91.8
1996	1,333	266.5	7.72	251.5	282.0	62	68.3	9.97	50.1	90.0
1997	1,206	233.9	7.10	220.2	248.2	70	62.7	8.49	47.2	81.2
1998	1,272	243.1	7.17	229.2	257.5	72	64.5	8.49	48.9	83.0
1999	1,241	230.1	6.85	216.9	243.9	103	90.3	10.24	71.3	112.1
2000	1,443	263.4	7.26	249.4	278.0	87	70.4	8.63	54.5	89.0
2001	1,401	251.3	7.04	237.7	265.5	97	71.9	8.35	56.5	89.8
2002	1,389	240.1	6.77	227.0	253.7	110	73.1	7.72	58.7	89.6
2003	1,423	236.5	6.57	223.8	249.7	101	61.4	6.90	48.6	76.2
2004	1,451	238.4	6.58	225.7	251.6	117	70.0	7.28	56.5	85.5
2005	1,446	233.6	6.49	221.1	246.6	137	78.4	7.46	64.5	94.2
2006	1,595	248.8	6.54	236.1	261.9	160	81.8	7.08	68.5	96.7
2007	1,738	265.6	6.68	252.6	279.0	163	73.2	6.27	61.4	86.4
2008	1,764	257.3	6.40	245.0	270.2	176	71.7	5.93	60.6	84.2
2009	1,765	248.3	6.19	236.4	260.7	171	71.1	6.03	59.8	83.8
2010	1,580	216.4	5.71	205.4	227.9	168	63.0	5.33	53.0	74.3
2011	1,471	192.2	5.24	182.1	202.7	176	67.6	5.60	57.1	79.4
2012	1,491	188.8	5.12	178.9	199.1	174	59.5	4.84	50.4	69.7
2013	1,366	172.0	4.86	162.6	181.7	165	55.5	4.60	46.9	65.2
2014	1,393	168.1	4.70	159.0	177.6	196	60.0	4.55	51.4	69.5
2015	1,546	183.4	4.87	174.0	193.2	187	52.1	3.99	44.5	60.5
2016	1,449	165.1	4.51	156.3	174.1	178	46.8	3.62	39.9	54.4
2017	1,554	175.7	4.63	166.7	185.0	190	49.9	3.74	42.8	57.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Prostate										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	250,561	143.8	0.29	143.2	144.4	203,401	136.0	0.31	135.4	136.6
1986	4,167	103.2	1.68	99.9	106.5	3,587	99.4	1.74	96.0	102.9
1987	4,537	110.1	1.71	106.8	113.5	3,974	107.7	1.78	104.3	111.3
1988	4,579	110.2	1.70	106.9	113.6	3,943	106.6	1.77	103.2	110.1
1989	4,836	114.7	1.72	111.4	118.1	4,218	112.3	1.80	108.8	115.9
1990	5,544	129.9	1.81	126.4	133.5	4,844	126.8	1.89	123.2	130.6
1991	7,086	160.2	1.97	156.4	164.2	6,275	159.3	2.08	155.3	163.5
1992	8,658	190.1	2.10	186.0	194.2	7,573	187.0	2.21	182.7	191.3
1993	8,282	178.8	2.02	174.8	182.8	7,129	173.9	2.11	169.8	178.1
1994	8,065	172.5	1.97	168.7	176.4	6,725	162.6	2.03	158.7	166.7
1995	7,553	158.5	1.86	154.9	162.2	6,234	148.8	1.92	145.1	152.6
1996	7,690	158.6	1.84	155.0	162.2	6,293	148.2	1.89	144.5	151.9
1997	7,971	162.8	1.85	159.2	166.4	6,641	155.4	1.93	151.7	159.3
1998	7,925	160.0	1.82	156.5	163.6	6,472	150.2	1.88	146.6	154.0
1999	8,404	167.4	1.85	163.8	171.1	6,974	160.2	1.93	156.5	164.1
2000	8,481	167.4	1.84	163.8	171.0	6,874	156.9	1.91	153.2	160.7
2001	8,980	175.1	1.87	171.5	178.8	7,369	166.7	1.95	162.8	170.5
2002	9,298	178.7	1.87	175.1	182.4	7,639	170.9	1.97	167.0	174.8
2003	8,596	161.8	1.77	158.3	165.3	6,930	152.5	1.85	148.9	156.1
2004	8,466	156.5	1.72	153.1	159.9	6,770	146.7	1.80	143.2	150.3
2005	8,341	151.2	1.68	147.9	154.5	6,612	140.7	1.75	137.3	144.2
2006	9,060	160.3	1.71	157.0	163.7	7,206	150.3	1.79	146.8	153.9
2007	9,852	170.6	1.75	167.2	174.1	7,800	159.3	1.83	155.7	162.9
2008	9,866	165.4	1.70	162.1	168.8	7,772	154.2	1.78	150.8	157.8
2009	9,674	157.1	1.63	153.9	160.3	7,511	144.6	1.70	141.2	147.9
2010	8,673	137.4	1.51	134.4	140.4	6,763	127.3	1.58	124.2	130.4
2011	8,899	137.5	1.50	134.6	140.5	6,977	128.5	1.58	125.4	131.6
2012	7,863	117.2	1.36	114.5	119.9	6,000	106.8	1.41	104.0	109.6
2013	7,578	110.2	1.30	107.7	112.8	5,949	103.2	1.37	100.6	106.0
2014	7,542	107.0	1.26	104.5	109.5	5,826	99.0	1.33	96.4	101.6
2015	7,878	109.3	1.26	106.8	111.8	5,946	99.0	1.32	96.4	101.6
2016	7,904	107.7	1.24	105.2	110.1	6,158	101.2	1.32	98.7	103.9
2017	8,313	111.2	1.25	108.7	113.7	6,417	103.2	1.32	100.6	105.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	40,164	210.8	1.10	208.6	212.9	3,253	60.8	1.16	58.5	63.1
1986	561	145.6	6.61	133.0	159.1	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	599	146.8	6.43	134.4	159.8	24	48.0	10.63	29.5	72.5
1989	584	142.9	6.29	130.8	155.7	22	43.5	10.32	25.7	67.4
1990	648	164.8	6.95	151.5	178.9	32	53.9	10.53	35.3	77.8
1991	740	173.2	6.81	160.1	186.9	29	49.4	9.86	32.0	71.8
1992	1,015	232.2	7.77	217.3	247.9	51	92.3	14.49	66.1	123.9
1993	1,090	238.3	7.70	223.5	253.8	42	64.1	10.99	44.4	88.5
1994	1,249	273.5	8.27	257.5	290.1	67	94.0	12.98	70.3	122.1
1995	1,235	257.5	7.78	242.5	273.1	56	67.8	10.10	49.5	89.9
1996	1,313	263.6	7.69	248.7	279.0	56	66.0	9.93	48.0	87.7
1997	1,188	231.3	7.07	217.6	245.5	67	61.5	8.46	46.1	80.0
1998	1,255	240.9	7.15	227.1	255.3	68	62.2	8.40	46.8	80.5
1999	1,222	227.8	6.82	214.6	241.5	93	83.4	9.76	65.4	104.4
2000	1,426	261.0	7.24	247.0	275.5	81	67.8	8.53	52.1	86.2
2001	1,384	249.0	7.02	235.5	263.1	90	69.6	8.30	54.3	87.5
2002	1,368	237.4	6.75	224.4	250.9	108	72.3	7.70	58.0	88.8
2003	1,405	234.2	6.54	221.6	247.4	97	60.2	6.87	47.4	74.9
2004	1,434	236.2	6.55	223.5	249.3	111	68.3	7.24	54.8	83.7
2005	1,424	230.4	6.44	217.9	243.3	132	76.9	7.43	63.0	92.6
2006	1,580	246.9	6.53	234.3	260.0	155	80.6	7.06	67.4	95.5
2007	1,717	262.9	6.65	250.1	276.3	154	70.6	6.20	59.0	83.8
2008	1,740	254.4	6.37	242.0	267.1	166	69.1	5.87	58.1	81.5
2009	1,752	246.7	6.17	234.8	259.1	170	70.9	6.02	59.6	83.6
2010	1,557	213.5	5.67	202.5	224.9	162	61.6	5.29	51.7	72.8
2011	1,456	190.5	5.22	180.4	201.0	165	65.0	5.55	54.6	76.7
2012	1,472	186.4	5.08	176.5	196.6	162	56.2	4.74	47.3	66.2
2013	1,346	169.4	4.83	160.1	179.1	153	52.7	4.52	44.2	62.2
2014	1,368	164.7	4.64	155.7	174.0	187	57.7	4.48	49.3	67.2
2015	1,523	180.6	4.84	171.3	190.4	178	50.1	3.94	42.7	58.4
2016	1,434	163.2	4.49	154.5	172.2	167	44.2	3.53	37.5	51.7
2017	1,531	173.1	4.60	164.2	182.4	179	47.2	3.63	40.3	54.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Testis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	10,247	5.2	0.05	5.1	5.3	9,537	5.9	0.06	5.8	6.1
1986	230	3.9	0.27	3.4	4.5	220	4.5	0.31	3.9	5.1
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5
1988	272	4.6	0.29	4.0	5.2	262	5.3	0.33	4.6	6.0
1989	269	4.6	0.29	4.0	5.2	251	5.1	0.33	4.5	5.8
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5
1992	259	4.1	0.26	3.6	4.7	245	4.7	0.31	4.2	5.4
1993	285	4.6	0.28	4.1	5.2	269	5.2	0.32	4.6	5.9
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0
1995	280	4.4	0.27	3.9	5.0	262	5.0	0.31	4.4	5.7
1996	292	4.6	0.27	4.1	5.2	264	5.1	0.31	4.5	5.7
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9
1998	300	4.8	0.28	4.3	5.4	281	5.5	0.33	4.9	6.2
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6
2002	329	5.3	0.29	4.7	5.9	304	6.0	0.34	5.3	6.7
2003	328	5.2	0.29	4.7	5.8	310	6.1	0.35	5.5	6.9
2004	345	5.5	0.30	4.9	6.1	321	6.3	0.35	5.7	7.1
2005	323	5.1	0.29	4.6	5.7	292	5.8	0.34	5.2	6.5
2006	341	5.4	0.30	4.9	6.0	317	6.3	0.36	5.6	7.0
2007	331	5.3	0.29	4.8	5.9	305	6.1	0.35	5.5	6.9
2008	367	5.9	0.31	5.3	6.5	336	6.8	0.37	6.1	7.5
2009	340	5.5	0.30	4.9	6.1	319	6.5	0.37	5.8	7.2
2010	380	6.1	0.31	5.5	6.7	353	7.1	0.38	6.4	7.9
2011	340	5.4	0.30	4.9	6.0	317	6.4	0.36	5.7	7.1
2012	364	5.8	0.31	5.2	6.5	333	6.7	0.37	6.0	7.5
2013	373	6.0	0.31	5.4	6.7	340	6.9	0.38	6.2	7.7
2014	367	5.9	0.31	5.3	6.5	326	6.7	0.37	6.0	7.4
2015	398	6.4	0.32	5.8	7.1	370	7.7	0.40	6.9	8.5
2016	410	6.6	0.33	6.0	7.3	391	8.1	0.41	7.3	9.0
2017	364	6.0	0.32	5.4	6.6	338	7.2	0.39	6.4	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Testis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	348	1.3	0.07	1.2	1.4	153	1.5	0.13	1.3	1.8
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	3	1.6	0.95	0.3	7.4
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	0				
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	6	2.2	0.92	0.8	6.2
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	14	1.6	0.42	0.9	2.7	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	6	1.4	0.59	0.5	3.5
2011	8	0.9	0.33	0.4	1.8	10	2.3	0.72	1.1	4.4
2012	12	1.4	0.40	0.7	2.4	9	2.4	0.86	1.0	4.9
2013	11	1.3	0.40	0.6	2.3	11	2.6	0.79	1.3	4.9
2014	17	1.9	0.47	1.1	3.1	8	1.9	0.68	0.8	3.9
2015	9	1.1	0.37	0.5	2.1	9	2.0	0.66	0.9	3.9
2016	9	1.2	0.39	0.5	2.2	8	1.9	0.70	0.8	3.9
2017	15	1.7	0.45	0.9	2.8	7	1.4	0.55	0.6	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,472	0.9	0.02	0.8	0.9	1,237	0.9	0.02	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	34	0.9	0.15	0.6	1.2
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	49	1.0	0.15	0.8	1.4	38	0.9	0.15	0.6	1.3
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	48	1.0	0.14	0.7	1.3	41	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	47	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	47	0.9	0.13	0.6	1.2	43	0.9	0.14	0.7	1.2
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	54	0.9	0.12	0.7	1.2	46	0.9	0.13	0.7	1.2
2013	36	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
2014	50	0.8	0.12	0.6	1.1	42	0.8	0.12	0.6	1.1
2015	57	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
2016	48	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
2017	50	0.8	0.12	0.6	1.1	44	0.9	0.13	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Penis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	197	1.1	0.08	0.9	1.2	25	0.5	0.11	0.3	0.8
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.26	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	6	1.0	0.42	0.3	2.1	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.43	0.5	2.3	0				
2014	7	1.4	0.52	0.6	2.7	1	0.3	0.32	0.0	1.8
2015	8	1.0	0.35	0.4	1.9	0				
2016	3	0.5	0.26	0.1	1.3	3	0.7	0.40	0.1	2.2
2017	3	0.4	0.22	0.1	1.1	3	1.0	0.63	0.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	147,673	37.1	0.10	36.9	37.3	131,558	38.7	0.11	38.5	38.9
1986	3,160	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1
1987	3,296	31.1	0.55	30.0	32.2	3,026	32.3	0.59	31.1	33.4
1988	3,270	30.6	0.54	29.5	31.6	3,022	32.0	0.59	30.9	33.2
1989	3,354	31.1	0.54	30.1	32.2	3,080	32.4	0.59	31.3	33.6
1990	3,343	30.7	0.54	29.7	31.8	3,097	32.4	0.59	31.2	33.6
1991	3,411	31.0	0.53	30.0	32.1	3,162	32.7	0.59	31.5	33.9
1992	3,551	31.8	0.54	30.7	32.8	3,262	33.3	0.59	32.1	34.4
1993	3,676	32.4	0.54	31.4	33.5	3,339	33.7	0.59	32.6	34.9
1994	3,814	33.5	0.54	32.4	34.6	3,475	34.9	0.60	33.8	36.1
1995	3,820	33.2	0.54	32.2	34.3	3,494	34.9	0.59	33.8	36.1
1996	4,070	35.3	0.55	34.2	36.4	3,684	36.8	0.61	35.6	38.0
1997	4,192	36.0	0.56	34.9	37.1	3,783	37.5	0.61	36.3	38.7
1998	4,154	35.3	0.55	34.2	36.4	3,754	36.9	0.60	35.7	38.1
1999	4,276	36.0	0.55	34.9	37.1	3,856	37.7	0.61	36.5	38.9
2000	4,501	37.6	0.56	36.5	38.7	4,025	39.1	0.62	37.9	40.4
2001	4,516	37.4	0.56	36.4	38.5	4,046	39.2	0.62	38.0	40.4
2002	4,841	39.7	0.57	38.6	40.9	4,335	41.6	0.63	40.4	42.9
2003	4,979	40.4	0.57	39.3	41.6	4,459	42.5	0.64	41.2	43.7
2004	5,025	40.4	0.57	39.3	41.5	4,511	42.6	0.64	41.4	43.9
2005	5,147	40.9	0.57	39.8	42.1	4,560	42.8	0.64	41.6	44.1
2006	5,133	40.5	0.57	39.4	41.6	4,534	42.3	0.63	41.1	43.6
2007	5,231	40.7	0.57	39.6	41.8	4,583	42.2	0.63	41.0	43.4
2008	5,466	41.8	0.57	40.7	42.9	4,778	43.4	0.63	42.1	44.6
2009	5,581	42.0	0.57	40.9	43.2	4,895	43.9	0.63	42.7	45.2
2010	5,335	39.5	0.55	38.4	40.6	4,678	41.3	0.61	40.1	42.6
2011	5,507	39.9	0.55	38.9	41.0	4,814	41.8	0.61	40.6	43.1
2012	5,533	39.5	0.54	38.4	40.6	4,844	41.5	0.61	40.3	42.7
2013	5,803	40.7	0.54	39.7	41.8	5,043	42.6	0.61	41.4	43.8
2014	5,876	40.4	0.54	39.3	41.4	5,060	42.0	0.60	40.8	43.2
2015	6,034	40.9	0.54	39.9	42.0	5,210	42.8	0.61	41.7	44.0
2016	5,917	39.8	0.53	38.8	40.9	5,130	41.9	0.60	40.7	43.1
2017	5,861	38.7	0.52	37.7	39.8	5,112	41.2	0.59	40.0	42.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	13,304	28.4	0.25	27.9	28.9	1,721	14.3	0.37	13.6	15.0
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	223	20.0	1.39	17.4	22.9	16	9.9	2.90	5.0	17.1
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	221	18.9	1.31	16.4	21.6	19	12.4	3.06	7.1	19.7
1991	219	19.1	1.33	16.6	21.9	22	10.8	2.45	6.5	16.7
1992	253	21.6	1.40	18.9	24.5	30	18.0	3.80	11.3	26.7
1993	299	23.2	1.38	20.5	26.0	30	12.5	2.39	8.2	18.1
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	291	22.6	1.36	20.0	25.4	25	9.4	1.99	5.9	14.1
1996	332	25.5	1.44	22.8	28.5	41	16.9	2.95	11.6	23.5
1997	334	25.2	1.42	22.5	28.2	49	17.6	2.73	12.7	23.8
1998	337	24.8	1.38	22.2	27.7	33	12.5	2.46	8.2	18.2
1999	355	26.6	1.44	23.8	29.5	34	11.1	2.06	7.4	15.8
2000	406	29.1	1.47	26.2	32.1	33	10.0	1.84	6.7	14.2
2001	400	28.4	1.45	25.7	31.4	39	11.4	1.97	7.9	15.9
2002	429	30.4	1.50	27.5	33.5	34	8.9	1.66	6.0	12.7
2003	436	29.1	1.42	26.4	32.0	44	13.2	2.14	9.3	18.0
2004	423	28.1	1.39	25.4	30.9	52	14.8	2.21	10.8	19.7
2005	458	30.0	1.43	27.3	33.0	66	15.9	2.13	12.0	20.6
2006	487	31.4	1.45	28.7	34.4	64	14.7	1.98	11.0	19.0
2007	537	34.2	1.51	31.3	37.3	67	15.3	2.02	11.6	19.7
2008	580	35.9	1.52	33.0	39.0	57	11.6	1.68	8.5	15.3
2009	565	34.3	1.48	31.5	37.3	76	15.3	1.89	11.8	19.4
2010	514	30.6	1.38	27.9	33.4	81	15.6	1.86	12.2	19.7
2011	540	31.1	1.37	28.5	33.9	91	16.1	1.80	12.8	20.0
2012	547	31.2	1.36	28.6	34.0	90	14.9	1.66	11.8	18.4
2013	597	33.3	1.39	30.6	36.1	108	17.3	1.75	14.0	21.0
2014	646	35.0	1.41	32.3	37.9	109	16.3	1.62	13.2	19.8
2015	634	33.5	1.36	30.8	36.2	114	15.8	1.53	12.9	19.1
2016	631	33.6	1.37	31.0	36.4	103	14.2	1.45	11.5	17.3
2017	581	29.5	1.26	27.1	32.1	115	14.7	1.40	12.1	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	101,022	60.0	0.19	59.6	60.3	91,009	62.8	0.21	62.4	63.2
1986	2,208	51.4	1.14	49.2	53.7	2,054	53.7	1.24	51.3	56.2
1987	2,303	53.1	1.15	50.9	55.4	2,135	55.5	1.25	53.1	58.0
1988	2,183	50.5	1.13	48.3	52.8	2,035	53.2	1.22	50.8	55.6
1989	2,283	51.9	1.13	49.8	54.2	2,127	54.7	1.22	52.3	57.1
1990	2,301	52.1	1.12	49.9	54.4	2,161	55.4	1.23	53.0	57.8
1991	2,354	52.1	1.11	50.0	54.3	2,208	55.4	1.21	53.0	57.8
1992	2,417	53.0	1.11	50.8	55.2	2,236	55.5	1.20	53.1	57.9
1993	2,507	53.8	1.10	51.6	56.0	2,310	56.5	1.20	54.2	58.9
1994	2,549	54.5	1.11	52.4	56.7	2,352	57.3	1.21	55.0	59.7
1995	2,587	54.8	1.10	52.6	56.9	2,394	57.9	1.21	55.6	60.4
1996	2,753	57.5	1.12	55.3	59.7	2,527	60.5	1.22	58.1	62.9
1997	2,813	58.0	1.11	55.8	60.2	2,568	60.7	1.21	58.4	63.1
1998	2,818	57.6	1.10	55.5	59.8	2,581	60.7	1.21	58.3	63.1
1999	2,877	58.3	1.10	56.2	60.5	2,617	61.1	1.21	58.7	63.5
2000	3,034	60.6	1.11	58.4	62.8	2,747	63.4	1.22	61.0	65.8
2001	3,071	60.4	1.10	58.3	62.6	2,793	63.6	1.21	61.3	66.0
2002	3,343	65.6	1.15	63.3	67.9	3,038	69.0	1.26	66.5	71.5
2003	3,396	65.5	1.14	63.3	67.8	3,057	68.6	1.25	66.2	71.1
2004	3,430	65.2	1.13	63.0	67.4	3,109	68.7	1.25	66.3	71.2
2005	3,498	65.2	1.12	63.0	67.4	3,137	68.3	1.23	65.9	70.8
2006	3,446	63.6	1.10	61.4	65.8	3,080	66.5	1.21	64.2	68.9
2007	3,540	64.3	1.10	62.1	66.4	3,136	66.8	1.21	64.4	69.2
2008	3,743	66.5	1.11	64.4	68.7	3,327	69.5	1.22	67.1	71.9
2009	3,802	66.2	1.09	64.0	68.3	3,372	69.1	1.21	66.8	71.6
2010	3,666	62.6	1.06	60.5	64.7	3,247	65.5	1.17	63.2	67.8
2011	3,771	62.6	1.04	60.6	64.7	3,352	65.9	1.16	63.6	68.2
2012	3,785	61.4	1.02	59.4	63.5	3,362	64.8	1.14	62.5	67.0
2013	4,031	64.2	1.04	62.2	66.3	3,523	66.8	1.15	64.6	69.1
2014	4,077	63.6	1.02	61.6	65.6	3,530	65.7	1.13	63.5	68.0
2015	4,197	64.0	1.01	62.0	66.0	3,635	66.4	1.13	64.3	68.7
2016	4,137	62.8	1.00	60.9	64.8	3,642	66.3	1.13	64.1	68.5
2017	4,102	60.6	0.97	58.8	62.6	3,617	64.2	1.09	62.1	66.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	8,040	42.1	0.50	41.2	43.1	1,205	22.7	0.72	21.3	24.2
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	131	29.0	2.72	24.0	34.8	12	18.4	6.53	7.9	34.9
1989	142	31.1	2.78	25.9	37.0	10	16.0	6.03	6.5	31.4
1990	123	25.7	2.50	21.0	31.0	12	20.5	6.40	10.0	36.3
1991	128	27.3	2.57	22.5	32.8	13	14.3	4.26	7.2	25.3
1992	155	33.6	2.90	28.2	39.7	22	34.8	8.80	19.7	55.2
1993	174	32.8	2.65	27.8	38.4	18	15.3	3.88	8.6	25.1
1994	162	32.1	2.70	27.0	37.7	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	190	34.9	2.68	29.9	40.5	26	26.4	6.14	15.8	40.7
1997	196	36.5	2.78	31.3	42.3	32	26.1	5.06	17.1	37.8
1998	195	35.0	2.65	30.0	40.5	22	17.8	4.47	10.2	28.5
1999	214	39.1	2.85	33.7	45.0	22	14.8	3.48	8.8	23.2
2000	234	41.8	2.90	36.3	47.8	28	19.3	3.95	12.4	28.5
2001	227	39.9	2.81	34.5	45.7	28	16.9	3.49	10.8	25.2
2002	255	46.0	3.08	40.2	52.4	23	14.9	3.56	8.7	23.3
2003	281	46.0	2.90	40.5	52.0	27	19.7	4.24	12.3	29.4
2004	260	43.0	2.84	37.6	48.9	36	24.7	4.63	16.5	35.1
2005	273	44.8	2.90	39.3	50.8	43	24.8	4.32	17.1	34.5
2006	286	46.7	2.94	41.1	52.7	43	23.1	3.92	16.1	31.9
2007	325	51.1	3.00	45.4	57.3	43	21.2	3.62	14.7	29.3
2008	337	50.4	2.89	44.9	56.4	44	21.1	3.71	14.5	29.4
2009	342	50.7	2.90	45.1	56.6	59	25.3	3.65	18.7	33.4
2010	322	46.0	2.70	40.9	51.6	55	24.4	3.66	17.8	32.5
2011	321	44.6	2.63	39.6	50.0	58	23.6	3.45	17.3	31.2
2012	329	45.4	2.63	40.4	50.8	60	23.6	3.39	17.4	31.1
2013	382	51.6	2.77	46.4	57.3	83	29.4	3.46	23.0	36.9
2014	421	55.2	2.82	49.8	61.0	85	28.5	3.31	22.4	35.7
2015	422	53.1	2.71	47.9	58.7	82	25.1	2.92	19.7	31.5
2016	384	49.3	2.62	44.3	54.7	75	22.6	2.74	17.6	28.6
2017	367	45.3	2.47	40.6	50.4	77	21.9	2.56	17.1	27.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	46,651	20.7	0.10	20.5	20.8	40,549	21.2	0.11	21.0	21.4
1986	952	15.3	0.50	14.4	16.4	853	15.6	0.54	14.5	16.7
1987	993	16.1	0.52	15.1	17.1	891	16.3	0.56	15.2	17.4
1988	1,087	17.7	0.54	16.6	18.8	987	18.3	0.60	17.2	19.5
1989	1,071	17.2	0.53	16.2	18.3	953	17.4	0.58	16.3	18.6
1990	1,042	16.6	0.52	15.6	17.6	936	17.1	0.57	16.0	18.2
1991	1,057	16.4	0.51	15.4	17.5	954	16.9	0.56	15.8	18.0
1992	1,134	17.5	0.53	16.5	18.6	1,026	18.1	0.58	17.0	19.3
1993	1,169	17.8	0.53	16.8	18.9	1,029	17.9	0.57	16.8	19.1
1994	1,265	19.0	0.54	18.0	20.1	1,123	19.4	0.59	18.3	20.6
1995	1,233	18.5	0.53	17.4	19.5	1,100	19.0	0.58	17.9	20.2
1996	1,317	19.7	0.55	18.7	20.8	1,157	20.1	0.60	18.9	21.3
1997	1,379	20.5	0.56	19.4	21.6	1,215	20.9	0.61	19.7	22.1
1998	1,336	19.8	0.54	18.7	20.9	1,173	20.3	0.60	19.1	21.5
1999	1,399	20.4	0.55	19.4	21.5	1,239	21.2	0.61	20.0	22.4
2000	1,467	21.4	0.56	20.3	22.5	1,278	21.8	0.62	20.6	23.1
2001	1,445	20.9	0.55	19.8	22.0	1,253	21.3	0.61	20.1	22.6
2002	1,498	21.4	0.56	20.4	22.6	1,297	21.8	0.61	20.6	23.1
2003	1,583	22.7	0.57	21.6	23.9	1,402	23.7	0.64	22.5	25.0
2004	1,595	22.6	0.57	21.5	23.7	1,402	23.5	0.64	22.3	24.8
2005	1,649	23.2	0.58	22.0	24.3	1,423	23.8	0.64	22.5	25.1
2006	1,687	23.5	0.58	22.4	24.7	1,454	24.1	0.64	22.9	25.4
2007	1,691	23.3	0.57	22.2	24.5	1,447	23.9	0.64	22.6	25.2
2008	1,723	23.5	0.57	22.4	24.6	1,451	23.6	0.63	22.4	24.9
2009	1,779	24.0	0.58	22.9	25.2	1,523	24.7	0.64	23.4	26.0
2010	1,669	22.0	0.55	21.0	23.1	1,431	22.8	0.62	21.6	24.0
2011	1,736	22.8	0.56	21.7	23.9	1,462	23.3	0.62	22.1	24.6
2012	1,748	22.6	0.55	21.5	23.7	1,482	23.1	0.61	21.9	24.4
2013	1,772	22.5	0.55	21.5	23.6	1,520	23.5	0.62	22.3	24.8
2014	1,799	22.4	0.54	21.3	23.4	1,530	23.3	0.61	22.1	24.5
2015	1,837	22.8	0.54	21.7	23.9	1,575	23.9	0.62	22.7	25.2
2016	1,780	21.8	0.53	20.7	22.8	1,488	22.3	0.60	21.2	23.6
2017	1,759	21.5	0.53	20.5	22.5	1,495	22.6	0.60	21.4	23.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,264	19.2	0.27	18.7	19.8	516	7.7	0.36	7.1	8.5
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	98	14.3	1.47	11.6	17.4	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	98	14.0	1.44	11.4	17.1	8	6.3	2.29	2.7	12.7
1993	125	16.6	1.51	13.8	19.9	12	9.8	2.93	5.0	17.4
1994	134	18.0	1.58	15.0	21.3	7	7.8	3.07	3.0	15.7
1995	122	15.9	1.46	13.2	19.0	7	5.6	2.20	2.1	11.5
1996	142	18.7	1.59	15.7	22.0	15	10.4	2.94	5.5	17.7
1997	138	17.7	1.52	14.8	20.9	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.51	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	172	20.8	1.60	17.8	24.2	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	155	17.8	1.44	15.1	20.8	17	8.6	2.19	4.8	13.9
2004	163	18.4	1.45	15.7	21.5	16	7.7	2.02	4.2	12.6
2005	185	20.6	1.52	17.7	23.8	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	21	8.2	1.89	4.9	12.7
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	243	25.8	1.67	22.6	29.3	13	4.7	1.37	2.4	8.2
2009	223	23.4	1.59	20.4	26.7	17	6.9	1.77	3.9	11.2
2010	192	19.7	1.44	17.0	22.7	26	9.0	1.86	5.7	13.4
2011	219	21.7	1.49	18.9	24.8	33	10.5	1.90	7.1	14.8
2012	218	21.6	1.48	18.8	24.7	30	8.8	1.66	5.8	12.7
2013	215	20.7	1.43	18.0	23.7	25	7.1	1.48	4.5	10.6
2014	225	20.9	1.42	18.2	23.9	24	6.5	1.37	4.1	9.8
2015	212	19.7	1.38	17.1	22.6	32	8.2	1.48	5.5	11.6
2016	247	22.7	1.47	19.9	25.8	28	7.1	1.39	4.7	10.4
2017	214	18.7	1.30	16.2	21.4	38	8.8	1.46	6.2	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	85,915	21.6	0.07	21.5	21.8	78,996	23.1	0.08	23.0	23.3
1986	2,125	20.1	0.44	19.3	21.0	1,988	21.1	0.48	20.2	22.1
1987	2,200	20.7	0.45	19.8	21.6	2,049	21.7	0.49	20.8	22.7
1988	2,122	19.8	0.43	19.0	20.7	1,990	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,025	21.2	0.48	20.3	22.1
1990	2,200	20.2	0.43	19.3	21.0	2,077	21.6	0.48	20.6	22.5
1991	2,163	19.7	0.43	18.8	20.5	2,038	21.0	0.47	20.1	21.9
1992	2,251	20.1	0.43	19.3	20.9	2,101	21.3	0.47	20.4	22.2
1993	2,383	21.0	0.43	20.2	21.9	2,228	22.4	0.48	21.5	23.3
1994	2,417	21.2	0.43	20.3	22.0	2,253	22.5	0.48	21.6	23.4
1995	2,350	20.4	0.42	19.6	21.3	2,190	21.8	0.47	20.9	22.7
1996	2,599	22.5	0.44	21.6	23.3	2,407	23.9	0.49	22.9	24.8
1997	2,583	22.1	0.44	21.3	23.0	2,389	23.5	0.48	22.6	24.5
1998	2,567	21.8	0.43	20.9	22.6	2,371	23.2	0.48	22.3	24.1
1999	2,657	22.4	0.43	21.5	23.2	2,455	23.9	0.48	22.9	24.8
2000	2,762	23.1	0.44	22.2	24.0	2,553	24.7	0.49	23.8	25.7
2001	2,689	22.3	0.43	21.5	23.2	2,488	24.0	0.48	23.1	25.0
2002	2,875	23.7	0.44	22.8	24.5	2,657	25.4	0.49	24.5	26.4
2003	2,918	23.8	0.44	22.9	24.7	2,712	25.7	0.50	24.8	26.7
2004	2,874	23.2	0.43	22.4	24.1	2,647	25.0	0.49	24.0	26.0
2005	2,977	23.7	0.44	22.9	24.6	2,723	25.5	0.49	24.5	26.5
2006	2,778	22.0	0.42	21.2	22.9	2,540	23.6	0.47	22.7	24.6
2007	2,858	22.3	0.42	21.5	23.2	2,598	23.9	0.47	23.0	24.8
2008	3,011	23.2	0.43	22.4	24.0	2,715	24.6	0.48	23.7	25.6
2009	3,055	23.1	0.42	22.3	24.0	2,764	24.7	0.47	23.7	25.6
2010	2,917	21.7	0.41	20.9	22.5	2,658	23.4	0.46	22.5	24.3
2011	2,952	21.5	0.40	20.7	22.3	2,689	23.3	0.46	22.4	24.2
2012	2,907	20.9	0.39	20.1	21.7	2,660	22.7	0.45	21.9	23.6
2013	3,151	22.2	0.40	21.4	23.0	2,829	23.8	0.45	22.9	24.7
2014	3,061	21.1	0.39	20.3	21.9	2,740	22.7	0.44	21.8	23.5
2015	3,205	21.7	0.39	20.9	22.4	2,896	23.5	0.44	22.6	24.4
2016	3,082	20.6	0.38	19.9	21.4	2,776	22.4	0.43	21.6	23.3
2017	3,064	20.1	0.37	19.3	20.8	2,790	22.0	0.42	21.2	22.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,407	12.3	0.17	11.9	12.6	821	7.3	0.27	6.8	7.9
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	117	11.1	1.06	9.1	13.4	9	6.9	2.66	2.7	13.7
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	12	8.6	2.62	4.3	15.1
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	127	11.4	1.04	9.5	13.6	18	11.9	3.31	6.3	19.7
1993	139	11.6	1.01	9.7	13.7	10	4.3	1.50	1.9	8.3
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	27	10.4	2.17	6.5	15.4
1997	149	12.3	1.03	10.4	14.5	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	162	13.0	1.04	11.0	15.2	13	4.0	1.21	2.0	7.0
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	19	6.1	1.51	3.5	9.7
2002	176	13.4	1.03	11.5	15.6	16	5.0	1.34	2.7	8.2
2003	155	11.1	0.91	9.4	13.0	25	8.3	1.78	5.2	12.4
2004	164	11.5	0.92	9.8	13.4	30	8.7	1.72	5.6	12.6
2005	179	12.4	0.95	10.7	14.4	30	7.8	1.56	5.0	11.3
2006	176	12.4	0.95	10.6	14.4	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	35	8.8	1.59	6.0	12.4
2008	237	15.6	1.04	13.7	17.8	26	6.5	1.38	4.1	9.7
2009	227	14.7	0.99	12.8	16.7	33	7.2	1.36	4.8	10.3
2010	189	12.0	0.89	10.3	13.9	36	7.0	1.24	4.8	9.8
2011	196	12.0	0.87	10.3	13.8	43	7.9	1.29	5.6	10.8
2012	187	11.4	0.85	9.8	13.2	35	6.4	1.14	4.4	9.0
2013	241	14.2	0.93	12.4	16.1	56	9.3	1.30	6.9	12.2
2014	240	13.4	0.88	11.7	15.2	55	8.7	1.22	6.4	11.4
2015	212	11.8	0.83	10.3	13.6	45	6.6	1.03	4.8	8.9
2016	224	12.1	0.83	10.6	13.9	46	6.9	1.05	5.0	9.2
2017	192	10.0	0.74	8.6	11.6	50	6.6	0.96	4.9	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	63,327	38.6	0.16	38.3	38.9	58,820	41.3	0.17	41.0	41.7
1986	1,557	37.1	0.98	35.2	39.1	1,471	39.2	1.07	37.1	41.3
1987	1,629	38.0	0.98	36.1	40.0	1,536	40.2	1.07	38.2	42.4
1988	1,509	35.6	0.96	33.8	37.5	1,427	37.9	1.04	35.8	40.0
1989	1,566	36.2	0.95	34.4	38.1	1,480	38.5	1.04	36.5	40.6
1990	1,631	37.4	0.96	35.6	39.3	1,562	40.3	1.06	38.3	42.5
1991	1,587	35.8	0.93	34.0	37.6	1,514	38.5	1.02	36.5	40.6
1992	1,645	36.7	0.93	34.9	38.5	1,549	38.9	1.02	37.0	41.0
1993	1,741	37.9	0.93	36.1	39.8	1,645	40.7	1.03	38.7	42.8
1994	1,706	37.0	0.92	35.3	38.9	1,608	39.6	1.01	37.6	41.6
1995	1,722	37.1	0.92	35.3	38.9	1,626	39.9	1.01	37.9	41.9
1996	1,873	39.8	0.94	38.0	41.7	1,765	42.8	1.04	40.8	44.9
1997	1,874	39.3	0.92	37.5	41.2	1,749	41.8	1.01	39.9	43.9
1998	1,881	39.1	0.92	37.3	40.9	1,751	41.6	1.01	39.7	43.6
1999	1,928	39.7	0.92	37.9	41.6	1,799	42.4	1.01	40.5	44.4
2000	1,999	40.8	0.92	39.0	42.6	1,864	43.6	1.02	41.7	45.7
2001	1,976	39.9	0.91	38.1	41.7	1,854	43.0	1.01	41.0	45.0
2002	2,137	43.1	0.94	41.2	44.9	2,012	46.6	1.05	44.5	48.7
2003	2,113	41.8	0.92	40.0	43.7	1,972	45.1	1.02	43.1	47.1
2004	2,148	41.9	0.92	40.1	43.8	1,996	45.1	1.02	43.1	47.1
2005	2,181	41.7	0.91	39.9	43.5	2,024	44.9	1.01	43.0	47.0
2006	2,014	38.4	0.87	36.7	40.1	1,856	41.0	0.96	39.2	43.0
2007	2,112	39.5	0.87	37.8	41.3	1,940	42.3	0.97	40.4	44.2
2008	2,231	41.1	0.88	39.4	42.9	2,045	43.9	0.98	42.0	45.8
2009	2,303	41.4	0.88	39.7	43.2	2,106	44.2	0.98	42.3	46.1
2010	2,196	38.7	0.84	37.1	40.4	2,015	41.6	0.94	39.7	43.5
2011	2,187	37.6	0.82	36.0	39.2	2,016	40.6	0.92	38.8	42.4
2012	2,166	36.5	0.80	34.9	38.1	2,013	39.9	0.91	38.1	41.7
2013	2,380	39.0	0.82	37.4	40.7	2,153	41.6	0.92	39.9	43.5
2014	2,299	36.9	0.79	35.4	38.5	2,070	39.4	0.88	37.7	41.2
2015	2,383	37.3	0.78	35.8	38.8	2,159	40.0	0.88	38.3	41.8
2016	2,307	35.9	0.77	34.4	37.4	2,096	38.8	0.87	37.1	40.5
2017	2,346	35.5	0.75	34.1	37.0	2,147	38.7	0.85	37.0	40.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,379	19.4	0.35	18.7	20.1	621	12.8	0.57	11.7	14.0
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	71	16.8	2.12	12.9	21.4	8	14.6	6.24	5.1	30.8
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	57	12.9	1.85	9.5	16.9	8	14.7	5.52	6.0	28.9
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	76	17.6	2.18	13.6	22.3	16	26.2	7.98	12.9	45.1
1993	87	17.8	2.01	14.0	22.1	4	3.8	2.18	0.8	10.7
1994	79	16.9	2.04	13.2	21.3	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	17	14.5	3.87	8.0	24.1
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	96	20.0	2.18	16.0	24.7	10	6.2	2.24	2.6	12.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	14	8.9	2.56	4.6	15.3
2002	97	19.8	2.13	15.8	24.3	14	11.0	3.32	5.5	19.1
2003	104	18.6	1.94	15.0	22.8	16	13.8	3.76	7.4	22.6
2004	108	19.2	1.98	15.5	23.4	23	16.4	3.81	9.8	25.3
2005	107	19.3	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	111	21.0	2.11	17.1	25.5	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	23	13.3	3.07	8.0	20.5
2008	142	23.1	2.05	19.3	27.5	19	12.1	3.15	6.7	19.4
2009	149	24.4	2.12	20.4	28.8	27	12.9	2.80	8.0	19.3
2010	125	19.5	1.83	16.1	23.4	27	11.8	2.52	7.3	17.6
2011	123	19.2	1.83	15.8	23.1	29	13.0	2.67	8.3	19.2
2012	110	16.6	1.66	13.5	20.1	25	11.2	2.50	6.9	17.0
2013	161	24.2	1.99	20.4	28.4	47	17.3	2.68	12.4	23.3
2014	163	22.3	1.84	18.9	26.2	47	16.9	2.65	12.1	22.8
2015	147	20.6	1.78	17.3	24.4	39	12.9	2.18	9.0	17.9
2016	155	21.1	1.77	17.8	24.8	31	10.2	1.92	6.8	14.6
2017	136	18.2	1.62	15.1	21.6	38	11.4	1.92	8.0	15.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	22,588	9.8	0.07	9.7	9.9	20,176	10.2	0.07	10.1	10.4
1986	568	9.1	0.39	8.4	9.9	517	9.3	0.42	8.5	10.2
1987	571	9.1	0.39	8.4	9.9	513	9.3	0.42	8.5	10.1
1988	613	9.8	0.40	9.0	10.6	563	10.2	0.44	9.3	11.1
1989	596	9.4	0.39	8.6	10.2	545	9.7	0.42	8.9	10.6
1990	569	8.9	0.38	8.2	9.7	515	9.2	0.41	8.4	10.0
1991	576	8.8	0.37	8.1	9.6	524	9.1	0.40	8.3	9.9
1992	606	9.2	0.38	8.4	9.9	552	9.5	0.41	8.7	10.4
1993	642	9.7	0.38	8.9	10.4	583	10.0	0.42	9.2	10.8
1994	711	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8
1995	628	9.2	0.37	8.5	10.0	564	9.5	0.41	8.7	10.3
1996	726	10.6	0.40	9.8	11.4	642	10.8	0.43	10.0	11.7
1997	709	10.3	0.39	9.6	11.1	640	10.8	0.43	9.9	11.7
1998	686	10.0	0.38	9.2	10.8	620	10.5	0.43	9.7	11.4
1999	729	10.4	0.39	9.7	11.2	656	10.9	0.43	10.1	11.8
2000	763	10.9	0.40	10.2	11.8	689	11.5	0.45	10.7	12.4
2001	713	10.1	0.38	9.4	10.9	634	10.5	0.42	9.7	11.4
2002	738	10.3	0.38	9.6	11.1	645	10.5	0.42	9.7	11.4
2003	805	11.4	0.40	10.6	12.2	740	12.3	0.46	11.4	13.2
2004	726	10.1	0.38	9.3	10.8	651	10.6	0.42	9.8	11.5
2005	796	11.0	0.39	10.2	11.8	699	11.3	0.44	10.5	12.2
2006	764	10.5	0.38	9.7	11.3	684	11.1	0.43	10.3	12.0
2007	746	10.1	0.37	9.4	10.8	658	10.5	0.42	9.7	11.4
2008	780	10.4	0.38	9.7	11.2	670	10.6	0.42	9.8	11.5
2009	752	9.9	0.37	9.2	10.7	658	10.3	0.41	9.5	11.2
2010	721	9.2	0.35	8.6	9.9	643	9.8	0.40	9.1	10.6
2011	765	9.8	0.36	9.1	10.6	673	10.4	0.41	9.6	11.2
2012	741	9.4	0.35	8.7	10.1	647	9.8	0.39	9.0	10.6
2013	771	9.6	0.35	8.9	10.3	676	10.1	0.40	9.3	10.9
2014	762	9.3	0.34	8.6	10.0	670	9.9	0.39	9.2	10.7
2015	822	9.9	0.35	9.2	10.6	737	10.7	0.40	9.9	11.5
2016	775	9.1	0.33	8.4	9.8	680	9.7	0.38	9.0	10.5
2017	718	8.4	0.32	7.7	9.0	643	9.2	0.37	8.4	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,028	7.7	0.17	7.4	8.1	200	3.2	0.24	2.8	3.7
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	50	7.6	1.08	5.6	10.0	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	51	7.6	1.08	5.7	10.0	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	61	8.6	1.11	6.5	11.0	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	57	7.7	1.03	5.8	10.0	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	56	6.6	0.89	5.0	8.6	7	3.1	1.27	1.2	6.6
2005	72	8.3	0.99	6.5	10.5	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	95	10.7	1.10	8.6	13.0	7	2.9	1.16	1.1	6.0
2009	78	8.6	0.98	6.7	10.7	6	2.8	1.17	1.0	5.9
2010	64	6.9	0.87	5.3	8.8	9	3.3	1.14	1.4	6.2
2011	73	7.5	0.89	5.8	9.4	14	4.2	1.16	2.2	7.1
2012	77	8.1	0.93	6.4	10.1	10	3.3	1.08	1.6	6.1
2013	80	7.9	0.89	6.2	9.8	9	2.7	0.92	1.2	5.1
2014	77	7.3	0.84	5.8	9.2	8	2.4	0.87	1.0	4.7
2015	65	6.2	0.78	4.8	7.9	6	1.6	0.66	0.6	3.5
2016	69	6.3	0.76	4.8	8.0	15	4.2	1.09	2.3	6.9
2017	56	4.8	0.65	3.6	6.3	12	2.7	0.80	1.4	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	58,146	14.6	0.06	14.5	14.7	49,331	14.6	0.07	14.5	14.8
1986	941	8.8	0.29	8.2	9.4	837	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,039	9.6	0.30	9.0	10.2	927	9.9	0.33	9.2	10.5
1991	1,138	10.4	0.31	9.8	11.0	1,025	10.7	0.34	10.1	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,076	11.1	0.34	10.5	11.8
1993	1,199	10.6	0.31	10.0	11.2	1,027	10.5	0.33	9.9	11.2
1994	1,289	11.4	0.32	10.7	12.0	1,124	11.5	0.34	10.8	12.2
1995	1,372	12.0	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9
1996	1,387	12.1	0.32	11.4	12.7	1,201	12.2	0.35	11.5	12.9
1997	1,509	13.0	0.33	12.3	13.7	1,302	13.1	0.36	12.4	13.8
1998	1,480	12.6	0.33	12.0	13.3	1,283	12.8	0.36	12.1	13.5
1999	1,526	12.8	0.33	12.2	13.5	1,322	13.0	0.36	12.3	13.8
2000	1,632	13.6	0.34	13.0	14.3	1,377	13.5	0.36	12.8	14.2
2001	1,731	14.3	0.34	13.6	15.0	1,470	14.3	0.37	13.6	15.1
2002	1,853	15.2	0.35	14.5	15.9	1,572	15.2	0.38	14.5	16.0
2003	1,952	15.8	0.36	15.1	16.5	1,653	15.8	0.39	15.1	16.6
2004	2,046	16.3	0.36	15.6	17.0	1,779	16.8	0.40	16.0	17.6
2005	2,057	16.3	0.36	15.6	17.0	1,734	16.4	0.40	15.6	17.2
2006	2,230	17.5	0.37	16.8	18.2	1,884	17.6	0.41	16.8	18.4
2007	2,246	17.3	0.37	16.6	18.1	1,875	17.3	0.40	16.5	18.1
2008	2,330	17.6	0.37	16.9	18.4	1,947	17.7	0.40	16.9	18.5
2009	2,400	18.0	0.37	17.2	18.7	2,019	18.2	0.41	17.4	19.0
2010	2,281	16.7	0.36	16.1	17.5	1,898	16.9	0.39	16.1	17.6
2011	2,425	17.5	0.36	16.8	18.2	2,010	17.6	0.40	16.8	18.4
2012	2,493	17.6	0.36	16.9	18.3	2,063	17.7	0.40	16.9	18.5
2013	2,535	17.7	0.36	17.0	18.4	2,111	17.9	0.40	17.2	18.7
2014	2,672	18.3	0.36	17.6	19.0	2,196	18.3	0.40	17.5	19.1
2015	2,701	18.4	0.36	17.7	19.1	2,202	18.4	0.40	17.6	19.2
2016	2,693	18.2	0.36	17.5	18.9	2,229	18.5	0.40	17.7	19.3
2017	2,646	17.7	0.35	17.0	18.4	2,191	18.1	0.40	17.3	18.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,589	15.5	0.18	15.1	15.8	837	6.4	0.23	5.9	6.9
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	104	8.3	0.83	6.7	10.1	7	3.8	1.58	1.3	8.2
1991	101	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	150	10.7	0.90	9.0	12.6	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	150	11.1	0.93	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	170	12.2	0.96	10.4	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	179	12.6	0.96	10.8	14.6	13	3.7	1.05	1.9	6.5
1999	183	12.8	0.97	11.0	14.9	17	5.6	1.46	3.2	9.2
2000	220	15.0	1.03	13.1	17.2	21	6.0	1.36	3.6	9.2
2001	230	15.4	1.04	13.5	17.6	20	5.3	1.26	3.1	8.3
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	268	17.2	1.07	15.1	19.4	18	4.6	1.15	2.6	7.4
2004	241	15.3	1.00	13.4	17.4	20	5.8	1.38	3.4	9.0
2005	273	17.2	1.06	15.2	19.4	32	7.3	1.39	4.8	10.5
2006	298	18.1	1.07	16.1	20.3	34	7.5	1.38	5.0	10.6
2007	327	20.1	1.13	17.9	22.4	32	6.5	1.24	4.3	9.4
2008	336	19.9	1.11	17.8	22.2	29	4.8	0.93	3.2	7.0
2009	326	18.8	1.07	16.8	21.1	41	7.8	1.30	5.5	10.8
2010	314	17.8	1.03	15.8	19.9	41	7.9	1.32	5.5	10.9
2011	336	18.7	1.04	16.7	20.8	41	6.6	1.09	4.7	9.1
2012	350	19.1	1.05	17.1	21.3	53	8.1	1.17	5.9	10.7
2013	343	18.4	1.02	16.4	20.5	51	7.9	1.16	5.8	10.5
2014	395	21.1	1.08	19.0	23.3	48	6.6	0.98	4.8	8.8
2015	411	21.0	1.06	19.0	23.2	64	8.5	1.10	6.5	10.9
2016	393	20.8	1.07	18.7	23.0	54	6.7	0.95	5.0	8.9
2017	375	18.8	0.99	16.9	20.8	59	7.2	0.96	5.5	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	35,479	20.0	0.11	19.8	20.3	30,163	20.0	0.12	19.8	20.2
1986	589	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3
1987	614	13.8	0.58	12.7	15.0	547	14.0	0.62	12.8	15.3
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	609	13.4	0.56	12.3	14.5	540	13.6	0.60	12.4	14.8
1991	705	14.9	0.58	13.8	16.1	637	15.4	0.62	14.2	16.7
1992	715	15.0	0.58	13.9	16.2	636	15.3	0.62	14.1	16.5
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5
1995	802	16.3	0.58	15.2	17.5	709	16.6	0.63	15.4	17.9
1996	830	16.6	0.58	15.4	17.7	714	16.5	0.62	15.3	17.8
1997	873	17.2	0.59	16.1	18.4	757	17.4	0.64	16.2	18.7
1998	871	17.2	0.59	16.0	18.4	767	17.6	0.64	16.3	18.9
1999	891	17.4	0.59	16.2	18.6	766	17.4	0.63	16.2	18.7
2000	975	18.6	0.60	17.5	19.8	828	18.5	0.65	17.2	19.8
2001	1,037	19.4	0.61	18.2	20.6	886	19.4	0.66	18.2	20.8
2002	1,134	21.0	0.63	19.8	22.3	956	20.8	0.68	19.5	22.2
2003	1,215	22.4	0.65	21.1	23.7	1,026	22.2	0.70	20.9	23.6
2004	1,223	22.1	0.64	20.8	23.4	1,063	22.5	0.70	21.2	23.9
2005	1,246	22.1	0.64	20.9	23.4	1,046	21.9	0.68	20.6	23.3
2006	1,357	23.7	0.66	22.5	25.1	1,155	23.9	0.71	22.6	25.4
2007	1,351	23.2	0.64	22.0	24.5	1,128	23.0	0.69	21.6	24.4
2008	1,436	24.0	0.65	22.7	25.3	1,211	24.0	0.70	22.7	25.5
2009	1,425	23.4	0.63	22.2	24.7	1,197	23.5	0.69	22.2	24.9
2010	1,388	22.4	0.62	21.2	23.7	1,160	22.4	0.67	21.1	23.8
2011	1,495	23.5	0.62	22.3	24.8	1,254	23.6	0.68	22.3	25.0
2012	1,537	23.5	0.61	22.3	24.8	1,276	23.4	0.67	22.1	24.8
2013	1,578	24.0	0.62	22.8	25.2	1,301	23.8	0.67	22.5	25.1
2014	1,698	25.4	0.63	24.2	26.7	1,392	25.0	0.69	23.7	26.4
2015	1,733	25.4	0.63	24.2	26.6	1,402	25.0	0.68	23.6	26.4
2016	1,729	25.3	0.63	24.1	26.6	1,456	25.8	0.70	24.5	27.2
2017	1,666	23.8	0.60	22.6	25.0	1,392	24.1	0.67	22.8	25.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,513	21.9	0.34	21.2	22.6	549	9.2	0.43	8.4	10.1
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	64	12.2	1.61	9.3	15.8	4	5.8	3.23	1.3	15.5
1991	62	12.4	1.68	9.3	16.1	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	106	18.4	1.87	14.9	22.4	9	11.9	4.77	4.4	23.8
1997	101	16.2	1.67	13.1	19.8	12	8.4	2.62	4.0	15.3
1998	92	15.7	1.73	12.5	19.4	8	4.6	1.65	1.9	9.5
1999	114	18.3	1.78	14.9	22.1	10	7.0	2.32	3.2	13.2
2000	122	20.0	1.90	16.4	24.0	16	9.9	2.64	5.4	16.6
2001	130	20.7	1.91	17.1	24.8	14	8.1	2.38	4.1	14.2
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.2	2.11	22.2	30.6	11	6.0	1.96	2.8	11.1
2004	145	22.4	1.95	18.7	26.5	11	7.6	2.58	3.4	14.0
2005	164	25.1	2.09	21.2	29.5	22	11.9	2.85	7.0	18.7
2006	169	24.6	1.99	20.8	28.8	21	9.9	2.37	5.8	15.6
2007	194	28.9	2.17	24.8	33.4	20	7.9	1.92	4.6	12.6
2008	192	27.0	2.02	23.2	31.2	23	8.4	1.90	5.1	13.0
2009	189	25.5	1.94	21.8	29.5	31	12.2	2.31	8.1	17.6
2010	190	25.2	1.92	21.6	29.2	25	11.4	2.52	7.0	17.3
2011	194	24.9	1.87	21.4	28.8	26	8.8	1.91	5.5	13.4
2012	211	27.5	1.98	23.7	31.6	34	11.7	2.19	7.8	16.8
2013	218	27.1	1.90	23.5	31.0	35	11.9	2.18	8.0	16.9
2014	252	32.1	2.11	28.1	36.5	34	10.0	1.77	6.8	14.1
2015	269	31.6	2.00	27.8	35.8	42	12.0	1.92	8.5	16.4
2016	220	27.0	1.89	23.5	31.0	42	11.6	1.87	8.2	15.9
2017	224	26.5	1.83	23.0	30.3	34	8.9	1.56	6.1	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	22,667	10.3	0.07	10.1	10.4	19,168	10.3	0.08	10.2	10.5
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5
1987	387	6.4	0.33	5.8	7.1	344	6.4	0.35	5.8	7.2
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1
1991	433	6.9	0.34	6.3	7.6	388	7.1	0.37	6.4	7.9
1992	493	7.8	0.36	7.1	8.5	440	8.1	0.39	7.3	8.9
1993	487	7.6	0.35	6.9	8.3	411	7.4	0.37	6.7	8.1
1994	508	7.8	0.35	7.2	8.6	439	7.9	0.38	7.1	8.6
1995	570	8.7	0.37	8.0	9.5	503	8.9	0.40	8.2	9.8
1996	557	8.6	0.37	7.9	9.4	487	8.8	0.40	8.0	9.6
1997	636	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5
1998	609	9.2	0.38	8.5	10.0	516	9.2	0.41	8.4	10.0
1999	635	9.5	0.38	8.8	10.3	556	9.8	0.42	9.0	10.7
2000	657	9.8	0.38	9.0	10.6	549	9.6	0.42	8.8	10.5
2001	694	10.3	0.39	9.5	11.1	584	10.2	0.43	9.4	11.1
2002	719	10.6	0.40	9.8	11.4	616	10.8	0.44	9.9	11.6
2003	737	10.8	0.40	10.0	11.6	627	10.9	0.44	10.1	11.8
2004	823	11.9	0.42	11.1	12.7	716	12.3	0.47	11.4	13.3
2005	811	11.6	0.41	10.8	12.5	688	11.9	0.46	11.0	12.8
2006	873	12.4	0.42	11.6	13.2	729	12.4	0.46	11.5	13.3
2007	895	12.6	0.43	11.8	13.5	747	12.7	0.47	11.8	13.7
2008	894	12.4	0.42	11.6	13.3	736	12.4	0.46	11.5	13.3
2009	975	13.4	0.44	12.6	14.3	822	13.7	0.49	12.8	14.7
2010	893	12.1	0.41	11.3	12.9	738	12.2	0.46	11.3	13.1
2011	930	12.4	0.42	11.6	13.3	756	12.4	0.46	11.5	13.4
2012	956	12.6	0.42	11.8	13.4	787	12.7	0.46	11.8	13.6
2013	957	12.4	0.41	11.6	13.3	810	12.9	0.47	12.0	13.9
2014	974	12.3	0.40	11.5	13.1	804	12.5	0.45	11.6	13.4
2015	968	12.4	0.41	11.6	13.2	800	12.7	0.46	11.8	13.6
2016	964	12.2	0.40	11.4	13.0	773	12.1	0.45	11.2	13.0
2017	980	12.4	0.41	11.6	13.2	799	12.7	0.47	11.8	13.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kidney and Renal Pelvis										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,076	10.9	0.20	10.5	11.3	288	4.1	0.25	3.6	4.6
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	68	8.5	1.05	6.6	10.8	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	63	8.0	1.01	6.1	10.2	3	2.5	1.47	0.5	7.1
1996	64	7.9	1.00	6.0	10.1	4	2.1	1.06	0.6	5.7
1997	77	9.4	1.09	7.4	11.8	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	98	11.5	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	99	10.9	1.11	8.9	13.3	7	3.3	1.31	1.3	6.9
2004	96	10.5	1.08	8.5	12.9	9	4.5	1.57	2.0	8.6
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	13	5.3	1.56	2.7	9.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	144	14.8	1.24	12.4	17.4	6	1.8	0.73	0.7	4.0
2009	137	14.0	1.21	11.7	16.6	10	3.9	1.30	1.8	7.3
2010	124	12.4	1.13	10.3	14.8	16	5.4	1.42	2.9	8.9
2011	142	13.8	1.18	11.6	16.3	15	4.8	1.29	2.6	8.0
2012	139	13.3	1.15	11.2	15.7	19	5.2	1.25	3.1	8.3
2013	125	11.9	1.08	9.9	14.2	16	4.5	1.16	2.5	7.4
2014	143	13.1	1.12	11.0	15.5	14	3.6	0.98	1.9	6.1
2015	142	13.0	1.11	10.9	15.4	22	5.5	1.21	3.4	8.4
2016	173	16.1	1.24	13.7	18.7	12	2.7	0.78	1.3	4.7
2017	151	13.2	1.09	11.2	15.6	25	5.8	1.18	3.7	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,514	0.6	0.01	0.6	0.7	2,357	0.7	0.01	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	80	0.7	0.08	0.5	0.8	76	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	79	0.7	0.07	0.5	0.8	73	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2006	97	0.8	0.08	0.6	1.0	87	0.8	0.09	0.7	1.0
2007	90	0.7	0.08	0.6	0.9	84	0.8	0.08	0.6	1.0
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2010	90	0.7	0.07	0.6	0.8	83	0.7	0.08	0.6	0.9
2011	89	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.9
2012	88	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9
2013	68	0.5	0.06	0.4	0.6	65	0.6	0.07	0.4	0.7
2014	104	0.7	0.07	0.6	0.9	93	0.8	0.08	0.6	1.0
2015	86	0.6	0.07	0.5	0.8	78	0.7	0.08	0.5	0.8
2016	89	0.6	0.07	0.5	0.8	80	0.7	0.07	0.5	0.8
2017	92	0.6	0.06	0.5	0.8	83	0.7	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	106	0.2	0.02	0.2	0.3	42	0.4	0.06	0.3	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	5	0.3	0.15	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.2	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7
2014	4	0.2	0.12	0.1	0.6	5	0.8	0.36	0.2	1.8
2015	5	0.3	0.14	0.1	0.7	3	0.4	0.24	0.1	1.2
2016	7	0.3	0.13	0.1	0.7	2	0.4	0.26	0.0	1.2
2017	6	0.3	0.13	0.1	0.7	3	0.4	0.25	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,514	0.9	0.02	0.9	1.0	1,424	1.0	0.03	1.0	1.1
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.9	1.5
1998	50	1.1	0.15	0.8	1.4	48	1.2	0.17	0.9	1.5
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2007	54	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3
2010	53	0.9	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
2011	57	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4
2012	52	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3
2013	43	0.7	0.12	0.5	1.0	42	0.9	0.13	0.6	1.2
2014	54	0.9	0.12	0.7	1.2	47	0.9	0.14	0.7	1.3
2015	57	1.0	0.13	0.7	1.3	54	1.1	0.15	0.8	1.4
2016	59	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.3
2017	53	0.8	0.11	0.6	1.1	49	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	59	0.3	0.04	0.2	0.4	25	0.5	0.11	0.3	0.8
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	3	0.4	0.23	0.1	1.2	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.32	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.7	1.06	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.67	0.0	2.9
2013	0					1	0.2	0.23	0.0	1.6
2014	2	0.3	0.21	0.0	1.0	3	1.2	0.76	0.2	3.5
2015	2	0.3	0.20	0.0	1.0	1	0.2	0.24	0.0	1.5
2016	4	0.5	0.27	0.1	1.3	2	0.8	0.58	0.1	2.7
2017	2	0.2	0.14	0.0	0.8	2	0.5	0.38	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,000	0.4	0.01	0.4	0.5	933	0.5	0.02	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7
2006	42	0.6	0.09	0.4	0.8	36	0.6	0.10	0.4	0.8
2007	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
2012	36	0.5	0.08	0.3	0.6	35	0.5	0.09	0.4	0.8
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5
2014	50	0.6	0.09	0.5	0.8	46	0.7	0.10	0.5	0.9
2015	29	0.3	0.06	0.2	0.5	24	0.3	0.07	0.2	0.5
2016	30	0.4	0.07	0.3	0.5	27	0.4	0.08	0.3	0.6
2017	39	0.5	0.07	0.3	0.6	34	0.5	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ureter										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	47	0.2	0.03	0.1	0.3	17	0.3	0.07	0.2	0.4
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.38	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				
2014	2	0.2	0.13	0.0	0.7	2	0.6	0.40	0.1	2.0
2015	3	0.3	0.19	0.1	0.9	2	0.5	0.39	0.1	1.9
2016	3	0.2	0.14	0.1	0.8	0				
2017	4	0.4	0.19	0.1	1.0	1	0.3	0.32	0.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,100	0.8	0.01	0.8	0.8	2,865	0.9	0.02	0.8	0.9
1986	65	0.6	0.08	0.5	0.8	62	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	97	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	80	0.7	0.08	0.5	0.9	76	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	95	0.8	0.08	0.6	1.0	88	0.9	0.09	0.7	1.1
2001	105	0.9	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2002	91	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	102	0.8	0.08	0.7	1.0	96	0.9	0.09	0.8	1.1
2005	123	1.0	0.09	0.8	1.2	116	1.1	0.10	0.9	1.3
2006	106	0.8	0.08	0.7	1.0	103	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	119	1.1	0.10	0.9	1.4
2008	101	0.8	0.08	0.6	0.9	92	0.9	0.09	0.7	1.0
2009	144	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.5
2010	105	0.8	0.08	0.7	1.0	100	0.9	0.09	0.8	1.1
2011	115	0.9	0.08	0.7	1.0	101	0.9	0.09	0.8	1.1
2012	102	0.7	0.07	0.6	0.9	96	0.8	0.09	0.7	1.0
2013	117	0.9	0.08	0.7	1.0	105	0.9	0.09	0.8	1.1
2014	89	0.6	0.07	0.5	0.8	81	0.7	0.08	0.5	0.9
2015	108	0.8	0.08	0.6	0.9	101	0.9	0.09	0.7	1.1
2016	113	0.8	0.07	0.6	0.9	103	0.9	0.09	0.7	1.1
2017	91	0.6	0.07	0.5	0.8	87	0.7	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	139	0.2	0.02	0.2	0.3	43	0.3	0.05	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	1	0.9	0.88	0.0	4.6
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	3	0.2	0.09	0.0	0.5	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	1	0.1	0.13	0.0	0.9
2011	7	0.4	0.13	0.1	0.7	3	0.7	0.43	0.2	2.0
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.19	0.0	1.0
2014	5	0.3	0.12	0.1	0.6	1	0.2	0.15	0.0	0.8
2015	3	0.2	0.10	0.0	0.5	3	0.4	0.24	0.1	1.2
2016	2	0.1	0.08	0.0	0.4	4	0.5	0.23	0.1	1.2
2017	2	0.1	0.07	0.0	0.4	1	0.1	0.14	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,647	0.9	0.02	0.9	1.0	1,521	1.0	0.03	1.0	1.1
1986	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0
1991	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7
1997	46	0.9	0.14	0.7	1.2	42	1.0	0.15	0.7	1.3
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2002	58	1.0	0.14	0.8	1.3	50	1.1	0.15	0.8	1.4
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7
2004	50	0.9	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7
2006	54	0.9	0.13	0.7	1.2	53	1.1	0.15	0.8	1.4
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6
2008	58	1.0	0.13	0.8	1.3	56	1.2	0.16	0.9	1.5
2009	83	1.3	0.15	1.1	1.6	76	1.5	0.17	1.1	1.8
2010	54	0.9	0.13	0.7	1.2	52	1.1	0.15	0.8	1.4
2011	66	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.4
2013	66	1.1	0.13	0.8	1.3	59	1.1	0.15	0.9	1.5
2014	49	0.7	0.10	0.5	0.9	44	0.8	0.12	0.5	1.0
2015	52	0.8	0.11	0.6	1.1	48	0.9	0.13	0.7	1.2
2016	59	0.9	0.11	0.6	1.1	52	0.9	0.13	0.7	1.2
2017	50	0.7	0.11	0.6	1.0	48	0.9	0.13	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	78	0.3	0.03	0.2	0.4	23	0.3	0.08	0.2	0.5
1986	2	0.3	0.19	0.0	1.1	0				
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	3	0.3	0.20	0.1	1.1	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	1	0.3	0.26	0.0	1.9
2011	2	0.2	0.17	0.0	0.9	1	0.6	0.59	0.0	2.8
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	1.7
2014	3	0.3	0.20	0.1	1.0	1	0.3	0.29	0.0	1.7
2015	1	0.2	0.15	0.0	0.8	3	0.9	0.51	0.2	2.6
2016	2	0.3	0.21	0.0	1.0	2	0.5	0.35	0.1	1.9
2017	2	0.2	0.15	0.0	0.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,453	0.7	0.02	0.6	0.7	1,344	0.8	0.02	0.7	0.8
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7
1991	38	0.6	0.10	0.4	0.9	34	0.6	0.11	0.4	0.9
1992	47	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0
2000	39	0.6	0.09	0.4	0.8	37	0.7	0.11	0.5	0.9
2001	51	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1
2002	33	0.5	0.08	0.3	0.7	29	0.5	0.10	0.3	0.7
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4
2004	52	0.8	0.11	0.6	1.0	50	0.9	0.13	0.7	1.2
2005	54	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2
2006	52	0.8	0.11	0.6	1.0	50	0.9	0.13	0.7	1.2
2007	62	0.9	0.12	0.7	1.2	60	1.1	0.14	0.8	1.4
2008	43	0.6	0.10	0.4	0.8	36	0.6	0.10	0.4	0.9
2009	61	0.9	0.11	0.7	1.1	59	1.1	0.14	0.8	1.4
2010	51	0.7	0.10	0.5	1.0	48	0.8	0.12	0.6	1.1
2011	49	0.7	0.10	0.5	0.9	40	0.7	0.11	0.5	1.0
2012	48	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0
2013	51	0.7	0.10	0.5	0.9	46	0.8	0.12	0.6	1.1
2014	40	0.5	0.08	0.4	0.7	37	0.6	0.10	0.4	0.8
2015	56	0.8	0.10	0.6	1.0	53	0.9	0.12	0.7	1.2
2016	54	0.7	0.10	0.5	0.9	51	0.8	0.12	0.6	1.1
2017	41	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Eye and Orbit										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	61	0.2	0.02	0.1	0.2	20	0.3	0.06	0.2	0.4
1986	0					1	1.5	1.54	0.0	8.0
1987	2	0.2	0.18	0.0	0.9	0				
1988	4	0.3	0.17	0.1	1.0	0				
1989	2	0.2	0.14	0.0	0.8	0				
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7
1991	1	0.1	0.08	0.0	0.6	0				
1992	3	0.4	0.23	0.1	1.1	0				
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9
1994	3	0.3	0.20	0.1	1.0	0				
1995	2	0.1	0.10	0.0	0.6	0				
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1
1997	0					0				
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8
1999	4	0.4	0.19	0.1	1.0	0				
2000	0					1	0.8	0.79	0.0	3.7
2001	3	0.3	0.14	0.1	0.8	0				
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4
2003	0					0				
2004	2	0.2	0.13	0.0	0.7	0				
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3
2006	0					1	0.3	0.30	0.0	1.9
2007	1	0.1	0.09	0.0	0.5	0				
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6
2009	2	0.2	0.14	0.0	0.7	0				
2010	3	0.3	0.16	0.1	0.8	0				
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.58	0.1	2.7
2012	2	0.2	0.14	0.0	0.7	0				
2013	3	0.3	0.17	0.1	0.9	1	0.3	0.27	0.0	1.5
2014	2	0.2	0.13	0.0	0.7	0				
2015	2	0.2	0.14	0.0	0.7	0				
2016	0					2	0.4	0.28	0.1	1.6
2017	0					1	0.3	0.28	0.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	25,540	6.4	0.04	6.4	6.5	22,788	6.9	0.05	6.8	7.0
1986	652	5.9	0.24	5.5	6.4	598	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	608	6.6	0.27	6.1	7.1
1988	710	6.4	0.24	6.0	6.9	635	6.7	0.27	6.2	7.3
1989	757	6.8	0.25	6.4	7.4	685	7.3	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	669	7.0	0.27	6.5	7.5
1992	711	6.3	0.24	5.8	6.7	639	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	770	6.7	0.24	6.2	7.1	685	7.0	0.27	6.5	7.5
1995	725	6.2	0.23	5.8	6.7	667	6.8	0.27	6.3	7.4
1996	761	6.4	0.23	6.0	6.9	684	6.9	0.26	6.4	7.4
1997	797	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	668	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	701	7.0	0.26	6.4	7.5
2000	774	6.4	0.23	5.9	6.8	693	6.9	0.26	6.4	7.4
2001	794	6.5	0.23	6.1	7.0	723	7.1	0.27	6.6	7.7
2002	762	6.2	0.22	5.7	6.6	684	6.7	0.26	6.2	7.2
2003	802	6.5	0.23	6.0	6.9	724	7.1	0.26	6.5	7.6
2004	853	6.8	0.23	6.4	7.3	765	7.4	0.27	6.9	8.0
2005	811	6.4	0.23	6.0	6.9	716	6.9	0.26	6.4	7.4
2006	892	7.0	0.24	6.6	7.5	785	7.5	0.27	7.0	8.1
2007	833	6.5	0.23	6.0	6.9	736	7.0	0.26	6.5	7.5
2008	896	6.9	0.23	6.4	7.4	793	7.4	0.27	6.9	8.0
2009	843	6.4	0.22	6.0	6.9	746	7.0	0.26	6.5	7.5
2010	901	6.8	0.23	6.4	7.3	794	7.4	0.26	6.8	7.9
2011	913	6.8	0.23	6.4	7.3	795	7.3	0.26	6.8	7.9
2012	838	6.1	0.21	5.7	6.5	743	6.6	0.25	6.2	7.1
2013	848	6.2	0.22	5.8	6.7	763	6.9	0.26	6.4	7.5
2014	889	6.5	0.22	6.0	6.9	777	7.0	0.26	6.5	7.5
2015	904	6.5	0.22	6.1	6.9	797	7.1	0.26	6.6	7.7
2016	884	6.3	0.22	5.9	6.7	753	6.6	0.25	6.2	7.1
2017	869	6.2	0.21	5.7	6.6	770	6.8	0.25	6.3	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,109	3.9	0.09	3.8	4.1	502	3.4	0.16	3.1	3.7
1986	53	3.7	0.53	2.7	4.9	1	0.4	0.42	0.0	3.4
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	68	4.7	0.60	3.6	6.0	6	2.8	1.34	0.8	6.9
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	52	3.4	0.49	2.5	4.5	5	1.6	0.82	0.4	4.1
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	18	4.9	1.24	2.8	8.1
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	51	3.2	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	14	3.4	1.06	1.6	6.1
2004	67	4.0	0.50	3.1	5.1	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	68	3.9	0.48	3.0	4.9	25	4.2	0.91	2.6	6.4
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	23	3.7	0.82	2.3	5.7
2010	78	4.2	0.49	3.3	5.3	24	4.2	0.91	2.6	6.3
2011	88	4.8	0.52	3.8	5.9	22	3.1	0.67	1.9	4.7
2012	59	3.1	0.41	2.3	4.0	27	3.9	0.79	2.5	5.8
2013	59	3.3	0.43	2.5	4.2	20	3.1	0.72	1.8	4.8
2014	71	3.7	0.45	2.9	4.7	34	4.7	0.83	3.2	6.6
2015	75	3.9	0.46	3.1	4.9	25	3.1	0.64	2.0	4.7
2016	94	4.8	0.51	3.9	5.9	27	3.5	0.69	2.3	5.1
2017	73	3.9	0.46	3.0	4.9	20	2.3	0.52	1.4	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	13,883	7.6	0.07	7.5	7.7	12,440	8.1	0.07	8.0	8.3
1986	335	6.6	0.37	5.9	7.4	313	7.2	0.42	6.4	8.1
1987	372	7.6	0.41	6.8	8.4	330	7.8	0.44	7.0	8.8
1988	379	7.5	0.40	6.8	8.3	348	8.0	0.44	7.2	8.9
1989	396	7.9	0.41	7.1	8.8	359	8.4	0.45	7.5	9.3
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7
1991	397	7.8	0.40	7.0	8.6	368	8.4	0.45	7.6	9.4
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0
1994	433	8.3	0.41	7.5	9.1	388	8.7	0.45	7.9	9.7
1995	399	7.4	0.38	6.7	8.2	373	8.2	0.43	7.4	9.1
1996	417	7.6	0.38	6.9	8.4	380	8.2	0.43	7.4	9.1
1997	452	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8
1998	417	7.6	0.38	6.9	8.3	366	8.0	0.42	7.2	8.8
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1
2000	404	7.2	0.36	6.6	8.0	361	7.7	0.41	6.9	8.5
2001	441	7.9	0.38	7.2	8.7	398	8.5	0.43	7.7	9.4
2002	382	6.7	0.35	6.1	7.4	345	7.2	0.39	6.5	8.1
2003	446	7.8	0.37	7.1	8.5	401	8.4	0.42	7.5	9.2
2004	442	7.8	0.37	7.1	8.5	399	8.4	0.42	7.6	9.3
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9
2006	488	8.3	0.38	7.6	9.1	437	9.0	0.43	8.2	9.9
2007	432	7.1	0.35	6.5	7.9	380	7.6	0.40	6.9	8.4
2008	467	7.8	0.37	7.1	8.5	411	8.3	0.41	7.5	9.2
2009	454	7.4	0.36	6.8	8.2	401	8.0	0.40	7.2	8.8
2010	495	8.0	0.37	7.3	8.8	444	8.7	0.42	7.9	9.6
2011	504	8.1	0.37	7.4	8.9	437	8.6	0.42	7.8	9.5
2012	467	7.2	0.34	6.6	7.9	416	7.8	0.39	7.1	8.6
2013	474	7.4	0.34	6.7	8.1	422	8.1	0.40	7.3	8.9
2014	468	7.3	0.34	6.6	8.0	421	8.0	0.40	7.2	8.8
2015	519	7.9	0.35	7.2	8.6	459	8.6	0.41	7.8	9.4
2016	480	7.2	0.34	6.5	7.9	419	7.7	0.39	7.0	8.5
2017	496	7.5	0.35	6.9	8.2	434	8.1	0.40	7.3	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,105	4.6	0.15	4.4	4.9	267	3.8	0.25	3.3	4.3
1986	21	3.4	0.76	2.0	5.2	1	0.9	0.85	0.0	7.8
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	28	4.3	0.87	2.8	6.4	2	1.1	0.79	0.1	7.2
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	12	7.6	2.44	3.6	14.2
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	7	4.0	1.79	1.3	8.9
2004	32	4.2	0.81	2.8	6.1	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	32	3.9	0.72	2.7	5.6	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	13	4.6	1.47	2.2	8.5
2010	37	4.7	0.82	3.3	6.6	12	3.7	1.09	1.9	6.7
2011	54	6.5	0.93	4.9	8.6	9	2.9	1.01	1.2	5.7
2012	32	3.6	0.65	2.4	5.1	15	5.5	1.60	2.9	9.5
2013	37	4.2	0.72	2.9	5.9	12	4.0	1.25	1.9	7.2
2014	33	4.0	0.73	2.7	5.7	10	2.7	0.84	1.3	5.0
2015	40	4.7	0.78	3.3	6.5	16	4.4	1.17	2.4	7.3
2016	47	5.4	0.82	4.0	7.3	9	2.3	0.76	1.0	4.4
2017	45	5.3	0.81	3.9	7.2	13	3.1	0.87	1.6	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,657	5.5	0.05	5.4	5.6	10,348	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	285	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	287	5.7	0.34	5.0	6.4
1989	361	6.1	0.33	5.5	6.8	326	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	323	5.2	0.29	4.6	5.8	287	5.5	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	337	5.3	0.29	4.7	5.9	297	5.5	0.32	4.9	6.2
1995	326	5.2	0.29	4.6	5.8	294	5.6	0.33	5.0	6.3
1996	344	5.4	0.29	4.8	6.0	304	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	321	5.9	0.33	5.3	6.6
2000	370	5.7	0.30	5.1	6.3	332	6.2	0.34	5.5	6.9
2001	353	5.4	0.29	4.8	6.0	325	6.0	0.34	5.4	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	356	5.3	0.28	4.8	5.9	323	5.9	0.33	5.3	6.6
2004	411	6.1	0.30	5.5	6.8	366	6.7	0.35	6.0	7.4
2005	369	5.5	0.29	4.9	6.1	324	5.9	0.33	5.3	6.6
2006	404	6.0	0.30	5.4	6.6	348	6.4	0.34	5.7	7.1
2007	401	5.9	0.30	5.3	6.5	356	6.4	0.35	5.8	7.2
2008	429	6.2	0.30	5.6	6.8	382	6.8	0.35	6.1	7.5
2009	389	5.6	0.29	5.1	6.2	345	6.2	0.34	5.5	6.9
2010	406	5.7	0.29	5.2	6.3	350	6.1	0.33	5.5	6.8
2011	409	5.7	0.29	5.2	6.3	358	6.3	0.34	5.6	7.0
2012	371	5.2	0.27	4.7	5.7	327	5.6	0.32	5.0	6.3
2013	374	5.2	0.27	4.7	5.8	341	5.9	0.33	5.3	6.6
2014	421	5.8	0.29	5.2	6.4	356	6.1	0.34	5.5	6.8
2015	385	5.3	0.28	4.8	5.9	338	5.9	0.33	5.2	6.6
2016	404	5.5	0.28	5.0	6.1	334	5.7	0.33	5.1	6.4
2017	373	4.9	0.26	4.4	5.5	336	5.6	0.32	5.0	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,004	3.4	0.11	3.2	3.6	235	3.0	0.21	2.6	3.5
1986	32	3.9	0.72	2.6	5.6	0				
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	40	5.0	0.81	3.5	6.8	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	29	3.5	0.65	2.3	5.0	2	1.5	1.18	0.1	5.6
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	18	2.0	0.47	1.1	3.1	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	8	2.9	1.08	1.2	5.8
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	34	3.3	0.58	2.3	4.7	13	3.3	0.92	1.7	5.7
2012	27	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.2
2013	22	2.4	0.50	1.5	3.6	8	2.4	0.87	1.0	4.8
2014	38	3.5	0.58	2.5	4.8	24	6.4	1.33	4.0	9.6
2015	35	3.3	0.56	2.3	4.6	9	2.2	0.74	1.0	4.2
2016	47	4.5	0.66	3.3	6.0	18	4.3	1.05	2.5	6.9
2017	28	2.6	0.50	1.7	3.8	7	1.7	0.63	0.7	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	23,959	6.0	0.04	6.0	6.1	21,506	6.5	0.04	6.5	6.6
1986	606	5.5	0.23	5.1	6.0	561	6.0	0.26	5.5	6.5
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	648	5.8	0.23	5.4	6.3	589	6.2	0.26	5.7	6.8
1989	706	6.4	0.24	5.9	6.9	646	6.8	0.27	6.3	7.4
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	634	6.6	0.27	6.1	7.2
1992	677	6.0	0.23	5.5	6.4	611	6.3	0.26	5.8	6.9
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6
1994	729	6.3	0.23	5.9	6.8	651	6.7	0.26	6.2	7.2
1995	689	5.9	0.23	5.5	6.4	636	6.5	0.26	6.0	7.0
1996	708	6.0	0.23	5.5	6.4	646	6.5	0.26	6.0	7.0
1997	756	6.4	0.23	5.9	6.9	686	6.9	0.26	6.4	7.5
1998	706	5.9	0.22	5.5	6.4	628	6.3	0.25	5.8	6.8
1999	746	6.2	0.23	5.8	6.6	663	6.6	0.26	6.1	7.1
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1
2001	752	6.2	0.22	5.7	6.6	689	6.8	0.26	6.3	7.3
2002	726	5.9	0.22	5.5	6.3	656	6.4	0.25	5.9	6.9
2003	772	6.2	0.22	5.8	6.7	696	6.8	0.26	6.3	7.3
2004	797	6.4	0.23	5.9	6.8	714	6.9	0.26	6.4	7.5
2005	751	5.9	0.22	5.5	6.4	670	6.4	0.25	5.9	6.9
2006	847	6.7	0.23	6.2	7.1	752	7.2	0.26	6.7	7.8
2007	773	6.0	0.22	5.6	6.4	684	6.5	0.25	6.0	7.0
2008	843	6.5	0.23	6.1	7.0	748	7.0	0.26	6.5	7.5
2009	792	6.0	0.22	5.6	6.5	706	6.6	0.25	6.1	7.1
2010	858	6.5	0.22	6.0	6.9	760	7.0	0.26	6.5	7.6
2011	862	6.4	0.22	6.0	6.9	752	6.9	0.26	6.4	7.4
2012	787	5.7	0.21	5.3	6.1	700	6.2	0.24	5.8	6.7
2013	798	5.8	0.21	5.4	6.3	720	6.5	0.25	6.0	7.0
2014	828	6.0	0.21	5.6	6.5	727	6.5	0.25	6.1	7.0
2015	848	6.1	0.21	5.7	6.5	755	6.7	0.25	6.2	7.2
2016	832	5.9	0.21	5.5	6.3	714	6.3	0.24	5.8	6.7
2017	808	5.7	0.21	5.3	6.1	719	6.3	0.24	5.8	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,874	3.5	0.08	3.3	3.7	461	3.1	0.15	2.8	3.4
1986	44	3.0	0.48	2.2	4.1	1	0.4	0.42	0.0	3.4
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	5	2.3	1.24	0.5	6.3
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	49	3.2	0.48	2.3	4.3	3	1.2	0.76	0.2	3.7
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	16	4.3	1.14	2.3	7.2
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	45	2.9	0.44	2.1	3.9	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	14	3.4	1.06	1.6	6.1
2004	62	3.7	0.48	2.8	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	61	3.5	0.45	2.6	4.5	24	4.1	0.90	2.5	6.3
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	21	3.4	0.80	2.1	5.4
2010	73	4.0	0.47	3.1	5.0	22	3.9	0.89	2.3	6.0
2011	81	4.5	0.50	3.5	5.6	22	3.1	0.67	1.9	4.7
2012	54	2.9	0.40	2.1	3.8	26	3.8	0.78	2.4	5.6
2013	54	2.9	0.41	2.2	3.8	19	3.0	0.71	1.7	4.7
2014	64	3.3	0.43	2.6	4.3	31	4.4	0.81	2.9	6.2
2015	65	3.3	0.42	2.6	4.3	24	3.0	0.63	1.9	4.6
2016	83	4.3	0.48	3.4	5.3	27	3.5	0.69	2.3	5.1
2017	67	3.5	0.44	2.7	4.5	17	2.0	0.48	1.1	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	13,167	7.2	0.06	7.1	7.3	11,866	7.8	0.07	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	298	6.9	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	360	7.1	0.39	6.4	7.9	335	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	344	7.8	0.43	7.0	8.7
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	421	8.1	0.40	7.3	8.9	378	8.5	0.45	7.7	9.5
1995	380	7.1	0.37	6.4	7.9	356	7.9	0.42	7.1	8.7
1996	393	7.2	0.37	6.5	8.0	364	7.9	0.42	7.1	8.8
1997	430	8.0	0.39	7.3	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	341	7.4	0.40	6.6	8.3
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	386	6.9	0.36	6.2	7.7	346	7.4	0.40	6.6	8.2
2001	419	7.6	0.37	6.8	8.3	380	8.1	0.42	7.3	9.0
2002	363	6.4	0.34	5.7	7.1	331	7.0	0.38	6.2	7.7
2003	436	7.6	0.37	6.9	8.4	393	8.2	0.42	7.4	9.0
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	471	8.1	0.38	7.3	8.8	424	8.7	0.43	7.9	9.6
2007	406	6.7	0.34	6.1	7.4	357	7.2	0.38	6.4	7.9
2008	449	7.5	0.36	6.8	8.2	397	8.0	0.41	7.2	8.8
2009	427	7.0	0.34	6.3	7.7	379	7.5	0.39	6.8	8.3
2010	482	7.8	0.36	7.1	8.5	433	8.5	0.42	7.7	9.4
2011	485	7.8	0.36	7.1	8.6	421	8.3	0.41	7.5	9.1
2012	443	6.9	0.33	6.2	7.6	399	7.5	0.38	6.8	8.3
2013	448	6.9	0.33	6.3	7.6	398	7.6	0.39	6.8	8.4
2014	448	6.9	0.33	6.3	7.6	405	7.7	0.39	6.9	8.5
2015	489	7.4	0.34	6.8	8.1	435	8.1	0.40	7.3	8.9
2016	451	6.7	0.33	6.1	7.4	399	7.3	0.38	6.6	8.1
2017	468	7.1	0.33	6.4	7.8	412	7.6	0.39	6.9	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	994	4.2	0.14	3.9	4.5	246	3.5	0.24	3.0	4.0
1986	16	2.5	0.64	1.4	4.1	1	0.9	0.85	0.0	7.8
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	2	1.1	0.79	0.1	7.2
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	10	6.1	2.17	2.7	12.3
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.82	3.1	6.5	7	4.0	1.79	1.3	8.9
2004	29	3.8	0.77	2.5	5.6	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	29	3.5	0.68	2.3	5.2	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	12	4.4	1.45	2.0	8.2
2010	35	4.5	0.80	3.1	6.3	12	3.7	1.09	1.9	6.7
2011	52	6.4	0.92	4.7	8.4	9	2.9	1.01	1.2	5.7
2012	28	3.2	0.62	2.1	4.7	14	5.2	1.57	2.6	9.1
2013	36	4.1	0.70	2.8	5.7	11	3.7	1.22	1.7	6.9
2014	30	3.5	0.67	2.4	5.1	9	2.4	0.80	1.1	4.6
2015	36	4.3	0.74	3.0	6.0	16	4.4	1.17	2.4	7.3
2016	39	4.6	0.77	3.3	6.4	9	2.3	0.76	1.0	4.4
2017	41	4.8	0.78	3.4	6.6	11	2.7	0.81	1.3	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	10,792	5.1	0.05	5.0	5.2	9,640	5.5	0.06	5.4	5.6
1986	291	4.9	0.29	4.3	5.5	263	5.2	0.33	4.5	5.8
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7
1989	332	5.6	0.31	5.0	6.2	304	6.1	0.35	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2
1992	306	4.9	0.28	4.4	5.5	272	5.2	0.32	4.6	5.8
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	308	4.8	0.28	4.3	5.4	273	5.1	0.31	4.5	5.7
1995	309	4.9	0.28	4.3	5.5	280	5.3	0.32	4.7	6.0
1996	315	4.9	0.28	4.4	5.5	282	5.3	0.32	4.7	6.0
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	338	5.2	0.28	4.6	5.7	300	5.5	0.32	4.9	6.2
2000	345	5.3	0.29	4.7	5.9	313	5.8	0.33	5.2	6.5
2001	333	5.1	0.28	4.5	5.6	309	5.7	0.33	5.1	6.4
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7
2003	336	5.0	0.27	4.5	5.6	303	5.5	0.32	4.9	6.2
2004	377	5.6	0.29	5.1	6.2	334	6.1	0.34	5.4	6.8
2005	336	5.0	0.27	4.4	5.5	299	5.4	0.32	4.8	6.0
2006	376	5.6	0.29	5.0	6.1	328	6.0	0.33	5.3	6.6
2007	367	5.4	0.28	4.8	5.9	327	5.9	0.33	5.3	6.6
2008	394	5.7	0.29	5.1	6.3	351	6.2	0.34	5.5	6.9
2009	365	5.3	0.28	4.7	5.8	327	5.8	0.33	5.2	6.5
2010	376	5.3	0.28	4.7	5.8	327	5.7	0.32	5.1	6.3
2011	377	5.3	0.28	4.7	5.8	331	5.8	0.33	5.2	6.4
2012	344	4.8	0.26	4.3	5.3	301	5.2	0.31	4.6	5.8
2013	350	4.9	0.27	4.4	5.4	322	5.5	0.32	4.9	6.2
2014	380	5.2	0.27	4.7	5.8	322	5.5	0.32	4.9	6.2
2015	359	4.9	0.27	4.4	5.5	320	5.5	0.32	4.9	6.2
2016	381	5.1	0.27	4.6	5.7	315	5.3	0.31	4.8	6.0
2017	340	4.5	0.25	4.0	5.0	307	5.0	0.30	4.5	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	880	2.9	0.10	2.8	3.1	215	2.8	0.20	2.4	3.2
1986	28	3.4	0.67	2.2	5.0	0				
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	27	3.2	0.62	2.1	4.7	1	1.1	1.14	0.0	5.3
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	15	1.7	0.43	0.9	2.7	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	7	2.6	1.05	1.0	5.5
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.1	13	3.3	0.92	1.7	5.7
2012	26	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.2
2013	18	1.9	0.46	1.1	3.0	8	2.4	0.87	1.0	4.8
2014	34	3.1	0.55	2.2	4.4	22	6.0	1.30	3.7	9.1
2015	29	2.6	0.50	1.8	3.8	8	2.0	0.71	0.9	4.0
2016	44	4.1	0.63	3.0	5.6	18	4.3	1.05	2.5	6.9
2017	26	2.4	0.48	1.6	3.6	6	1.4	0.57	0.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	40,098	10.2	0.05	10.1	10.3	34,311	10.6	0.06	10.5	10.7
1986	521	4.8	0.22	4.4	5.3	459	5.0	0.24	4.5	5.5
1987	552	5.1	0.22	4.6	5.5	495	5.4	0.25	4.9	5.9
1988	549	5.0	0.22	4.6	5.4	474	5.1	0.24	4.6	5.5
1989	527	4.8	0.21	4.4	5.2	451	4.8	0.23	4.4	5.3
1990	601	5.4	0.22	4.9	5.8	531	5.6	0.25	5.2	6.1
1991	566	5.0	0.21	4.6	5.5	500	5.3	0.24	4.8	5.8
1992	631	5.6	0.22	5.1	6.0	561	5.9	0.25	5.4	6.4
1993	672	5.8	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7
1994	667	5.7	0.22	5.3	6.2	584	6.0	0.25	5.5	6.5
1995	735	6.2	0.23	5.8	6.7	635	6.5	0.26	6.0	7.0
1996	796	6.7	0.24	6.2	7.2	698	7.1	0.27	6.5	7.6
1997	832	7.0	0.24	6.5	7.5	705	7.1	0.27	6.6	7.7
1998	846	7.0	0.24	6.6	7.5	713	7.1	0.27	6.6	7.7
1999	948	7.8	0.25	7.3	8.3	825	8.2	0.29	7.7	8.8
2000	941	7.7	0.25	7.2	8.2	811	8.0	0.28	7.5	8.6
2001	1,023	8.3	0.26	7.8	8.8	878	8.7	0.29	8.1	9.3
2002	1,205	9.7	0.28	9.2	10.3	1,049	10.3	0.32	9.7	10.9
2003	1,223	9.8	0.28	9.2	10.3	1,060	10.4	0.32	9.8	11.0
2004	1,369	10.9	0.30	10.3	11.5	1,201	11.8	0.34	11.1	12.4
2005	1,391	11.0	0.30	10.4	11.6	1,189	11.5	0.34	10.9	12.2
2006	1,553	12.2	0.31	11.6	12.8	1,331	12.9	0.36	12.2	13.6
2007	1,660	13.0	0.32	12.3	13.6	1,422	13.7	0.37	13.0	14.4
2008	1,761	13.6	0.33	13.0	14.2	1,517	14.5	0.38	13.8	15.3
2009	1,868	14.3	0.34	13.7	15.0	1,620	15.4	0.39	14.7	16.2
2010	1,879	14.3	0.33	13.7	15.0	1,590	15.1	0.38	14.3	15.9
2011	1,983	14.9	0.34	14.2	15.5	1,688	15.7	0.39	15.0	16.5
2012	2,144	16.1	0.35	15.4	16.8	1,815	17.0	0.41	16.2	17.8
2013	2,187	16.4	0.36	15.7	17.1	1,843	17.4	0.41	16.6	18.2
2014	2,172	16.2	0.35	15.5	16.9	1,824	17.1	0.41	16.3	17.9
2015	2,286	16.9	0.36	16.2	17.6	1,946	18.2	0.42	17.3	19.0
2016	2,114	15.7	0.35	15.0	16.4	1,752	16.4	0.40	15.6	17.2
2017	1,896	13.9	0.33	13.3	14.5	1,552	14.4	0.38	13.6	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,348	6.4	0.11	6.2	6.6	1,866	11.4	0.28	10.8	11.9
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	47	3.5	0.54	2.5	4.7	24	10.6	2.76	5.9	17.3
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	41	3.0	0.48	2.1	4.1	8	2.7	1.03	1.1	5.9
1992	48	3.2	0.48	2.4	4.3	14	5.9	1.78	2.9	10.4
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.41	4.1	10.2
1994	57	3.9	0.54	3.0	5.1	21	6.4	1.52	3.8	10.2
1995	61	4.0	0.53	3.1	5.2	30	8.3	1.62	5.4	12.3
1996	68	4.3	0.54	3.4	5.5	27	7.6	1.70	4.6	11.7
1997	82	5.6	0.63	4.4	7.0	35	8.7	1.58	5.9	12.4
1998	80	5.1	0.59	4.1	6.4	39	9.4	1.71	6.3	13.4
1999	63	3.7	0.48	2.9	4.8	38	9.3	1.65	6.4	13.2
2000	73	4.4	0.53	3.5	5.6	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	98	6.0	0.61	4.8	7.3	41	7.8	1.29	5.5	10.8
2003	100	5.9	0.60	4.8	7.2	38	6.9	1.20	4.8	9.7
2004	99	5.7	0.58	4.6	7.0	54	10.6	1.53	7.8	14.1
2005	109	6.4	0.63	5.3	7.8	69	12.7	1.64	9.7	16.3
2006	129	7.3	0.66	6.1	8.7	75	12.9	1.57	10.0	16.4
2007	132	7.6	0.67	6.3	9.0	77	12.4	1.49	9.6	15.7
2008	141	7.8	0.67	6.5	9.2	83	12.2	1.40	9.6	15.3
2009	154	8.6	0.71	7.3	10.1	70	10.1	1.26	7.8	12.9
2010	169	9.1	0.71	7.7	10.6	84	11.4	1.29	9.0	14.2
2011	168	9.0	0.71	7.7	10.5	105	14.3	1.46	11.6	17.5
2012	176	9.5	0.73	8.1	11.0	116	15.3	1.46	12.5	18.4
2013	181	9.5	0.72	8.1	11.0	123	15.3	1.41	12.6	18.3
2014	192	10.2	0.75	8.7	11.7	128	15.5	1.40	12.9	18.5
2015	180	9.6	0.73	8.2	11.2	123	14.9	1.38	12.3	17.8
2016	195	10.4	0.76	8.9	11.9	137	15.9	1.38	13.3	18.9
2017	180	9.3	0.71	7.9	10.8	135	15.4	1.34	12.9	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	10,716	5.8	0.06	5.7	5.9	9,333	6.0	0.06	5.9	6.2
1986	147	3.0	0.26	2.6	3.6	136	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	151	3.4	0.29	2.9	4.1
1991	156	3.1	0.25	2.6	3.6	139	3.2	0.28	2.7	3.8
1992	185	3.6	0.27	3.0	4.1	162	3.6	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	191	3.6	0.26	3.1	4.1	162	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	170	3.7	0.29	3.2	4.3
1996	221	4.1	0.28	3.5	4.6	193	4.2	0.30	3.6	4.8
1997	228	4.2	0.28	3.7	4.8	197	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	213	4.6	0.32	4.0	5.2
1999	255	4.5	0.28	3.9	5.0	227	4.8	0.32	4.2	5.4
2000	227	4.0	0.27	3.5	4.5	203	4.3	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	307	5.3	0.30	4.7	5.9	271	5.6	0.34	5.0	6.3
2003	291	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	361	6.1	0.32	5.5	6.7	324	6.6	0.37	5.9	7.3
2005	368	6.1	0.32	5.5	6.8	325	6.5	0.37	5.8	7.3
2006	404	6.7	0.34	6.1	7.4	349	7.0	0.38	6.3	7.8
2007	429	7.1	0.35	6.4	7.8	372	7.4	0.39	6.7	8.2
2008	432	6.9	0.34	6.3	7.6	383	7.4	0.38	6.7	8.2
2009	441	7.0	0.34	6.4	7.7	386	7.5	0.39	6.7	8.3
2010	500	8.0	0.36	7.3	8.7	435	8.5	0.41	7.7	9.3
2011	521	8.2	0.37	7.5	8.9	453	8.6	0.41	7.8	9.4
2012	551	8.5	0.37	7.8	9.3	481	9.0	0.42	8.2	9.9
2013	595	9.1	0.38	8.3	9.8	520	9.7	0.43	8.9	10.6
2014	592	9.0	0.38	8.2	9.7	514	9.5	0.43	8.7	10.4
2015	608	9.2	0.38	8.5	10.0	513	9.5	0.43	8.7	10.4
2016	598	9.1	0.38	8.4	9.9	499	9.4	0.43	8.6	10.3
2017	559	8.4	0.36	7.7	9.1	480	8.8	0.42	8.1	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	791	3.5	0.13	3.3	3.8	458	6.1	0.31	5.5	6.7
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	9	1.3	0.44	0.6	2.5	5	4.0	1.98	1.1	10.8
1992	16	2.5	0.64	1.4	4.1	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	4	1.9	0.94	0.5	6.1
1996	21	3.2	0.71	2.0	4.9	7	3.7	1.45	1.4	8.6
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	24	3.5	0.71	2.2	5.2	12	6.7	2.08	3.2	12.4
1999	16	2.2	0.56	1.2	3.6	9	4.7	1.71	2.0	9.7
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	20	2.6	0.60	1.5	4.0	13	6.0	1.87	2.9	10.9
2005	26	3.6	0.72	2.3	5.3	13	4.9	1.46	2.5	8.8
2006	31	3.9	0.72	2.6	5.6	20	7.6	1.82	4.4	12.1
2007	30	4.3	0.84	2.8	6.3	22	7.9	1.82	4.7	12.4
2008	31	3.8	0.72	2.5	5.5	13	3.6	1.02	1.9	6.5
2009	31	3.9	0.72	2.6	5.6	20	5.9	1.37	3.6	9.4
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.5	0.78	3.1	6.3	25	7.7	1.64	4.8	11.6
2012	39	5.1	0.85	3.6	7.1	24	6.7	1.42	4.2	10.2
2013	36	4.2	0.72	2.9	5.9	29	8.0	1.51	5.3	11.6
2014	45	5.3	0.82	3.8	7.2	27	7.1	1.39	4.6	10.4
2015	51	6.3	0.91	4.6	8.3	32	8.4	1.51	5.7	12.0
2016	50	6.0	0.88	4.4	8.0	41	10.4	1.68	7.3	14.2
2017	39	4.7	0.78	3.3	6.5	38	9.1	1.50	6.4	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	29,382	14.4	0.08	14.3	14.6	24,978	15.2	0.10	15.0	15.4
1986	374	6.5	0.34	5.8	7.2	323	6.6	0.38	5.9	7.4
1987	388	6.8	0.35	6.1	7.5	349	7.3	0.40	6.5	8.1
1988	405	6.9	0.35	6.3	7.7	351	7.2	0.39	6.4	8.0
1989	391	6.7	0.35	6.0	7.4	329	6.8	0.38	6.0	7.5
1990	429	7.2	0.35	6.5	7.9	380	7.7	0.40	6.9	8.5
1991	410	7.0	0.35	6.3	7.7	361	7.4	0.39	6.6	8.2
1992	446	7.4	0.36	6.7	8.2	399	8.0	0.41	7.2	8.8
1993	478	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0
1994	476	7.8	0.36	7.1	8.6	422	8.4	0.41	7.6	9.3
1995	544	8.8	0.38	8.1	9.6	465	9.2	0.43	8.4	10.1
1996	575	9.2	0.39	8.5	10.0	505	9.9	0.44	9.1	10.8
1997	604	9.6	0.39	8.9	10.4	508	9.9	0.44	9.0	10.8
1998	591	9.4	0.39	8.7	10.2	500	9.8	0.44	9.0	10.7
1999	693	11.0	0.42	10.2	11.8	598	11.7	0.48	10.8	12.7
2000	714	11.2	0.42	10.4	12.0	608	11.8	0.48	10.8	12.7
2001	730	11.4	0.42	10.6	12.3	625	12.1	0.49	11.2	13.1
2002	898	13.9	0.47	13.0	14.9	778	15.0	0.54	13.9	16.1
2003	932	14.4	0.47	13.5	15.3	809	15.5	0.55	14.5	16.6
2004	1,008	15.6	0.49	14.6	16.6	877	17.0	0.58	15.9	18.1
2005	1,023	15.6	0.49	14.7	16.6	864	16.5	0.57	15.4	17.7
2006	1,149	17.5	0.52	16.5	18.5	982	18.8	0.60	17.6	20.0
2007	1,231	18.6	0.53	17.6	19.7	1,050	19.9	0.62	18.7	21.2
2008	1,329	20.0	0.55	18.9	21.1	1,134	21.5	0.65	20.3	22.8
2009	1,427	21.3	0.57	20.2	22.5	1,234	23.4	0.68	22.1	24.7
2010	1,379	20.5	0.56	19.4	21.6	1,155	21.8	0.65	20.5	23.1
2011	1,462	21.3	0.57	20.2	22.4	1,235	22.8	0.66	21.5	24.1
2012	1,593	23.4	0.60	22.2	24.6	1,334	24.9	0.70	23.5	26.3
2013	1,592	23.5	0.60	22.3	24.7	1,323	25.1	0.71	23.7	26.5
2014	1,580	23.2	0.60	22.0	24.4	1,310	24.7	0.70	23.3	26.1
2015	1,678	24.5	0.61	23.3	25.7	1,433	26.8	0.73	25.4	28.3
2016	1,516	22.1	0.58	21.0	23.3	1,253	23.5	0.69	22.2	24.9
2017	1,337	19.3	0.54	18.3	20.4	1,072	19.9	0.63	18.7	21.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,557	8.7	0.17	8.3	9.0	1,408	16.1	0.44	15.2	17.0
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	38	4.9	0.83	3.4	6.8	19	13.9	3.51	7.9	22.9
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	8	5.4	2.09	2.1	11.4
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.70	7.6	19.2
1994	36	4.1	0.69	2.9	5.7	16	8.9	2.39	4.9	15.2
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	20	10.5	2.67	6.0	17.2
1997	62	7.5	0.96	5.7	9.6	25	12.2	2.59	7.7	18.5
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	47	5.0	0.73	3.7	6.6	29	13.3	2.65	8.6	19.6
2000	62	6.7	0.86	5.1	8.6	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	79	8.5	0.96	6.7	10.6	28	10.7	2.10	7.0	15.7
2003	77	8.0	0.92	6.3	10.1	31	10.0	1.88	6.6	14.5
2004	79	8.2	0.93	6.5	10.2	41	14.8	2.40	10.5	20.3
2005	83	8.7	0.96	6.9	10.8	56	19.5	2.74	14.5	25.6
2006	98	9.9	1.01	8.1	12.1	55	17.8	2.49	13.3	23.4
2007	102	10.3	1.03	8.4	12.6	55	16.5	2.30	12.3	21.7
2008	110	11.0	1.06	9.0	13.3	70	19.8	2.45	15.3	25.3
2009	123	12.3	1.12	10.2	14.7	50	13.8	2.02	10.1	18.4
2010	134	13.1	1.14	10.9	15.5	66	16.7	2.11	12.8	21.4
2011	131	12.6	1.12	10.5	15.0	80	20.4	2.35	16.0	25.6
2012	137	13.2	1.14	11.0	15.6	92	22.9	2.44	18.4	28.3
2013	145	13.7	1.16	11.5	16.2	94	22.0	2.32	17.7	27.1
2014	147	14.1	1.19	11.9	16.7	101	23.1	2.35	18.7	28.2
2015	129	12.5	1.12	10.4	14.9	91	20.5	2.19	16.4	25.3
2016	145	14.0	1.19	11.8	16.5	96	21.1	2.18	17.1	25.9
2017	141	13.1	1.13	11.0	15.5	97	21.2	2.17	17.1	25.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	37,355	9.5	0.05	9.4	9.6	32,158	10.0	0.06	9.9	10.1
1986	468	4.3	0.21	3.9	4.8	412	4.5	0.23	4.0	4.9
1987	482	4.5	0.21	4.1	4.9	435	4.8	0.23	4.3	5.2
1988	502	4.6	0.21	4.2	5.0	438	4.7	0.23	4.2	5.1
1989	462	4.2	0.20	3.8	4.6	394	4.2	0.22	3.8	4.7
1990	537	4.8	0.21	4.4	5.2	481	5.1	0.24	4.7	5.6
1991	508	4.5	0.20	4.1	4.9	452	4.8	0.23	4.3	5.2
1992	541	4.8	0.21	4.4	5.2	484	5.0	0.23	4.6	5.5
1993	595	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0
1994	604	5.2	0.21	4.8	5.6	532	5.5	0.24	5.0	5.9
1995	653	5.5	0.22	5.1	6.0	566	5.8	0.24	5.3	6.2
1996	718	6.1	0.23	5.6	6.5	637	6.5	0.26	6.0	7.0
1997	758	6.4	0.23	5.9	6.8	651	6.6	0.26	6.1	7.1
1998	781	6.5	0.23	6.0	6.9	665	6.7	0.26	6.2	7.2
1999	867	7.1	0.24	6.7	7.6	760	7.6	0.28	7.1	8.2
2000	873	7.1	0.24	6.7	7.6	757	7.5	0.27	7.0	8.1
2001	927	7.5	0.25	7.0	8.0	801	7.9	0.28	7.4	8.5
2002	1,112	8.9	0.27	8.4	9.5	972	9.5	0.31	8.9	10.2
2003	1,126	9.0	0.27	8.5	9.5	979	9.6	0.31	9.0	10.2
2004	1,253	10.0	0.28	9.4	10.6	1,106	10.8	0.33	10.2	11.5
2005	1,303	10.3	0.29	9.7	10.9	1,118	10.8	0.33	10.2	11.5
2006	1,440	11.3	0.30	10.7	11.9	1,245	12.1	0.34	11.4	12.8
2007	1,558	12.2	0.31	11.6	12.8	1,350	13.0	0.36	12.3	13.7
2008	1,665	12.9	0.32	12.2	13.5	1,439	13.8	0.37	13.1	14.5
2009	1,774	13.6	0.33	13.0	14.3	1,553	14.8	0.38	14.1	15.6
2010	1,778	13.5	0.33	12.9	14.2	1,515	14.3	0.37	13.6	15.1
2011	1,882	14.1	0.33	13.5	14.8	1,613	15.0	0.38	14.3	15.8
2012	2,043	15.3	0.34	14.7	16.0	1,735	16.2	0.40	15.5	17.0
2013	2,104	15.8	0.35	15.1	16.5	1,785	16.8	0.41	16.0	17.6
2014	2,078	15.5	0.35	14.8	16.2	1,749	16.3	0.40	15.6	17.2
2015	2,177	16.1	0.35	15.4	16.8	1,865	17.4	0.41	16.6	18.2
2016	2,002	14.9	0.34	14.2	15.5	1,671	15.7	0.39	14.9	16.5
2017	1,784	13.1	0.32	12.5	13.7	1,471	13.6	0.37	12.9	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,902	5.6	0.10	5.4	5.8	1,748	10.6	0.27	10.1	11.1
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	22	10.0	2.73	5.4	16.7
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	7	2.5	0.99	0.9	5.6
1992	38	2.6	0.43	1.8	3.6	11	4.7	1.65	2.0	9.0
1993	39	2.7	0.44	1.9	3.7	20	5.8	1.34	3.5	9.3
1994	49	3.4	0.49	2.5	4.5	19	5.6	1.41	3.2	9.3
1995	52	3.5	0.50	2.6	4.6	27	7.6	1.57	4.8	11.5
1996	54	3.4	0.48	2.6	4.5	24	7.0	1.66	4.1	11.0
1997	64	4.5	0.58	3.5	5.8	33	8.3	1.56	5.6	12.1
1998	67	4.4	0.54	3.4	5.6	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	35	8.6	1.60	5.7	12.3
2000	65	4.0	0.51	3.1	5.1	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	85	5.2	0.57	4.1	6.4	39	7.5	1.27	5.3	10.5
2003	88	5.2	0.56	4.2	6.5	34	6.3	1.16	4.3	9.1
2004	81	4.7	0.52	3.7	5.8	52	10.0	1.47	7.3	13.4
2005	93	5.5	0.58	4.4	6.8	68	12.5	1.63	9.5	16.1
2006	104	6.0	0.59	4.9	7.2	73	12.5	1.54	9.7	15.9
2007	115	6.7	0.63	5.5	8.1	68	10.9	1.39	8.3	14.0
2008	129	7.2	0.65	6.0	8.6	78	11.5	1.36	9.0	14.5
2009	133	7.4	0.66	6.2	8.8	66	9.5	1.23	7.3	12.3
2010	147	8.0	0.67	6.7	9.4	80	10.6	1.22	8.4	13.3
2011	145	7.8	0.66	6.5	9.2	102	13.9	1.43	11.2	17.0
2012	161	8.7	0.70	7.4	10.1	110	14.4	1.41	11.7	17.4
2013	162	8.5	0.68	7.2	9.9	119	14.7	1.38	12.1	17.7
2014	179	9.5	0.73	8.2	11.1	124	15.0	1.38	12.4	18.0
2015	161	8.6	0.69	7.3	10.1	116	14.0	1.33	11.5	16.9
2016	175	9.3	0.72	8.0	10.9	128	14.8	1.33	12.3	17.7
2017	159	8.2	0.67	7.0	9.7	127	14.3	1.28	11.9	17.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	9,248	5.0	0.05	4.9	5.1	8,182	5.3	0.06	5.2	5.4
1986	117	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	125	2.9	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.6	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.3
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	152	2.9	0.24	2.4	3.4	129	2.8	0.25	2.4	3.4
1995	151	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.6
1996	178	3.3	0.25	2.8	3.8	160	3.5	0.28	3.0	4.1
1997	192	3.5	0.26	3.0	4.1	170	3.7	0.28	3.1	4.3
1998	219	4.0	0.27	3.5	4.5	186	4.0	0.29	3.4	4.6
1999	219	3.8	0.26	3.3	4.4	197	4.1	0.29	3.6	4.7
2000	195	3.4	0.25	3.0	3.9	178	3.7	0.28	3.2	4.3
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	254	4.3	0.27	3.8	4.9	227	4.7	0.31	4.1	5.3
2003	246	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	305	5.1	0.30	4.6	5.7	274	5.5	0.34	4.9	6.2
2005	315	5.2	0.30	4.7	5.9	283	5.7	0.34	5.0	6.4
2006	334	5.5	0.31	5.0	6.2	295	5.9	0.35	5.2	6.6
2007	377	6.3	0.33	5.6	6.9	337	6.7	0.37	6.0	7.5
2008	386	6.2	0.32	5.5	6.8	349	6.7	0.37	6.0	7.5
2009	401	6.4	0.33	5.8	7.1	358	6.9	0.37	6.2	7.7
2010	449	7.2	0.34	6.5	7.9	395	7.7	0.39	6.9	8.5
2011	461	7.2	0.34	6.5	7.9	412	7.8	0.39	7.0	8.6
2012	498	7.7	0.35	7.0	8.4	441	8.3	0.40	7.5	9.1
2013	541	8.2	0.36	7.5	9.0	478	8.9	0.42	8.1	9.8
2014	543	8.2	0.36	7.5	9.0	476	8.8	0.41	8.0	9.6
2015	544	8.2	0.36	7.5	9.0	465	8.6	0.41	7.8	9.5
2016	535	8.1	0.36	7.4	8.8	457	8.5	0.41	7.8	9.4
2017	501	7.5	0.34	6.8	8.2	441	8.1	0.40	7.4	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	556	2.6	0.11	2.4	2.8	390	5.2	0.28	4.7	5.8
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2
1995	9	1.3	0.46	0.6	2.6	2	1.0	0.69	0.1	5.0
1996	14	2.2	0.60	1.2	3.7	4	2.4	1.26	0.6	7.1
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8
1998	18	2.6	0.62	1.5	4.1	9	4.7	1.69	2.0	9.7
1999	11	1.6	0.47	0.8	2.8	8	4.0	1.54	1.6	8.7
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8
2004	14	1.8	0.51	1.0	3.1	13	6.0	1.87	2.9	10.9
2005	16	2.2	0.58	1.3	3.7	12	4.5	1.41	2.2	8.4
2006	17	2.3	0.57	1.3	3.7	18	6.7	1.70	3.8	11.0
2007	21	3.3	0.76	1.9	5.1	16	5.5	1.44	3.1	9.3
2008	23	3.0	0.65	1.8	4.5	10	2.7	0.88	1.3	5.4
2009	23	2.8	0.61	1.8	4.3	18	5.3	1.30	3.1	8.7
2010	24	3.1	0.66	1.9	4.7	18	5.4	1.30	3.2	8.7
2011	20	2.5	0.58	1.5	3.9	23	7.1	1.59	4.4	11.0
2012	28	3.6	0.71	2.4	5.3	22	6.2	1.39	3.8	9.6
2013	27	3.3	0.66	2.2	4.9	27	7.2	1.41	4.7	10.7
2014	36	4.3	0.75	3.0	6.1	25	6.6	1.34	4.2	9.8
2015	39	4.7	0.77	3.3	6.5	29	7.6	1.45	5.1	11.1
2016	39	4.8	0.79	3.4	6.6	32	8.1	1.49	5.4	11.6
2017	27	3.4	0.67	2.2	5.0	33	7.8	1.38	5.3	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	28,107	13.8	0.08	13.6	14.0	23,976	14.6	0.10	14.4	14.8
1986	351	6.1	0.34	5.5	6.8	305	6.3	0.37	5.6	7.1
1987	354	6.2	0.34	5.6	6.9	322	6.8	0.39	6.0	7.6
1988	381	6.5	0.34	5.9	7.2	335	6.8	0.38	6.1	7.6
1989	365	6.3	0.33	5.6	6.9	305	6.3	0.37	5.6	7.0
1990	398	6.7	0.34	6.1	7.4	356	7.2	0.39	6.5	8.0
1991	384	6.5	0.34	5.9	7.2	340	6.9	0.38	6.2	7.7
1992	403	6.7	0.34	6.1	7.4	360	7.2	0.39	6.5	8.0
1993	445	7.3	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5
1994	452	7.4	0.35	6.8	8.2	403	8.1	0.41	7.3	8.9
1995	502	8.1	0.36	7.4	8.8	428	8.4	0.41	7.7	9.3
1996	540	8.7	0.38	8.0	9.4	477	9.4	0.43	8.5	10.3
1997	566	9.0	0.38	8.3	9.8	481	9.3	0.43	8.5	10.2
1998	562	9.0	0.38	8.2	9.7	479	9.4	0.43	8.6	10.3
1999	648	10.3	0.41	9.5	11.1	563	11.1	0.47	10.2	12.0
2000	678	10.6	0.41	9.8	11.4	579	11.2	0.47	10.3	12.2
2001	689	10.8	0.41	10.0	11.6	590	11.4	0.47	10.5	12.4
2002	858	13.3	0.45	12.4	14.2	745	14.3	0.53	13.3	15.4
2003	880	13.6	0.46	12.7	14.5	769	14.8	0.54	13.8	15.9
2004	948	14.7	0.48	13.8	15.6	832	16.1	0.56	15.0	17.3
2005	988	15.1	0.48	14.2	16.1	835	16.0	0.56	14.9	17.1
2006	1,106	16.9	0.51	15.9	17.9	950	18.2	0.60	17.0	19.4
2007	1,181	17.9	0.52	16.9	18.9	1,013	19.3	0.61	18.1	20.5
2008	1,279	19.3	0.54	18.2	20.4	1,090	20.7	0.64	19.5	22.0
2009	1,373	20.6	0.56	19.5	21.7	1,195	22.7	0.67	21.4	24.0
2010	1,329	19.8	0.55	18.7	20.9	1,120	21.1	0.64	19.9	22.4
2011	1,421	20.7	0.56	19.6	21.9	1,201	22.2	0.66	20.9	23.5
2012	1,545	22.7	0.59	21.6	23.9	1,294	24.2	0.69	22.8	25.6
2013	1,563	23.1	0.60	21.9	24.3	1,307	24.8	0.70	23.4	26.2
2014	1,535	22.5	0.59	21.4	23.7	1,273	24.0	0.69	22.6	25.4
2015	1,633	23.8	0.61	22.7	25.0	1,400	26.2	0.72	24.8	27.7
2016	1,467	21.5	0.58	20.4	22.7	1,214	22.9	0.68	21.6	24.2
2017	1,283	18.6	0.53	17.5	19.6	1,030	19.2	0.62	18.0	20.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,346	8.0	0.17	7.6	8.3	1,358	15.5	0.43	14.6	16.3
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	18	13.3	3.46	7.4	22.3
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	8	5.4	2.09	2.1	11.4
1993	33	4.1	0.73	2.8	5.8	20	11.2	2.57	6.7	17.8
1994	32	3.7	0.65	2.5	5.2	15	8.4	2.34	4.5	14.6
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	20	10.5	2.67	6.0	17.2
1997	52	6.4	0.90	4.8	8.4	24	11.8	2.56	7.3	18.1
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	27	12.5	2.59	8.0	18.7
2000	56	6.1	0.82	4.6	7.9	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	74	8.0	0.93	6.3	10.0	27	10.3	2.07	6.7	15.3
2003	69	7.3	0.88	5.6	9.2	27	8.8	1.79	5.7	13.2
2004	67	6.9	0.85	5.4	8.8	39	13.8	2.28	9.7	19.1
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	87	8.8	0.95	7.0	10.9	55	17.8	2.49	13.3	23.4
2007	94	9.6	1.00	7.7	11.8	52	15.5	2.24	11.5	20.6
2008	106	10.6	1.04	8.7	12.9	68	19.3	2.41	14.8	24.6
2009	110	11.0	1.06	9.0	13.3	48	13.2	1.98	9.6	17.8
2010	123	12.0	1.10	10.0	14.4	62	15.3	1.99	11.7	19.8
2011	125	12.1	1.09	10.0	14.4	79	20.0	2.32	15.7	25.2
2012	133	12.8	1.12	10.7	15.2	88	21.7	2.37	17.3	26.9
2013	135	12.7	1.11	10.6	15.0	92	21.6	2.30	17.3	26.6
2014	143	13.8	1.17	11.6	16.2	99	22.6	2.33	18.3	27.7
2015	122	11.8	1.09	9.8	14.2	87	19.5	2.13	15.6	24.2
2016	136	13.2	1.16	11.0	15.7	96	21.1	2.18	17.1	25.9
2017	132	12.3	1.10	10.2	14.7	94	20.4	2.12	16.5	25.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	85,276	21.5	0.07	21.4	21.7	75,154	22.5	0.08	22.3	22.6
1986	1,698	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5
1987	1,747	16.2	0.39	15.4	16.9	1,618	17.2	0.43	16.4	18.1
1988	1,851	17.0	0.40	16.2	17.8	1,685	17.8	0.44	17.0	18.7
1989	1,903	17.4	0.40	16.6	18.2	1,733	18.3	0.45	17.5	19.2
1990	2,068	18.8	0.42	18.0	19.6	1,873	19.7	0.46	18.8	20.6
1991	2,058	18.4	0.41	17.6	19.2	1,881	19.5	0.45	18.6	20.4
1992	2,258	20.0	0.42	19.2	20.8	2,063	21.2	0.47	20.2	22.1
1993	2,309	20.2	0.42	19.4	21.1	2,087	21.2	0.47	20.3	22.2
1994	2,435	21.2	0.43	20.3	22.0	2,171	21.9	0.47	21.0	22.9
1995	2,528	21.8	0.43	20.9	22.6	2,247	22.6	0.48	21.6	23.5
1996	2,636	22.5	0.44	21.7	23.4	2,350	23.5	0.49	22.6	24.5
1997	2,566	21.8	0.43	20.9	22.6	2,275	22.6	0.47	21.7	23.5
1998	2,627	22.1	0.43	21.3	23.0	2,309	22.8	0.48	21.9	23.8
1999	2,737	22.8	0.44	22.0	23.7	2,467	24.2	0.49	23.3	25.2
2000	2,726	22.5	0.43	21.7	23.4	2,407	23.5	0.48	22.6	24.5
2001	2,731	22.4	0.43	21.6	23.3	2,424	23.5	0.48	22.6	24.4
2002	2,775	22.6	0.43	21.8	23.5	2,467	23.8	0.48	22.9	24.8
2003	2,805	22.6	0.43	21.8	23.5	2,466	23.6	0.48	22.7	24.6
2004	2,972	23.8	0.44	23.0	24.7	2,593	24.7	0.49	23.8	25.7
2005	2,922	23.2	0.43	22.4	24.1	2,559	24.2	0.48	23.3	25.2
2006	2,880	22.7	0.43	21.9	23.5	2,550	24.1	0.48	23.1	25.0
2007	2,918	22.7	0.42	21.9	23.5	2,557	23.8	0.47	22.9	24.8
2008	3,045	23.3	0.43	22.5	24.2	2,652	24.4	0.48	23.4	25.3
2009	3,023	22.9	0.42	22.1	23.7	2,632	23.9	0.47	23.0	24.9
2010	3,119	23.4	0.42	22.5	24.2	2,684	24.2	0.47	23.3	25.1
2011	3,042	22.4	0.41	21.6	23.3	2,613	23.2	0.46	22.4	24.2
2012	2,983	21.8	0.41	21.0	22.6	2,584	22.9	0.46	22.0	23.8
2013	3,067	21.9	0.40	21.2	22.7	2,642	23.0	0.46	22.1	23.9
2014	3,234	22.8	0.41	22.0	23.6	2,777	23.8	0.46	22.9	24.8
2015	3,242	22.7	0.41	21.9	23.5	2,799	23.8	0.46	22.9	24.8
2016	3,172	22.1	0.40	21.3	22.9	2,740	23.3	0.46	22.4	24.2
2017	3,199	21.9	0.40	21.2	22.7	2,699	22.6	0.45	21.7	23.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,741	15.3	0.18	14.9	15.6	1,660	12.7	0.34	12.0	13.3
1986	124	9.9	0.93	8.1	11.9	24	15.2	3.37	9.3	23.3
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	15	9.1	2.78	4.5	16.1
1989	151	11.3	0.97	9.5	13.4	18	9.6	2.57	5.2	15.9
1990	171	12.7	1.02	10.8	14.9	19	8.6	2.15	4.9	14.0
1991	141	10.3	0.91	8.6	12.3	19	9.0	2.43	4.9	14.9
1992	171	12.5	1.00	10.6	14.6	18	9.6	2.75	5.0	16.2
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	226	15.5	1.07	13.5	17.8	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	36	12.6	2.33	8.4	17.9
1997	235	15.3	1.03	13.3	17.4	43	16.2	2.77	11.2	22.4
1998	259	16.7	1.07	14.7	18.9	38	11.2	2.12	7.4	16.1
1999	225	14.7	1.01	12.8	16.8	26	7.4	1.58	4.6	11.1
2000	248	15.6	1.01	13.7	17.7	45	11.0	1.82	7.7	15.2
2001	248	15.6	1.01	13.7	17.7	45	11.6	1.93	8.2	16.0
2002	242	15.0	0.99	13.2	17.1	44	13.2	2.18	9.2	18.0
2003	262	16.1	1.01	14.2	18.2	59	14.8	2.10	11.0	19.5
2004	297	18.6	1.10	16.5	20.9	53	12.3	1.83	9.0	16.4
2005	269	16.6	1.03	14.6	18.7	68	16.1	2.12	12.2	20.8
2006	253	15.2	0.98	13.4	17.3	50	10.5	1.62	7.6	14.1
2007	289	17.0	1.02	15.0	19.1	56	10.7	1.55	7.9	14.2
2008	280	16.6	1.01	14.6	18.7	73	12.7	1.60	9.8	16.3
2009	273	15.7	0.97	13.9	17.8	69	13.4	1.74	10.2	17.2
2010	303	17.2	1.01	15.3	19.3	76	13.6	1.69	10.4	17.3
2011	307	17.1	1.00	15.2	19.2	77	13.0	1.58	10.0	16.4
2012	295	16.1	0.96	14.3	18.1	70	11.2	1.41	8.6	14.2
2013	291	15.7	0.94	13.9	17.6	95	13.9	1.50	11.1	17.1
2014	316	16.9	0.97	15.0	18.9	105	15.0	1.52	12.2	18.3
2015	301	15.9	0.94	14.1	17.9	103	14.1	1.45	11.4	17.2
2016	293	15.8	0.94	14.0	17.8	108	14.0	1.38	11.4	16.9
2017	351	18.7	1.02	16.8	20.8	106	13.4	1.33	10.9	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	45,339	26.0	0.12	25.7	26.2	39,882	27.0	0.14	26.7	27.2
1986	835	17.9	0.65	16.7	19.2	745	18.4	0.70	17.1	19.8
1987	887	18.8	0.66	17.6	20.2	811	19.8	0.72	18.4	21.2
1988	972	20.4	0.68	19.1	21.8	887	21.5	0.75	20.1	23.0
1989	985	20.7	0.68	19.3	22.0	898	21.7	0.75	20.3	23.2
1990	1,104	22.8	0.71	21.4	24.2	990	23.7	0.77	22.2	25.2
1991	1,071	21.7	0.68	20.4	23.1	978	23.0	0.75	21.5	24.5
1992	1,174	24.2	0.73	22.8	25.7	1,065	25.4	0.80	23.8	27.0
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9
1994	1,242	24.7	0.72	23.3	26.1	1,096	25.4	0.78	23.9	27.0
1995	1,333	26.2	0.73	24.8	27.7	1,175	26.9	0.80	25.4	28.5
1996	1,383	26.8	0.73	25.4	28.3	1,204	27.3	0.80	25.8	28.9
1997	1,337	25.9	0.72	24.5	27.3	1,171	26.5	0.79	25.0	28.1
1998	1,405	27.1	0.73	25.6	28.5	1,228	27.8	0.80	26.2	29.4
1999	1,456	27.8	0.74	26.4	29.3	1,296	29.0	0.81	27.4	30.6
2000	1,446	27.1	0.72	25.7	28.6	1,270	28.1	0.80	26.6	29.7
2001	1,405	26.3	0.71	25.0	27.8	1,246	27.5	0.79	26.0	29.1
2002	1,481	27.6	0.73	26.2	29.0	1,319	28.9	0.80	27.4	30.5
2003	1,490	27.3	0.72	25.9	28.7	1,312	28.4	0.79	26.9	30.0
2004	1,619	29.6	0.75	28.1	31.1	1,417	30.7	0.82	29.1	32.3
2005	1,557	28.2	0.73	26.8	29.6	1,365	29.2	0.80	27.7	30.8
2006	1,558	27.8	0.72	26.4	29.2	1,382	29.3	0.80	27.8	30.9
2007	1,584	27.7	0.71	26.3	29.1	1,387	28.9	0.79	27.4	30.5
2008	1,602	27.7	0.70	26.3	29.1	1,402	28.8	0.78	27.3	30.4
2009	1,585	27.1	0.69	25.8	28.5	1,388	28.2	0.77	26.7	29.8
2010	1,695	28.5	0.71	27.1	29.9	1,453	29.1	0.78	27.6	30.7
2011	1,628	26.8	0.68	25.5	28.2	1,397	27.5	0.75	26.1	29.0
2012	1,590	25.9	0.66	24.6	27.2	1,391	27.2	0.74	25.8	28.7
2013	1,684	26.9	0.67	25.6	28.2	1,473	28.4	0.75	26.9	29.9
2014	1,731	26.8	0.66	25.5	28.2	1,498	28.0	0.74	26.5	29.5
2015	1,797	27.6	0.67	26.3	28.9	1,549	28.7	0.75	27.3	30.2
2016	1,703	26.4	0.65	25.1	27.7	1,489	27.9	0.74	26.5	29.4
2017	1,783	26.7	0.65	25.5	28.0	1,506	27.2	0.72	25.8	28.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,174	19.0	0.31	18.4	19.6	905	15.7	0.58	14.6	16.9
1986	75	13.2	1.66	10.2	16.9	15	19.4	5.43	10.3	33.6
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	9	12.3	4.62	4.9	24.6
1990	96	16.5	1.84	13.1	20.5	14	15.1	4.55	7.6	27.0
1991	75	12.1	1.52	9.3	15.5	8	9.9	4.68	2.9	22.4
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	127	18.8	1.74	15.5	22.5	16	17.3	5.24	8.6	30.1
1995	138	22.0	2.05	18.2	26.4	15	15.2	4.82	7.3	27.1
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	133	19.0	1.72	15.7	22.7	26	22.7	5.33	13.4	35.2
1998	146	21.4	1.85	17.9	25.3	20	14.5	4.10	7.6	24.5
1999	129	19.4	1.85	16.0	23.4	15	9.1	2.64	4.7	15.9
2000	137	19.1	1.70	15.9	22.7	22	13.2	3.46	7.3	21.6
2001	128	18.3	1.72	15.1	22.0	22	12.1	2.91	7.1	19.2
2002	125	17.6	1.66	14.5	21.1	27	18.8	4.13	11.6	28.4
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	29	14.2	3.02	8.9	21.3
2005	138	20.0	1.83	16.6	23.9	41	22.3	4.02	15.2	31.4
2006	129	17.8	1.64	14.7	21.3	31	15.7	3.24	10.0	23.2
2007	161	21.7	1.83	18.3	25.6	26	10.6	2.36	6.5	16.3
2008	140	19.4	1.74	16.2	23.1	36	13.5	2.54	9.0	19.4
2009	135	18.1	1.65	15.0	21.6	43	19.1	3.28	13.3	26.5
2010	169	22.6	1.83	19.1	26.5	39	16.9	3.09	11.4	23.9
2011	164	21.6	1.78	18.2	25.3	45	17.2	2.80	12.1	23.5
2012	144	18.0	1.55	15.1	21.3	37	13.3	2.35	9.1	18.6
2013	146	18.0	1.55	15.1	21.3	51	16.1	2.43	11.7	21.6
2014	162	19.8	1.62	16.7	23.2	56	18.6	2.68	13.7	24.5
2015	168	20.6	1.66	17.5	24.1	60	18.4	2.55	13.7	24.0
2016	150	18.6	1.58	15.7	22.0	47	12.8	1.92	9.3	17.1
2017	187	23.6	1.80	20.3	27.4	68	19.9	2.50	15.3	25.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	39,937	18.1	0.09	17.9	18.2	35,272	18.9	0.10	18.7	19.1
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1
1988	879	14.3	0.49	13.3	15.3	798	14.9	0.54	13.9	16.0
1989	918	14.9	0.50	14.0	15.9	835	15.7	0.55	14.6	16.8
1990	964	15.6	0.51	14.6	16.6	883	16.5	0.57	15.4	17.6
1991	987	15.6	0.50	14.7	16.7	903	16.5	0.56	15.4	17.7
1992	1,084	16.8	0.52	15.8	17.9	998	18.0	0.58	16.9	19.2
1993	1,092	16.9	0.52	15.9	17.9	993	17.8	0.57	16.7	19.0
1994	1,193	18.3	0.53	17.3	19.4	1,075	19.1	0.59	18.0	20.3
1995	1,195	18.1	0.53	17.1	19.2	1,072	18.9	0.58	17.7	20.0
1996	1,253	19.0	0.54	17.9	20.1	1,146	20.3	0.61	19.1	21.5
1997	1,229	18.5	0.53	17.5	19.6	1,104	19.5	0.59	18.3	20.7
1998	1,222	18.3	0.53	17.3	19.4	1,081	19.0	0.59	17.9	20.2
1999	1,281	19.1	0.54	18.0	20.1	1,171	20.6	0.61	19.4	21.8
2000	1,280	19.0	0.53	18.0	20.1	1,137	20.0	0.60	18.9	21.3
2001	1,326	19.4	0.54	18.3	20.5	1,178	20.4	0.60	19.2	21.6
2002	1,294	18.8	0.53	17.8	19.8	1,148	19.8	0.59	18.6	21.0
2003	1,315	19.0	0.53	18.0	20.1	1,154	19.8	0.59	18.7	21.0
2004	1,353	19.4	0.53	18.4	20.5	1,176	20.1	0.59	18.9	21.3
2005	1,365	19.5	0.53	18.5	20.6	1,194	20.4	0.60	19.2	21.6
2006	1,322	18.7	0.52	17.7	19.7	1,168	19.9	0.59	18.7	21.1
2007	1,334	18.7	0.52	17.7	19.8	1,170	19.7	0.59	18.6	20.9
2008	1,443	20.0	0.53	19.0	21.1	1,250	21.0	0.60	19.8	22.2
2009	1,438	19.8	0.53	18.7	20.8	1,244	20.6	0.60	19.5	21.8
2010	1,424	19.5	0.53	18.5	20.6	1,231	20.5	0.60	19.3	21.7
2011	1,414	19.0	0.52	18.0	20.1	1,216	19.8	0.58	18.7	21.0
2012	1,393	18.5	0.51	17.5	19.5	1,193	19.3	0.57	18.2	20.4
2013	1,383	18.0	0.49	17.0	19.0	1,169	18.6	0.56	17.5	19.7
2014	1,503	19.7	0.52	18.7	20.7	1,279	20.5	0.59	19.4	21.7
2015	1,445	18.7	0.50	17.7	19.7	1,250	19.8	0.58	18.7	21.0
2016	1,469	18.7	0.50	17.8	19.8	1,251	19.6	0.58	18.5	20.8
2017	1,416	18.1	0.50	17.2	19.1	1,193	18.9	0.57	17.8	20.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,567	12.5	0.21	12.1	12.9	755	10.4	0.40	9.6	11.2
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	7	8.8	4.01	2.8	19.6
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	11	8.7	2.73	4.2	16.1
1992	76	9.6	1.13	7.5	12.1	8	6.9	3.08	2.2	15.2
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	93	11.7	1.24	9.4	14.4	24	16.9	3.74	10.4	25.8
1996	84	10.0	1.11	7.9	12.4	16	10.7	2.84	5.9	17.7
1997	102	12.1	1.22	9.8	14.7	17	11.5	3.01	6.4	18.8
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	96	11.3	1.17	9.1	13.8	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	23	9.8	2.15	6.0	15.0
2001	120	13.5	1.24	11.2	16.1	23	11.0	2.51	6.7	17.0
2002	117	13.0	1.21	10.7	15.6	17	9.0	2.33	5.0	14.6
2003	124	13.5	1.22	11.2	16.1	28	13.7	2.74	8.9	20.1
2004	137	15.1	1.31	12.7	17.9	24	10.7	2.30	6.7	16.1
2005	131	14.2	1.25	11.8	16.9	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	128	13.5	1.20	11.2	16.1	30	10.6	2.06	7.0	15.5
2008	140	14.6	1.24	12.2	17.2	37	12.3	2.13	8.5	17.2
2009	138	14.1	1.21	11.8	16.6	26	9.0	1.86	5.7	13.3
2010	134	13.5	1.18	11.3	16.1	37	11.4	1.99	7.9	16.0
2011	143	14.0	1.19	11.8	16.6	32	9.5	1.76	6.4	13.6
2012	151	14.6	1.20	12.3	17.1	33	9.5	1.73	6.4	13.5
2013	145	13.8	1.17	11.6	16.3	44	12.0	1.88	8.6	16.3
2014	154	14.7	1.20	12.4	17.2	49	12.6	1.85	9.3	16.8
2015	133	12.6	1.11	10.5	14.9	43	10.8	1.70	7.7	14.7
2016	143	13.7	1.16	11.5	16.1	61	14.7	1.92	11.2	19.0
2017	164	15.3	1.22	13.0	17.9	38	8.3	1.37	5.9	11.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,234	2.8	0.03	2.8	2.9	9,375	2.9	0.03	2.9	3.0
1986	324	2.9	0.17	2.6	3.2	288	3.1	0.18	2.7	3.4
1987	287	2.5	0.15	2.2	2.8	255	2.6	0.17	2.3	3.0
1988	285	2.4	0.15	2.1	2.7	247	2.5	0.16	2.2	2.8
1989	324	2.8	0.16	2.5	3.1	290	3.0	0.18	2.7	3.4
1990	335	2.9	0.16	2.6	3.2	289	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	290	3.0	0.18	2.6	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	316	3.2	0.18	2.8	3.5
1997	363	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	270	2.7	0.16	2.4	3.0
1999	348	2.8	0.15	2.5	3.1	297	3.0	0.17	2.6	3.3
2000	363	2.9	0.15	2.6	3.2	303	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	367	2.9	0.15	2.6	3.2	316	3.1	0.18	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	361	2.9	0.15	2.6	3.2	299	3.0	0.17	2.6	3.3
2005	384	3.1	0.16	2.8	3.4	307	3.1	0.18	2.7	3.4
2006	388	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
2007	345	2.7	0.15	2.4	3.0	290	2.8	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	366	2.9	0.15	2.6	3.2	299	2.9	0.17	2.6	3.3
2010	384	3.0	0.16	2.7	3.3	309	3.1	0.18	2.7	3.4
2011	357	2.8	0.15	2.5	3.1	281	2.8	0.17	2.5	3.1
2012	355	2.7	0.15	2.5	3.0	282	2.8	0.17	2.4	3.1
2013	359	2.7	0.15	2.4	3.0	289	2.8	0.17	2.5	3.2
2014	378	2.9	0.15	2.6	3.2	310	3.0	0.17	2.7	3.3
2015	358	2.8	0.15	2.5	3.1	287	2.9	0.17	2.6	3.3
2016	343	2.7	0.15	2.4	3.0	275	2.7	0.17	2.4	3.1
2017	385	2.9	0.15	2.7	3.3	304	3.0	0.17	2.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,479	2.5	0.07	2.4	2.7	227	1.3	0.10	1.2	1.6
1986	32	2.0	0.38	1.4	3.0	4	2.1	1.11	0.6	6.0
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	44	2.6	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	7	1.9	0.82	0.6	4.4
1997	57	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	42	2.2	0.35	1.6	3.1	8	2.1	0.86	0.8	4.6
1999	37	2.1	0.36	1.5	2.9	6	1.2	0.49	0.4	2.8
2000	47	2.6	0.39	1.9	3.5	3	0.6	0.32	0.1	1.9
2001	48	2.6	0.38	1.9	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	8	1.4	0.53	0.6	3.0
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	45	2.3	0.35	1.7	3.1	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	50	2.7	0.38	2.0	3.5	6	0.8	0.31	0.3	1.8
2010	57	2.9	0.39	2.2	3.8	10	1.3	0.41	0.6	2.5
2011	59	3.1	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.4	4.0	11	1.4	0.45	0.7	2.6
2013	52	2.6	0.37	2.0	3.5	13	1.7	0.48	0.9	3.0
2014	47	2.5	0.37	1.8	3.3	15	2.0	0.53	1.1	3.3
2015	49	2.5	0.36	1.8	3.3	18	2.2	0.54	1.3	3.5
2016	52	2.8	0.39	2.1	3.7	14	1.8	0.48	0.9	3.0
2017	57	2.9	0.39	2.2	3.8	16	1.8	0.46	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,203	3.3	0.04	3.2	3.3	5,143	3.3	0.05	3.2	3.4
1986	158	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.7
1987	168	3.1	0.24	2.6	3.6	149	3.2	0.27	2.7	3.8
1988	158	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	164	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	185	3.2	0.24	2.7	3.7	152	3.1	0.26	2.6	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	172	3.5	0.27	3.0	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	160	3.3	0.26	2.8	3.9
1999	189	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	216	3.6	0.25	3.1	4.1	183	3.7	0.28	3.2	4.3
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	198	3.3	0.23	2.8	3.8	174	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	212	3.5	0.24	3.1	4.1	173	3.5	0.27	3.0	4.1
2005	217	3.6	0.24	3.1	4.1	177	3.6	0.27	3.1	4.2
2006	203	3.3	0.24	2.9	3.8	170	3.5	0.27	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	165	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	198	3.2	0.23	2.8	3.7	161	3.2	0.26	2.7	3.8
2010	207	3.4	0.24	2.9	3.9	163	3.3	0.26	2.8	3.9
2011	203	3.3	0.23	2.9	3.8	160	3.2	0.26	2.7	3.8
2012	195	3.1	0.23	2.7	3.6	157	3.2	0.26	2.7	3.7
2013	188	2.9	0.22	2.5	3.4	158	3.1	0.25	2.7	3.7
2014	210	3.2	0.23	2.8	3.7	171	3.3	0.25	2.8	3.8
2015	215	3.4	0.23	2.9	3.9	169	3.4	0.26	2.9	3.9
2016	209	3.3	0.23	2.8	3.8	165	3.3	0.26	2.8	3.8
2017	203	3.2	0.23	2.7	3.7	162	3.2	0.26	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	838	3.2	0.11	3.0	3.4	135	1.7	0.16	1.4	2.1
1986	17	2.2	0.58	1.2	3.8	3	3.4	2.12	0.6	11.8
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	26	3.5	0.71	2.2	5.2	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	21	2.3	0.52	1.4	3.7	3	2.9	1.88	0.4	8.7
1999	22	2.6	0.58	1.6	4.1	5	2.0	0.93	0.6	5.7
2000	26	3.1	0.64	2.0	4.6	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	2	0.8	0.54	0.1	3.2
2005	31	3.5	0.64	2.4	5.1	6	2.4	1.03	0.8	5.6
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	29	3.4	0.64	2.2	4.9	4	1.0	0.52	0.3	3.0
2010	34	3.9	0.70	2.7	5.5	6	1.7	0.69	0.6	3.9
2011	33	3.9	0.72	2.7	5.6	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.8	6	1.7	0.74	0.6	3.9
2013	22	2.5	0.54	1.5	3.8	7	1.8	0.69	0.7	3.8
2014	29	3.4	0.64	2.2	4.9	10	2.9	1.00	1.3	5.6
2015	32	3.4	0.63	2.3	4.9	12	3.2	0.98	1.6	5.8
2016	35	4.0	0.70	2.8	5.6	8	1.9	0.67	0.8	3.8
2017	27	3.0	0.59	1.9	4.4	8	2.1	0.74	0.9	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,031	2.4	0.03	2.4	2.5	4,232	2.6	0.04	2.5	2.6
1986	166	2.8	0.22	2.4	3.2	150	2.9	0.25	2.5	3.5
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5
1988	127	2.0	0.18	1.7	2.4	109	2.1	0.20	1.7	2.5
1989	158	2.6	0.21	2.2	3.0	142	2.8	0.24	2.3	3.3
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0
1991	149	2.4	0.20	2.0	2.8	132	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6
1994	143	2.2	0.19	1.9	2.6	131	2.5	0.22	2.1	3.0
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8
1996	162	2.6	0.20	2.2	3.0	144	2.8	0.24	2.4	3.3
1997	176	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6
1999	159	2.5	0.20	2.1	2.9	142	2.8	0.23	2.3	3.3
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3
2004	149	2.3	0.19	2.0	2.7	126	2.5	0.22	2.0	2.9
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5
2007	143	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8
2009	168	2.6	0.20	2.2	3.0	138	2.7	0.23	2.3	3.2
2010	177	2.7	0.21	2.3	3.2	146	2.9	0.24	2.4	3.4
2011	154	2.4	0.19	2.0	2.8	121	2.4	0.22	2.0	2.9
2012	160	2.4	0.19	2.0	2.8	125	2.4	0.22	2.0	2.8
2013	171	2.5	0.20	2.2	2.9	131	2.5	0.22	2.1	3.0
2014	168	2.6	0.20	2.2	3.0	139	2.7	0.24	2.3	3.2
2015	143	2.3	0.19	1.9	2.7	118	2.4	0.23	2.0	2.9
2016	134	2.1	0.18	1.7	2.4	110	2.2	0.21	1.8	2.7
2017	182	2.8	0.21	2.4	3.2	142	2.8	0.24	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	641	2.0	0.08	1.9	2.2	92	1.0	0.11	0.8	1.3
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	1	0.4	0.35	0.0	3.0
1997	21	2.2	0.49	1.4	3.4	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	15	1.6	0.43	0.9	2.7	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	19	1.9	0.43	1.1	3.0	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	3	0.9	0.54	0.2	3.0
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	17	1.7	0.41	1.0	2.7	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	2	0.5	0.34	0.1	2.0
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.7	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.55	2.0	4.2	5	1.2	0.55	0.4	2.9
2013	30	2.8	0.52	1.9	4.0	6	1.6	0.67	0.6	3.5
2014	18	1.8	0.42	1.0	2.8	5	1.3	0.58	0.4	3.0
2015	17	1.7	0.42	1.0	2.7	6	1.3	0.53	0.5	2.9
2016	17	1.7	0.42	1.0	2.7	6	1.6	0.65	0.6	3.4
2017	30	2.8	0.53	1.9	4.1	8	1.6	0.59	0.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Both Sexes										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	74,042	18.7	0.07	18.6	18.8	65,779	19.5	0.08	19.4	19.7
1986	1,374	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4
1988	1,566	14.6	0.37	13.9	15.3	1,438	15.3	0.41	14.5	16.1
1989	1,579	14.6	0.37	13.9	15.4	1,443	15.3	0.41	14.5	16.2
1990	1,733	15.9	0.39	15.2	16.7	1,584	16.7	0.42	15.9	17.6
1991	1,729	15.6	0.38	14.8	16.3	1,591	16.5	0.42	15.7	17.3
1992	1,917	17.1	0.39	16.4	17.9	1,765	18.2	0.44	17.3	19.1
1993	1,991	17.6	0.40	16.8	18.4	1,825	18.6	0.44	17.8	19.5
1994	2,107	18.5	0.40	17.7	19.3	1,888	19.1	0.44	18.3	20.0
1995	2,206	19.1	0.41	18.3	20.0	1,969	19.8	0.45	18.9	20.7
1996	2,259	19.4	0.41	18.7	20.3	2,034	20.3	0.45	19.5	21.3
1997	2,203	18.8	0.40	18.0	19.6	1,976	19.6	0.44	18.7	20.5
1998	2,301	19.5	0.41	18.7	20.3	2,039	20.1	0.45	19.3	21.0
1999	2,389	20.0	0.41	19.2	20.8	2,170	21.3	0.46	20.4	22.2
2000	2,363	19.6	0.40	18.8	20.4	2,104	20.5	0.45	19.7	21.4
2001	2,366	19.5	0.40	18.7	20.3	2,122	20.5	0.45	19.6	21.4
2002	2,408	19.7	0.40	18.9	20.5	2,151	20.7	0.45	19.8	21.6
2003	2,452	19.8	0.40	19.0	20.6	2,168	20.7	0.44	19.8	21.6
2004	2,611	21.0	0.41	20.2	21.8	2,294	21.8	0.46	20.9	22.7
2005	2,538	20.2	0.40	19.4	21.0	2,252	21.1	0.45	20.3	22.0
2006	2,492	19.6	0.40	18.9	20.4	2,226	20.8	0.44	20.0	21.7
2007	2,573	20.0	0.40	19.2	20.8	2,267	21.0	0.44	20.1	21.9
2008	2,629	20.1	0.39	19.3	20.8	2,314	21.0	0.44	20.2	21.9
2009	2,657	20.1	0.39	19.3	20.8	2,333	21.0	0.44	20.1	21.9
2010	2,735	20.3	0.39	19.6	21.1	2,375	21.1	0.44	20.3	22.0
2011	2,685	19.6	0.38	18.9	20.4	2,332	20.5	0.43	19.6	21.3
2012	2,628	19.1	0.38	18.3	19.8	2,302	20.1	0.43	19.3	21.0
2013	2,708	19.2	0.38	18.5	20.0	2,353	20.2	0.42	19.3	21.0
2014	2,856	20.0	0.38	19.2	20.7	2,467	20.9	0.43	20.0	21.7
2015	2,884	19.9	0.38	19.1	20.6	2,512	20.9	0.43	20.1	21.8
2016	2,829	19.5	0.37	18.7	20.2	2,465	20.6	0.43	19.8	21.5
2017	2,814	19.0	0.37	18.3	19.7	2,395	19.6	0.41	18.8	20.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,262	12.7	0.16	12.4	13.0	1,433	11.3	0.32	10.7	12.0
1986	92	7.8	0.85	6.3	9.7	20	13.1	3.18	7.6	20.8
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	12	7.5	2.62	3.3	14.2
1989	117	9.3	0.89	7.6	11.2	18	9.6	2.57	5.2	15.9
1990	127	10.1	0.93	8.4	12.1	18	8.1	2.09	4.6	13.4
1991	110	8.5	0.84	6.9	10.3	15	7.7	2.33	3.8	13.5
1992	132	10.2	0.92	8.4	12.1	15	8.8	2.72	4.3	15.4
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	189	13.4	1.00	11.5	15.5	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	29	10.7	2.18	6.8	15.8
1997	178	12.0	0.93	10.3	14.0	40	15.4	2.74	10.6	21.6
1998	217	14.5	1.01	12.6	16.6	30	9.1	1.93	5.7	13.6
1999	188	12.6	0.94	10.8	14.6	20	6.2	1.50	3.6	9.8
2000	201	13.0	0.94	11.2	15.0	42	10.5	1.79	7.3	14.6
2001	200	13.0	0.94	11.2	15.0	35	9.7	1.81	6.5	13.8
2002	199	12.7	0.92	11.0	14.6	42	12.7	2.15	8.8	17.5
2003	219	13.8	0.95	12.0	15.8	51	13.5	2.05	9.8	18.1
2004	245	15.8	1.03	13.8	17.9	48	11.5	1.80	8.2	15.5
2005	204	12.9	0.93	11.2	14.9	60	14.7	2.06	10.9	19.2
2006	207	12.8	0.91	11.1	14.7	40	8.7	1.48	6.0	12.0
2007	244	14.6	0.96	12.8	16.6	49	9.7	1.51	7.0	13.1
2008	223	13.6	0.93	11.8	15.5	59	10.8	1.52	8.1	14.2
2009	223	13.1	0.89	11.4	14.9	63	12.6	1.71	9.5	16.4
2010	246	14.3	0.93	12.6	16.3	66	12.3	1.64	9.3	15.9
2011	248	14.0	0.91	12.3	15.9	72	12.5	1.56	9.6	15.9
2012	236	13.0	0.86	11.3	14.8	59	9.7	1.33	7.3	12.7
2013	239	13.0	0.86	11.4	14.8	82	12.2	1.42	9.6	15.3
2014	269	14.4	0.90	12.7	16.3	90	13.0	1.43	10.4	16.1
2015	252	13.4	0.87	11.8	15.3	85	11.9	1.35	9.4	14.8
2016	241	13.1	0.86	11.4	14.9	94	12.2	1.30	9.8	15.0
2017	294	15.8	0.94	14.0	17.8	90	11.6	1.25	9.3	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	39,136	22.7	0.12	22.5	23.0	34,739	23.7	0.13	23.4	23.9
1986	677	14.9	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9
1988	814	17.6	0.64	16.4	18.9	749	18.6	0.70	17.2	20.0
1989	819	17.6	0.64	16.4	18.9	750	18.5	0.70	17.2	19.9
1990	912	19.3	0.66	18.1	20.7	826	20.1	0.72	18.8	21.6
1991	891	18.5	0.64	17.2	19.8	820	19.6	0.70	18.2	21.0
1992	1,002	21.1	0.69	19.8	22.5	911	22.1	0.75	20.7	23.6
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7
1994	1,057	21.5	0.68	20.2	22.9	944	22.3	0.74	20.9	23.8
1995	1,141	22.9	0.69	21.6	24.3	1,015	23.6	0.75	22.1	25.1
1996	1,168	23.1	0.69	21.8	24.5	1,032	23.8	0.75	22.3	25.3
1997	1,150	22.7	0.68	21.4	24.1	1,024	23.6	0.75	22.1	25.1
1998	1,217	23.8	0.69	22.5	25.2	1,068	24.4	0.76	23.0	26.0
1999	1,267	24.6	0.70	23.3	26.0	1,141	25.8	0.77	24.3	27.4
2000	1,230	23.5	0.68	22.2	24.9	1,087	24.4	0.75	23.0	25.9
2001	1,207	23.0	0.67	21.7	24.4	1,086	24.3	0.74	22.8	25.8
2002	1,283	24.3	0.69	23.0	25.7	1,145	25.4	0.76	24.0	27.0
2003	1,307	24.3	0.68	22.9	25.6	1,156	25.2	0.75	23.8	26.7
2004	1,407	26.1	0.71	24.7	27.5	1,244	27.1	0.78	25.6	28.7
2005	1,340	24.6	0.68	23.3	26.0	1,188	25.6	0.75	24.1	27.1
2006	1,355	24.5	0.67	23.2	25.8	1,212	25.9	0.75	24.4	27.4
2007	1,382	24.4	0.67	23.1	25.7	1,222	25.6	0.74	24.1	27.1
2008	1,387	24.2	0.66	22.9	25.5	1,228	25.4	0.73	23.9	26.8
2009	1,387	23.9	0.65	22.6	25.2	1,227	25.0	0.73	23.6	26.5
2010	1,488	25.1	0.66	23.8	26.4	1,290	25.8	0.73	24.4	27.3
2011	1,425	23.5	0.64	22.3	24.8	1,237	24.3	0.70	22.9	25.7
2012	1,395	22.8	0.62	21.6	24.0	1,234	24.1	0.70	22.7	25.5
2013	1,496	23.9	0.63	22.7	25.2	1,315	25.3	0.71	23.9	26.7
2014	1,521	23.6	0.62	22.4	24.9	1,327	24.7	0.69	23.4	26.1
2015	1,582	24.2	0.62	23.0	25.5	1,380	25.3	0.70	24.0	26.7
2016	1,494	23.1	0.61	21.9	24.3	1,324	24.7	0.69	23.3	26.1
2017	1,580	23.6	0.61	22.4	24.8	1,344	24.0	0.67	22.7	25.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,336	15.8	0.29	15.2	16.4	770	14.0	0.56	12.9	15.1
1986	58	11.0	1.55	8.2	14.5	12	16.0	5.00	7.8	29.4
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	9	12.3	4.62	4.9	24.6
1990	70	13.1	1.70	10.0	16.8	13	14.0	4.39	6.7	25.5
1991	58	9.9	1.41	7.3	13.0	6	8.6	4.59	2.1	21.1
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	101	15.4	1.60	12.5	18.9	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	14	14.9	4.81	7.0	26.7
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	97	14.4	1.53	11.6	17.8	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	17	11.6	3.65	5.6	20.7
1999	107	16.8	1.76	13.5	20.6	10	7.0	2.47	3.1	13.6
2000	111	16.0	1.58	13.1	19.4	22	13.2	3.46	7.3	21.6
2001	99	14.9	1.59	11.9	18.3	16	9.0	2.55	4.8	15.5
2002	104	15.2	1.57	12.3	18.6	26	18.0	4.04	11.0	27.4
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	107	16.5	1.71	13.3	20.2	35	19.9	3.89	13.1	28.8
2006	105	15.0	1.53	12.1	18.3	27	14.3	3.15	8.8	21.6
2007	133	18.6	1.72	15.4	22.3	20	8.9	2.25	5.1	14.4
2008	112	16.1	1.62	13.1	19.6	27	11.0	2.39	6.9	16.7
2009	106	14.7	1.52	11.9	18.0	39	18.1	3.24	12.3	25.4
2010	135	18.7	1.70	15.5	22.3	33	15.2	3.01	9.9	22.1
2011	131	17.6	1.63	14.6	21.1	43	16.8	2.79	11.8	23.1
2012	115	14.7	1.43	12.1	17.8	31	11.6	2.23	7.7	16.7
2013	124	15.6	1.45	12.8	18.7	44	14.3	2.33	10.1	19.6
2014	133	16.4	1.49	13.6	19.6	46	15.7	2.49	11.2	21.3
2015	136	17.2	1.53	14.3	20.5	48	15.2	2.35	10.9	20.4
2016	115	14.6	1.42	12.0	17.7	39	10.9	1.80	7.7	15.0
2017	160	20.7	1.70	17.5	24.2	60	17.8	2.39	13.4	23.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	34,906	15.6	0.08	15.4	15.8	31,040	16.4	0.09	16.2	16.6
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0
1988	752	12.3	0.45	11.4	13.2	689	12.8	0.50	11.9	13.8
1989	760	12.4	0.45	11.5	13.3	693	12.9	0.50	11.9	13.9
1990	821	13.2	0.47	12.3	14.1	758	14.0	0.52	13.0	15.0
1991	838	13.2	0.46	12.3	14.2	771	13.9	0.51	13.0	15.0
1992	915	14.2	0.48	13.3	15.2	854	15.3	0.53	14.3	16.4
1993	955	14.7	0.48	13.8	15.7	881	15.7	0.54	14.6	16.7
1994	1,050	16.1	0.50	15.1	17.1	944	16.6	0.55	15.6	17.7
1995	1,065	16.1	0.50	15.1	17.1	954	16.5	0.54	15.5	17.6
1996	1,091	16.4	0.50	15.4	17.4	1,002	17.5	0.56	16.4	18.6
1997	1,053	15.7	0.49	14.8	16.7	952	16.5	0.54	15.5	17.6
1998	1,084	16.1	0.49	15.2	17.1	971	16.9	0.55	15.8	18.0
1999	1,122	16.6	0.50	15.6	17.6	1,029	17.8	0.56	16.7	18.9
2000	1,133	16.7	0.50	15.8	17.7	1,017	17.7	0.56	16.6	18.8
2001	1,159	16.8	0.50	15.8	17.8	1,036	17.6	0.55	16.5	18.7
2002	1,125	16.2	0.49	15.2	17.2	1,006	17.0	0.54	16.0	18.1
2003	1,145	16.4	0.49	15.4	17.3	1,012	17.1	0.54	16.0	18.2
2004	1,204	17.1	0.50	16.1	18.1	1,050	17.6	0.55	16.6	18.8
2005	1,198	16.9	0.49	15.9	17.9	1,064	17.8	0.55	16.7	18.9
2006	1,137	15.9	0.48	14.9	16.8	1,014	16.9	0.54	15.8	18.0
2007	1,191	16.5	0.48	15.6	17.5	1,045	17.3	0.55	16.3	18.4
2008	1,242	16.9	0.49	16.0	17.9	1,086	17.7	0.55	16.7	18.8
2009	1,270	17.2	0.49	16.3	18.2	1,106	17.9	0.55	16.9	19.0
2010	1,247	16.8	0.48	15.9	17.8	1,085	17.6	0.55	16.6	18.7
2011	1,260	16.7	0.48	15.7	17.6	1,095	17.5	0.54	16.4	18.6
2012	1,233	16.1	0.47	15.2	17.1	1,068	16.9	0.53	15.9	18.0
2013	1,212	15.5	0.45	14.6	16.4	1,038	16.1	0.51	15.1	17.1
2014	1,335	17.1	0.48	16.2	18.1	1,140	17.8	0.54	16.7	18.9
2015	1,302	16.4	0.47	15.5	17.3	1,132	17.4	0.53	16.3	18.4
2016	1,335	16.7	0.47	15.8	17.6	1,141	17.5	0.53	16.4	18.5
2017	1,234	15.4	0.45	14.5	16.3	1,051	16.1	0.51	15.1	17.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Non-Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,926	10.4	0.19	10.1	10.8	663	9.4	0.38	8.6	10.2
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	6	7.8	3.88	2.1	18.4
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	9	7.4	2.55	3.3	14.5
1992	55	7.5	1.03	5.6	9.8	5	5.4	2.96	1.2	13.6
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	85	10.9	1.20	8.7	13.5	21	13.9	3.18	8.4	21.6
1996	68	8.3	1.02	6.4	10.6	15	10.3	2.82	5.6	17.3
1997	81	9.9	1.11	7.8	12.3	16	11.0	2.96	6.0	18.2
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	20	8.6	2.05	5.1	13.7
2001	101	11.6	1.16	9.4	14.1	19	9.9	2.44	5.7	15.8
2002	95	10.7	1.11	8.7	13.1	16	8.7	2.32	4.8	14.4
2003	102	11.3	1.12	9.2	13.7	26	13.1	2.70	8.3	19.4
2004	121	13.6	1.25	11.3	16.2	21	9.8	2.24	5.9	15.1
2005	97	10.7	1.09	8.6	13.0	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	111	11.8	1.13	9.7	14.3	29	10.4	2.04	6.8	15.2
2008	111	11.8	1.13	9.7	14.2	32	10.9	2.02	7.3	15.6
2009	117	12.0	1.12	9.9	14.4	24	8.5	1.83	5.3	12.8
2010	111	11.4	1.10	9.4	13.8	33	10.4	1.92	7.0	14.9
2011	117	11.5	1.08	9.5	13.9	29	8.9	1.72	5.8	12.9
2012	121	11.6	1.07	9.6	13.9	28	8.3	1.64	5.4	12.1
2013	115	11.0	1.05	9.1	13.3	38	10.4	1.75	7.2	14.4
2014	136	12.9	1.13	10.8	15.3	44	11.4	1.75	8.2	15.3
2015	116	10.8	1.03	8.9	13.1	37	9.5	1.62	6.6	13.2
2016	126	12.0	1.09	9.9	14.3	55	13.1	1.81	9.8	17.2
2017	134	12.5	1.10	10.4	14.9	30	6.7	1.24	4.5	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	23,952	6.0	0.04	5.9	6.1	18,069	5.3	0.04	5.2	5.4
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	462	4.3	0.20	4.0	4.8	360	3.8	0.20	3.4	4.2
1988	468	4.4	0.20	4.0	4.8	382	4.0	0.21	3.6	4.5
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8
1993	619	5.5	0.22	5.1	5.9	477	4.8	0.22	4.4	5.3
1994	709	6.2	0.23	5.8	6.7	536	5.4	0.23	4.9	5.8
1995	716	6.2	0.23	5.8	6.7	550	5.5	0.23	5.0	5.9
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5
1997	697	6.0	0.23	5.6	6.5	533	5.3	0.23	4.8	5.7
1998	739	6.3	0.23	5.8	6.8	553	5.4	0.23	5.0	5.9
1999	726	6.1	0.23	5.7	6.6	538	5.2	0.23	4.8	5.7
2000	753	6.3	0.23	5.9	6.8	555	5.4	0.23	4.9	5.8
2001	750	6.2	0.23	5.8	6.7	566	5.5	0.23	5.0	5.9
2002	850	7.0	0.24	6.5	7.5	664	6.4	0.25	5.9	6.9
2003	815	6.6	0.23	6.2	7.1	620	5.9	0.24	5.4	6.3
2004	763	6.1	0.22	5.7	6.6	568	5.4	0.23	4.9	5.8
2005	799	6.4	0.23	5.9	6.8	597	5.6	0.23	5.1	6.0
2006	812	6.4	0.23	5.9	6.8	604	5.6	0.23	5.1	6.1
2007	759	5.9	0.22	5.5	6.3	570	5.2	0.22	4.8	5.7
2008	865	6.6	0.23	6.2	7.1	656	5.9	0.23	5.5	6.4
2009	888	6.6	0.23	6.2	7.1	667	5.9	0.23	5.5	6.4
2010	857	6.3	0.22	5.9	6.7	637	5.6	0.22	5.1	6.0
2011	921	6.6	0.22	6.2	7.1	687	6.0	0.23	5.5	6.4
2012	939	6.7	0.22	6.3	7.1	680	5.8	0.23	5.4	6.3
2013	909	6.3	0.21	5.9	6.8	666	5.5	0.22	5.1	6.0
2014	946	6.4	0.21	6.0	6.9	685	5.6	0.22	5.2	6.0
2015	985	6.6	0.22	6.2	7.1	702	5.7	0.22	5.3	6.2
2016	1,022	6.7	0.21	6.3	7.2	743	5.9	0.22	5.5	6.4
2017	1,003	6.5	0.21	6.1	6.9	752	5.9	0.22	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,355	11.6	0.16	11.3	11.9	412	3.4	0.18	3.1	3.8
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	99	8.9	0.92	7.2	10.9	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	165	13.6	1.09	11.6	15.9	7	2.8	1.13	1.1	6.0
1995	155	12.7	1.04	10.7	14.9	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	8	3.3	1.28	1.3	6.7
1997	150	11.8	0.98	9.9	13.9	12	5.5	1.74	2.6	9.8
1998	177	13.5	1.03	11.6	15.7	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	167	11.8	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	176	12.4	0.95	10.6	14.4	9	2.6	0.91	1.2	5.0
2003	186	13.1	0.98	11.3	15.2	8	2.7	0.99	1.1	5.2
2004	181	12.1	0.92	10.4	14.0	9	2.3	0.81	1.0	4.4
2005	189	12.5	0.93	10.8	14.4	10	2.4	0.81	1.1	4.5
2006	194	12.8	0.94	11.0	14.8	12	2.7	0.84	1.4	4.9
2007	170	10.8	0.84	9.2	12.5	16	3.3	0.87	1.8	5.4
2008	179	11.3	0.86	9.7	13.1	25	5.7	1.20	3.6	8.5
2009	195	12.0	0.88	10.3	13.8	22	4.5	1.05	2.7	7.0
2010	202	12.1	0.87	10.5	14.0	12	2.2	0.67	1.1	3.9
2011	206	11.9	0.85	10.3	13.6	21	3.5	0.81	2.1	5.4
2012	219	12.6	0.87	11.0	14.4	27	4.0	0.80	2.6	5.9
2013	217	12.5	0.87	10.8	14.3	21	3.6	0.84	2.2	5.6
2014	226	12.5	0.85	10.9	14.3	25	4.0	0.83	2.5	5.9
2015	247	13.2	0.86	11.6	15.0	26	3.7	0.74	2.4	5.4
2016	246	13.0	0.85	11.4	14.7	23	2.8	0.59	1.7	4.2
2017	217	11.4	0.79	9.9	13.0	25	3.3	0.67	2.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	12,457	7.3	0.07	7.2	7.5	9,616	6.6	0.07	6.5	6.8
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	225	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3
1988	232	5.3	0.36	4.6	6.1	189	4.9	0.37	4.2	5.7
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5
1994	364	7.8	0.42	7.0	8.7	275	6.8	0.42	6.0	7.6
1995	369	7.8	0.42	7.0	8.7	280	6.8	0.41	6.0	7.6
1996	331	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5
1998	380	7.8	0.41	7.1	8.7	293	6.9	0.41	6.1	7.8
1999	360	7.2	0.38	6.4	8.0	284	6.6	0.39	5.8	7.4
2000	381	7.5	0.39	6.8	8.3	294	6.8	0.40	6.0	7.6
2001	368	7.2	0.38	6.5	8.0	285	6.5	0.39	5.8	7.3
2002	437	8.5	0.41	7.7	9.3	350	7.9	0.43	7.1	8.8
2003	418	8.1	0.40	7.3	8.9	322	7.3	0.41	6.5	8.1
2004	391	7.4	0.38	6.7	8.2	295	6.6	0.39	5.9	7.4
2005	430	8.0	0.39	7.2	8.8	330	7.2	0.40	6.4	8.0
2006	434	8.0	0.39	7.2	8.8	329	7.1	0.39	6.3	7.9
2007	414	7.5	0.38	6.8	8.3	321	6.9	0.39	6.1	7.7
2008	482	8.5	0.39	7.7	9.3	381	7.9	0.41	7.1	8.8
2009	470	8.2	0.38	7.4	9.0	357	7.3	0.40	6.6	8.2
2010	448	7.4	0.36	6.7	8.2	339	6.7	0.37	6.0	7.4
2011	497	8.2	0.38	7.5	9.0	380	7.5	0.39	6.7	8.3
2012	529	8.6	0.38	7.8	9.3	401	7.7	0.39	7.0	8.5
2013	478	7.6	0.36	6.9	8.3	368	6.9	0.37	6.2	7.7
2014	516	7.9	0.36	7.2	8.7	389	7.1	0.37	6.4	7.8
2015	527	7.9	0.35	7.3	8.7	391	7.1	0.37	6.4	7.8
2016	569	8.4	0.36	7.7	9.1	420	7.5	0.37	6.8	8.3
2017	510	7.4	0.34	6.8	8.1	399	7.0	0.36	6.3	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,539	13.6	0.28	13.0	14.1	245	4.5	0.31	3.9	5.2
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	51	11.4	1.70	8.3	15.1	1	1.5	1.46	0.0	8.8
1988	39	8.5	1.46	5.9	11.8	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	85	17.3	1.98	13.6	21.6	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	72	13.7	1.72	10.6	17.5	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	6	4.8	2.12	1.6	10.9
1998	82	16.6	1.96	13.0	20.8	4	3.6	2.05	0.8	9.7
1999	71	12.3	1.54	9.5	15.7	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	75	12.7	1.53	9.9	16.0	5	3.9	1.87	1.1	9.2
2002	80	14.3	1.67	11.2	17.9	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	88	14.6	1.63	11.6	18.1	6	3.8	1.73	1.2	8.5
2005	91	14.3	1.55	11.4	17.6	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	6	2.1	0.86	0.8	4.8
2008	87	13.1	1.48	10.4	16.4	13	6.8	1.99	3.5	11.7
2009	96	14.4	1.55	11.5	17.7	14	7.2	2.11	3.7	12.4
2010	98	13.8	1.48	11.1	17.0	8	3.7	1.46	1.4	7.6
2011	104	15.0	1.55	12.2	18.4	12	4.5	1.41	2.2	8.1
2012	104	14.5	1.49	11.7	17.7	18	5.7	1.39	3.3	9.1
2013	95	13.4	1.44	10.8	16.5	12	4.4	1.42	2.1	8.0
2014	104	14.6	1.50	11.8	17.9	16	5.6	1.51	3.0	9.2
2015	118	15.3	1.47	12.6	18.5	15	4.9	1.32	2.6	8.1
2016	127	15.8	1.47	13.1	19.0	16	4.0	1.02	2.3	6.6
2017	91	11.7	1.28	9.3	14.4	16	4.8	1.26	2.7	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	11,495	5.1	0.05	5.0	5.2	8,453	4.4	0.05	4.3	4.4
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	237	3.8	0.25	3.3	4.3	187	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.2	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	318	4.8	0.27	4.3	5.4	240	4.1	0.27	3.6	4.7
1994	345	5.2	0.28	4.7	5.8	261	4.5	0.28	4.0	5.1
1995	347	5.2	0.28	4.6	5.7	270	4.6	0.28	4.1	5.2
1996	319	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	346	5.1	0.28	4.6	5.7	255	4.3	0.27	3.8	4.9
1998	359	5.3	0.28	4.8	5.9	260	4.5	0.28	3.9	5.0
1999	366	5.3	0.28	4.8	5.9	254	4.2	0.27	3.7	4.8
2000	372	5.4	0.28	4.9	6.0	261	4.4	0.27	3.8	4.9
2001	382	5.5	0.28	5.0	6.1	281	4.7	0.28	4.1	5.3
2002	413	5.9	0.29	5.3	6.5	314	5.2	0.29	4.6	5.8
2003	397	5.6	0.28	5.1	6.2	298	4.9	0.29	4.3	5.5
2004	372	5.3	0.28	4.7	5.8	273	4.5	0.28	4.0	5.1
2005	369	5.1	0.27	4.6	5.7	267	4.4	0.27	3.9	5.0
2006	378	5.2	0.27	4.7	5.8	275	4.5	0.27	4.0	5.1
2007	345	4.8	0.26	4.3	5.3	249	4.0	0.26	3.5	4.6
2008	383	5.2	0.27	4.7	5.7	275	4.4	0.27	3.9	5.0
2009	418	5.5	0.27	5.0	6.1	310	4.9	0.28	4.3	5.4
2010	409	5.3	0.27	4.8	5.9	298	4.7	0.27	4.1	5.2
2011	424	5.5	0.27	5.0	6.1	307	4.8	0.28	4.3	5.4
2012	410	5.3	0.26	4.8	5.8	279	4.3	0.26	3.8	4.9
2013	431	5.4	0.27	4.9	6.0	298	4.5	0.27	4.0	5.1
2014	430	5.3	0.26	4.8	5.9	296	4.4	0.26	3.9	5.0
2015	458	5.6	0.27	5.1	6.2	311	4.6	0.27	4.1	5.1
2016	453	5.4	0.26	4.9	6.0	323	4.7	0.27	4.2	5.2
2017	493	5.8	0.27	5.3	6.3	353	5.1	0.28	4.5	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,816	10.3	0.20	10.0	10.7	167	2.5	0.20	2.1	2.9
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	40	6.0	0.97	4.3	8.2	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	80	11.2	1.26	8.9	13.9	3	1.8	1.05	0.4	5.7
1995	75	10.3	1.20	8.1	12.9	2	1.4	1.01	0.2	5.2
1996	68	8.9	1.10	6.9	11.3	3	2.0	1.26	0.4	6.1
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	95	12.0	1.24	9.7	14.6	3	1.3	0.76	0.3	4.2
1999	106	13.1	1.28	10.7	15.9	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	92	11.1	1.16	8.9	13.6	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	96	11.3	1.16	9.1	13.7	3	1.8	1.02	0.4	4.8
2004	93	10.5	1.10	8.5	12.9	3	1.2	0.72	0.2	3.6
2005	98	11.0	1.12	9.0	13.5	4	1.9	0.99	0.5	4.8
2006	94	10.4	1.08	8.4	12.7	7	3.1	1.21	1.2	6.4
2007	85	9.2	1.00	7.3	11.3	10	4.1	1.35	1.9	7.6
2008	92	10.0	1.05	8.0	12.2	12	4.9	1.47	2.4	8.6
2009	99	10.4	1.06	8.5	12.7	8	2.5	0.97	1.0	5.2
2010	104	10.8	1.07	8.8	13.1	4	1.1	0.54	0.3	2.9
2011	102	9.9	0.99	8.0	12.0	9	2.7	0.96	1.2	5.3
2012	115	11.2	1.07	9.3	13.5	9	2.6	0.89	1.1	4.9
2013	122	11.8	1.08	9.8	14.1	9	3.1	1.06	1.4	5.8
2014	122	11.4	1.05	9.4	13.6	9	2.7	0.94	1.2	5.2
2015	129	11.9	1.06	9.9	14.1	11	2.8	0.85	1.4	5.0
2016	119	10.9	1.02	9.0	13.1	7	1.7	0.66	0.7	3.6
2017	126	11.1	1.01	9.2	13.3	9	2.1	0.72	1.0	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	51,395	13.0	0.06	12.9	13.1	44,906	13.4	0.06	13.3	13.5
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2
1987	1,099	10.1	0.31	9.5	10.7	1,001	10.6	0.34	9.9	11.3
1988	1,075	10.0	0.31	9.4	10.6	946	10.1	0.33	9.4	10.7
1989	1,091	10.1	0.31	9.5	10.7	974	10.4	0.34	9.7	11.0
1990	1,186	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9
1991	1,163	10.4	0.31	9.8	11.1	1,043	10.8	0.34	10.2	11.5
1992	1,244	11.0	0.32	10.4	11.7	1,107	11.4	0.34	10.7	12.1
1993	1,311	11.5	0.32	10.9	12.2	1,185	12.1	0.35	11.4	12.8
1994	1,582	13.8	0.35	13.1	14.5	1,413	14.3	0.38	13.5	15.0
1995	1,572	13.6	0.34	12.9	14.3	1,405	14.1	0.38	13.4	14.9
1996	1,509	13.0	0.33	12.3	13.6	1,345	13.4	0.37	12.7	14.2
1997	1,521	12.9	0.33	12.3	13.6	1,342	13.3	0.36	12.6	14.1
1998	1,534	12.9	0.33	12.3	13.6	1,354	13.3	0.36	12.6	14.1
1999	1,661	13.8	0.34	13.2	14.5	1,484	14.5	0.38	13.8	15.3
2000	1,703	14.1	0.34	13.4	14.8	1,490	14.5	0.38	13.8	15.3
2001	1,781	14.6	0.35	14.0	15.3	1,544	15.0	0.38	14.2	15.7
2002	1,796	14.7	0.35	14.0	15.4	1,583	15.2	0.38	14.5	16.0
2003	1,786	14.4	0.34	13.8	15.1	1,590	15.2	0.38	14.5	16.0
2004	1,805	14.4	0.34	13.8	15.1	1,560	14.8	0.38	14.1	15.5
2005	1,736	13.8	0.33	13.2	14.5	1,504	14.2	0.37	13.5	15.0
2006	1,794	14.1	0.34	13.5	14.8	1,571	14.7	0.37	14.0	15.5
2007	1,652	12.9	0.32	12.3	13.6	1,425	13.3	0.36	12.6	14.0
2008	1,815	14.0	0.33	13.4	14.7	1,577	14.6	0.37	13.9	15.3
2009	1,754	13.3	0.32	12.7	14.0	1,517	13.8	0.36	13.1	14.5
2010	1,861	14.0	0.33	13.3	14.6	1,579	14.3	0.37	13.6	15.0
2011	1,909	14.2	0.33	13.5	14.8	1,627	14.5	0.37	13.8	15.3
2012	1,956	14.3	0.33	13.7	14.9	1,650	14.6	0.37	13.9	15.4
2013	1,922	13.9	0.32	13.3	14.5	1,624	14.3	0.36	13.6	15.0
2014	1,884	13.4	0.31	12.8	14.0	1,620	14.0	0.36	13.3	14.7
2015	1,923	13.5	0.31	12.9	14.2	1,660	14.3	0.36	13.6	15.0
2016	1,850	12.9	0.31	12.3	13.5	1,553	13.2	0.34	12.5	13.9
2017	1,933	13.3	0.31	12.7	13.9	1,667	14.1	0.35	13.4	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,055	10.4	0.15	10.2	10.7	936	7.0	0.25	6.5	7.4
1986	91	7.8	0.87	6.2	9.7	6	2.9	1.24	1.0	6.9
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	97	7.6	0.82	6.1	9.3	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	10	4.1	1.84	1.3	9.1
1992	114	8.9	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.6	19	7.4	1.92	4.1	12.1
1996	135	9.8	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	156	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	151	10.2	0.86	8.6	12.0	21	6.0	1.47	3.5	9.6
2000	182	12.5	0.95	10.7	14.4	22	6.1	1.44	3.6	9.6
2001	183	11.9	0.91	10.2	13.8	38	8.0	1.41	5.5	11.3
2002	171	12.0	0.94	10.2	13.9	27	6.7	1.41	4.2	10.0
2003	161	10.5	0.86	8.9	12.4	26	5.8	1.22	3.7	8.7
2004	176	11.2	0.87	9.5	13.0	34	7.1	1.34	4.7	10.2
2005	175	11.5	0.90	9.8	13.4	37	8.1	1.49	5.5	11.5
2006	187	11.9	0.90	10.2	13.8	25	4.6	0.99	2.9	7.0
2007	176	10.8	0.83	9.2	12.5	42	8.9	1.49	6.2	12.3
2008	169	10.7	0.84	9.1	12.5	43	8.5	1.40	6.0	11.7
2009	173	10.7	0.84	9.2	12.5	33	5.5	1.02	3.6	7.8
2010	209	12.2	0.87	10.6	14.0	44	8.8	1.42	6.2	11.9
2011	197	11.3	0.82	9.7	13.0	44	8.3	1.33	5.9	11.2
2012	228	13.1	0.89	11.4	14.9	36	5.7	1.01	3.9	8.1
2013	215	11.9	0.83	10.3	13.6	50	8.2	1.23	6.0	11.0
2014	195	10.8	0.79	9.3	12.5	42	5.9	0.95	4.2	8.0
2015	186	10.1	0.76	8.7	11.7	39	5.1	0.86	3.6	7.1
2016	203	10.5	0.75	9.1	12.1	66	8.5	1.07	6.6	10.9
2017	183	9.4	0.71	8.1	10.9	62	8.0	1.03	6.1	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	28,908	17.0	0.10	16.8	17.2	25,361	17.5	0.11	17.3	17.7
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6
1987	602	13.1	0.56	12.0	14.2	556	13.9	0.61	12.7	15.1
1988	580	12.9	0.56	11.8	14.1	506	12.9	0.59	11.7	14.1
1989	592	12.7	0.54	11.7	13.9	535	13.2	0.59	12.1	14.4
1990	630	13.5	0.56	12.4	14.7	572	14.0	0.60	12.8	15.2
1991	652	13.5	0.55	12.5	14.7	588	14.1	0.60	12.9	15.3
1992	728	15.2	0.58	14.1	16.4	649	15.6	0.63	14.4	16.9
1993	721	14.9	0.57	13.8	16.1	645	15.5	0.63	14.3	16.8
1994	873	18.4	0.64	17.1	19.7	776	18.9	0.69	17.5	20.3
1995	861	17.7	0.62	16.5	18.9	774	18.4	0.68	17.1	19.8
1996	848	17.5	0.62	16.3	18.8	751	18.0	0.67	16.7	19.3
1997	841	17.0	0.60	15.8	18.2	751	17.7	0.66	16.4	19.0
1998	854	16.8	0.59	15.7	18.0	761	17.5	0.64	16.2	18.8
1999	918	18.1	0.61	16.9	19.3	833	19.1	0.67	17.8	20.5
2000	931	18.0	0.60	16.8	19.2	812	18.4	0.65	17.1	19.7
2001	992	19.2	0.62	18.0	20.5	851	19.4	0.67	18.1	20.8
2002	1,015	19.6	0.63	18.4	20.9	897	20.3	0.68	18.9	21.6
2003	1,005	19.1	0.61	18.0	20.4	903	20.2	0.68	18.9	21.6
2004	991	18.6	0.60	17.4	19.8	873	19.3	0.66	18.0	20.6
2005	996	18.5	0.60	17.4	19.8	869	19.0	0.65	17.8	20.4
2006	1,042	19.1	0.60	17.9	20.3	920	19.9	0.66	18.6	21.3
2007	957	17.3	0.57	16.2	18.4	835	17.9	0.63	16.7	19.2
2008	1,053	18.6	0.58	17.4	19.7	914	19.1	0.64	17.9	20.4
2009	962	16.7	0.55	15.7	17.8	836	17.3	0.61	16.1	18.5
2010	1,078	18.4	0.57	17.3	19.6	919	18.8	0.63	17.6	20.1
2011	1,074	18.1	0.56	17.0	19.2	909	18.3	0.62	17.1	19.6
2012	1,126	18.6	0.56	17.5	19.7	961	19.0	0.63	17.8	20.3
2013	1,095	17.8	0.55	16.7	18.9	930	18.2	0.61	17.0	19.4
2014	1,086	17.3	0.53	16.2	18.3	942	18.0	0.60	16.9	19.2
2015	1,111	17.4	0.53	16.4	18.5	960	18.2	0.60	17.0	19.4
2016	1,058	16.3	0.51	15.3	17.4	902	16.9	0.58	15.8	18.0
2017	1,104	16.8	0.52	15.8	17.8	951	17.5	0.58	16.4	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,718	13.6	0.28	13.0	14.1	530	8.8	0.43	8.0	9.7
1986	48	10.4	1.73	7.3	14.3	2	2.2	1.68	0.2	10.0
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	52	10.3	1.64	7.4	14.0	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	67	12.6	1.69	9.5	16.3	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	74	12.7	1.60	9.7	16.2	11	9.4	3.31	4.1	18.1
1996	83	15.3	1.85	11.9	19.3	12	8.8	3.51	3.3	17.9
1997	81	13.4	1.62	10.4	16.9	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	69	11.4	1.49	8.6	14.6	12	7.0	2.41	3.1	13.4
2000	101	16.8	1.77	13.5	20.6	15	8.4	2.40	4.4	14.6
2001	107	17.1	1.79	13.8	20.9	28	11.3	2.33	7.2	17.1
2002	90	15.5	1.78	12.2	19.3	17	10.6	2.93	5.7	17.8
2003	84	13.1	1.53	10.2	16.4	15	6.9	1.91	3.7	11.8
2004	83	12.6	1.53	9.8	15.9	15	7.6	2.39	3.7	13.6
2005	97	15.7	1.73	12.5	19.4	22	12.2	2.96	7.1	19.2
2006	107	16.4	1.68	13.2	20.0	12	4.6	1.45	2.2	8.5
2007	96	14.1	1.53	11.3	17.4	20	9.1	2.30	5.1	14.6
2008	96	14.8	1.60	11.8	18.2	24	11.2	2.64	6.7	17.4
2009	87	13.4	1.54	10.5	16.7	21	8.4	2.10	4.8	13.4
2010	121	17.0	1.65	13.9	20.5	22	9.3	2.22	5.4	14.5
2011	107	14.9	1.52	12.0	18.1	26	12.2	2.64	7.6	18.3
2012	127	18.2	1.71	15.0	21.8	11	3.9	1.27	1.8	7.1
2013	108	14.2	1.44	11.6	17.3	35	11.8	2.17	7.9	16.8
2014	101	13.5	1.42	10.9	16.6	23	7.4	1.66	4.5	11.4
2015	110	14.3	1.42	11.6	17.3	21	6.0	1.38	3.6	9.3
2016	99	12.1	1.27	9.7	14.8	40	11.1	1.80	7.8	15.2
2017	95	11.7	1.26	9.4	14.5	43	11.9	1.89	8.5	16.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	22,487	10.1	0.07	10.0	10.2	19,545	10.4	0.08	10.3	10.6
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5
1987	497	8.1	0.37	7.4	8.9	445	8.4	0.40	7.6	9.2
1988	495	8.0	0.37	7.3	8.8	440	8.2	0.40	7.5	9.0
1989	499	8.1	0.37	7.4	8.9	439	8.2	0.40	7.5	9.1
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2
1991	511	8.1	0.36	7.4	8.8	455	8.4	0.40	7.6	9.2
1992	516	8.1	0.36	7.4	8.8	458	8.3	0.40	7.6	9.2
1993	590	9.0	0.38	8.3	9.8	540	9.6	0.42	8.8	10.4
1994	709	10.8	0.41	10.0	11.7	637	11.3	0.45	10.4	12.2
1995	711	10.7	0.41	10.0	11.6	631	11.2	0.45	10.3	12.1
1996	661	9.9	0.39	9.1	10.7	594	10.4	0.43	9.6	11.3
1997	680	10.1	0.39	9.3	10.9	591	10.2	0.43	9.4	11.1
1998	680	9.9	0.38	9.2	10.7	593	10.1	0.42	9.3	11.0
1999	743	10.9	0.40	10.2	11.8	651	11.3	0.45	10.5	12.2
2000	772	11.2	0.41	10.5	12.1	678	11.7	0.46	10.8	12.6
2001	789	11.5	0.41	10.7	12.3	693	11.9	0.46	11.0	12.9
2002	781	11.1	0.40	10.4	11.9	686	11.6	0.45	10.7	12.5
2003	781	11.1	0.40	10.4	12.0	687	11.7	0.45	10.8	12.6
2004	814	11.5	0.41	10.8	12.4	687	11.6	0.45	10.8	12.6
2005	740	10.5	0.39	9.7	11.3	635	10.8	0.44	10.0	11.7
2006	752	10.5	0.39	9.7	11.2	651	10.8	0.43	10.0	11.7
2007	695	9.8	0.38	9.1	10.6	590	10.0	0.42	9.2	10.9
2008	762	10.5	0.39	9.8	11.3	663	11.0	0.44	10.2	11.9
2009	792	10.7	0.39	10.0	11.5	681	11.1	0.44	10.3	12.0
2010	783	10.5	0.38	9.7	11.2	660	10.7	0.43	9.9	11.6
2011	835	11.2	0.39	10.4	12.0	718	11.6	0.45	10.8	12.6
2012	830	11.0	0.39	10.3	11.8	689	11.2	0.44	10.4	12.1
2013	827	10.9	0.39	10.2	11.7	694	11.3	0.44	10.5	12.2
2014	798	10.4	0.38	9.6	11.1	678	10.8	0.43	10.0	11.7
2015	812	10.6	0.38	9.8	11.4	700	11.3	0.44	10.5	12.2
2016	792	10.2	0.37	9.5	10.9	651	10.3	0.42	9.5	11.1
2017	829	10.5	0.38	9.8	11.3	716	11.3	0.44	10.4	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,337	8.4	0.17	8.0	8.7	406	5.5	0.29	5.0	6.1
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	4	2.5	1.25	0.6	7.2
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.3	0.90	4.7	8.3	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	82	9.5	1.06	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	81	9.4	1.06	7.5	11.7	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	81	9.6	1.08	7.6	11.9	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	93	10.2	1.07	8.2	12.6	19	7.1	1.72	4.2	11.4
2005	78	8.8	1.01	6.9	11.0	15	5.2	1.45	2.8	8.9
2006	80	8.8	1.00	7.0	11.0	13	4.6	1.35	2.4	8.1
2007	80	8.5	0.96	6.7	10.5	22	8.8	1.98	5.3	13.5
2008	73	8.0	0.94	6.2	10.0	19	6.7	1.61	3.9	10.6
2009	86	9.2	1.00	7.3	11.4	12	3.4	0.99	1.7	6.0
2010	88	8.8	0.95	7.1	10.9	22	8.3	1.85	5.0	12.6
2011	90	8.9	0.95	7.2	11.0	18	5.5	1.38	3.2	8.9
2012	101	9.8	0.99	8.0	12.0	25	7.3	1.52	4.7	10.9
2013	107	10.2	1.00	8.3	12.3	15	4.9	1.30	2.7	8.1
2014	94	9.1	0.95	7.4	11.2	19	4.7	1.11	2.8	7.5
2015	76	7.1	0.83	5.6	8.9	18	4.5	1.11	2.6	7.3
2016	104	9.4	0.94	7.7	11.5	26	6.4	1.28	4.2	9.5
2017	88	8.1	0.88	6.4	10.0	19	4.6	1.07	2.7	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	5,850	1.5	0.02	1.5	1.5	5,009	1.6	0.02	1.6	1.7
1986	125	1.1	0.10	0.9	1.3	112	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	160	1.3	0.10	1.1	1.6	135	1.4	0.12	1.2	1.7
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	142	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	200	1.6	0.11	1.4	1.8	178	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	188	1.5	0.11	1.3	1.7	155	1.6	0.13	1.4	1.9
2008	217	1.8	0.12	1.5	2.0	191	2.0	0.14	1.7	2.3
2009	189	1.5	0.11	1.3	1.8	159	1.6	0.13	1.4	1.9
2010	197	1.6	0.11	1.4	1.8	163	1.7	0.13	1.4	2.0
2011	204	1.6	0.12	1.4	1.9	169	1.7	0.14	1.5	2.0
2012	217	1.7	0.12	1.5	2.0	182	1.9	0.14	1.6	2.2
2013	208	1.7	0.12	1.5	1.9	178	1.8	0.14	1.6	2.1
2014	196	1.6	0.11	1.4	1.8	177	1.9	0.14	1.6	2.2
2015	213	1.7	0.12	1.5	2.0	185	1.9	0.14	1.7	2.2
2016	205	1.7	0.12	1.4	1.9	160	1.7	0.13	1.4	2.0
2017	219	1.7	0.12	1.5	2.0	183	1.9	0.14	1.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	569	0.9	0.04	0.8	1.0	194	1.1	0.08	1.0	1.3
1986	10	0.6	0.21	0.3	1.2	3	0.9	0.53	0.2	3.9
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	3	0.7	0.43	0.2	3.0
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	20	1.0	0.24	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	20	1.0	0.23	0.6	1.6	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	0.9	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.30	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.34	0.3	1.8
2013	17	0.9	0.22	0.5	1.5	9	1.1	0.37	0.5	2.2
2014	11	0.5	0.16	0.3	1.0	3	0.4	0.22	0.1	1.2
2015	16	0.8	0.20	0.4	1.3	9	1.2	0.40	0.5	2.3
2016	26	1.3	0.26	0.9	1.9	15	2.0	0.52	1.1	3.3
2017	20	0.9	0.21	0.6	1.5	14	1.8	0.48	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,274	1.7	0.03	1.6	1.8	2,810	1.8	0.03	1.8	1.9
1986	65	1.2	0.15	0.9	1.5	59	1.3	0.17	1.0	1.7
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	94	1.6	0.17	1.3	2.0	77	1.6	0.19	1.3	2.1
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	76	1.2	0.14	1.0	1.5	67	1.4	0.17	1.1	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	99	2.0	0.21	1.7	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	109	1.8	0.17	1.4	2.1	98	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	102	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	132	2.1	0.18	1.8	2.5	117	2.4	0.22	2.0	2.9
2009	107	1.7	0.17	1.4	2.1	91	1.9	0.20	1.5	2.3
2010	123	2.0	0.18	1.6	2.4	100	2.1	0.21	1.7	2.5
2011	114	1.9	0.17	1.5	2.2	92	1.9	0.20	1.6	2.4
2012	118	1.9	0.18	1.6	2.3	98	2.0	0.21	1.7	2.5
2013	115	1.9	0.18	1.5	2.2	95	2.0	0.20	1.6	2.4
2014	117	1.9	0.18	1.6	2.3	103	2.1	0.21	1.7	2.6
2015	119	1.9	0.18	1.6	2.3	104	2.2	0.22	1.8	2.6
2016	127	2.1	0.19	1.7	2.5	107	2.3	0.22	1.8	2.7
2017	123	2.0	0.18	1.7	2.4	102	2.2	0.22	1.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	315	1.0	0.06	0.9	1.2	97	1.1	0.12	0.9	1.4
1986	5	0.7	0.36	0.2	1.8	1	0.6	0.57	0.0	7.4
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.36	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.4
2012	12	1.3	0.39	0.7	2.3	2	0.6	0.39	0.1	2.2
2013	10	1.2	0.38	0.5	2.2	7	1.7	0.66	0.7	3.8
2014	7	0.8	0.32	0.3	1.7	3	0.8	0.44	0.2	2.4
2015	11	1.1	0.33	0.5	2.0	2	0.5	0.35	0.1	1.9
2016	11	1.2	0.36	0.6	2.1	7	1.8	0.69	0.7	3.8
2017	10	1.0	0.32	0.5	1.9	10	2.8	0.92	1.3	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,576	1.3	0.03	1.2	1.3	2,199	1.4	0.03	1.3	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
2001	77	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	85	1.4	0.15	1.1	1.7	74	1.6	0.18	1.2	2.0
2009	82	1.3	0.14	1.0	1.6	68	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	90	1.4	0.15	1.1	1.7	77	1.6	0.18	1.2	2.0
2012	99	1.6	0.16	1.3	1.9	84	1.7	0.19	1.4	2.1
2013	93	1.5	0.16	1.2	1.8	83	1.7	0.19	1.4	2.2
2014	79	1.3	0.15	1.0	1.6	74	1.6	0.18	1.2	2.0
2015	94	1.5	0.16	1.2	1.8	81	1.7	0.19	1.3	2.1
2016	78	1.3	0.15	1.0	1.6	53	1.1	0.15	0.8	1.5
2017	96	1.5	0.15	1.2	1.8	81	1.6	0.19	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Lymphocytic Leukemia										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	254	0.8	0.05	0.7	0.9	97	1.1	0.12	0.9	1.4
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	1	0.5	0.54	0.0	4.4
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	11	1.1	0.34	0.6	2.0	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.56	0.3	2.9
2013	7	0.7	0.27	0.3	1.5	2	0.5	0.32	0.1	1.8
2014	4	0.4	0.18	0.1	0.9	0				
2015	5	0.5	0.21	0.2	1.1	7	1.9	0.72	0.8	3.9
2016	15	1.5	0.39	0.8	2.5	8	2.2	0.77	0.9	4.3
2017	10	0.9	0.28	0.4	1.6	4	0.9	0.46	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	16,503	4.1	0.03	4.1	4.2	14,597	4.3	0.04	4.2	4.3
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0
1987	321	3.0	0.17	2.7	3.4	293	3.1	0.18	2.8	3.5
1988	351	3.3	0.18	3.0	3.7	313	3.3	0.19	2.9	3.7
1989	341	3.2	0.17	2.8	3.5	310	3.3	0.19	2.9	3.6
1990	373	3.4	0.18	3.1	3.8	344	3.6	0.19	3.2	4.0
1991	385	3.5	0.18	3.2	3.9	347	3.6	0.19	3.2	4.0
1992	425	3.8	0.19	3.5	4.2	386	3.9	0.20	3.6	4.4
1993	406	3.6	0.18	3.2	4.0	373	3.8	0.20	3.4	4.2
1994	533	4.7	0.20	4.3	5.1	481	4.8	0.22	4.4	5.3
1995	463	4.1	0.19	3.7	4.5	420	4.2	0.21	3.8	4.7
1996	459	4.0	0.19	3.6	4.4	424	4.2	0.21	3.8	4.6
1997	441	3.8	0.18	3.4	4.2	400	3.9	0.20	3.6	4.4
1998	470	4.0	0.18	3.7	4.4	423	4.1	0.20	3.8	4.6
1999	493	4.2	0.19	3.8	4.5	455	4.4	0.21	4.0	4.9
2000	514	4.3	0.19	3.9	4.7	430	4.2	0.20	3.8	4.6
2001	590	4.9	0.20	4.5	5.3	516	5.0	0.22	4.5	5.4
2002	627	5.1	0.21	4.8	5.6	556	5.3	0.22	4.9	5.7
2003	632	5.1	0.20	4.7	5.6	582	5.5	0.23	5.1	6.0
2004	623	5.0	0.20	4.6	5.4	552	5.2	0.22	4.8	5.6
2005	581	4.7	0.19	4.3	5.0	507	4.7	0.21	4.3	5.2
2006	638	5.0	0.20	4.6	5.4	566	5.2	0.22	4.8	5.7
2007	537	4.2	0.18	3.8	4.5	472	4.3	0.20	3.9	4.7
2008	660	5.1	0.20	4.7	5.5	578	5.2	0.22	4.8	5.6
2009	596	4.5	0.18	4.1	4.8	523	4.6	0.20	4.2	5.0
2010	580	4.2	0.18	3.9	4.6	492	4.3	0.19	3.9	4.7
2011	568	4.1	0.17	3.8	4.5	495	4.2	0.19	3.9	4.6
2012	638	4.5	0.18	4.2	4.9	542	4.6	0.20	4.2	5.0
2013	594	4.2	0.17	3.8	4.5	507	4.2	0.19	3.9	4.6
2014	562	3.8	0.16	3.5	4.2	474	3.9	0.18	3.6	4.3
2015	621	4.1	0.17	3.8	4.5	525	4.2	0.19	3.8	4.6
2016	608	4.0	0.16	3.7	4.3	519	4.1	0.18	3.7	4.4
2017	600	3.9	0.16	3.6	4.2	543	4.3	0.19	3.9	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,550	3.4	0.09	3.2	3.6	115	1.0	0.10	0.8	1.2
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.52	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	33	2.3	0.41	1.6	3.3	3	1.4	0.85	0.3	3.9
2000	77	5.6	0.65	4.4	7.0	3	1.1	0.65	0.2	3.1
2001	56	4.0	0.55	3.0	5.3	6	1.7	0.74	0.6	3.8
2002	63	4.7	0.60	3.6	6.0	4	1.7	0.84	0.5	4.0
2003	45	3.1	0.47	2.3	4.2	2	0.4	0.26	0.0	1.5
2004	48	3.1	0.45	2.3	4.1	2	0.4	0.29	0.1	1.5
2005	60	4.2	0.55	3.2	5.4	5	1.0	0.46	0.3	2.4
2006	67	4.4	0.55	3.4	5.6	1	0.4	0.37	0.0	1.7
2007	56	3.6	0.49	2.7	4.7	6	1.4	0.61	0.5	3.1
2008	66	4.4	0.56	3.4	5.7	5	1.3	0.60	0.4	2.9
2009	51	3.3	0.46	2.4	4.3	3	0.8	0.45	0.2	2.1
2010	65	4.0	0.51	3.1	5.2	9	2.0	0.72	0.9	3.9
2011	54	3.3	0.45	2.4	4.3	4	0.9	0.45	0.2	2.2
2012	69	3.9	0.48	3.0	5.0	4	0.8	0.40	0.2	1.9
2013	66	3.7	0.47	2.8	4.7	8	1.5	0.56	0.6	3.0
2014	67	3.7	0.46	2.9	4.7	5	0.7	0.30	0.2	1.6
2015	62	3.5	0.45	2.6	4.5	8	1.1	0.39	0.4	2.2
2016	64	3.4	0.44	2.6	4.4	10	1.2	0.39	0.6	2.2
2017	35	1.7	0.30	1.2	2.4	12	1.6	0.46	0.8	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	9,674	5.8	0.06	5.7	5.9	8,556	5.9	0.07	5.8	6.1
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	176	4.0	0.32	3.4	4.7	162	4.2	0.34	3.6	4.9
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	177	4.0	0.31	3.4	4.6	165	4.1	0.33	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	227	4.9	0.33	4.3	5.6	201	4.9	0.35	4.2	5.7
1992	251	5.5	0.36	4.8	6.3	229	5.7	0.38	5.0	6.5
1993	211	4.5	0.32	3.9	5.1	189	4.6	0.34	3.9	5.3
1994	312	7.0	0.41	6.2	7.8	283	7.1	0.44	6.3	8.1
1995	260	5.6	0.36	5.0	6.4	234	5.8	0.39	5.1	6.6
1996	270	5.8	0.36	5.1	6.6	246	6.1	0.39	5.3	6.9
1997	260	5.4	0.34	4.8	6.1	235	5.6	0.37	4.9	6.4
1998	267	5.4	0.33	4.7	6.1	237	5.5	0.36	4.8	6.3
1999	284	5.8	0.35	5.1	6.5	266	6.2	0.39	5.5	7.0
2000	311	6.1	0.35	5.5	6.9	259	5.9	0.37	5.2	6.7
2001	317	6.4	0.36	5.7	7.1	274	6.4	0.39	5.6	7.2
2002	345	6.9	0.38	6.2	7.7	308	7.1	0.41	6.3	7.9
2003	380	7.4	0.38	6.6	8.2	353	7.9	0.43	7.1	8.8
2004	360	6.9	0.37	6.2	7.7	321	7.2	0.41	6.4	8.0
2005	342	6.5	0.36	5.9	7.3	300	6.7	0.39	5.9	7.5
2006	383	7.2	0.37	6.5	8.0	340	7.5	0.41	6.7	8.3
2007	337	6.2	0.34	5.6	6.9	300	6.5	0.38	5.8	7.3
2008	405	7.2	0.37	6.5	8.0	352	7.3	0.40	6.6	8.1
2009	355	6.2	0.33	5.5	6.8	315	6.4	0.37	5.7	7.2
2010	372	6.3	0.34	5.7	7.0	313	6.3	0.36	5.6	7.0
2011	342	5.7	0.32	5.1	6.4	297	5.9	0.35	5.2	6.6
2012	392	6.4	0.33	5.8	7.1	334	6.5	0.36	5.8	7.2
2013	369	5.9	0.31	5.3	6.5	323	6.1	0.35	5.4	6.8
2014	350	5.4	0.29	4.8	6.0	297	5.5	0.32	4.9	6.1
2015	370	5.6	0.30	5.1	6.2	312	5.6	0.33	5.0	6.3
2016	353	5.2	0.29	4.7	5.8	305	5.4	0.32	4.8	6.0
2017	349	5.1	0.28	4.6	5.7	314	5.5	0.32	4.9	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	910	4.9	0.17	4.6	5.3	73	1.5	0.20	1.2	2.0
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	16	2.8	0.74	1.6	4.6	1	1.5	1.53	0.0	6.7
2000	48	8.4	1.25	6.1	11.2	2	1.8	1.34	0.2	6.3
2001	37	6.9	1.21	4.7	9.6	4	2.4	1.31	0.5	6.5
2002	31	5.8	1.12	3.8	8.3	3	3.1	1.78	0.6	8.2
2003	25	4.1	0.89	2.6	6.2	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	36	6.2	1.11	4.3	8.8	3	1.5	0.89	0.3	4.5
2006	40	6.2	1.02	4.3	8.5	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	42	7.0	1.13	5.0	9.6	4	2.5	1.43	0.5	6.5
2009	26	4.1	0.83	2.6	6.0	2	1.3	0.93	0.1	4.2
2010	44	6.9	1.12	4.9	9.4	7	3.5	1.55	1.2	7.6
2011	32	5.0	0.93	3.4	7.2	4	2.0	1.06	0.5	5.1
2012	39	5.7	0.97	4.0	7.9	1	0.7	0.67	0.0	2.9
2013	33	4.3	0.79	2.9	6.2	5	2.1	0.99	0.6	4.9
2014	40	5.3	0.88	3.7	7.3	3	0.9	0.51	0.2	2.6
2015	40	5.5	0.91	3.9	7.6	5	1.5	0.71	0.5	3.6
2016	32	4.2	0.77	2.8	6.0	8	2.1	0.78	0.9	4.3
2017	21	2.6	0.60	1.6	4.0	8	2.4	0.88	1.0	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,829	3.0	0.04	2.9	3.0	6,041	3.0	0.04	3.0	3.1
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	151	2.7	0.22	2.3	3.2
1989	164	2.6	0.21	2.2	3.1	145	2.6	0.22	2.2	3.1
1990	155	2.5	0.20	2.1	2.9	143	2.6	0.22	2.2	3.1
1991	158	2.4	0.19	2.0	2.8	146	2.5	0.21	2.1	2.9
1992	174	2.6	0.20	2.2	3.0	157	2.7	0.21	2.3	3.1
1993	195	2.9	0.21	2.5	3.3	184	3.1	0.23	2.6	3.6
1994	221	3.3	0.22	2.9	3.8	198	3.3	0.24	2.9	3.8
1995	203	3.0	0.21	2.6	3.5	186	3.2	0.24	2.7	3.7
1996	189	2.8	0.20	2.4	3.2	178	3.0	0.23	2.6	3.5
1997	181	2.6	0.19	2.2	3.0	165	2.7	0.21	2.3	3.1
1998	203	2.9	0.20	2.5	3.3	186	3.0	0.22	2.6	3.5
1999	209	3.1	0.21	2.7	3.5	189	3.2	0.24	2.8	3.7
2000	203	2.9	0.20	2.5	3.3	171	2.8	0.22	2.4	3.3
2001	273	3.9	0.24	3.4	4.4	242	4.0	0.26	3.5	4.5
2002	282	3.9	0.23	3.4	4.4	248	4.0	0.26	3.5	4.5
2003	252	3.5	0.22	3.1	4.0	229	3.7	0.25	3.2	4.2
2004	263	3.6	0.22	3.2	4.1	231	3.7	0.25	3.2	4.2
2005	239	3.3	0.22	2.9	3.8	207	3.3	0.24	2.9	3.8
2006	255	3.4	0.22	3.0	3.9	226	3.6	0.24	3.1	4.1
2007	200	2.7	0.19	2.3	3.1	172	2.7	0.21	2.3	3.1
2008	255	3.4	0.21	3.0	3.8	226	3.6	0.24	3.1	4.1
2009	241	3.1	0.20	2.7	3.5	208	3.1	0.22	2.7	3.6
2010	208	2.7	0.19	2.3	3.1	179	2.7	0.21	2.3	3.1
2011	226	2.9	0.19	2.5	3.3	198	3.0	0.22	2.6	3.4
2012	246	3.1	0.20	2.7	3.5	208	3.2	0.22	2.7	3.6
2013	225	2.8	0.19	2.5	3.3	184	2.8	0.21	2.4	3.3
2014	212	2.6	0.18	2.2	3.0	177	2.6	0.20	2.3	3.1
2015	251	3.0	0.19	2.7	3.4	213	3.1	0.22	2.7	3.6
2016	255	3.0	0.19	2.7	3.4	214	3.1	0.21	2.6	3.5
2017	251	2.9	0.19	2.6	3.3	229	3.2	0.22	2.8	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Lymphocytic Leukemia										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	640	2.4	0.10	2.2	2.6	42	0.6	0.10	0.5	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.1	0.54	1.1	3.4	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	21	2.3	0.51	1.4	3.6	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	2	0.6	0.43	0.1	2.4
2006	27	3.1	0.61	2.1	4.6	0				
2007	23	2.6	0.54	1.6	3.9	4	1.9	0.97	0.5	4.7
2008	24	2.7	0.55	1.7	4.0	1	0.5	0.45	0.0	2.2
2009	25	2.7	0.55	1.8	4.0	1	0.4	0.42	0.0	2.1
2010	21	2.3	0.50	1.4	3.5	2	1.0	0.71	0.1	3.2
2011	22	2.2	0.48	1.4	3.4	0				
2012	30	2.8	0.52	1.9	4.1	3	0.9	0.56	0.2	2.7
2013	33	3.2	0.57	2.2	4.5	3	1.0	0.61	0.2	2.9
2014	27	2.6	0.50	1.7	3.8	2	0.5	0.35	0.1	1.8
2015	22	2.1	0.46	1.3	3.2	3	0.7	0.43	0.1	2.2
2016	32	2.9	0.52	2.0	4.2	2	0.4	0.30	0.1	1.6
2017	14	1.2	0.32	0.6	2.0	4	1.0	0.50	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	15,469	3.9	0.03	3.8	4.0	13,541	4.0	0.03	4.0	4.1
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	275	2.5	0.15	2.2	2.9	250	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	266	2.4	0.15	2.2	2.8	242	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	340	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	431	3.7	0.18	3.4	4.1	385	3.9	0.20	3.5	4.3
1996	438	3.8	0.18	3.4	4.1	389	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	532	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
2001	550	4.5	0.19	4.2	4.9	480	4.7	0.21	4.2	5.1
2002	524	4.3	0.19	3.9	4.7	475	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	531	4.2	0.18	3.9	4.6	461	4.4	0.20	4.0	4.8
2005	515	4.1	0.18	3.8	4.5	445	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	508	4.0	0.18	3.7	4.4	448	4.2	0.20	3.8	4.6
2008	510	4.0	0.18	3.6	4.3	445	4.1	0.20	3.7	4.5
2009	556	4.2	0.18	3.9	4.6	482	4.3	0.20	3.9	4.7
2010	631	4.8	0.19	4.4	5.2	535	4.9	0.21	4.5	5.3
2011	612	4.5	0.19	4.2	4.9	520	4.6	0.21	4.2	5.1
2012	647	4.7	0.19	4.4	5.1	543	4.8	0.21	4.4	5.2
2013	688	4.9	0.19	4.6	5.3	581	5.1	0.21	4.7	5.5
2014	640	4.5	0.18	4.2	4.9	553	4.7	0.20	4.3	5.1
2015	647	4.6	0.18	4.2	4.9	567	4.9	0.21	4.5	5.3
2016	602	4.3	0.18	3.9	4.6	495	4.3	0.20	3.9	4.7
2017	656	4.5	0.18	4.2	4.9	559	4.7	0.20	4.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,517	3.1	0.08	3.0	3.3	367	2.9	0.16	2.6	3.2
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	52	3.4	0.49	2.5	4.5	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	10	1.8	0.61	0.8	3.5
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	43	2.7	0.43	2.0	3.7	19	4.0	1.00	2.3	6.4
2009	58	3.8	0.51	2.9	4.9	14	2.5	0.74	1.3	4.4
2010	75	4.4	0.53	3.5	5.6	19	4.0	0.97	2.3	6.3
2011	67	3.8	0.47	2.9	4.8	22	4.3	0.98	2.6	6.6
2012	84	5.0	0.55	3.9	6.2	15	2.6	0.70	1.4	4.3
2013	81	4.5	0.51	3.5	5.6	20	3.6	0.83	2.1	5.5
2014	64	3.7	0.47	2.8	4.7	23	3.5	0.77	2.2	5.3
2015	64	3.5	0.45	2.7	4.5	15	2.0	0.55	1.1	3.4
2016	72	3.8	0.45	2.9	4.8	31	3.9	0.72	2.7	5.6
2017	75	3.9	0.47	3.1	5.0	22	2.7	0.59	1.7	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	8,190	4.8	0.05	4.7	5.0	7,246	5.0	0.06	4.9	5.1
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	178	4.2	0.32	3.6	4.9
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	220	4.5	0.31	3.9	5.1	194	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	247	4.8	0.31	4.3	5.5	225	5.1	0.35	4.5	5.9
2000	274	5.3	0.33	4.7	6.0	248	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	288	5.6	0.34	5.0	6.3	262	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	269	5.0	0.31	4.4	5.7	243	5.3	0.34	4.7	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	270	4.9	0.30	4.3	5.5	236	5.0	0.33	4.4	5.7
2009	287	5.1	0.30	4.5	5.7	250	5.2	0.33	4.5	5.8
2010	324	5.6	0.32	5.0	6.3	280	5.8	0.35	5.1	6.5
2011	299	5.1	0.30	4.5	5.7	256	5.2	0.33	4.6	5.9
2012	360	6.0	0.32	5.4	6.7	308	6.1	0.35	5.4	6.9
2013	375	6.1	0.32	5.5	6.8	316	6.2	0.36	5.6	7.0
2014	335	5.4	0.30	4.9	6.1	294	5.7	0.34	5.0	6.4
2015	375	5.9	0.31	5.3	6.6	329	6.3	0.35	5.6	7.0
2016	320	5.0	0.29	4.5	5.6	268	5.1	0.32	4.5	5.7
2017	356	5.5	0.30	4.9	6.1	302	5.6	0.33	5.0	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	723	3.7	0.15	3.4	4.0	199	3.6	0.29	3.0	4.2
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	16	2.4	0.60	1.3	3.9	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	23	3.6	0.80	2.2	5.5	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	5	1.6	0.73	0.5	4.1
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.1	10	5.2	1.86	2.2	9.9
2009	28	4.8	0.97	3.1	7.1	9	4.3	1.66	1.7	8.5
2010	34	5.0	0.91	3.4	7.1	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.74	2.5	5.6	10	5.3	1.85	2.3	9.9
2012	46	6.9	1.07	5.0	9.3	4	1.5	0.83	0.3	4.0
2013	42	5.8	0.94	4.1	7.9	14	5.5	1.61	2.8	9.5
2014	29	4.4	0.85	2.9	6.3	12	4.5	1.41	2.2	8.0
2015	34	4.4	0.79	3.0	6.2	12	3.5	1.08	1.7	6.3
2016	34	4.3	0.76	2.9	6.0	16	4.5	1.16	2.5	7.4
2017	38	4.9	0.82	3.4	6.7	16	4.3	1.10	2.4	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,279	3.3	0.04	3.2	3.4	6,295	3.4	0.04	3.3	3.5
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	128	2.1	0.19	1.8	2.5	114	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	114	1.8	0.17	1.5	2.2	103	1.9	0.19	1.6	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	146	2.3	0.19	2.0	2.7	129	2.4	0.21	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	195	3.0	0.22	2.6	3.4	170	3.1	0.24	2.6	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	237	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	252	3.7	0.23	3.3	4.2	224	3.9	0.26	3.4	4.5
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	262	3.7	0.23	3.3	4.2	218	3.8	0.26	3.3	4.3
2005	245	3.5	0.23	3.1	4.0	205	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	230	3.3	0.22	2.9	3.8	198	3.4	0.25	3.0	4.0
2008	240	3.3	0.22	2.9	3.7	209	3.4	0.24	3.0	3.9
2009	269	3.7	0.23	3.2	4.1	232	3.8	0.26	3.3	4.4
2010	307	4.2	0.24	3.7	4.7	255	4.2	0.27	3.7	4.8
2011	313	4.2	0.24	3.7	4.7	264	4.3	0.27	3.8	4.9
2012	287	3.8	0.23	3.3	4.2	235	3.7	0.25	3.3	4.3
2013	313	4.0	0.23	3.5	4.5	265	4.2	0.26	3.7	4.7
2014	305	3.9	0.23	3.5	4.4	259	4.1	0.26	3.6	4.6
2015	272	3.5	0.22	3.1	4.0	238	3.8	0.25	3.3	4.3
2016	282	3.7	0.23	3.3	4.2	227	3.7	0.26	3.2	4.3
2017	300	3.8	0.23	3.4	4.3	257	4.0	0.26	3.5	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Acute Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	794	2.8	0.10	2.6	3.0	168	2.3	0.19	2.0	2.8
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6
1999	27	3.1	0.61	2.0	4.5	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1
2008	21	2.3	0.51	1.4	3.5	9	3.3	1.17	1.5	6.4
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1
2011	37	3.7	0.62	2.6	5.1	12	3.8	1.17	1.9	6.8
2012	38	3.8	0.62	2.6	5.2	11	3.4	1.07	1.7	6.2
2013	39	3.6	0.58	2.5	4.9	6	2.0	0.84	0.7	4.3
2014	35	3.5	0.59	2.4	4.9	11	2.8	0.88	1.4	5.1
2015	30	2.8	0.53	1.9	4.1	3	0.7	0.45	0.1	2.2
2016	38	3.4	0.57	2.4	4.8	15	3.5	0.93	2.0	5.9
2017	37	3.4	0.57	2.4	4.7	6	1.4	0.59	0.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	6,667	1.7	0.02	1.7	1.7	5,644	1.7	0.02	1.6	1.7
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	156	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	219	1.9	0.13	1.6	2.2	183	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	187	1.6	0.12	1.4	1.8	161	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	190	1.9	0.13	1.6	2.1
2000	218	1.8	0.12	1.6	2.1	184	1.8	0.13	1.5	2.1
2001	245	2.0	0.13	1.8	2.3	214	2.1	0.14	1.8	2.4
2002	193	1.6	0.11	1.4	1.8	158	1.5	0.12	1.3	1.8
2003	235	1.9	0.12	1.7	2.2	206	2.0	0.14	1.7	2.3
2004	252	2.0	0.13	1.8	2.3	213	2.0	0.14	1.8	2.3
2005	212	1.7	0.12	1.5	1.9	176	1.7	0.13	1.4	1.9
2006	231	1.8	0.12	1.6	2.1	194	1.8	0.13	1.6	2.1
2007	199	1.6	0.11	1.4	1.8	161	1.5	0.12	1.3	1.8
2008	226	1.7	0.12	1.5	2.0	183	1.7	0.13	1.4	1.9
2009	234	1.8	0.12	1.6	2.0	199	1.8	0.13	1.6	2.1
2010	261	2.0	0.12	1.7	2.2	223	2.0	0.14	1.8	2.3
2011	281	2.1	0.13	1.8	2.3	229	2.1	0.14	1.8	2.3
2012	237	1.8	0.12	1.5	2.0	199	1.8	0.13	1.6	2.1
2013	234	1.7	0.11	1.5	2.0	194	1.7	0.13	1.5	2.0
2014	261	1.9	0.12	1.6	2.1	219	1.9	0.13	1.7	2.2
2015	225	1.6	0.11	1.4	1.8	189	1.7	0.12	1.4	1.9
2016	245	1.7	0.11	1.5	1.9	204	1.7	0.12	1.5	2.0
2017	257	1.8	0.11	1.6	2.0	207	1.8	0.12	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	792	1.6	0.06	1.5	1.8	150	1.1	0.10	0.9	1.3
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	19	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	33	2.4	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	28	1.9	0.38	1.3	2.8	6	1.4	0.63	0.5	3.2
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	7	1.6	0.73	0.5	3.6
2005	27	1.8	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	32	2.0	0.36	1.3	2.8	2	0.3	0.21	0.0	1.3
2007	25	1.5	0.31	1.0	2.3	9	1.7	0.62	0.7	3.4
2008	31	1.9	0.34	1.3	2.7	7	1.3	0.51	0.5	2.7
2009	25	1.5	0.31	1.0	2.2	5	0.7	0.31	0.2	1.7
2010	29	1.6	0.30	1.1	2.3	5	1.0	0.50	0.3	2.4
2011	37	2.1	0.34	1.4	2.8	9	1.7	0.61	0.7	3.3
2012	31	1.8	0.33	1.2	2.6	6	0.7	0.30	0.3	1.7
2013	28	1.5	0.29	1.0	2.2	9	1.5	0.53	0.6	2.8
2014	33	1.8	0.32	1.2	2.6	7	0.8	0.31	0.3	1.7
2015	26	1.4	0.27	0.9	2.0	5	0.7	0.31	0.2	1.6
2016	28	1.4	0.27	0.9	2.1	8	1.1	0.39	0.5	2.1
2017	37	1.9	0.33	1.4	2.7	5	0.6	0.27	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,806	2.2	0.04	2.2	2.3	3,233	2.2	0.04	2.2	2.3
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	64	1.5	0.20	1.2	2.0	55	1.5	0.21	1.1	2.0
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	82	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	111	2.3	0.22	1.9	2.7	97	2.3	0.24	1.8	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	120	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	133	2.6	0.23	2.2	3.1	116	2.6	0.24	2.2	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	110	2.2	0.21	1.8	2.6	90	2.1	0.22	1.7	2.5
2003	135	2.6	0.22	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	145	2.7	0.23	2.3	3.2	130	2.9	0.25	2.4	3.4
2005	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2006	139	2.5	0.22	2.1	3.0	117	2.5	0.23	2.1	3.0
2007	111	2.0	0.19	1.6	2.4	87	1.9	0.20	1.5	2.3
2008	126	2.2	0.20	1.8	2.7	102	2.2	0.22	1.8	2.6
2009	115	2.0	0.19	1.7	2.4	96	2.0	0.21	1.6	2.5
2010	153	2.6	0.22	2.2	3.1	132	2.7	0.24	2.3	3.3
2011	173	2.9	0.22	2.5	3.4	140	2.8	0.24	2.4	3.3
2012	136	2.3	0.20	1.9	2.7	116	2.3	0.22	1.9	2.8
2013	125	2.0	0.19	1.7	2.4	103	2.0	0.20	1.6	2.4
2014	148	2.3	0.20	2.0	2.8	130	2.5	0.22	2.1	3.0
2015	121	1.9	0.18	1.6	2.3	101	1.9	0.20	1.6	2.4
2016	137	2.2	0.19	1.8	2.6	109	2.1	0.20	1.7	2.5
2017	152	2.3	0.19	1.9	2.7	124	2.3	0.21	1.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	434	2.2	0.11	2.0	2.4	88	1.4	0.16	1.1	1.7
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	12	2.1	0.73	1.0	4.0	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	12	2.0	0.59	1.0	3.5	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	13	2.5	0.75	1.2	4.3	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	4	2.4	1.36	0.5	6.6
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	3	2.0	1.52	0.2	6.5
2005	16	2.7	0.73	1.5	4.5	3	1.4	0.83	0.2	4.2
2006	21	3.5	0.81	2.1	5.4	1	0.4	0.36	0.0	2.4
2007	15	2.2	0.60	1.2	3.7	7	3.2	1.36	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	13	2.0	0.59	1.0	3.5	4	1.2	0.60	0.3	3.3
2010	19	2.4	0.57	1.4	3.8	1	0.3	0.25	0.0	1.9
2011	21	2.7	0.60	1.6	4.1	6	2.7	1.19	0.9	5.9
2012	19	2.9	0.68	1.7	4.5	1	0.2	0.24	0.0	1.7
2013	14	1.8	0.51	1.0	3.1	5	1.2	0.55	0.4	3.0
2014	12	1.4	0.42	0.7	2.5	4	1.0	0.50	0.3	2.7
2015	16	1.9	0.51	1.1	3.2	1	0.2	0.23	0.0	1.5
2016	16	1.9	0.50	1.1	3.2	7	2.0	0.77	0.8	4.1
2017	19	2.3	0.55	1.3	3.6	2	0.4	0.29	0.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,861	1.3	0.02	1.2	1.3	2,411	1.3	0.03	1.2	1.3
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	102	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
1995	101	1.5	0.15	1.2	1.9	81	1.4	0.16	1.1	1.8
1996	85	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	77	1.2	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	92	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.6
2000	95	1.4	0.14	1.1	1.7	81	1.4	0.16	1.1	1.8
2001	104	1.5	0.15	1.3	1.9	92	1.6	0.17	1.3	2.0
2002	83	1.2	0.13	1.0	1.5	68	1.2	0.14	0.9	1.5
2003	100	1.4	0.14	1.2	1.7	91	1.5	0.16	1.2	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	75	1.1	0.12	0.8	1.3	61	1.1	0.14	0.8	1.4
2006	92	1.3	0.13	1.0	1.6	77	1.3	0.15	1.0	1.6
2007	88	1.2	0.13	1.0	1.5	74	1.3	0.15	1.0	1.6
2008	100	1.4	0.14	1.1	1.7	81	1.3	0.15	1.1	1.7
2009	119	1.6	0.15	1.4	2.0	103	1.7	0.17	1.4	2.1
2010	108	1.4	0.14	1.2	1.7	91	1.5	0.16	1.2	1.8
2011	108	1.5	0.15	1.2	1.8	89	1.5	0.16	1.2	1.9
2012	101	1.4	0.14	1.1	1.7	83	1.4	0.16	1.1	1.8
2013	109	1.5	0.15	1.2	1.8	91	1.5	0.17	1.2	1.9
2014	113	1.5	0.14	1.2	1.8	89	1.4	0.16	1.1	1.8
2015	104	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2016	108	1.3	0.13	1.1	1.6	95	1.5	0.16	1.2	1.8
2017	105	1.4	0.14	1.1	1.7	83	1.4	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Chronic Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	358	1.3	0.07	1.1	1.4	62	0.9	0.12	0.7	1.1
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	19	2.5	0.58	1.5	3.9	1	0.6	0.60	0.0	3.7
1996	10	1.3	0.43	0.6	2.4	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	16	1.9	0.48	1.1	3.1	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	12	1.3	0.39	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	11	1.2	0.38	0.6	2.2	1	0.3	0.29	0.0	2.0
2006	11	1.1	0.32	0.5	1.9	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	14	1.5	0.40	0.8	2.5	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	4	1.5	0.81	0.4	3.9
2011	16	1.5	0.38	0.9	2.5	3	1.0	0.62	0.2	3.0
2012	12	1.2	0.35	0.6	2.1	5	1.2	0.53	0.4	2.9
2013	14	1.3	0.35	0.7	2.2	4	1.4	0.72	0.4	3.5
2014	21	2.1	0.46	1.3	3.2	3	0.6	0.38	0.1	2.0
2015	10	0.9	0.29	0.4	1.7	4	1.0	0.52	0.3	2.6
2016	12	1.0	0.28	0.5	1.7	1	0.3	0.32	0.0	1.6
2017	18	1.7	0.42	1.0	2.8	3	0.7	0.40	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,625	0.9	0.02	0.9	1.0	3,143	0.9	0.02	0.9	1.0
1986	95	0.9	0.09	0.7	1.1	87	0.9	0.10	0.8	1.2
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1
1990	95	0.9	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.9
1992	67	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7
1996	135	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4
1997	127	1.1	0.10	0.9	1.3	107	1.0	0.10	0.9	1.3
1998	136	1.1	0.10	1.0	1.4	118	1.1	0.10	0.9	1.4
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7
2000	158	1.3	0.10	1.1	1.5	138	1.3	0.11	1.1	1.6
2001	92	0.8	0.08	0.6	0.9	79	0.7	0.08	0.6	0.9
2002	139	1.1	0.10	1.0	1.3	116	1.1	0.10	0.9	1.3
2003	116	0.9	0.09	0.8	1.1	100	0.9	0.09	0.8	1.1
2004	96	0.8	0.08	0.6	0.9	81	0.7	0.08	0.6	0.9
2005	114	0.9	0.08	0.7	1.1	98	0.9	0.09	0.7	1.1
2006	107	0.8	0.08	0.7	1.0	90	0.8	0.09	0.7	1.0
2007	108	0.8	0.08	0.7	1.0	92	0.8	0.09	0.7	1.0
2008	98	0.8	0.08	0.6	0.9	89	0.8	0.08	0.6	1.0
2009	92	0.7	0.07	0.6	0.8	78	0.7	0.08	0.5	0.9
2010	105	0.8	0.07	0.6	0.9	89	0.8	0.08	0.6	0.9
2011	124	0.9	0.08	0.8	1.1	108	0.9	0.09	0.8	1.1
2012	104	0.7	0.07	0.6	0.9	84	0.7	0.08	0.6	0.9
2013	106	0.8	0.07	0.6	0.9	83	0.7	0.08	0.6	0.9
2014	116	0.8	0.08	0.7	1.0	98	0.8	0.08	0.7	1.0
2015	96	0.7	0.07	0.6	0.8	81	0.7	0.08	0.5	0.9
2016	90	0.6	0.06	0.5	0.7	81	0.7	0.07	0.5	0.8
2017	107	0.7	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	409	0.9	0.05	0.8	1.0	55	0.4	0.06	0.3	0.5
1986	8	0.7	0.26	0.3	1.4	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	7	0.6	0.23	0.2	1.2	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	14	1.2	0.32	0.6	2.0	5	1.6	0.79	0.4	4.0
1997	20	1.6	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	17	1.3	0.32	0.7	2.0	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	15	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	13	0.9	0.25	0.5	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	12	0.7	0.22	0.4	1.3	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4
2014	15	0.8	0.22	0.5	1.4	2	0.3	0.18	0.0	1.0
2015	13	0.7	0.20	0.4	1.3	1	0.1	0.10	0.0	0.7
2016	8	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2017	13	0.7	0.20	0.4	1.2	4	0.5	0.27	0.1	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,917	1.2	0.03	1.2	1.3	1,660	1.2	0.03	1.2	1.3
1986	45	1.1	0.16	0.8	1.4	41	1.1	0.17	0.8	1.5
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7
1991	35	0.8	0.14	0.6	1.1	32	0.8	0.15	0.6	1.2
1992	41	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4
1996	78	1.8	0.21	1.4	2.3	64	1.7	0.21	1.3	2.2
1997	69	1.6	0.20	1.3	2.1	60	1.6	0.22	1.2	2.1
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9
2001	49	1.0	0.15	0.8	1.4	41	1.0	0.16	0.7	1.4
2002	77	1.5	0.18	1.2	1.9	67	1.6	0.19	1.2	2.0
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5
2005	65	1.4	0.17	1.0	1.7	53	1.3	0.18	1.0	1.7
2006	57	1.1	0.15	0.9	1.5	46	1.1	0.16	0.8	1.4
2007	52	1.0	0.15	0.8	1.4	45	1.0	0.15	0.8	1.4
2008	54	1.0	0.14	0.8	1.4	50	1.1	0.16	0.8	1.5
2009	44	0.8	0.13	0.6	1.1	36	0.8	0.13	0.6	1.1
2010	53	1.0	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3
2011	68	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2012	57	1.0	0.13	0.8	1.3	45	1.0	0.14	0.7	1.3
2013	59	1.0	0.13	0.8	1.3	46	1.0	0.14	0.7	1.3
2014	61	1.0	0.13	0.8	1.3	51	1.0	0.15	0.8	1.4
2015	53	0.9	0.12	0.7	1.2	45	0.9	0.13	0.7	1.2
2016	51	0.8	0.11	0.6	1.0	48	0.9	0.13	0.6	1.2
2017	60	0.9	0.12	0.7	1.2	51	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	210	1.2	0.09	1.0	1.3	36	0.6	0.11	0.4	0.8
1986	4	1.0	0.55	0.2	2.6	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	4	0.8	0.50	0.2	2.3	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	12	2.7	0.85	1.3	4.8	2	1.2	0.85	0.1	5.3
1997	9	1.6	0.60	0.7	3.2	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.2	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.0	2	0.8	0.63	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	6	0.8	0.31	0.3	1.7	3	1.0	0.60	0.2	2.9
2014	9	1.2	0.43	0.5	2.4	0				
2015	7	1.1	0.42	0.4	2.2	1	0.2	0.23	0.0	1.5
2016	2	0.2	0.14	0.0	0.8	1	0.3	0.25	0.0	1.5
2017	4	0.5	0.27	0.1	1.4	4	1.1	0.58	0.3	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,708	0.7	0.02	0.7	0.8	1,483	0.7	0.02	0.7	0.8
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0
1990	40	0.6	0.10	0.4	0.8	36	0.6	0.11	0.4	0.9
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0
1998	65	0.9	0.11	0.7	1.2	53	0.9	0.12	0.6	1.1
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5
2000	86	1.2	0.13	0.9	1.5	75	1.2	0.14	0.9	1.5
2001	43	0.6	0.09	0.4	0.8	38	0.6	0.10	0.4	0.8
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0
2003	61	0.8	0.10	0.6	1.0	54	0.8	0.11	0.6	1.1
2004	41	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7
2005	49	0.6	0.09	0.5	0.8	45	0.7	0.10	0.5	0.9
2006	50	0.6	0.09	0.5	0.8	44	0.6	0.10	0.5	0.9
2007	56	0.7	0.10	0.6	1.0	47	0.7	0.11	0.5	1.0
2008	44	0.6	0.09	0.4	0.8	39	0.6	0.10	0.4	0.8
2009	48	0.6	0.09	0.4	0.8	42	0.6	0.10	0.4	0.8
2010	52	0.6	0.09	0.5	0.8	43	0.6	0.09	0.4	0.8
2011	56	0.7	0.09	0.5	0.9	52	0.8	0.11	0.6	1.0
2012	47	0.6	0.08	0.4	0.8	39	0.6	0.09	0.4	0.8
2013	47	0.6	0.08	0.4	0.8	37	0.5	0.09	0.4	0.7
2014	55	0.7	0.09	0.5	0.9	47	0.7	0.10	0.5	0.9
2015	43	0.6	0.09	0.4	0.8	36	0.6	0.10	0.4	0.8
2016	39	0.5	0.08	0.3	0.7	33	0.5	0.09	0.3	0.7
2017	47	0.6	0.09	0.4	0.8	38	0.6	0.09	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	199	0.7	0.05	0.6	0.9	19	0.3	0.06	0.2	0.4
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	10	1.2	0.39	0.6	2.3	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	4	0.5	0.25	0.1	1.3	2	1.0	0.71	0.1	3.3
2007	7	0.7	0.27	0.3	1.5	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	5	0.5	0.24	0.2	1.3	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	9	0.9	0.30	0.4	1.7	0				
2014	6	0.6	0.23	0.2	1.2	2	0.5	0.37	0.1	1.9
2015	6	0.6	0.23	0.2	1.2	0				
2016	6	0.5	0.22	0.2	1.2	0				
2017	9	0.9	0.31	0.4	1.7	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,501	1.1	0.02	1.1	1.2	4,250	1.3	0.02	1.2	1.3
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7
2007	144	1.1	0.09	0.9	1.3	134	1.2	0.11	1.0	1.4
2008	164	1.3	0.10	1.1	1.5	160	1.5	0.12	1.3	1.7
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5
2010	147	1.1	0.09	1.0	1.3	139	1.3	0.11	1.1	1.5
2011	145	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4
2012	161	1.2	0.09	1.0	1.4	148	1.3	0.11	1.1	1.5
2013	144	1.0	0.08	0.8	1.2	133	1.1	0.10	0.9	1.3
2014	157	1.1	0.09	0.9	1.3	150	1.3	0.10	1.1	1.5
2015	136	0.9	0.08	0.8	1.1	131	1.1	0.10	0.9	1.3
2016	122	0.8	0.08	0.7	1.0	118	0.9	0.09	0.8	1.1
2017	123	0.8	0.08	0.7	1.0	111	0.9	0.09	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	204	0.4	0.03	0.4	0.5	41	0.3	0.06	0.2	0.5
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	9	0.5	0.18	0.2	1.0	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	2	0.4	0.30	0.0	1.4
2012	12	0.7	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.8	4	0.7	0.37	0.2	1.8
2014	5	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2015	5	0.3	0.12	0.1	0.6	0				
2016	0					3	0.4	0.20	0.1	1.1
2017	6	0.3	0.14	0.1	0.7	4	0.6	0.31	0.2	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,376	2.1	0.04	2.0	2.2	3,199	2.3	0.04	2.2	2.4
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	108	2.2	0.22	1.8	2.7	104	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7
2008	118	2.3	0.21	1.9	2.7	115	2.5	0.24	2.1	3.1
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2010	115	2.2	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4
2012	123	2.1	0.19	1.7	2.5	114	2.3	0.22	1.9	2.8
2013	103	1.7	0.17	1.4	2.1	95	1.9	0.19	1.5	2.3
2014	115	2.0	0.19	1.6	2.4	111	2.3	0.22	1.8	2.7
2015	100	1.6	0.17	1.3	2.0	97	1.9	0.19	1.5	2.3
2016	91	1.5	0.16	1.2	1.8	89	1.7	0.18	1.3	2.1
2017	76	1.2	0.14	1.0	1.5	68	1.3	0.16	1.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	147	0.8	0.07	0.7	1.0	27	0.5	0.11	0.3	0.8
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.59	0.0	2.8
2012	8	1.2	0.44	0.5	2.4	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.79	0.2	3.6
2014	3	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.6
2015	3	0.4	0.25	0.1	1.2	0				
2016	0					1	0.2	0.22	0.0	1.4
2017	4	0.6	0.30	0.2	1.5	3	1.2	0.67	0.2	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,125	0.5	0.01	0.5	0.5	1,051	0.5	0.02	0.5	0.6
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	48	0.7	0.10	0.5	0.9	45	0.8	0.12	0.6	1.1
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7
2011	44	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8
2014	42	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8
2015	36	0.5	0.08	0.3	0.7	34	0.6	0.10	0.4	0.8
2016	31	0.4	0.07	0.3	0.6	29	0.4	0.08	0.3	0.6
2017	47	0.6	0.09	0.4	0.8	43	0.7	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Mesothelioma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	57	0.2	0.03	0.2	0.3	14	0.2	0.05	0.1	0.3
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	3	0.3	0.20	0.1	1.0	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.50	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	1	0.3	0.29	0.0	1.6
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.7	1	0.4	0.41	0.0	1.9
2014	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.4
2015	2	0.2	0.12	0.0	0.6	0				
2016	0					2	0.5	0.34	0.1	1.8
2017	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,634	0.7	0.01	0.7	0.7	1,797	0.6	0.01	0.5	0.6
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5
1991	189	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7
1992	187	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7
1993	191	1.5	0.11	1.3	1.8	139	1.4	0.12	1.1	1.6
1994	184	1.5	0.11	1.3	1.8	128	1.3	0.11	1.1	1.5
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2
1996	149	1.2	0.10	1.0	1.4	92	0.9	0.10	0.7	1.1
1997	75	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
1999	58	0.5	0.06	0.4	0.6	32	0.3	0.06	0.2	0.4
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2002	51	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2004	53	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2006	41	0.3	0.05	0.2	0.5	22	0.2	0.05	0.1	0.3
2007	46	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3
2009	48	0.4	0.06	0.3	0.5	32	0.3	0.05	0.2	0.4
2010	46	0.4	0.06	0.3	0.5	28	0.3	0.05	0.2	0.4
2011	43	0.3	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
2013	32	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2
2014	44	0.3	0.05	0.3	0.5	25	0.2	0.05	0.2	0.4
2015	40	0.3	0.05	0.2	0.4	26	0.3	0.05	0.2	0.4
2016	45	0.3	0.05	0.3	0.5	34	0.3	0.06	0.2	0.5
2017	29	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	761	1.4	0.05	1.3	1.5	34	0.2	0.04	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	46	2.5	0.38	1.8	3.4	1	0.3	0.30	0.0	2.4
1993	48	2.8	0.41	2.0	3.7	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	53	2.8	0.39	2.1	3.7	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	24	1.3	0.28	0.9	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	19	1.1	0.25	0.7	1.7	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	17	1.0	0.25	0.6	1.6	0				
2007	18	1.1	0.26	0.6	1.7	1	0.1	0.11	0.0	0.9
2008	15	0.9	0.23	0.5	1.4	1	0.1	0.11	0.0	0.9
2009	14	0.8	0.23	0.5	1.4	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	18	1.0	0.24	0.6	1.6	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.13	0.1	0.7	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				
2014	16	0.8	0.21	0.5	1.4	1	0.1	0.09	0.0	0.7
2015	10	0.6	0.18	0.3	1.0	1	0.1	0.13	0.0	0.7
2016	9	0.5	0.16	0.2	0.9	1	0.1	0.12	0.0	0.7
2017	11	0.6	0.18	0.3	1.1	2	0.3	0.18	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,429	1.3	0.03	1.3	1.4	1,644	1.1	0.03	1.0	1.1
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9
1991	185	3.2	0.24	2.8	3.7	143	3.0	0.26	2.5	3.5
1992	182	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3
1993	179	2.9	0.22	2.5	3.4	130	2.5	0.22	2.1	3.0
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3
1996	138	2.3	0.20	1.9	2.7	85	1.7	0.19	1.4	2.2
1997	66	1.1	0.14	0.9	1.4	39	0.8	0.13	0.6	1.1
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8
1999	52	0.9	0.13	0.7	1.2	28	0.6	0.12	0.4	0.9
2000	34	0.6	0.10	0.4	0.8	16	0.4	0.09	0.2	0.6
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2002	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2004	46	0.8	0.12	0.6	1.1	24	0.5	0.11	0.3	0.8
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2006	41	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2007	42	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7
2009	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.4	0.8
2010	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.3	0.8
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6
2013	28	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
2014	37	0.6	0.10	0.4	0.9	21	0.5	0.10	0.3	0.7
2015	36	0.6	0.10	0.4	0.8	22	0.5	0.10	0.3	0.7
2016	39	0.6	0.10	0.4	0.9	28	0.6	0.11	0.4	0.8
2017	27	0.4	0.08	0.3	0.6	15	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	713	2.8	0.11	2.6	3.0	31	0.4	0.07	0.3	0.5
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	45	5.4	0.82	3.9	7.3	1	0.6	0.62	0.0	5.4
1993	45	6.0	0.95	4.2	8.2	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	49	5.7	0.83	4.2	7.7	3	1.4	0.79	0.3	5.3
1997	25	3.0	0.61	1.9	4.5	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	22	2.7	0.60	1.7	4.2	0				
2000	16	1.9	0.49	1.1	3.2	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	18	2.2	0.53	1.3	3.6	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	17	2.3	0.60	1.3	3.8	0				
2007	18	2.4	0.59	1.4	3.9	1	0.2	0.22	0.0	2.0
2008	14	1.8	0.49	1.0	3.0	1	0.2	0.22	0.0	2.0
2009	14	1.9	0.52	1.0	3.2	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	1.9	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.7
2013	16	1.7	0.44	1.0	2.9	0				
2014	13	1.5	0.42	0.8	2.5	1	0.2	0.19	0.0	1.5
2015	10	1.2	0.39	0.6	2.2	1	0.3	0.28	0.0	1.6
2016	9	1.1	0.37	0.5	2.1	1	0.3	0.25	0.0	1.5
2017	9	0.9	0.33	0.4	1.9	2	0.5	0.37	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Females										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	205	0.1	0.01	0.1	0.1	153	0.1	0.01	0.1	0.1
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3
1997	9	0.1	0.04	0.1	0.3	5	0.1	0.04	0.0	0.2
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2000	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1
2006	0					0				
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1
2011	7	0.1	0.04	0.0	0.2	5	0.1	0.05	0.0	0.2
2012	2	0.0	0.02	0.0	0.1	0				
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2
2014	7	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
2015	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2016	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2017	2	0.0	0.03	0.0	0.1	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Kaposi Sarcoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	48	0.2	0.02	0.1	0.2	3	0.1	0.03	0.0	0.1
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.18	0.1	0.9	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	1	0.1	0.10	0.0	0.6	0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	2	0.2	0.16	0.0	0.8	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				
2014	3	0.3	0.17	0.1	0.9	0				
2015	0					0				
2016	0					0				
2017	2	0.3	0.18	0.0	0.9	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	59,585	15.0	0.06	14.9	15.1	50,516	14.8	0.07	14.7	14.9
1986	1,382	13.2	0.36	12.5	13.9	1,162	12.5	0.37	11.8	13.2
1987	1,381	13.1	0.36	12.4	13.8	1,172	12.5	0.37	11.8	13.3
1988	1,469	13.7	0.36	13.0	14.5	1,241	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,418	13.1	0.35	12.4	13.8	1,189	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,217	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,215	12.4	0.36	11.7	13.2
1993	1,872	16.7	0.39	15.9	17.4	1,609	16.2	0.41	15.5	17.1
1994	1,902	16.8	0.39	16.0	17.6	1,639	16.5	0.41	15.7	17.3
1995	1,753	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,671	14.5	0.36	13.8	15.2	1,379	13.7	0.37	13.0	14.4
1997	1,555	13.4	0.34	12.7	14.0	1,309	12.9	0.36	12.2	13.6
1998	1,524	12.9	0.33	12.3	13.6	1,286	12.5	0.35	11.8	13.2
1999	1,560	13.1	0.33	12.5	13.8	1,284	12.4	0.35	11.7	13.1
2000	1,626	13.5	0.34	12.9	14.2	1,353	13.0	0.35	12.3	13.7
2001	2,235	18.4	0.39	17.7	19.2	1,887	18.0	0.42	17.2	18.9
2002	2,270	18.6	0.39	17.8	19.4	1,972	18.7	0.42	17.9	19.6
2003	2,229	18.1	0.38	17.3	18.8	1,896	17.8	0.41	17.0	18.7
2004	2,091	16.8	0.37	16.1	17.5	1,825	17.1	0.40	16.3	17.9
2005	2,085	16.5	0.36	15.8	17.3	1,803	16.7	0.39	15.9	17.5
2006	2,100	16.6	0.36	15.9	17.3	1,791	16.5	0.39	15.8	17.3
2007	2,185	16.9	0.36	16.2	17.6	1,873	17.0	0.40	16.2	17.8
2008	2,218	17.0	0.36	16.3	17.7	1,905	17.1	0.40	16.4	17.9
2009	2,204	16.6	0.36	15.9	17.4	1,854	16.5	0.39	15.7	17.3
2010	2,211	16.5	0.36	15.8	17.2	1,866	16.5	0.39	15.8	17.3
2011	2,029	14.8	0.33	14.1	15.4	1,748	15.0	0.37	14.3	15.8
2012	2,130	15.3	0.34	14.7	16.0	1,801	15.4	0.37	14.7	16.2
2013	2,053	14.5	0.32	13.9	15.1	1,694	14.3	0.35	13.6	15.0
2014	2,091	14.5	0.32	13.9	15.2	1,770	14.7	0.36	14.0	15.4
2015	2,053	14.0	0.32	13.4	14.7	1,741	14.3	0.35	13.6	15.0
2016	1,992	13.4	0.31	12.8	14.1	1,678	13.6	0.34	13.0	14.3
2017	1,987	13.2	0.30	12.6	13.8	1,667	13.4	0.33	12.7	14.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,820	17.3	0.20	16.9	17.7	958	8.8	0.31	8.3	9.5
1986	208	20.0	1.45	17.2	23.0	12	10.4	3.44	4.8	19.0
1987	205	19.0	1.38	16.4	21.9	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	184	15.7	1.19	13.5	18.2	12	8.0	2.62	3.7	14.4
1993	242	20.4	1.36	17.9	23.3	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	268	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	219	17.0	1.18	14.8	19.4	24	10.3	2.36	6.2	15.8
1998	207	16.0	1.14	13.9	18.4	28	13.5	2.77	8.6	19.8
1999	248	18.8	1.22	16.5	21.3	22	9.2	2.24	5.3	14.4
2000	242	17.6	1.15	15.4	20.0	24	8.0	1.80	4.8	12.2
2001	300	22.1	1.30	19.6	24.8	39	12.4	2.18	8.6	17.3
2002	270	19.4	1.21	17.1	21.9	24	8.0	1.79	4.9	12.1
2003	283	19.7	1.20	17.4	22.2	37	11.6	2.07	7.9	16.3
2004	219	15.1	1.04	13.1	17.3	36	10.1	1.81	6.9	14.2
2005	228	15.3	1.04	13.4	17.5	45	11.5	1.93	8.1	15.8
2006	259	17.7	1.12	15.6	20.0	42	11.6	1.92	8.1	15.8
2007	269	17.7	1.11	15.6	20.0	38	9.0	1.58	6.2	12.6
2008	271	17.4	1.08	15.4	19.7	35	8.0	1.47	5.4	11.3
2009	289	18.3	1.10	16.2	20.5	43	10.4	1.69	7.3	14.2
2010	290	18.1	1.08	16.0	20.3	42	8.6	1.44	6.0	11.9
2011	224	13.9	0.95	12.1	15.8	41	8.2	1.37	5.8	11.3
2012	269	15.8	0.98	13.9	17.8	36	7.2	1.27	5.0	10.1
2013	283	16.3	0.99	14.4	18.4	52	9.2	1.34	6.8	12.2
2014	252	14.5	0.94	12.8	16.5	54	8.9	1.27	6.6	11.8
2015	241	13.4	0.89	11.8	15.3	46	7.0	1.07	5.1	9.4
2016	223	12.1	0.83	10.6	13.9	59	8.7	1.16	6.5	11.2
2017	248	13.1	0.85	11.5	14.9	59	8.1	1.08	6.1	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	29,194	17.8	0.11	17.6	18.0	24,818	17.6	0.11	17.4	17.8
1986	687	16.0	0.64	14.7	17.3	571	15.0	0.65	13.7	16.3
1987	648	15.2	0.62	14.0	16.4	546	14.4	0.64	13.2	15.7
1988	739	17.0	0.65	15.7	18.3	612	16.0	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	691	15.4	0.61	14.3	16.7	573	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.5	16.9	603	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	580	14.6	0.62	13.4	15.8
1993	840	18.6	0.66	17.3	20.0	707	17.9	0.69	16.5	19.3
1994	865	19.0	0.67	17.7	20.3	745	18.8	0.71	17.4	20.2
1995	830	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	806	17.3	0.63	16.1	18.6	668	16.5	0.65	15.3	17.8
1997	744	15.6	0.58	14.5	16.8	616	14.9	0.61	13.7	16.2
1998	718	15.0	0.57	13.9	16.1	613	14.7	0.60	13.6	16.0
1999	710	14.6	0.56	13.5	15.7	571	13.5	0.57	12.4	14.6
2000	780	15.9	0.58	14.8	17.1	647	15.3	0.61	14.1	16.6
2001	1,111	22.4	0.68	21.1	23.8	942	22.0	0.72	20.6	23.4
2002	1,080	21.5	0.66	20.2	22.8	936	21.6	0.71	20.3	23.1
2003	1,092	21.6	0.66	20.3	22.9	933	21.4	0.71	20.1	22.9
2004	1,044	20.5	0.64	19.2	21.7	918	20.9	0.70	19.5	22.3
2005	1,014	19.4	0.62	18.2	20.7	876	19.6	0.67	18.3	20.9
2006	1,016	19.3	0.62	18.1	20.6	870	19.3	0.66	18.0	20.6
2007	1,070	20.0	0.62	18.8	21.2	926	20.1	0.67	18.8	21.5
2008	1,099	20.1	0.62	18.9	21.3	959	20.5	0.67	19.2	21.9
2009	1,086	19.3	0.60	18.2	20.6	931	19.5	0.65	18.3	20.8
2010	1,100	19.4	0.60	18.3	20.6	940	19.5	0.65	18.3	20.9
2011	1,022	17.7	0.57	16.7	18.9	898	18.3	0.62	17.1	19.6
2012	1,079	18.4	0.57	17.3	19.6	936	18.9	0.63	17.7	20.2
2013	1,045	17.1	0.54	16.1	18.2	871	16.9	0.58	15.7	18.0
2014	1,054	17.0	0.54	16.0	18.1	892	17.0	0.58	15.9	18.2
2015	1,101	17.3	0.53	16.2	18.3	945	17.6	0.59	16.5	18.8
2016	984	15.3	0.50	14.3	16.3	853	15.8	0.55	14.8	17.0
2017	1,031	15.7	0.50	14.7	16.7	877	16.1	0.55	15.0	17.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,743	20.3	0.35	19.6	21.0	480	9.8	0.50	8.8	10.8
1986	107	24.6	2.58	19.8	30.1	9	13.8	5.04	5.8	27.5
1987	99	23.8	2.59	19.0	29.4	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	120	25.1	2.47	20.5	30.4	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	139	26.6	2.39	22.1	31.6	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	115	21.5	2.13	17.6	26.1	11	10.3	3.41	4.7	18.9
1998	92	16.5	1.79	13.1	20.3	11	12.3	4.23	5.5	22.7
1999	122	23.4	2.26	19.2	28.2	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	144	26.8	2.37	22.4	31.8	18	10.7	2.78	6.0	17.6
2002	128	22.3	2.06	18.4	26.6	14	8.7	2.50	4.5	15.0
2003	136	23.4	2.11	19.4	27.8	14	8.0	2.40	4.0	14.0
2004	98	17.0	1.83	13.6	20.9	21	13.5	3.25	7.9	21.1
2005	110	18.0	1.81	14.6	21.8	22	14.3	3.67	8.0	22.8
2006	119	20.4	1.99	16.7	24.7	22	12.4	2.96	7.3	19.3
2007	119	19.5	1.91	16.0	23.6	21	11.2	2.71	6.5	17.6
2008	122	20.2	1.96	16.6	24.4	17	7.5	2.07	4.0	12.6
2009	128	19.0	1.77	15.7	22.8	18	9.0	2.45	4.8	14.8
2010	133	21.5	1.98	17.8	25.7	23	10.5	2.52	6.2	16.4
2011	98	14.9	1.59	12.0	18.3	18	7.8	2.01	4.4	12.6
2012	119	17.2	1.65	14.1	20.7	15	6.5	1.86	3.4	11.0
2013	132	18.5	1.68	15.3	22.1	31	12.5	2.40	8.3	18.0
2014	125	18.0	1.69	14.8	21.5	28	10.7	2.16	6.9	15.7
2015	116	15.6	1.52	12.8	18.9	26	9.6	1.98	6.1	14.2
2016	89	11.8	1.32	9.4	14.6	28	9.8	1.95	6.4	14.3
2017	119	14.7	1.40	12.1	17.7	27	8.3	1.66	5.3	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	30,391	13.1	0.08	13.0	13.3	25,698	12.9	0.08	12.7	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	733	11.9	0.45	11.1	12.8	626	11.5	0.47	10.6	12.4
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	727	11.5	0.43	10.6	12.3	616	10.9	0.45	10.1	11.9
1991	707	10.9	0.42	10.1	11.8	614	10.7	0.44	9.9	11.6
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,032	15.4	0.48	14.5	16.4	902	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	865	12.6	0.43	11.8	13.5	711	11.8	0.45	11.0	12.7
1997	811	11.7	0.41	10.9	12.6	693	11.4	0.44	10.6	12.3
1998	806	11.3	0.40	10.6	12.2	673	10.8	0.42	10.0	11.7
1999	850	11.9	0.41	11.2	12.8	713	11.5	0.44	10.6	12.4
2000	846	11.9	0.41	11.1	12.8	706	11.5	0.44	10.6	12.4
2001	1,124	15.7	0.47	14.8	16.6	945	15.2	0.50	14.3	16.3
2002	1,190	16.5	0.48	15.6	17.5	1,036	16.7	0.53	15.7	17.7
2003	1,137	15.7	0.47	14.8	16.6	963	15.4	0.50	14.4	16.4
2004	1,047	14.4	0.45	13.5	15.3	907	14.6	0.49	13.6	15.6
2005	1,071	14.6	0.45	13.7	15.5	927	14.7	0.49	13.8	15.7
2006	1,084	14.7	0.45	13.8	15.6	921	14.7	0.49	13.7	15.7
2007	1,115	14.9	0.45	14.0	15.8	947	14.9	0.49	13.9	15.9
2008	1,119	14.8	0.45	13.9	15.7	946	14.7	0.49	13.7	15.6
2009	1,118	14.6	0.44	13.7	15.5	923	14.2	0.48	13.3	15.2
2010	1,111	14.5	0.44	13.6	15.4	926	14.3	0.48	13.4	15.3
2011	1,007	12.8	0.41	12.0	13.6	850	12.8	0.45	11.9	13.7
2012	1,051	13.2	0.42	12.4	14.0	865	12.9	0.45	12.0	13.8
2013	1,008	12.5	0.40	11.7	13.3	823	12.3	0.44	11.5	13.2
2014	1,037	12.8	0.41	12.0	13.6	878	13.0	0.45	12.1	13.9
2015	952	11.6	0.39	10.8	12.4	796	11.8	0.43	10.9	12.6
2016	1,008	12.1	0.39	11.3	12.9	825	12.0	0.43	11.2	12.9
2017	956	11.2	0.37	10.5	12.0	790	11.3	0.42	10.5	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Ill-defined and unknown Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	4,077	15.2	0.24	14.7	15.7	478	8.0	0.39	7.3	8.8
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	86	12.1	1.32	9.6	15.0	7	9.2	3.82	3.3	19.1
1993	122	17.3	1.59	14.3	20.7	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	104	13.8	1.36	11.2	16.7	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	126	15.9	1.43	13.3	19.0	10	7.2	2.51	3.2	13.6
2000	124	15.3	1.38	12.7	18.2	12	6.4	1.94	3.2	11.4
2001	156	19.1	1.54	16.2	22.3	21	13.0	3.00	7.8	20.0
2002	142	17.1	1.45	14.4	20.2	10	6.6	2.23	3.0	12.2
2003	147	17.2	1.43	14.5	20.2	23	13.6	2.98	8.4	20.5
2004	121	14.0	1.28	11.6	16.7	15	7.5	2.04	4.0	12.4
2005	118	13.4	1.25	11.1	16.1	23	10.2	2.27	6.2	15.5
2006	140	16.0	1.36	13.4	18.9	20	10.5	2.43	6.3	16.2
2007	150	16.5	1.36	13.9	19.4	17	7.3	1.87	4.1	11.8
2008	149	16.1	1.33	13.6	18.9	18	8.0	1.96	4.6	12.7
2009	161	17.3	1.38	14.7	20.3	25	11.4	2.34	7.3	16.7
2010	157	16.3	1.32	13.9	19.1	19	7.2	1.74	4.2	11.4
2011	126	13.1	1.18	10.9	15.7	23	8.3	1.81	5.2	12.6
2012	150	14.8	1.23	12.5	17.4	21	7.7	1.73	4.7	11.8
2013	151	14.5	1.19	12.2	17.0	21	6.3	1.44	3.8	9.8
2014	127	12.3	1.11	10.3	14.7	26	7.6	1.53	4.9	11.2
2015	125	11.8	1.07	9.8	14.1	20	5.2	1.20	3.1	8.1
2016	134	12.4	1.09	10.4	14.7	31	7.8	1.44	5.3	11.2
2017	129	11.8	1.05	9.8	14.0	32	7.9	1.42	5.4	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Female Breast Insitu										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	55,756	26.5	0.11	26.3	26.7	46,330	26.7	0.13	26.5	26.9
1986	541	10.0	0.44	9.1	10.9	498	10.7	0.50	9.8	11.7
1987	578	10.7	0.45	9.8	11.6	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	629	13.3	0.54	12.2	14.4
1989	688	12.4	0.48	11.5	13.4	631	13.3	0.54	12.3	14.4
1990	783	13.8	0.50	12.9	14.9	719	15.0	0.57	13.9	16.2
1991	916	16.0	0.54	15.0	17.1	823	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	909	18.5	0.63	17.3	19.7
1993	988	16.8	0.54	15.8	17.9	871	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	935	18.3	0.61	17.1	19.5
1995	1,216	20.0	0.58	18.9	21.2	1,068	20.9	0.65	19.6	22.2
1996	1,349	22.0	0.60	20.9	23.3	1,144	22.3	0.67	21.0	23.6
1997	1,479	23.9	0.62	22.6	25.1	1,270	24.4	0.69	23.1	25.8
1998	1,714	27.3	0.66	26.1	28.7	1,484	28.3	0.74	26.9	29.8
1999	1,724	27.0	0.65	25.8	28.3	1,471	27.6	0.73	26.2	29.1
2000	1,944	30.3	0.69	28.9	31.7	1,671	31.4	0.77	29.9	32.9
2001	2,000	30.8	0.69	29.5	32.2	1,697	31.6	0.77	30.1	33.1
2002	1,893	28.7	0.66	27.4	30.1	1,614	29.6	0.74	28.2	31.1
2003	1,889	28.3	0.65	27.1	29.7	1,587	28.9	0.73	27.5	30.4
2004	2,052	30.4	0.67	29.1	31.8	1,702	30.7	0.75	29.3	32.3
2005	2,099	30.8	0.68	29.5	32.2	1,738	31.1	0.75	29.6	32.6
2006	2,142	31.1	0.68	29.8	32.4	1,780	31.7	0.76	30.2	33.2
2007	2,325	33.3	0.70	32.0	34.7	1,906	33.5	0.78	32.0	35.1
2008	2,307	32.7	0.69	31.4	34.1	1,890	32.9	0.77	31.4	34.5
2009	2,500	35.1	0.71	33.7	36.5	2,047	35.4	0.79	33.9	37.0
2010	2,396	33.2	0.69	31.9	34.6	1,934	33.3	0.77	31.8	34.8
2011	2,477	33.9	0.69	32.5	35.2	1,999	34.0	0.78	32.5	35.5
2012	2,545	34.6	0.70	33.2	36.0	2,007	34.0	0.78	32.5	35.5
2013	2,584	34.9	0.70	33.5	36.3	2,043	34.4	0.78	32.9	36.0
2014	2,481	33.1	0.68	31.7	34.4	1,944	32.5	0.76	31.0	34.0
2015	2,459	32.6	0.67	31.3	33.9	1,937	32.2	0.75	30.7	33.7
2016	2,445	32.3	0.67	31.0	33.7	1,948	32.5	0.76	31.1	34.1
2017	2,469	32.1	0.67	30.8	33.4	1,898	31.2	0.74	29.8	32.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Race, Illinois 1986-2017

Female Breast Insitu										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	7,072	24.8	0.30	24.2	25.4	1,769	21.9	0.53	20.9	23.0
1986	35	5.5	0.94	3.8	7.6	4	4.4	2.20	1.2	11.7
1987	37	5.7	0.96	4.0	7.9	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	13	11.9	3.32	6.3	20.7
1989	40	6.1	0.97	4.3	8.2	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	8	5.7	2.05	2.4	12.0
1991	73	10.7	1.27	8.4	13.5	9	6.5	2.29	2.8	13.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	98	12.7	1.29	10.3	15.5	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	114	14.4	1.36	11.9	17.3	21	13.0	2.97	7.9	20.3
1996	151	19.2	1.57	16.2	22.5	30	16.6	3.12	11.1	24.1
1997	155	18.9	1.52	16.0	22.1	26	12.9	2.58	8.4	19.2
1998	167	20.0	1.56	17.1	23.3	28	14.2	2.80	9.3	20.9
1999	171	20.3	1.56	17.4	23.6	40	19.6	3.22	13.8	27.1
2000	178	20.6	1.55	17.7	23.9	56	25.3	3.51	18.9	33.2
2001	222	25.0	1.68	21.8	28.5	55	22.4	3.08	16.8	29.4
2002	216	23.8	1.63	20.8	27.3	51	20.4	2.93	15.1	27.1
2003	226	24.4	1.63	21.3	27.8	51	20.1	2.89	14.8	26.6
2004	278	30.1	1.82	26.7	33.9	64	22.9	2.94	17.5	29.5
2005	271	29.2	1.78	25.8	32.9	65	22.9	2.93	17.5	29.5
2006	295	30.5	1.79	27.1	34.2	54	17.4	2.41	13.0	22.9
2007	309	32.1	1.84	28.5	35.9	89	30.7	3.37	24.4	38.0
2008	322	32.5	1.83	29.0	36.3	72	22.5	2.72	17.5	28.5
2009	339	33.7	1.85	30.2	37.6	97	28.6	2.98	23.1	35.1
2010	343	33.1	1.81	29.6	36.8	94	26.3	2.76	21.2	32.3
2011	366	34.9	1.85	31.3	38.7	91	25.5	2.75	20.4	31.5
2012	410	38.7	1.94	35.0	42.7	108	27.8	2.72	22.7	33.7
2013	413	39.1	1.96	35.4	43.1	107	26.2	2.58	21.4	31.8
2014	394	35.9	1.84	32.4	39.7	113	27.1	2.59	22.2	32.7
2015	374	33.7	1.78	30.3	37.4	131	31.2	2.78	26.0	37.1
2016	368	32.9	1.76	29.6	36.6	106	23.5	2.31	19.2	28.5
2017	413	36.4	1.84	32.9	40.1	132	28.7	2.53	23.9	34.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

SECTION II
Cancer Incidence by Hispanic Ethnicity and Race
Illinois, 1990-2017

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	78,544	353.9	1.44	351.1	356.8	1,633,954	490.1	0.39	489.4	490.9
1990	1,129	296.2	10.35	276.3	317.0	46,372	440.0	2.06	436.0	444.1
1991	1,138	275.6	9.64	257.0	295.0	47,943	449.3	2.07	445.2	453.3
1992	1,247	298.7	9.98	279.5	318.8	50,791	469.9	2.10	465.8	474.1
1993	1,431	328.3	10.18	308.7	348.8	51,412	471.0	2.09	467.0	475.2
1994	1,586	345.9	10.28	326.0	366.5	53,967	491.9	2.13	487.7	496.1
1995	1,727	377.4	10.83	356.4	399.1	53,469	484.9	2.10	480.8	489.1
1996	1,828	394.9	10.97	373.6	416.8	54,535	492.7	2.12	488.5	496.8
1997	1,877	378.2	10.41	358.1	399.0	54,789	491.6	2.10	487.5	495.8
1998	2,030	396.0	10.50	375.7	417.0	55,740	496.0	2.10	491.9	500.2
1999	2,212	395.7	10.06	376.3	415.8	56,650	501.0	2.11	496.9	505.1
2000	2,145	348.9	8.98	331.5	366.9	57,035	501.5	2.10	497.4	505.6
2001	2,291	369.9	9.18	352.1	388.2	58,636	512.5	2.12	508.3	516.6
2002	2,456	365.8	8.70	349.0	383.2	59,906	519.6	2.13	515.4	523.7
2003	2,504	351.9	8.27	335.9	368.4	58,512	502.7	2.08	498.7	506.8
2004	2,726	365.0	8.23	349.1	381.4	58,888	502.5	2.08	498.4	506.6
2005	2,847	358.9	7.80	343.7	374.4	59,177	500.5	2.07	496.4	504.6
2006	2,978	364.2	7.73	349.2	379.6	60,942	512.0	2.09	507.9	516.1
2007	3,202	365.4	7.39	351.1	380.1	61,924	513.6	2.08	509.5	517.7
2008	3,397	372.8	7.32	358.6	387.4	63,151	516.4	2.08	512.3	520.5
2009	3,584	374.0	7.12	360.2	388.2	63,300	511.5	2.06	507.4	515.5
2010	3,592	347.1	6.55	334.4	360.2	62,029	494.7	2.02	490.7	498.6
2011	3,820	357.4	6.51	344.7	370.3	63,166	496.6	2.01	492.6	500.5
2012	3,938	350.0	6.22	337.9	362.4	61,969	479.9	1.97	476.0	483.7
2013	4,141	347.8	6.00	336.2	359.8	62,349	476.1	1.95	472.3	480.0
2014	4,342	344.4	5.76	333.2	355.8	63,675	479.9	1.95	476.1	483.7
2015	4,584	346.5	5.61	335.6	357.6	64,725	482.9	1.95	479.1	486.8
2016	4,819	347.4	5.45	336.8	358.3	64,653	478.9	1.94	475.1	482.8
2017	4,973	349.9	5.38	339.4	360.6	64,249	470.5	1.91	466.7	474.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,368,863	490.1	0.42	489.3	491.0	220,134	517.7	1.12	515.5	519.9
1990	40,392	438.3	2.21	434.0	442.7	5,489	471.9	6.57	459.1	484.9
1991	42,041	451.2	2.23	446.9	455.6	5,290	443.3	6.28	431.0	455.7
1992	44,392	472.0	2.26	467.5	476.4	5,788	475.5	6.43	463.0	488.3
1993	44,354	468.1	2.24	463.7	472.5	6,370	513.9	6.62	501.0	527.0
1994	46,368	488.0	2.28	483.6	492.5	6,873	547.8	6.78	534.6	561.3
1995	45,559	479.6	2.26	475.2	484.1	7,068	549.6	6.70	536.6	562.9
1996	46,332	487.3	2.27	482.8	491.8	7,273	556.0	6.67	543.0	569.2
1997	46,605	488.1	2.27	483.6	492.5	7,126	534.7	6.47	522.1	547.6
1998	47,128	490.8	2.27	486.4	495.3	7,410	546.8	6.48	534.1	559.6
1999	48,161	500.5	2.29	496.1	505.0	7,231	521.9	6.26	509.7	534.3
2000	48,161	499.5	2.28	495.0	504.0	7,539	533.8	6.26	521.6	546.2
2001	49,519	512.1	2.31	507.6	516.6	7,757	544.1	6.30	531.9	556.6
2002	50,494	519.5	2.32	514.9	524.0	7,891	542.4	6.22	530.2	554.7
2003	49,096	502.0	2.28	497.6	506.5	7,882	531.2	6.10	519.4	543.3
2004	49,334	502.8	2.28	498.4	507.3	7,958	527.4	6.03	515.6	539.3
2005	49,301	499.7	2.27	495.2	504.1	8,036	525.3	5.98	513.7	537.1
2006	50,615	511.3	2.30	506.8	515.8	8,532	546.5	6.03	534.8	558.5
2007	51,399	514.1	2.30	509.6	518.6	8,648	544.5	5.97	532.8	556.3
2008	52,385	518.0	2.30	513.5	522.5	8,754	538.9	5.88	527.4	550.5
2009	52,291	512.9	2.28	508.5	517.4	8,940	537.6	5.81	526.2	549.1
2010	51,040	495.4	2.24	491.0	499.8	8,796	520.1	5.67	509.0	531.3
2011	52,003	499.2	2.24	494.9	503.7	8,808	507.9	5.54	497.1	518.8
2012	50,866	483.0	2.20	478.7	487.3	8,779	496.5	5.42	485.9	507.2
2013	51,126	480.5	2.18	476.2	484.8	8,983	497.2	5.37	486.7	507.8
2014	51,984	483.5	2.19	479.2	487.8	9,180	499.9	5.34	489.5	510.5
2015	52,714	487.7	2.20	483.4	492.0	9,362	498.0	5.28	487.7	508.5
2016	52,839	486.6	2.20	482.3	490.9	9,221	486.6	5.20	476.5	496.9
2017	52,364	478.2	2.17	473.9	482.4	9,150	474.4	5.08	464.5	484.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	38,492	395.1	2.37	390.5	399.8	827,306	570.9	0.64	569.7	572.2
1990	523	334.9	18.49	299.6	372.6	22,941	525.7	3.58	518.7	532.8
1991	553	305.7	16.46	274.3	339.3	24,439	551.3	3.63	544.2	558.4
1992	596	338.8	17.48	305.4	374.4	26,623	591.7	3.72	584.5	599.1
1993	699	380.8	18.19	346.0	417.7	26,611	584.2	3.67	577.0	591.4
1994	811	407.1	18.07	372.5	443.8	27,353	598.8	3.70	591.6	606.1
1995	847	445.6	19.40	408.4	484.8	27,160	586.4	3.63	579.3	593.5
1996	930	469.9	19.46	432.5	509.2	27,406	587.1	3.60	580.0	594.2
1997	945	439.9	17.86	405.6	476.0	27,719	589.0	3.58	582.0	596.1
1998	992	480.5	19.05	443.9	518.9	27,969	588.8	3.56	581.8	595.8
1999	1,104	458.9	17.36	425.5	493.9	28,668	597.6	3.57	590.6	604.6
2000	1,058	406.2	15.37	376.7	437.2	28,992	599.1	3.55	592.2	606.1
2001	1,141	433.9	15.76	403.5	465.6	29,908	614.0	3.58	607.0	621.1
2002	1,225	431.1	15.00	402.2	461.3	30,887	628.3	3.61	621.3	635.4
2003	1,301	420.5	14.17	393.2	449.0	30,144	604.4	3.52	597.5	611.4
2004	1,337	419.0	13.94	392.1	447.0	30,319	600.0	3.48	593.2	606.9
2005	1,448	410.6	12.91	385.7	436.5	30,022	586.1	3.42	579.4	592.8
2006	1,491	414.9	12.82	390.1	440.6	31,011	597.6	3.44	590.9	604.4
2007	1,617	431.1	12.69	406.6	456.5	31,894	603.6	3.43	596.9	610.4
2008	1,704	434.8	12.40	410.9	459.7	32,463	602.1	3.40	595.5	608.8
2009	1,768	429.2	11.94	406.1	453.1	32,174	585.0	3.32	578.5	591.5
2010	1,778	383.4	10.59	362.9	404.6	31,330	560.9	3.24	554.6	567.3
2011	1,876	390.1	10.51	369.8	411.1	31,930	560.1	3.21	553.9	566.5
2012	1,943	387.7	10.15	368.1	408.0	30,926	531.7	3.10	525.7	537.8
2013	1,962	364.8	9.44	346.5	383.7	30,968	523.1	3.04	517.2	529.1
2014	2,019	360.4	9.13	342.8	378.7	31,342	518.8	3.01	513.0	524.8
2015	2,172	358.2	8.72	341.3	375.6	32,213	525.8	3.01	519.9	531.8
2016	2,294	360.7	8.46	344.3	377.6	31,717	512.6	2.96	506.8	518.5
2017	2,358	360.7	8.30	344.6	377.3	32,177	512.2	2.94	506.5	518.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	692,367	564.7	0.69	563.3	566.0	112,673	651.2	2.04	647.2	655.2
1990	19,908	518.2	3.78	510.8	525.6	2,783	605.0	12.31	581.1	629.5
1991	21,462	551.0	3.86	543.4	558.6	2,703	569.8	11.69	547.1	593.1
1992	23,183	587.4	3.95	579.7	595.2	3,145	660.2	12.59	635.7	685.3
1993	22,909	575.5	3.88	567.9	583.2	3,386	687.9	12.63	663.4	713.1
1994	23,331	585.9	3.91	578.3	593.6	3,672	743.6	13.11	718.1	769.7
1995	22,936	570.7	3.83	563.2	578.3	3,839	751.9	12.91	726.8	777.6
1996	23,051	570.8	3.81	563.4	578.3	3,904	742.8	12.59	718.4	767.9
1997	23,498	578.7	3.81	571.2	586.2	3,702	688.9	11.96	665.6	712.7
1998	23,549	575.7	3.78	568.3	583.2	3,826	705.9	12.05	682.5	729.8
1999	24,320	590.5	3.81	583.1	598.0	3,708	671.2	11.61	648.6	694.3
2000	24,338	588.0	3.79	580.6	595.4	4,015	711.4	11.81	688.4	734.9
2001	25,222	606.8	3.84	599.3	614.4	3,982	696.5	11.61	674.0	719.6
2002	26,092	623.6	3.88	616.0	631.2	4,009	687.9	11.46	665.6	710.6
2003	25,269	597.3	3.78	589.9	604.8	4,131	687.1	11.24	665.2	709.4
2004	25,350	593.3	3.75	585.9	600.7	4,142	679.8	11.14	658.1	702.0
2005	24,933	576.9	3.69	569.7	584.2	4,144	672.7	11.06	651.2	694.7
2006	25,726	589.5	3.71	582.3	596.8	4,391	692.9	11.02	671.5	714.8
2007	26,327	593.7	3.70	586.5	601.0	4,602	714.4	11.09	692.8	736.5
2008	26,866	595.5	3.68	588.3	602.7	4,596	692.4	10.74	671.5	713.8
2009	26,492	577.7	3.61	570.6	584.8	4,580	666.2	10.36	646.0	686.8
2010	25,788	554.8	3.52	547.9	561.7	4,452	637.4	10.07	617.8	657.4
2011	26,343	556.4	3.50	549.6	563.4	4,398	608.9	9.64	590.2	628.1
2012	25,431	528.6	3.39	522.0	535.3	4,342	591.9	9.43	573.6	610.7
2013	25,532	522.7	3.35	516.1	529.3	4,375	583.0	9.23	565.1	601.4
2014	25,701	516.9	3.31	510.4	523.4	4,429	577.2	9.09	559.6	595.3
2015	26,250	523.0	3.32	516.5	529.5	4,634	588.2	9.04	570.6	606.1
2016	26,111	516.6	3.30	510.1	523.1	4,367	545.6	8.63	528.8	562.7
2017	26,449	516.2	3.27	509.8	522.6	4,416	543.9	8.54	527.2	560.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	40,052	327.8	1.80	324.3	331.4	806,648	438.2	0.49	437.2	439.1
1990	606	282.0	12.72	257.6	307.9	23,431	395.7	2.63	390.6	400.9
1991	585	260.2	12.06	237.1	284.8	23,504	392.5	2.61	387.4	397.7
1992	651	278.8	12.27	255.2	303.7	24,168	399.2	2.61	394.1	404.3
1993	732	300.9	12.38	277.1	326.0	24,801	403.5	2.60	398.4	408.6
1994	775	307.2	12.46	283.2	332.4	26,614	428.5	2.66	423.3	433.8
1995	880	338.7	12.99	313.7	365.0	26,309	423.6	2.64	418.4	428.8
1996	898	347.5	13.15	322.2	374.1	27,129	434.6	2.67	429.3	439.8
1997	932	336.6	12.69	312.2	362.2	27,070	431.0	2.65	425.8	436.2
1998	1,038	345.7	12.30	322.0	370.5	27,771	438.4	2.66	433.2	443.6
1999	1,108	354.4	12.24	330.9	379.1	27,982	440.1	2.66	435.0	445.4
2000	1,087	310.5	10.89	289.6	332.5	28,043	438.7	2.64	433.5	443.9
2001	1,150	326.0	11.07	304.7	348.3	28,728	446.8	2.66	441.6	452.0
2002	1,231	321.4	10.48	301.2	342.5	29,019	448.8	2.66	443.6	454.0
2003	1,203	301.8	9.96	282.6	321.8	28,368	436.4	2.62	431.3	441.6
2004	1,389	329.2	10.10	309.7	349.5	28,569	437.3	2.62	432.2	442.5
2005	1,399	321.1	9.70	302.4	340.6	29,155	443.9	2.63	438.8	449.1
2006	1,487	328.3	9.58	309.8	347.5	29,931	454.4	2.66	449.2	459.7
2007	1,585	320.6	8.94	303.3	338.6	30,030	452.6	2.65	447.4	457.8
2008	1,693	330.2	8.94	312.9	348.1	30,688	457.7	2.66	452.5	462.9
2009	1,816	337.0	8.78	320.1	354.6	31,126	461.0	2.67	455.8	466.2
2010	1,814	321.7	8.32	305.6	338.4	30,699	449.6	2.63	444.4	454.7
2011	1,944	336.3	8.35	320.1	353.0	31,236	453.4	2.63	448.3	458.6
2012	1,995	325.5	7.91	310.1	341.3	31,043	446.0	2.60	440.9	451.2
2013	2,179	340.2	7.87	325.0	356.0	31,381	445.9	2.59	440.8	451.0
2014	2,323	339.7	7.55	325.0	354.8	32,333	456.5	2.62	451.4	461.7
2015	2,412	342.9	7.44	328.4	357.7	32,512	455.8	2.62	450.7	461.0
2016	2,525	343.2	7.25	329.2	357.7	32,936	459.4	2.63	454.2	464.6
2017	2,615	347.7	7.19	333.7	362.0	32,072	443.5	2.58	438.5	448.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

All Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	676,496	443.3	0.55	442.3	444.4	107,461	432.4	1.33	429.8	435.0
1990	20,484	399.4	2.86	393.8	405.1	2,706	392.1	7.67	377.2	407.4
1991	20,579	397.4	2.84	391.9	403.0	2,587	365.4	7.31	351.2	380.0
1992	21,209	406.3	2.86	400.7	411.9	2,643	363.8	7.18	349.8	378.1
1993	21,445	405.2	2.83	399.6	410.7	2,984	405.5	7.53	390.8	420.5
1994	23,037	431.6	2.90	426.0	437.4	3,201	428.1	7.67	413.2	443.4
1995	22,623	426.2	2.89	420.6	431.9	3,229	422.5	7.53	407.8	437.5
1996	23,281	438.1	2.93	432.4	443.9	3,369	435.3	7.59	420.6	450.4
1997	23,107	433.3	2.90	427.6	439.0	3,424	434.9	7.51	420.3	449.9
1998	23,579	439.5	2.91	433.9	445.3	3,584	445.8	7.52	431.2	460.7
1999	23,841	445.0	2.93	439.2	450.7	3,523	428.5	7.28	414.3	443.0
2000	23,823	443.9	2.93	438.2	449.7	3,524	420.4	7.14	406.5	434.6
2001	24,297	451.8	2.95	446.0	457.6	3,775	446.5	7.32	432.3	461.1
2002	24,402	452.0	2.94	446.2	457.8	3,882	450.9	7.29	436.7	465.4
2003	23,827	440.9	2.91	435.2	446.6	3,751	429.6	7.07	415.8	443.6
2004	23,984	443.0	2.92	437.3	448.7	3,816	429.8	7.01	416.2	443.8
2005	24,368	449.5	2.94	443.7	455.3	3,892	432.8	7.00	419.2	446.7
2006	24,889	459.3	2.98	453.5	465.2	4,141	453.0	7.10	439.2	467.1
2007	25,072	461.3	2.99	455.4	467.2	4,046	435.8	6.92	422.3	449.5
2008	25,519	465.6	2.99	459.8	471.6	4,158	439.6	6.89	426.2	453.3
2009	25,799	469.5	3.01	463.7	475.5	4,360	453.6	6.95	440.1	467.5
2010	25,252	455.8	2.96	450.0	461.6	4,344	444.0	6.83	430.7	457.6
2011	25,660	461.3	2.99	455.5	467.2	4,410	440.9	6.74	427.8	454.3
2012	25,435	454.4	2.96	448.6	460.2	4,437	435.4	6.64	422.5	448.6
2013	25,594	454.4	2.96	448.6	460.2	4,608	442.5	6.63	429.6	455.7
2014	26,283	464.9	3.00	459.1	470.8	4,751	451.9	6.68	438.9	465.2
2015	26,464	467.1	3.01	461.2	473.1	4,728	441.1	6.54	428.3	454.1
2016	26,728	470.9	3.04	464.9	476.9	4,854	450.2	6.60	437.3	463.3
2017	25,915	454.3	2.98	448.4	460.2	4,734	431.5	6.41	419.0	444.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,553	6.9	0.20	6.5	7.3	39,010	11.7	0.06	11.6	11.8
1990	26	6.3	1.35	3.9	9.5	1,129	10.9	0.33	10.3	11.6
1991	24	4.9	1.09	3.0	7.6	1,108	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1
1993	27	6.6	1.47	4.0	10.0	1,108	10.4	0.31	9.8	11.1
1994	32	7.7	1.58	4.9	11.3	1,154	10.7	0.32	10.1	11.4
1995	23	5.1	1.22	3.0	8.0	1,279	11.8	0.33	11.2	12.5
1996	49	13.6	2.21	9.6	18.4	1,247	11.4	0.32	10.8	12.1
1997	59	13.0	1.97	9.4	17.3	1,255	11.4	0.32	10.8	12.1
1998	39	7.7	1.47	5.1	11.1	1,214	10.9	0.31	10.3	11.6
1999	49	6.5	1.00	4.7	8.8	1,263	11.3	0.32	10.7	11.9
2000	38	6.0	1.20	3.9	8.8	1,255	11.1	0.31	10.5	11.7
2001	46	7.6	1.36	5.2	10.7	1,220	10.7	0.31	10.1	11.3
2002	51	7.1	1.15	5.0	9.7	1,302	11.3	0.31	10.7	11.9
2003	49	7.8	1.28	5.4	10.6	1,284	11.0	0.31	10.4	11.6
2004	46	5.9	0.96	4.2	8.0	1,388	11.8	0.32	11.2	12.4
2005	41	4.2	0.73	2.9	5.9	1,302	10.9	0.30	10.3	11.5
2006	58	6.6	1.01	4.8	8.9	1,342	11.1	0.31	10.5	11.7
2007	71	7.4	1.00	5.5	9.6	1,448	11.9	0.31	11.3	12.5
2008	74	8.2	1.07	6.2	10.5	1,509	12.1	0.32	11.5	12.8
2009	75	6.9	0.89	5.3	8.8	1,521	12.2	0.32	11.5	12.8
2010	74	7.0	0.92	5.3	9.0	1,523	11.9	0.31	11.3	12.5
2011	81	6.9	0.85	5.3	8.8	1,659	12.8	0.32	12.2	13.5
2012	73	6.1	0.80	4.7	7.9	1,657	12.6	0.32	12.0	13.2
2013	71	6.2	0.81	4.8	8.0	1,689	12.7	0.32	12.1	13.3
2014	74	6.2	0.78	4.7	7.9	1,708	12.6	0.31	12.0	13.2
2015	92	7.2	0.82	5.7	9.0	1,763	13.0	0.32	12.4	13.7
2016	90	6.3	0.71	5.0	7.8	1,773	12.9	0.32	12.3	13.5
2017	108	7.5	0.78	6.1	9.2	1,803	13.0	0.32	12.4	13.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	32,050	11.6	0.06	11.4	11.7	5,641	12.5	0.17	12.2	12.8
1990	902	10.0	0.34	9.3	10.7	215	17.5	1.22	15.2	20.1
1991	888	9.8	0.33	9.2	10.5	202	15.8	1.13	13.6	18.1
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	912	10.0	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	923	10.0	0.33	9.4	10.7	207	15.6	1.10	13.5	17.9
1995	1,054	11.4	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6
1996	1,009	10.8	0.34	10.2	11.5	214	15.3	1.06	13.3	17.5
1997	1,017	10.9	0.34	10.2	11.6	207	14.6	1.03	12.6	16.8
1998	971	10.3	0.33	9.7	11.0	210	14.5	1.01	12.6	16.6
1999	1,035	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,026	10.8	0.34	10.2	11.5	193	12.7	0.92	10.9	14.6
2001	1,004	10.5	0.33	9.9	11.2	179	11.5	0.87	9.8	13.3
2002	1,067	11.1	0.34	10.4	11.8	203	13.1	0.93	11.3	15.0
2003	1,064	10.9	0.34	10.3	11.6	186	11.6	0.86	9.9	13.4
2004	1,101	11.3	0.34	10.6	12.0	231	14.1	0.94	12.4	16.1
2005	1,081	11.0	0.34	10.3	11.7	171	10.2	0.79	8.7	11.9
2006	1,101	11.1	0.34	10.4	11.7	179	10.4	0.79	8.9	12.1
2007	1,186	11.8	0.35	11.1	12.5	210	12.4	0.87	10.7	14.2
2008	1,244	12.2	0.35	11.5	12.9	217	12.4	0.86	10.8	14.2
2009	1,262	12.3	0.35	11.6	13.0	195	11.1	0.81	9.5	12.8
2010	1,226	11.7	0.34	11.0	12.4	220	12.3	0.85	10.7	14.1
2011	1,377	13.0	0.36	12.3	13.8	216	11.8	0.82	10.2	13.5
2012	1,378	12.9	0.36	12.2	13.6	221	11.8	0.81	10.3	13.5
2013	1,397	12.8	0.35	12.2	13.5	218	11.8	0.82	10.3	13.5
2014	1,420	12.9	0.35	12.2	13.6	214	11.6	0.81	10.1	13.3
2015	1,459	13.4	0.36	12.7	14.1	216	10.9	0.76	9.5	12.5
2016	1,473	13.3	0.36	12.6	14.0	210	10.8	0.76	9.3	12.4
2017	1,545	14.0	0.37	13.2	14.7	178	8.7	0.66	7.4	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,067	9.9	0.35	9.2	10.6	26,970	17.9	0.11	17.7	18.1
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	16	7.4	2.08	3.9	12.8	741	16.3	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	10.3	3.01	5.3	17.6	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	16	6.9	1.92	3.7	11.7	874	18.3	0.63	17.1	19.6
1996	35	19.7	4.03	12.7	28.9	846	17.6	0.61	16.5	18.9
1997	40	18.8	3.70	12.3	27.2	839	17.4	0.61	16.2	18.6
1998	24	11.8	3.05	6.6	18.9	827	16.7	0.59	15.6	17.9
1999	32	9.1	1.73	6.0	13.3	843	16.9	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	865	17.2	0.59	16.0	18.4
2001	31	9.3	2.09	5.6	14.2	845	16.6	0.57	15.5	17.7
2002	38	10.4	1.92	7.0	14.9	875	16.9	0.58	15.8	18.1
2003	37	13.8	2.77	8.9	20.1	867	16.6	0.57	15.5	17.8
2004	36	9.5	1.82	6.3	13.7	976	18.2	0.59	17.1	19.4
2005	28	5.9	1.27	3.7	8.9	902	16.6	0.56	15.6	17.8
2006	42	9.4	1.72	6.3	13.3	910	16.5	0.56	15.5	17.7
2007	55	11.9	1.89	8.5	16.1	1,006	17.9	0.57	16.8	19.1
2008	52	11.8	1.88	8.4	16.0	1,032	18.0	0.57	16.9	19.1
2009	49	9.4	1.53	6.7	12.9	1,049	18.1	0.57	17.0	19.3
2010	53	10.9	1.69	7.8	14.6	1,079	18.2	0.57	17.1	19.4
2011	55	9.7	1.51	6.9	13.0	1,188	19.7	0.59	18.6	20.9
2012	54	9.3	1.47	6.6	12.6	1,160	19.0	0.57	17.9	20.2
2013	50	9.2	1.49	6.5	12.5	1,216	19.8	0.58	18.7	21.0
2014	47	8.2	1.35	5.8	11.2	1,190	18.9	0.56	17.8	20.0
2015	54	9.0	1.37	6.5	12.0	1,258	20.0	0.58	18.8	21.1
2016	67	9.5	1.27	7.2	12.3	1,256	19.6	0.57	18.5	20.7
2017	68	9.9	1.33	7.5	12.8	1,285	20.0	0.58	18.9	21.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	22,073	17.5	0.12	17.2	17.7	4,010	20.9	0.34	20.2	21.5
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0
1991	588	14.8	0.62	13.6	16.1	142	26.5	2.30	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	612	15.2	0.62	14.0	16.4	144	25.5	2.21	21.3	30.2
1995	707	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	676	16.5	0.64	15.3	17.8	155	25.7	2.11	21.7	30.2
1997	668	16.3	0.63	15.0	17.5	152	25.3	2.14	21.3	29.8
1998	649	15.5	0.61	14.3	16.7	155	25.2	2.09	21.2	29.6
1999	691	16.4	0.62	15.2	17.6	137	21.2	1.86	17.7	25.2
2000	696	16.4	0.62	15.2	17.7	151	23.4	1.95	19.7	27.5
2001	698	16.3	0.62	15.1	17.5	124	18.5	1.71	15.3	22.2
2002	699	16.1	0.61	14.9	17.4	154	23.3	1.93	19.7	27.4
2003	707	16.2	0.61	15.0	17.4	141	20.0	1.73	16.8	23.7
2004	761	17.0	0.62	15.8	18.3	175	25.3	2.00	21.6	29.6
2005	746	16.5	0.61	15.4	17.8	129	18.1	1.63	15.0	21.6
2006	746	16.3	0.60	15.1	17.5	120	16.1	1.50	13.3	19.3
2007	819	17.6	0.62	16.4	18.8	153	21.2	1.78	17.8	25.0
2008	847	17.8	0.62	16.6	19.1	151	20.7	1.78	17.4	24.5
2009	880	18.4	0.63	17.2	19.7	128	16.7	1.53	13.8	20.0
2010	877	17.8	0.61	16.7	19.1	148	19.7	1.71	16.5	23.4
2011	979	19.7	0.64	18.5	21.0	160	20.4	1.67	17.2	23.9
2012	960	19.2	0.63	18.0	20.5	157	19.5	1.62	16.5	23.0
2013	1,012	19.9	0.64	18.7	21.2	151	19.4	1.65	16.3	22.9
2014	1,001	19.3	0.63	18.0	20.5	136	17.6	1.58	14.7	21.0
2015	1,049	20.3	0.65	19.1	21.7	154	18.6	1.55	15.6	21.9
2016	1,049	19.9	0.64	18.7	21.2	143	17.4	1.51	14.5	20.6
2017	1,110	21.2	0.66	20.0	22.6	118	13.5	1.29	11.1	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	486	4.2	0.21	3.8	4.6	12,040	6.6	0.06	6.4	6.7
1990	11	4.8	1.54	2.2	8.8	357	6.0	0.32	5.4	6.7
1991	8	2.8	1.04	1.1	5.8	367	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	8	3.7	1.44	1.4	7.5	350	5.8	0.31	5.2	6.5
1994	12	5.5	1.78	2.6	10.0	383	6.2	0.32	5.6	6.9
1995	7	3.2	1.40	1.1	6.9	405	6.5	0.33	5.9	7.2
1996	14	8.4	2.39	4.4	14.0	401	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	416	6.8	0.33	6.1	7.4
1998	15	4.9	1.41	2.5	8.4	387	6.2	0.32	5.6	6.8
1999	17	4.2	1.06	2.3	6.9	420	6.8	0.33	6.1	7.4
2000	13	4.2	1.44	1.8	7.8	390	6.2	0.32	5.6	6.9
2001	15	5.8	1.72	2.9	9.9	375	5.9	0.31	5.3	6.5
2002	13	3.9	1.27	1.8	7.1	427	6.7	0.32	6.0	7.3
2003	12	2.9	0.96	1.4	5.4	417	6.4	0.32	5.8	7.1
2004	10	2.6	0.87	1.2	4.9	412	6.4	0.32	5.8	7.0
2005	13	2.6	0.78	1.3	4.6	400	6.1	0.31	5.5	6.8
2006	16	4.0	1.12	2.1	6.7	432	6.5	0.32	5.9	7.2
2007	16	3.2	0.94	1.6	5.5	442	6.7	0.32	6.1	7.4
2008	22	4.8	1.15	2.8	7.5	477	7.1	0.33	6.5	7.8
2009	26	4.6	0.98	2.9	6.9	472	7.0	0.33	6.4	7.7
2010	21	3.6	0.89	2.1	5.7	444	6.6	0.32	6.0	7.2
2011	26	4.4	0.94	2.8	6.6	471	6.8	0.32	6.2	7.4
2012	19	3.3	0.82	1.9	5.3	497	7.0	0.32	6.4	7.7
2013	21	3.7	0.84	2.2	5.7	473	6.6	0.31	6.0	7.3
2014	27	4.4	0.90	2.8	6.5	518	7.1	0.32	6.5	7.7
2015	38	5.7	0.99	3.9	8.0	505	7.0	0.32	6.4	7.7
2016	23	3.2	0.70	2.0	4.9	517	7.2	0.33	6.6	7.9
2017	40	5.4	0.90	3.8	7.5	518	7.0	0.32	6.4	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oral Cavity and Pharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	9,977	6.5	0.07	6.4	6.7	1,631	6.4	0.16	6.0	6.7
1990	283	5.4	0.33	4.8	6.1	70	9.9	1.20	7.7	12.5
1991	300	6.0	0.35	5.3	6.7	60	7.9	1.04	6.0	10.2
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	295	5.7	0.34	5.0	6.4	46	6.2	0.91	4.5	8.2
1994	311	5.8	0.33	5.2	6.5	63	8.4	1.07	6.4	10.7
1995	347	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	333	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	349	6.7	0.36	6.0	7.4	55	6.8	0.93	5.1	8.9
1998	322	6.1	0.34	5.4	6.8	55	6.6	0.90	5.0	8.6
1999	344	6.6	0.36	5.9	7.4	59	6.9	0.91	5.3	8.9
2000	330	6.2	0.35	5.6	7.0	42	4.8	0.75	3.5	6.5
2001	306	5.7	0.33	5.1	6.4	55	6.2	0.84	4.7	8.1
2002	368	6.9	0.36	6.2	7.6	49	5.5	0.80	4.1	7.3
2003	357	6.6	0.35	5.9	7.3	45	5.1	0.76	3.7	6.8
2004	340	6.4	0.35	5.7	7.1	56	6.0	0.81	4.6	7.9
2005	335	6.3	0.35	5.6	7.0	42	4.4	0.68	3.2	6.0
2006	355	6.5	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	367	6.8	0.36	6.1	7.5	57	6.0	0.80	4.5	7.7
2008	397	7.2	0.37	6.5	7.9	66	6.7	0.83	5.2	8.5
2009	382	7.0	0.37	6.3	7.8	67	6.8	0.85	5.3	8.7
2010	349	6.3	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	398	7.1	0.36	6.4	7.8	56	5.4	0.73	4.1	7.0
2012	418	7.3	0.37	6.6	8.1	64	6.1	0.78	4.7	7.9
2013	385	6.7	0.35	6.0	7.4	67	6.3	0.79	4.9	8.1
2014	419	7.1	0.36	6.4	7.8	78	7.4	0.86	5.8	9.3
2015	410	7.2	0.37	6.5	8.0	62	5.5	0.71	4.2	7.1
2016	424	7.4	0.38	6.7	8.2	67	6.0	0.75	4.7	7.7
2017	435	7.4	0.37	6.7	8.2	60	5.2	0.68	3.9	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	80	0.4	0.05	0.3	0.5	2,212	0.7	0.01	0.6	0.7
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	4	0.4	0.21	0.1	1.2	82	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	82	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	80	0.6	0.07	0.5	0.8
2011	5	0.5	0.24	0.1	1.2	56	0.4	0.06	0.3	0.6
2012	4	0.3	0.13	0.1	0.7	54	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	69	0.5	0.06	0.4	0.7
2014	3	0.3	0.20	0.1	0.9	63	0.5	0.06	0.4	0.6
2015	8	0.8	0.29	0.3	1.5	67	0.5	0.06	0.4	0.7
2016	2	0.2	0.12	0.0	0.6	69	0.5	0.06	0.4	0.6
2017	10	0.9	0.29	0.4	1.6	63	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,116	0.8	0.02	0.7	0.8	33	0.1	0.01	0.1	0.1
1990	119	1.3	0.12	1.1	1.5	0				
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5
1992	96	1.0	0.11	0.8	1.3	0				
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3
1994	90	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8
1995	98	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7
1998	79	0.8	0.09	0.7	1.0	1	0.1	0.05	0.0	0.3
1999	79	0.8	0.09	0.6	1.0	0				
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5
2001	56	0.6	0.08	0.4	0.7	1	0.1	0.07	0.0	0.4
2002	93	0.9	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4
2003	63	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2004	78	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4
2006	68	0.7	0.09	0.5	0.9	0				
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6
2008	66	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6
2009	64	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5
2010	75	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5
2011	55	0.5	0.07	0.4	0.7	0				
2012	53	0.5	0.07	0.4	0.7	0				
2013	62	0.6	0.07	0.4	0.7	1	0.1	0.07	0.0	0.4
2014	56	0.5	0.07	0.4	0.7	0				
2015	62	0.6	0.08	0.5	0.8	0				
2016	59	0.5	0.07	0.4	0.7	0				
2017	60	0.6	0.08	0.4	0.7	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	57	0.6	0.09	0.4	0.8	1,715	1.2	0.03	1.2	1.3
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					79	1.8	0.21	1.4	2.2
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	3	0.6	0.40	0.1	2.6	70	1.5	0.18	1.2	1.9
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	59	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	42	0.8	0.12	0.6	1.1
2012	4	0.5	0.25	0.1	1.4	42	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
2014	2	0.5	0.40	0.0	1.7	44	0.8	0.12	0.5	1.0
2015	5	1.0	0.52	0.3	2.4	50	0.9	0.12	0.6	1.1
2016	1	0.1	0.10	0.0	0.7	55	0.9	0.13	0.7	1.2
2017	8	1.5	0.60	0.6	3.1	45	0.8	0.12	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,654	1.4	0.03	1.3	1.5	18	0.1	0.03	0.1	0.2
1990	96	2.5	0.26	2.0	3.1	0				
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1
1992	82	2.2	0.24	1.7	2.7	0				
1993	69	1.7	0.21	1.3	2.2	0				
1994	68	1.7	0.21	1.3	2.2	0				
1995	77	2.0	0.23	1.6	2.5	0				
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1
1998	62	1.5	0.20	1.2	2.0	1	0.1	0.12	0.0	0.8
1999	68	1.7	0.21	1.3	2.2	0				
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0
2001	43	1.1	0.16	0.8	1.4	0				
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8
2004	62	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0
2006	49	1.2	0.17	0.9	1.5	0				
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2
2009	47	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2
2010	56	1.2	0.17	0.9	1.6	2	0.3	0.20	0.0	1.0
2011	41	0.9	0.14	0.7	1.2	0				
2012	41	0.9	0.14	0.6	1.2	0				
2013	46	1.0	0.15	0.7	1.3	0				
2014	39	0.8	0.13	0.6	1.1	0				
2015	47	1.0	0.15	0.7	1.3	0				
2016	47	1.0	0.14	0.7	1.3	0				
2017	43	0.9	0.14	0.7	1.2	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	23	0.3	0.06	0.2	0.4	497	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					25	0.4	0.08	0.2	0.6
1995	1	0.3	0.29	0.0	1.9	22	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4
2010	0					21	0.3	0.07	0.2	0.5
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3
2012	0					12	0.2	0.05	0.1	0.3
2013	0					21	0.3	0.06	0.2	0.5
2014	1	0.2	0.22	0.0	1.0	19	0.2	0.05	0.1	0.4
2015	3	0.5	0.32	0.1	1.5	17	0.2	0.06	0.1	0.4
2016	1	0.2	0.19	0.0	0.9	14	0.2	0.05	0.1	0.3
2017	2	0.3	0.22	0.0	1.0	18	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lip										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	462	0.3	0.01	0.3	0.3	15	0.1	0.02	0.0	0.1
1990	23	0.4	0.08	0.3	0.6	0				
1991	15	0.3	0.07	0.2	0.5	0				
1992	14	0.2	0.06	0.1	0.4	0				
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3
1995	21	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6
1996	21	0.4	0.09	0.2	0.6	0				
1997	17	0.3	0.07	0.2	0.5	0				
1998	17	0.3	0.08	0.2	0.5	0				
1999	11	0.2	0.06	0.1	0.4	0				
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6
2002	27	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2003	16	0.3	0.07	0.2	0.5	0				
2004	16	0.3	0.07	0.2	0.5	2	0.2	0.17	0.0	0.8
2005	11	0.2	0.06	0.1	0.3	0				
2006	19	0.4	0.08	0.2	0.6	0				
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8
2008	22	0.4	0.09	0.3	0.6	1	0.1	0.12	0.0	0.6
2009	17	0.3	0.07	0.2	0.5	0				
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2011	14	0.2	0.06	0.1	0.4	0				
2012	12	0.2	0.06	0.1	0.4	0				
2013	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6
2014	17	0.3	0.06	0.2	0.4	0				
2015	15	0.3	0.07	0.2	0.5	0				
2016	12	0.2	0.05	0.1	0.3	0				
2017	17	0.3	0.07	0.2	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	401	1.8	0.10	1.6	2.0	10,515	3.1	0.03	3.1	3.2
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	7	1.7	0.72	0.6	3.7	270	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	6	1.4	0.65	0.5	3.3	265	2.5	0.15	2.2	2.8
1994	8	2.2	0.89	0.8	4.5	261	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	327	3.0	0.17	2.7	3.3
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	10	1.3	0.44	0.6	2.6	322	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	284	2.5	0.15	2.2	2.8
2002	10	1.5	0.55	0.7	3.0	345	3.0	0.16	2.7	3.3
2003	15	2.2	0.62	1.1	3.7	328	2.8	0.16	2.5	3.1
2004	16	2.2	0.59	1.2	3.6	368	3.1	0.16	2.8	3.5
2005	11	1.4	0.46	0.6	2.6	386	3.2	0.16	2.9	3.6
2006	12	1.3	0.43	0.6	2.4	362	3.0	0.16	2.7	3.3
2007	13	1.4	0.43	0.7	2.5	443	3.6	0.17	3.3	4.0
2008	16	1.9	0.52	1.0	3.1	413	3.3	0.16	3.0	3.7
2009	19	1.9	0.47	1.1	3.0	413	3.3	0.17	3.0	3.7
2010	22	2.0	0.47	1.2	3.1	397	3.1	0.16	2.8	3.4
2011	28	2.5	0.52	1.6	3.7	449	3.5	0.17	3.2	3.8
2012	18	1.5	0.38	0.8	2.4	517	3.9	0.18	3.6	4.3
2013	20	1.5	0.37	0.9	2.4	520	3.8	0.17	3.5	4.2
2014	20	1.8	0.44	1.1	2.9	539	4.0	0.17	3.6	4.3
2015	27	2.2	0.46	1.4	3.3	536	3.9	0.17	3.6	4.3
2016	27	1.9	0.38	1.2	2.8	531	3.9	0.17	3.5	4.2
2017	28	1.7	0.34	1.1	2.5	606	4.3	0.18	4.0	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	8,957	3.2	0.03	3.2	3.3	1,229	2.7	0.08	2.6	2.9
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5
1991	210	2.4	0.17	2.1	2.8	54	4.3	0.59	3.2	5.6
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5
1993	227	2.5	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6
1994	216	2.4	0.16	2.1	2.7	42	3.2	0.50	2.3	4.3
1995	226	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4
1997	275	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6
1998	220	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7
1999	276	3.0	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5
2000	247	2.6	0.17	2.3	3.0	44	2.9	0.45	2.1	4.0
2001	232	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8
2002	285	3.0	0.18	2.6	3.4	51	3.2	0.44	2.4	4.2
2003	280	2.9	0.17	2.6	3.3	39	2.5	0.41	1.8	3.4
2004	300	3.1	0.18	2.7	3.4	47	2.9	0.43	2.1	3.9
2005	331	3.3	0.18	3.0	3.7	37	2.3	0.38	1.6	3.1
2006	302	3.0	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3
2007	391	3.9	0.20	3.5	4.3	39	2.3	0.37	1.6	3.1
2008	369	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7
2009	358	3.5	0.19	3.2	3.9	34	1.9	0.33	1.3	2.7
2010	344	3.3	0.18	2.9	3.7	35	2.0	0.34	1.4	2.8
2011	379	3.6	0.19	3.3	4.0	52	2.9	0.40	2.1	3.8
2012	453	4.3	0.21	3.9	4.7	50	2.7	0.39	2.0	3.6
2013	445	4.0	0.20	3.7	4.4	57	3.0	0.40	2.2	3.9
2014	470	4.2	0.20	3.9	4.6	51	2.8	0.39	2.0	3.7
2015	470	4.3	0.20	3.9	4.7	46	2.4	0.36	1.7	3.2
2016	466	4.2	0.20	3.8	4.6	45	2.2	0.34	1.6	3.0
2017	536	4.8	0.22	4.4	5.3	44	2.2	0.34	1.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	272	2.5	0.17	2.2	2.9	7,227	4.7	0.06	4.6	4.8
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2
1993	5	2.7	1.43	0.6	6.9	173	3.6	0.28	3.1	4.2
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5
1997	10	4.9	1.88	1.9	9.7	209	4.3	0.30	3.7	4.9
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	4.0	205	4.0	0.28	3.5	4.6
2000	7	2.4	1.04	0.8	5.4	193	3.8	0.27	3.3	4.4
2001	4	0.9	0.43	0.2	2.6	199	3.8	0.27	3.3	4.4
2002	8	2.5	1.00	0.9	5.2	237	4.5	0.30	4.0	5.1
2003	12	3.9	1.30	1.8	7.2	227	4.3	0.29	3.8	4.9
2004	13	3.8	1.18	1.9	6.8	251	4.6	0.29	4.0	5.2
2005	8	1.9	0.80	0.6	4.1	265	4.8	0.30	4.2	5.4
2006	7	1.4	0.68	0.4	3.4	252	4.5	0.29	3.9	5.1
2007	7	1.4	0.61	0.5	3.2	309	5.4	0.31	4.8	6.1
2008	9	2.3	0.90	0.9	4.7	286	4.9	0.30	4.4	5.5
2009	13	2.7	0.84	1.3	4.8	273	4.7	0.29	4.1	5.3
2010	15	2.7	0.75	1.4	4.6	282	4.7	0.29	4.2	5.3
2011	18	3.2	0.85	1.8	5.3	311	5.1	0.30	4.5	5.7
2012	13	2.0	0.64	1.0	3.7	363	5.9	0.32	5.3	6.6
2013	17	2.5	0.67	1.4	4.2	367	5.8	0.31	5.2	6.4
2014	10	2.0	0.69	0.9	3.7	371	5.8	0.31	5.2	6.4
2015	18	2.8	0.73	1.6	4.6	382	6.0	0.32	5.4	6.6
2016	18	2.5	0.65	1.4	4.1	379	5.8	0.31	5.2	6.4
2017	16	2.2	0.59	1.2	3.6	435	6.7	0.33	6.1	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	6,111	4.8	0.06	4.7	4.9	905	4.7	0.16	4.4	5.0
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7
1993	144	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6
1995	158	3.8	0.31	3.2	4.5	30	5.3	1.03	3.5	7.7
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8
1997	171	4.1	0.31	3.5	4.8	34	6.0	1.09	4.1	8.5
1998	134	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9
1999	174	4.0	0.31	3.5	4.7	29	4.2	0.77	2.8	6.0
2000	156	3.6	0.29	3.1	4.3	35	5.3	0.91	3.7	7.4
2001	161	3.7	0.29	3.2	4.3	36	5.3	0.89	3.7	7.4
2002	191	4.4	0.32	3.8	5.0	39	5.6	0.90	4.0	7.6
2003	191	4.3	0.32	3.8	5.0	30	4.6	0.88	3.0	6.6
2004	198	4.3	0.31	3.8	5.0	38	5.3	0.88	3.7	7.3
2005	226	4.9	0.33	4.3	5.6	30	4.4	0.82	2.9	6.3
2006	212	4.6	0.32	4.0	5.2	28	3.6	0.70	2.4	5.3
2007	269	5.7	0.35	5.0	6.5	32	4.3	0.78	2.9	6.2
2008	257	5.4	0.34	4.7	6.1	23	3.3	0.73	2.0	5.1
2009	236	4.9	0.32	4.3	5.6	22	2.8	0.60	1.7	4.2
2010	246	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1
2011	263	5.2	0.33	4.6	5.9	37	4.8	0.82	3.3	6.7
2012	314	6.2	0.36	5.6	7.0	39	5.1	0.85	3.5	7.0
2013	317	6.1	0.35	5.4	6.8	39	4.8	0.80	3.3	6.6
2014	329	6.2	0.35	5.5	7.0	31	4.0	0.75	2.7	5.8
2015	336	6.4	0.36	5.7	7.2	33	4.1	0.74	2.8	5.8
2016	332	6.2	0.35	5.6	7.0	34	4.0	0.71	2.7	5.7
2017	385	7.3	0.39	6.6	8.1	33	4.0	0.72	2.7	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	129	1.2	0.11	1.0	1.4	3,288	1.8	0.03	1.7	1.9
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	1	0.5	0.45	0.0	2.5	78	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	3	1.4	0.81	0.3	3.9	86	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	5	2.8	1.32	0.9	6.3	118	1.9	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	4	1.0	0.52	0.2	2.8	117	1.9	0.18	1.6	2.3
2000	0					106	1.7	0.16	1.4	2.0
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7
2002	2	0.7	0.54	0.1	2.5	108	1.7	0.16	1.4	2.1
2003	3	0.7	0.42	0.2	2.2	101	1.6	0.16	1.3	1.9
2004	3	0.7	0.43	0.1	2.2	117	1.8	0.17	1.5	2.2
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0
2007	6	1.4	0.61	0.5	3.1	134	2.0	0.18	1.7	2.4
2008	7	1.5	0.61	0.6	3.2	127	1.9	0.17	1.6	2.3
2009	6	1.2	0.51	0.4	2.6	140	2.1	0.18	1.8	2.5
2010	7	1.3	0.54	0.5	2.8	115	1.7	0.16	1.4	2.0
2011	10	1.8	0.62	0.8	3.4	138	2.0	0.18	1.7	2.4
2012	5	0.9	0.44	0.3	2.2	154	2.2	0.18	1.9	2.6
2013	3	0.5	0.33	0.1	1.6	153	2.1	0.17	1.8	2.5
2014	10	1.7	0.56	0.8	3.1	168	2.3	0.19	2.0	2.7
2015	9	1.6	0.57	0.7	3.1	154	2.1	0.17	1.8	2.5
2016	9	1.2	0.43	0.6	2.4	152	2.1	0.18	1.8	2.5
2017	12	1.4	0.40	0.7	2.4	171	2.3	0.18	1.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Tongue										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,846	1.9	0.04	1.8	2.0	324	1.3	0.07	1.1	1.4
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2
1991	66	1.4	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3
1994	71	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6
1997	104	2.0	0.20	1.7	2.5	13	1.7	0.47	0.9	2.9
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
1999	102	2.0	0.20	1.6	2.4	11	1.3	0.39	0.6	2.3
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9
2002	94	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3
2003	89	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9
2004	102	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5
2006	90	1.6	0.18	1.3	2.0	15	1.6	0.40	0.9	2.6
2007	122	2.3	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5
2008	112	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0
2009	122	2.3	0.21	1.9	2.7	12	1.3	0.37	0.6	2.2
2010	98	1.8	0.19	1.5	2.2	11	1.0	0.31	0.5	1.9
2011	116	2.1	0.20	1.7	2.5	15	1.5	0.38	0.8	2.4
2012	139	2.5	0.22	2.1	3.0	11	1.0	0.32	0.5	1.9
2013	128	2.2	0.20	1.8	2.6	18	1.7	0.40	1.0	2.7
2014	141	2.4	0.21	2.0	2.9	20	1.9	0.43	1.2	3.0
2015	134	2.3	0.21	1.9	2.8	13	1.1	0.32	0.6	2.0
2016	134	2.4	0.22	2.0	2.9	11	1.0	0.29	0.5	1.7
2017	151	2.6	0.22	2.2	3.0	11	0.9	0.28	0.5	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	215	0.9	0.07	0.8	1.0	4,074	1.2	0.02	1.2	1.3
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1
1991	3	0.5	0.32	0.1	1.8	96	0.9	0.09	0.7	1.1
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3
1993	4	0.7	0.41	0.2	2.1	112	1.0	0.10	0.9	1.3
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5
1996	9	3.0	1.09	1.3	5.7	132	1.2	0.11	1.0	1.4
1997	14	2.7	0.86	1.3	4.8	142	1.3	0.11	1.1	1.5
1998	6	1.0	0.44	0.3	2.3	134	1.2	0.10	1.0	1.4
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4
2001	4	0.4	0.20	0.1	1.1	133	1.2	0.10	1.0	1.4
2002	11	1.1	0.40	0.4	2.2	142	1.2	0.10	1.0	1.5
2003	8	1.5	0.66	0.5	3.2	134	1.2	0.10	1.0	1.4
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5
2007	12	1.2	0.41	0.5	2.2	161	1.4	0.11	1.2	1.6
2008	8	0.8	0.31	0.3	1.6	145	1.2	0.10	1.0	1.4
2009	16	1.5	0.43	0.8	2.6	163	1.4	0.11	1.2	1.6
2010	7	0.4	0.16	0.2	0.9	167	1.4	0.11	1.2	1.6
2011	5	0.4	0.17	0.1	0.9	163	1.3	0.11	1.1	1.6
2012	11	1.1	0.35	0.5	2.0	199	1.6	0.12	1.4	1.8
2013	7	0.6	0.26	0.2	1.3	164	1.3	0.11	1.1	1.6
2014	11	0.9	0.29	0.4	1.6	180	1.4	0.11	1.2	1.6
2015	14	0.9	0.27	0.5	1.6	188	1.5	0.11	1.3	1.7
2016	10	0.6	0.22	0.3	1.2	187	1.5	0.11	1.3	1.7
2017	19	1.4	0.34	0.8	2.2	179	1.4	0.10	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,406	1.2	0.02	1.2	1.3	518	1.2	0.05	1.1	1.3
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0
1991	80	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4
1993	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5
1995	113	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9
1996	113	1.2	0.11	1.0	1.5	15	1.0	0.27	0.6	1.7
1997	123	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4
2001	114	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3
2002	125	1.3	0.12	1.1	1.6	12	0.8	0.23	0.4	1.4
2003	120	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2
2006	118	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9
2007	134	1.4	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2
2009	136	1.4	0.12	1.2	1.6	21	1.3	0.29	0.8	2.0
2010	131	1.3	0.12	1.1	1.6	25	1.6	0.32	1.0	2.3
2011	137	1.4	0.12	1.1	1.6	17	1.0	0.24	0.6	1.6
2012	160	1.6	0.13	1.3	1.8	29	1.6	0.29	1.0	2.2
2013	127	1.2	0.11	1.0	1.5	28	1.6	0.30	1.0	2.3
2014	139	1.3	0.12	1.1	1.6	33	1.9	0.33	1.3	2.7
2015	152	1.5	0.12	1.2	1.7	26	1.3	0.26	0.9	2.0
2016	150	1.5	0.13	1.2	1.7	33	1.8	0.32	1.3	2.6
2017	146	1.4	0.12	1.1	1.6	26	1.3	0.27	0.9	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	102	1.0	0.11	0.7	1.2	2,315	1.6	0.03	1.6	1.7
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8
1991	0					53	1.2	0.16	0.9	1.5
1992	0					66	1.5	0.19	1.2	1.9
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8
1994	0					68	1.6	0.20	1.2	2.0
1995	0					75	1.7	0.19	1.3	2.1
1996	3	1.9	1.22	0.3	5.6	74	1.6	0.19	1.3	2.0
1997	5	2.0	0.92	0.6	4.8	76	1.6	0.19	1.3	2.0
1998	2	0.4	0.31	0.0	2.3	75	1.6	0.18	1.2	2.0
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0
2001	0					80	1.7	0.19	1.3	2.1
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1
2003	4	2.4	1.41	0.5	6.2	76	1.6	0.18	1.2	2.0
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9
2007	6	1.5	0.70	0.5	3.5	96	1.9	0.20	1.5	2.3
2008	6	1.4	0.66	0.4	3.3	82	1.6	0.17	1.2	1.9
2009	8	1.6	0.68	0.5	3.4	95	1.8	0.19	1.4	2.2
2010	5	0.6	0.27	0.2	1.6	91	1.7	0.18	1.3	2.1
2011	2	0.3	0.21	0.0	1.2	102	1.9	0.19	1.6	2.4
2012	6	1.4	0.60	0.5	3.0	113	2.0	0.20	1.7	2.5
2013	4	1.0	0.56	0.2	2.5	93	1.7	0.18	1.4	2.1
2014	4	0.8	0.45	0.2	2.1	99	1.7	0.18	1.4	2.1
2015	5	1.0	0.51	0.3	2.4	123	2.1	0.20	1.8	2.6
2016	8	1.0	0.42	0.4	2.2	95	1.7	0.17	1.3	2.0
2017	10	1.2	0.42	0.6	2.4	99	1.7	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,986	1.7	0.04	1.6	1.8	252	1.3	0.09	1.2	1.5
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6
1996	63	1.6	0.21	1.2	2.1	8	1.3	0.47	0.5	2.6
1997	66	1.6	0.20	1.3	2.1	7	1.3	0.54	0.5	2.7
1998	63	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5
2001	71	1.7	0.21	1.3	2.2	4	0.8	0.44	0.2	2.0
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9
2006	65	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5
2010	77	1.7	0.19	1.3	2.1	9	1.6	0.56	0.7	3.0
2011	85	1.9	0.21	1.5	2.4	12	1.6	0.49	0.8	2.9
2012	90	2.0	0.22	1.6	2.5	18	2.2	0.55	1.3	3.6
2013	72	1.6	0.19	1.2	2.0	17	2.3	0.57	1.3	3.7
2014	80	1.7	0.19	1.3	2.1	15	1.8	0.48	1.0	3.0
2015	102	2.2	0.22	1.8	2.6	15	2.0	0.52	1.1	3.3
2016	81	1.7	0.20	1.4	2.2	11	1.3	0.39	0.6	2.3
2017	86	1.8	0.19	1.4	2.2	10	1.1	0.38	0.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	113	0.9	0.09	0.7	1.0	1,759	1.0	0.02	0.9	1.0
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8
1991	3	1.1	0.64	0.2	3.4	43	0.7	0.11	0.5	1.0
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1
1993	3	1.1	0.71	0.2	3.5	47	0.8	0.12	0.6	1.1
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1
2002	3	0.4	0.22	0.1	1.5	61	1.0	0.13	0.7	1.3
2003	4	1.0	0.64	0.2	2.9	58	0.9	0.12	0.7	1.2
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4
2007	6	0.9	0.46	0.2	2.3	65	1.0	0.13	0.8	1.3
2008	2	0.3	0.20	0.0	1.2	63	1.0	0.12	0.7	1.2
2009	8	1.5	0.56	0.6	3.0	68	1.0	0.13	0.8	1.3
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2
2012	5	0.9	0.41	0.3	2.0	86	1.3	0.14	1.0	1.6
2013	3	0.4	0.23	0.1	1.2	71	1.1	0.13	0.8	1.4
2014	7	1.1	0.42	0.4	2.2	81	1.2	0.13	0.9	1.5
2015	9	1.0	0.32	0.4	1.9	65	1.0	0.13	0.7	1.3
2016	2	0.3	0.21	0.0	1.0	92	1.4	0.15	1.1	1.7
2017	9	1.4	0.50	0.6	2.7	80	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Salivary Gland										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,420	1.0	0.03	0.9	1.0	266	1.0	0.06	0.9	1.2
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2
1991	35	0.7	0.12	0.5	1.0	7	0.8	0.32	0.3	1.7
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5
1993	37	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0
1995	44	0.9	0.13	0.6	1.2	12	1.5	0.44	0.8	2.6
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8
1997	57	1.1	0.15	0.9	1.5	7	0.8	0.30	0.3	1.7
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7
2002	53	1.0	0.14	0.8	1.4	5	0.6	0.27	0.2	1.4
2003	51	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5
2007	52	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3
2009	52	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.32	0.5	1.9
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8
2014	59	1.0	0.14	0.8	1.3	18	1.9	0.45	1.1	3.0
2015	50	1.0	0.14	0.7	1.3	11	0.9	0.29	0.5	1.7
2016	69	1.3	0.17	1.0	1.7	22	2.2	0.48	1.4	3.4
2017	60	1.1	0.16	0.9	1.5	16	1.5	0.37	0.8	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	87	0.4	0.05	0.3	0.5	2,835	0.9	0.02	0.8	0.9
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	1.1	132	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	4	0.5	0.25	0.1	1.4	122	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	3	0.4	0.23	0.1	1.1	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	106	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	90	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	93	0.7	0.07	0.6	0.9
2013	1	0.1	0.09	0.0	0.5	100	0.7	0.07	0.6	0.9
2014	2	0.1	0.08	0.0	0.5	80	0.6	0.06	0.5	0.7
2015	4	0.4	0.22	0.1	1.0	95	0.7	0.07	0.6	0.9
2016	2	0.2	0.15	0.0	0.7	80	0.6	0.07	0.5	0.7
2017	3	0.2	0.12	0.0	0.6	74	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,272	0.8	0.02	0.8	0.9	521	1.1	0.05	1.1	1.3
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0
1991	107	1.2	0.11	1.0	1.4	26	2.0	0.39	1.3	2.9
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3
1994	88	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4
1995	107	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6
1996	95	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0
2000	93	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7
2005	61	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3
2006	82	0.8	0.09	0.7	1.0	18	1.1	0.26	0.6	1.7
2007	68	0.7	0.08	0.5	0.8	16	1.0	0.24	0.5	1.6
2008	87	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8
2010	63	0.6	0.07	0.4	0.8	15	0.8	0.21	0.4	1.3
2011	76	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1
2012	73	0.7	0.08	0.5	0.8	19	1.1	0.26	0.7	1.7
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4
2014	60	0.5	0.07	0.4	0.7	16	0.9	0.23	0.5	1.5
2015	85	0.8	0.09	0.6	1.0	7	0.4	0.13	0.1	0.7
2016	72	0.7	0.08	0.5	0.8	6	0.3	0.13	0.1	0.7
2017	64	0.6	0.07	0.4	0.7	9	0.4	0.13	0.2	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	68	0.6	0.08	0.5	0.8	1,995	1.3	0.03	1.2	1.4
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	92	1.9	0.20	1.5	2.4
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.5	71	1.3	0.15	1.0	1.6
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2
2008	4	1.0	0.51	0.2	2.5	69	1.2	0.14	0.9	1.5
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1
2011	2	0.3	0.18	0.0	1.1	63	1.0	0.13	0.7	1.3
2012	2	0.5	0.42	0.1	1.9	65	1.0	0.13	0.8	1.3
2013	1	0.2	0.18	0.0	1.0	76	1.2	0.14	0.9	1.5
2014	2	0.2	0.15	0.0	0.9	60	0.9	0.12	0.7	1.2
2015	1	0.2	0.24	0.0	1.1	67	1.1	0.13	0.8	1.4
2016	1	0.2	0.23	0.0	1.1	48	0.8	0.12	0.6	1.1
2017	1	0.2	0.21	0.0	1.0	49	0.7	0.10	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,571	1.2	0.03	1.2	1.3	391	2.0	0.10	1.8	2.2
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7
1991	75	1.8	0.21	1.4	2.3	16	2.8	0.70	1.6	4.5
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6
1994	60	1.4	0.19	1.1	1.8	23	4.3	0.95	2.7	6.5
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0
1996	71	1.7	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0
2005	43	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2
2006	57	1.2	0.16	0.9	1.6	13	1.8	0.50	0.9	3.1
2007	42	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.3
2008	57	1.2	0.16	0.9	1.5	11	1.3	0.42	0.7	2.5
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6
2010	43	0.8	0.13	0.6	1.1	9	1.1	0.35	0.5	2.0
2011	53	1.0	0.14	0.7	1.3	10	1.1	0.36	0.5	2.1
2012	52	0.9	0.13	0.7	1.2	12	1.6	0.49	0.8	2.9
2013	60	1.1	0.15	0.9	1.5	14	1.6	0.42	0.8	2.7
2014	48	0.9	0.13	0.6	1.2	9	1.3	0.46	0.6	2.5
2015	62	1.2	0.16	0.9	1.6	3	0.3	0.19	0.1	1.0
2016	43	0.9	0.13	0.6	1.2	4	0.5	0.24	0.1	1.2
2017	42	0.8	0.12	0.5	1.0	7	0.7	0.25	0.3	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	19	0.2	0.05	0.1	0.3	840	0.5	0.02	0.4	0.5
1990	0					31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	2.4	42	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8
1995	0					37	0.6	0.10	0.4	0.8
1996	0					30	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6
1999	0					28	0.5	0.09	0.3	0.7
2000	0					32	0.5	0.09	0.4	0.7
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6
2002	0					36	0.6	0.09	0.4	0.8
2003	0					28	0.5	0.09	0.3	0.7
2004	1	0.2	0.19	0.0	1.2	26	0.4	0.08	0.3	0.6
2005	0					22	0.3	0.07	0.2	0.5
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7
2007	0					30	0.4	0.08	0.3	0.6
2008	0					37	0.5	0.09	0.4	0.8
2009	0					30	0.4	0.08	0.3	0.6
2010	0					26	0.4	0.08	0.3	0.6
2011	0					27	0.4	0.07	0.3	0.6
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6
2013	0					24	0.3	0.07	0.2	0.5
2014	0					20	0.3	0.06	0.2	0.4
2015	3	0.6	0.33	0.1	1.5	28	0.4	0.07	0.2	0.6
2016	1	0.2	0.19	0.0	0.9	32	0.4	0.08	0.3	0.6
2017	2	0.2	0.16	0.0	0.8	25	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Floor of Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	701	0.5	0.02	0.4	0.5	130	0.5	0.04	0.4	0.6
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7
1991	32	0.6	0.11	0.4	0.9	10	1.4	0.43	0.6	2.5
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2
1995	32	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4
2000	26	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2
2007	26	0.5	0.09	0.3	0.7	3	0.3	0.18	0.1	0.9
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8
2012	21	0.4	0.08	0.2	0.6	7	0.7	0.28	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9
2014	12	0.2	0.06	0.1	0.4	7	0.6	0.24	0.3	1.3
2015	23	0.4	0.08	0.2	0.6	4	0.4	0.18	0.1	0.9
2016	29	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.7
2017	22	0.4	0.08	0.2	0.6	2	0.2	0.10	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	260	1.3	0.09	1.1	1.5	5,805	1.7	0.02	1.7	1.8
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7
1992	0					172	1.6	0.12	1.4	1.9
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1
1996	9	2.2	0.91	0.8	4.6	194	1.8	0.13	1.5	2.0
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9
2001	5	1.1	0.52	0.3	2.5	194	1.7	0.12	1.5	2.0
2002	4	0.9	0.50	0.2	2.3	203	1.8	0.12	1.5	2.0
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1
2004	10	1.3	0.44	0.6	2.5	217	1.8	0.13	1.6	2.1
2005	3	0.3	0.15	0.1	0.9	188	1.6	0.12	1.4	1.8
2006	9	1.4	0.54	0.5	2.7	206	1.7	0.12	1.5	2.0
2007	14	1.4	0.46	0.6	2.6	192	1.6	0.12	1.4	1.8
2008	17	1.8	0.48	1.0	2.9	240	1.9	0.13	1.7	2.2
2009	12	0.9	0.28	0.5	1.7	226	1.8	0.12	1.6	2.1
2010	19	2.1	0.56	1.2	3.5	236	1.9	0.12	1.6	2.1
2011	10	0.8	0.29	0.4	1.6	252	1.9	0.12	1.7	2.2
2012	12	1.4	0.43	0.7	2.4	226	1.7	0.12	1.5	2.0
2013	15	1.8	0.47	1.0	2.9	223	1.7	0.12	1.5	1.9
2014	7	0.7	0.28	0.2	1.4	249	1.9	0.12	1.6	2.1
2015	20	1.6	0.39	0.9	2.6	255	1.9	0.12	1.7	2.1
2016	12	0.9	0.26	0.4	1.5	246	1.8	0.12	1.6	2.0
2017	20	1.6	0.37	0.9	2.4	245	1.8	0.12	1.6	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,748	1.7	0.02	1.6	1.7	802	1.8	0.07	1.7	2.0
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3
1996	158	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9
1997	160	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0
1998	148	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5
2000	168	1.7	0.13	1.5	2.0	15	1.0	0.26	0.6	1.6
2001	163	1.7	0.13	1.4	2.0	25	1.7	0.34	1.1	2.5
2002	159	1.6	0.13	1.4	1.9	37	2.5	0.41	1.7	3.4
2003	171	1.7	0.13	1.5	2.0	33	2.2	0.38	1.5	3.0
2004	172	1.8	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2
2005	155	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0
2006	168	1.7	0.13	1.4	1.9	26	1.5	0.30	1.0	2.2
2007	147	1.5	0.12	1.2	1.7	36	2.2	0.37	1.5	3.0
2008	188	1.8	0.13	1.6	2.1	38	2.2	0.37	1.6	3.1
2009	185	1.8	0.14	1.6	2.1	30	1.7	0.32	1.2	2.5
2010	185	1.8	0.13	1.5	2.1	38	2.1	0.34	1.4	2.8
2011	210	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2
2012	189	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2013	188	1.7	0.13	1.5	2.0	24	1.4	0.28	0.9	2.0
2014	204	1.9	0.13	1.6	2.2	30	1.6	0.30	1.1	2.3
2015	199	1.8	0.13	1.6	2.1	36	1.9	0.33	1.3	2.7
2016	195	1.7	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2017	204	1.8	0.13	1.6	2.1	21	1.0	0.23	0.6	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	155	1.6	0.15	1.3	1.9	3,251	2.2	0.04	2.1	2.3
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2
1992	0					95	2.1	0.22	1.7	2.6
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4
1995	0					104	2.2	0.21	1.8	2.6
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7
2000	2	1.2	1.09	0.0	4.5	95	1.9	0.20	1.6	2.4
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6
2002	1	0.5	0.46	0.0	2.3	106	2.1	0.20	1.7	2.5
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6
2004	7	1.7	0.68	0.6	3.7	119	2.3	0.21	1.9	2.7
2005	3	0.5	0.29	0.1	1.8	103	2.0	0.20	1.6	2.4
2006	6	2.0	1.02	0.5	4.7	112	2.1	0.20	1.7	2.5
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4
2008	12	2.8	0.91	1.3	5.1	131	2.3	0.21	1.9	2.8
2009	5	0.9	0.41	0.3	2.2	130	2.2	0.20	1.9	2.7
2010	11	3.1	1.02	1.4	5.6	136	2.4	0.21	2.0	2.8
2011	4	0.6	0.32	0.2	1.7	148	2.5	0.21	2.1	2.9
2012	8	1.9	0.77	0.7	3.9	126	2.1	0.19	1.7	2.5
2013	6	1.7	0.74	0.6	3.7	139	2.3	0.20	1.9	2.8
2014	5	0.8	0.43	0.2	2.1	139	2.3	0.20	1.9	2.7
2015	13	2.2	0.68	1.0	3.9	152	2.4	0.20	2.0	2.8
2016	9	1.1	0.38	0.5	2.2	138	2.2	0.19	1.8	2.6
2017	10	1.6	0.54	0.7	3.0	139	2.2	0.19	1.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,589	2.1	0.04	2.0	2.2	487	2.6	0.12	2.4	2.9
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1
1996	92	2.3	0.24	1.8	2.8	17	2.8	0.67	1.6	4.4
1997	95	2.3	0.24	1.9	2.9	16	2.7	0.70	1.5	4.4
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0
2000	86	2.1	0.22	1.6	2.5	8	1.2	0.43	0.5	2.4
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9
2002	77	1.8	0.21	1.4	2.3	24	3.9	0.85	2.4	5.9
2003	85	2.0	0.21	1.6	2.4	21	3.0	0.66	1.8	4.6
2004	93	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3
2005	83	1.9	0.21	1.5	2.4	14	1.8	0.50	1.0	3.1
2006	86	1.9	0.21	1.5	2.4	17	2.4	0.59	1.4	3.8
2007	78	1.7	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6
2008	96	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2
2009	103	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0
2010	105	2.2	0.22	1.8	2.7	23	3.0	0.67	1.8	4.6
2011	119	2.4	0.22	2.0	2.9	16	2.2	0.58	1.3	3.7
2012	104	2.1	0.21	1.7	2.6	13	1.6	0.46	0.8	2.8
2013	114	2.3	0.22	1.9	2.8	16	2.1	0.54	1.2	3.4
2014	111	2.3	0.22	1.9	2.7	16	2.2	0.58	1.2	3.6
2015	114	2.2	0.21	1.8	2.6	27	3.5	0.70	2.3	5.2
2016	105	2.0	0.20	1.6	2.5	15	2.2	0.59	1.2	3.6
2017	115	2.2	0.21	1.8	2.6	9	1.0	0.35	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	105	1.0	0.11	0.8	1.2	2,554	1.4	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	4	2.2	1.25	0.5	5.7	82	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	93	1.4	0.15	1.2	1.8
2001	2	1.0	0.72	0.1	3.2	89	1.3	0.14	1.1	1.6
2002	3	1.2	0.79	0.2	3.5	97	1.4	0.15	1.2	1.8
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.9	0.57	0.1	2.5	94	1.4	0.14	1.1	1.7
2007	4	0.9	0.54	0.2	2.5	86	1.3	0.14	1.0	1.6
2008	5	0.9	0.45	0.2	2.2	109	1.5	0.15	1.3	1.9
2009	7	1.0	0.38	0.4	2.1	96	1.4	0.15	1.2	1.8
2010	8	1.4	0.58	0.5	3.0	100	1.4	0.15	1.2	1.7
2011	6	1.0	0.44	0.4	2.3	104	1.4	0.14	1.2	1.7
2012	4	1.0	0.49	0.2	2.3	100	1.4	0.14	1.1	1.7
2013	9	1.8	0.63	0.8	3.5	84	1.2	0.13	0.9	1.4
2014	2	0.5	0.37	0.1	1.6	110	1.5	0.14	1.2	1.8
2015	7	1.2	0.47	0.4	2.4	103	1.4	0.14	1.1	1.7
2016	3	0.5	0.33	0.1	1.5	108	1.5	0.14	1.2	1.8
2017	10	1.5	0.51	0.7	2.8	106	1.4	0.15	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gum and Other Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,159	1.4	0.03	1.3	1.4	315	1.2	0.07	1.1	1.4
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1
1996	66	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6
1998	63	1.1	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7
2001	73	1.3	0.15	1.0	1.6	14	1.7	0.46	0.9	2.8
2002	82	1.4	0.16	1.1	1.8	13	1.5	0.41	0.8	2.5
2003	86	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2006	82	1.4	0.16	1.1	1.8	9	0.9	0.30	0.4	1.7
2007	69	1.3	0.15	1.0	1.6	16	1.7	0.43	1.0	2.8
2008	92	1.6	0.17	1.3	1.9	12	1.3	0.37	0.6	2.2
2009	82	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2
2010	80	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.3
2011	91	1.5	0.16	1.2	1.9	10	1.0	0.31	0.5	1.8
2012	85	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2
2013	74	1.2	0.14	0.9	1.5	8	0.8	0.30	0.4	1.7
2014	93	1.5	0.16	1.2	1.9	14	1.3	0.34	0.7	2.1
2015	85	1.4	0.16	1.1	1.8	9	0.8	0.27	0.4	1.6
2016	90	1.5	0.17	1.2	1.9	12	1.0	0.29	0.5	1.8
2017	89	1.5	0.17	1.2	1.9	12	1.0	0.30	0.5	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	93	0.4	0.04	0.3	0.4	1,908	0.6	0.01	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	5	0.7	0.34	0.2	1.8	67	0.6	0.08	0.5	0.8
1998	2	0.1	0.09	0.0	0.9	69	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	3	0.6	0.49	0.1	2.1	75	0.7	0.08	0.5	0.8
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7
2002	5	0.6	0.27	0.2	1.4	68	0.6	0.07	0.5	0.8
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	5	0.4	0.21	0.1	1.1	62	0.5	0.07	0.4	0.7
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8
2007	7	0.8	0.33	0.3	1.7	64	0.5	0.07	0.4	0.7
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7
2012	5	0.3	0.12	0.1	0.7	73	0.6	0.07	0.5	0.7
2013	5	0.4	0.19	0.1	0.9	68	0.6	0.07	0.4	0.7
2014	2	0.1	0.07	0.0	0.4	66	0.5	0.06	0.4	0.7
2015	4	0.2	0.12	0.1	0.6	81	0.7	0.07	0.5	0.8
2016	5	0.4	0.18	0.1	0.9	75	0.6	0.07	0.4	0.7
2017	3	0.2	0.10	0.0	0.5	71	0.6	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,205	0.5	0.01	0.4	0.5	403	0.9	0.04	0.8	1.0
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2000	48	0.5	0.08	0.4	0.7	16	1.0	0.26	0.6	1.6
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4
2002	44	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0
2006	48	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8
2007	38	0.4	0.06	0.3	0.5	14	0.8	0.21	0.4	1.3
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5
2012	40	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.5
2013	41	0.4	0.06	0.3	0.5	11	0.7	0.20	0.3	1.2
2014	37	0.3	0.06	0.2	0.5	16	0.9	0.22	0.5	1.4
2015	44	0.4	0.07	0.3	0.6	17	0.8	0.20	0.5	1.3
2016	44	0.4	0.06	0.3	0.5	17	0.9	0.22	0.5	1.4
2017	45	0.4	0.07	0.3	0.6	15	0.7	0.19	0.4	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	57	0.5	0.08	0.4	0.7	1,314	0.9	0.02	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	4	1.3	0.67	0.3	3.7	51	1.0	0.14	0.8	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	2	0.4	0.31	0.0	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.2	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	57	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
2014	2	0.2	0.13	0.0	0.9	44	0.7	0.12	0.5	1.0
2015	0					52	0.9	0.12	0.6	1.2
2016	4	0.7	0.39	0.2	1.9	52	0.8	0.12	0.6	1.1
2017	2	0.3	0.18	0.0	1.0	49	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	834	0.7	0.02	0.6	0.7	279	1.4	0.09	1.2	1.6
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2
2006	34	0.8	0.13	0.5	1.1	3	0.4	0.26	0.1	1.3
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8
2012	32	0.7	0.12	0.4	0.9	12	1.5	0.44	0.8	2.6
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.2
2014	25	0.5	0.10	0.3	0.7	9	1.3	0.43	0.6	2.4
2015	28	0.6	0.11	0.4	0.9	11	1.2	0.36	0.6	2.1
2016	30	0.5	0.10	0.4	0.8	14	1.6	0.44	0.9	2.7
2017	30	0.6	0.12	0.4	0.9	9	1.0	0.33	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	36	0.2	0.04	0.2	0.3	594	0.3	0.01	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	2	0.3	0.19	0.0	1.6	32	0.5	0.09	0.4	0.7
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	2	0.8	0.75	0.0	3.2	23	0.4	0.08	0.3	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	2	0.4	0.26	0.0	1.6	18	0.3	0.07	0.2	0.5
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	3	0.5	0.30	0.1	1.6	19	0.3	0.07	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					18	0.3	0.07	0.2	0.5
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4
2013	2	0.4	0.27	0.0	1.3	11	0.2	0.06	0.1	0.3
2014	0					22	0.3	0.07	0.2	0.5
2015	4	0.5	0.24	0.1	1.3	29	0.4	0.08	0.3	0.6
2016	1	0.1	0.07	0.0	0.6	23	0.4	0.08	0.2	0.5
2017	1	0.1	0.08	0.0	0.6	22	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Nasopharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	371	0.3	0.01	0.2	0.3	124	0.5	0.04	0.4	0.6
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6
2000	13	0.3	0.07	0.1	0.5	6	0.7	0.27	0.2	1.4
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4
2002	13	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9
2007	10	0.2	0.06	0.1	0.4	3	0.3	0.18	0.1	0.9
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3
2013	7	0.1	0.05	0.1	0.3	3	0.4	0.20	0.1	1.0
2014	12	0.2	0.06	0.1	0.4	7	0.6	0.23	0.2	1.3
2015	16	0.3	0.08	0.2	0.5	6	0.6	0.23	0.2	1.2
2016	14	0.3	0.08	0.1	0.5	3	0.3	0.17	0.1	0.9
2017	15	0.2	0.06	0.1	0.4	6	0.5	0.22	0.2	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	62	0.3	0.04	0.2	0.4	1,846	0.6	0.01	0.5	0.6
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	68	0.6	0.07	0.5	0.7
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8
2010	4	0.5	0.26	0.1	1.2	102	0.8	0.08	0.6	1.0
2011	4	0.3	0.13	0.1	0.7	115	0.9	0.08	0.7	1.1
2012	3	0.2	0.11	0.0	0.6	77	0.6	0.07	0.5	0.7
2013	1	0.2	0.17	0.0	0.7	83	0.6	0.07	0.5	0.8
2014	2	0.1	0.08	0.0	0.5	89	0.6	0.07	0.5	0.8
2015	3	0.2	0.10	0.0	0.5	75	0.5	0.06	0.4	0.7
2016	3	0.2	0.09	0.0	0.5	86	0.6	0.07	0.5	0.8
2017	4	0.2	0.12	0.1	0.6	83	0.6	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,427	0.5	0.01	0.5	0.5	393	0.9	0.04	0.8	1.0
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5
1998	43	0.5	0.07	0.3	0.6	25	1.8	0.35	1.1	2.6
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2
2003	57	0.6	0.08	0.4	0.8	11	0.6	0.19	0.3	1.2
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4
2006	52	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0
2010	72	0.7	0.08	0.5	0.9	25	1.4	0.28	0.9	2.1
2011	87	0.8	0.09	0.7	1.0	26	1.4	0.28	0.9	2.1
2012	56	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7
2013	71	0.6	0.08	0.5	0.8	12	0.7	0.19	0.3	1.2
2014	65	0.6	0.07	0.5	0.8	23	1.2	0.25	0.7	1.8
2015	61	0.5	0.07	0.4	0.7	14	0.8	0.20	0.4	1.3
2016	75	0.7	0.08	0.5	0.9	10	0.5	0.15	0.2	0.9
2017	64	0.5	0.07	0.4	0.7	17	0.8	0.21	0.5	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	52	0.5	0.08	0.4	0.7	1,399	0.9	0.02	0.9	1.0
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.6	48	0.9	0.13	0.7	1.2
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3
2010	3	0.6	0.39	0.1	1.9	80	1.3	0.15	1.1	1.7
2011	4	0.5	0.26	0.1	1.5	85	1.4	0.16	1.1	1.8
2012	3	0.4	0.20	0.1	1.2	55	0.9	0.12	0.7	1.2
2013	1	0.4	0.42	0.0	1.8	58	0.9	0.12	0.7	1.2
2014	1	0.1	0.11	0.0	0.8	70	1.1	0.13	0.8	1.4
2015	1	0.2	0.16	0.0	0.9	60	0.9	0.12	0.7	1.2
2016	3	0.3	0.18	0.1	1.0	74	1.1	0.14	0.9	1.5
2017	2	0.2	0.15	0.0	0.9	66	0.9	0.12	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,080	0.8	0.03	0.8	0.9	298	1.5	0.09	1.3	1.7
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2
1998	34	0.8	0.14	0.6	1.1	21	3.4	0.76	2.1	5.2
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5
2003	39	0.9	0.14	0.6	1.2	9	1.2	0.40	0.6	2.3
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0
2006	41	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0
2010	57	1.1	0.15	0.9	1.5	18	2.3	0.55	1.3	3.7
2011	63	1.3	0.17	1.0	1.7	20	2.5	0.57	1.5	3.9
2012	42	0.8	0.12	0.6	1.1	13	1.6	0.47	0.8	2.8
2013	51	1.0	0.14	0.7	1.3	7	0.9	0.37	0.4	2.0
2014	50	0.9	0.14	0.7	1.3	19	2.4	0.57	1.4	3.8
2015	49	0.9	0.13	0.7	1.2	11	1.3	0.41	0.6	2.4
2016	64	1.2	0.16	0.9	1.6	9	1.0	0.36	0.5	2.0
2017	52	0.9	0.12	0.7	1.2	13	1.5	0.44	0.8	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	10	0.1	0.03	0.0	0.2	447	0.2	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
2014	1	0.1	0.12	0.0	0.7	19	0.3	0.06	0.2	0.4
2015	2	0.2	0.14	0.0	0.8	15	0.2	0.06	0.1	0.4
2016	0					12	0.2	0.05	0.1	0.3
2017	2	0.3	0.17	0.0	0.9	17	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Oropharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	347	0.2	0.01	0.2	0.3	95	0.4	0.04	0.3	0.5
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8
2000	11	0.2	0.06	0.1	0.4	0				
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2
2008	17	0.3	0.07	0.2	0.5	0				
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1
2014	15	0.3	0.07	0.1	0.5	4	0.3	0.16	0.1	0.9
2015	12	0.2	0.06	0.1	0.4	3	0.3	0.19	0.1	0.9
2016	11	0.2	0.07	0.1	0.4	1	0.1	0.07	0.0	0.5
2017	12	0.2	0.06	0.1	0.4	4	0.3	0.14	0.1	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	108	0.5	0.05	0.4	0.6	2,917	0.9	0.02	0.8	0.9
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2
1991	0					92	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0
2006	5	0.5	0.23	0.2	1.2	107	0.9	0.09	0.7	1.1
2007	4	0.3	0.16	0.1	0.9	104	0.8	0.08	0.7	1.0
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1
2012	4	0.4	0.22	0.1	1.0	112	0.8	0.08	0.7	1.0
2013	8	0.6	0.22	0.3	1.2	92	0.7	0.07	0.5	0.8
2014	9	0.8	0.29	0.3	1.5	94	0.7	0.07	0.5	0.8
2015	2	0.2	0.15	0.0	0.7	107	0.8	0.08	0.6	1.0
2016	10	0.8	0.25	0.3	1.4	106	0.7	0.07	0.6	0.9
2017	6	0.5	0.22	0.2	1.1	91	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,204	0.8	0.02	0.8	0.8	671	1.5	0.06	1.4	1.6
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4
2006	77	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.28	0.8	2.0
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.1
2013	68	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8
2014	73	0.6	0.08	0.5	0.8	18	1.0	0.24	0.6	1.6
2015	82	0.7	0.08	0.6	0.9	22	1.1	0.25	0.7	1.7
2016	85	0.7	0.08	0.6	0.9	16	0.8	0.21	0.5	1.4
2017	74	0.6	0.08	0.5	0.8	15	0.7	0.18	0.4	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	97	1.0	0.11	0.8	1.2	2,331	1.5	0.03	1.5	1.6
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1
1991	0					75	1.7	0.20	1.3	2.2
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0
2004	2	0.3	0.21	0.0	1.6	107	2.0	0.19	1.6	2.4
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8
2006	5	1.0	0.47	0.3	2.5	83	1.5	0.17	1.2	1.9
2007	4	0.6	0.31	0.2	1.8	81	1.4	0.16	1.1	1.8
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	1.9
2011	9	2.3	0.88	0.9	4.5	90	1.6	0.17	1.2	1.9
2012	4	0.9	0.52	0.2	2.4	93	1.5	0.16	1.2	1.8
2013	8	1.2	0.46	0.5	2.5	76	1.2	0.14	1.0	1.5
2014	6	1.3	0.60	0.4	2.9	70	1.1	0.14	0.9	1.4
2015	2	0.5	0.36	0.0	1.6	88	1.4	0.15	1.1	1.8
2016	9	1.5	0.53	0.6	2.8	84	1.3	0.14	1.0	1.6
2017	6	1.1	0.48	0.3	2.3	69	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,739	1.4	0.03	1.3	1.4	557	2.9	0.13	2.7	3.2
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2
2004	72	1.6	0.19	1.3	2.1	33	4.6	0.82	3.2	6.6
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6
2006	58	1.3	0.17	1.0	1.7	24	3.2	0.66	2.0	4.8
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.59	1.8	4.2
2013	59	1.1	0.15	0.9	1.5	17	2.2	0.56	1.2	3.6
2014	53	1.0	0.14	0.8	1.4	15	2.1	0.56	1.1	3.4
2015	67	1.3	0.16	1.0	1.7	19	2.4	0.58	1.4	3.8
2016	67	1.2	0.15	0.9	1.5	14	1.8	0.51	1.0	3.1
2017	55	1.0	0.14	0.8	1.4	12	1.3	0.39	0.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11	0.1	0.04	0.1	0.2	586	0.3	0.01	0.3	0.3
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					16	0.3	0.06	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	0					24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6
2009	0					14	0.2	0.05	0.1	0.3
2010	0					17	0.2	0.06	0.1	0.4
2011	0					26	0.4	0.08	0.3	0.6
2012	0					19	0.3	0.06	0.2	0.4
2013	0					16	0.2	0.06	0.1	0.4
2014	3	0.4	0.23	0.1	1.2	24	0.3	0.07	0.2	0.5
2015	0					19	0.3	0.06	0.2	0.4
2016	1	0.1	0.11	0.0	0.7	22	0.3	0.06	0.2	0.5
2017	0					22	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hypopharynx										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	465	0.3	0.01	0.3	0.3	114	0.4	0.04	0.4	0.5
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	3	0.3	0.18	0.1	0.9
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.1
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2
2014	20	0.3	0.08	0.2	0.5	3	0.3	0.18	0.1	0.9
2015	15	0.3	0.07	0.1	0.4	3	0.3	0.15	0.1	0.8
2016	18	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7
2017	19	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	16,110	82.3	0.72	80.9	83.8	311,766	92.8	0.17	92.5	93.1
1990	232	69.0	5.14	59.3	79.7	9,966	94.6	0.96	92.8	96.5
1991	195	57.1	4.66	48.3	66.9	9,776	91.8	0.94	90.0	93.7
1992	223	63.6	4.84	54.5	73.7	9,946	92.1	0.93	90.3	93.9
1993	313	87.9	5.63	77.2	99.4	9,959	91.2	0.92	89.5	93.1
1994	311	82.1	5.34	72.0	93.1	10,606	96.4	0.94	94.6	98.3
1995	337	87.8	5.49	77.4	99.1	10,584	95.7	0.93	93.9	97.6
1996	338	84.8	5.28	74.7	95.6	10,763	96.8	0.93	94.9	98.6
1997	349	83.3	5.07	73.7	93.7	10,859	96.9	0.93	95.1	98.7
1998	407	93.5	5.37	83.2	104.4	11,489	101.5	0.95	99.7	103.4
1999	421	86.6	4.91	77.3	96.7	11,258	98.8	0.93	96.9	100.6
2000	399	77.2	4.45	68.7	86.3	11,510	100.3	0.94	98.5	102.2
2001	479	88.6	4.67	79.7	98.1	11,269	97.6	0.92	95.8	99.4
2002	483	83.8	4.32	75.5	92.6	11,540	99.3	0.93	97.5	101.2
2003	508	80.5	4.06	72.8	88.8	11,316	96.4	0.91	94.6	98.2
2004	579	90.3	4.31	82.1	99.1	11,597	98.2	0.91	96.4	100.0
2005	601	88.2	4.08	80.4	96.5	11,447	95.9	0.90	94.1	97.7
2006	627	89.3	4.04	81.6	97.5	11,439	95.1	0.90	93.4	96.9
2007	634	83.0	3.72	75.9	90.6	11,470	94.1	0.89	92.4	95.8
2008	642	77.8	3.43	71.2	84.7	11,449	92.6	0.87	90.9	94.4
2009	714	84.2	3.53	77.4	91.3	11,287	90.3	0.86	88.6	92.0
2010	762	82.7	3.33	76.3	89.4	11,205	88.4	0.85	86.8	90.1
2011	780	82.3	3.26	76.0	88.9	11,472	89.3	0.85	87.6	90.9
2012	839	83.3	3.16	77.2	89.7	11,289	86.0	0.82	84.4	87.7
2013	826	77.6	2.96	71.9	83.6	11,508	86.7	0.82	85.0	88.3
2014	888	77.6	2.84	72.1	83.3	11,600	86.1	0.82	84.5	87.7
2015	993	82.0	2.83	76.5	87.7	11,809	87.0	0.82	85.4	88.7
2016	1,093	85.1	2.79	79.7	90.7	11,836	86.6	0.82	85.0	88.2
2017	1,137	85.4	2.73	80.1	90.9	11,517	83.2	0.80	81.6	84.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	255,225	89.7	0.18	89.3	90.0	47,620	115.3	0.54	114.2	116.4
1990	8,552	91.7	1.00	89.8	93.7	1,292	116.1	3.33	109.7	122.8
1991	8,425	89.6	0.99	87.7	91.6	1,219	107.4	3.16	101.3	113.7
1992	8,568	90.1	0.98	88.2	92.1	1,228	103.5	3.03	97.6	109.6
1993	8,485	88.5	0.97	86.6	90.4	1,304	110.8	3.15	104.8	117.2
1994	9,036	93.7	0.99	91.7	95.6	1,409	117.4	3.20	111.2	123.8
1995	8,835	91.5	0.98	89.6	93.5	1,547	125.6	3.27	119.3	132.2
1996	9,007	92.9	0.98	91.0	94.9	1,539	123.4	3.22	117.1	129.8
1997	9,109	93.6	0.98	91.7	95.5	1,539	121.4	3.16	115.3	127.7
1998	9,620	98.2	1.00	96.3	100.2	1,636	127.0	3.20	120.8	133.4
1999	9,457	96.2	0.99	94.2	98.1	1,527	114.6	2.99	108.8	120.6
2000	9,581	97.2	1.00	95.2	99.1	1,643	120.5	3.03	114.7	126.6
2001	9,326	94.3	0.98	92.3	96.2	1,676	121.6	3.03	115.7	127.7
2002	9,467	95.4	0.98	93.5	97.4	1,752	125.0	3.05	119.1	131.1
2003	9,242	92.4	0.97	90.6	94.4	1,762	123.9	3.01	118.1	130.0
2004	9,548	95.3	0.98	93.4	97.3	1,757	120.6	2.93	114.9	126.4
2005	9,323	92.4	0.96	90.5	94.3	1,801	121.7	2.93	116.0	127.5
2006	9,191	90.7	0.95	88.8	92.6	1,882	123.3	2.90	117.7	129.1
2007	9,258	90.4	0.95	88.5	92.3	1,830	117.9	2.81	112.4	123.5
2008	9,179	88.8	0.94	87.0	90.7	1,883	118.9	2.80	113.4	124.5
2009	9,065	87.0	0.93	85.2	88.9	1,851	113.9	2.71	108.7	119.3
2010	8,905	84.6	0.91	82.8	86.4	1,895	115.1	2.71	109.8	120.5
2011	9,078	85.5	0.92	83.7	87.3	1,994	116.5	2.67	111.4	121.9
2012	9,002	83.1	0.90	81.4	84.9	1,813	104.9	2.52	100.0	110.0
2013	9,102	83.6	0.90	81.8	85.4	1,987	110.9	2.55	106.0	116.1
2014	9,130	82.8	0.89	81.0	84.5	1,971	108.5	2.50	103.7	113.5
2015	9,327	84.4	0.90	82.7	86.2	1,976	106.1	2.45	101.3	111.0
2016	9,308	84.0	0.90	82.2	85.7	2,004	106.7	2.44	102.0	111.6
2017	9,099	81.6	0.88	79.9	83.4	1,903	99.4	2.33	94.9	104.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	9,084	98.2	1.20	95.8	100.5	165,069	115.2	0.29	114.6	115.7
1990	130	86.9	9.27	69.7	106.5	5,078	118.5	1.72	115.1	121.9
1991	123	72.4	7.80	57.9	89.0	5,032	116.1	1.69	112.8	119.5
1992	126	77.6	8.46	61.9	95.6	5,198	118.2	1.68	114.9	121.5
1993	159	92.6	9.11	75.6	111.8	5,085	114.0	1.64	110.8	117.3
1994	167	89.8	8.44	74.1	107.6	5,362	119.7	1.67	116.5	123.0
1995	182	103.1	9.49	85.3	122.9	5,480	121.3	1.67	118.0	124.6
1996	190	104.1	9.20	86.9	123.3	5,508	120.8	1.66	117.6	124.1
1997	203	99.4	8.25	83.9	116.6	5,559	120.9	1.65	117.7	124.2
1998	220	115.4	9.54	97.5	135.2	5,892	126.6	1.67	123.3	129.9
1999	253	113.5	8.92	96.7	132.0	5,887	124.8	1.65	121.6	128.0
2000	201	81.2	6.87	68.3	95.5	6,059	126.9	1.65	123.7	130.1
2001	265	107.2	7.94	92.2	123.6	5,832	121.5	1.61	118.3	124.7
2002	291	108.1	7.60	93.7	123.8	6,058	124.3	1.61	121.2	127.5
2003	303	98.7	6.71	86.0	112.6	6,008	121.8	1.59	118.7	125.0
2004	332	109.9	7.38	95.9	125.1	6,153	122.8	1.58	119.7	125.9
2005	329	102.4	6.66	89.8	116.1	6,038	118.7	1.55	115.7	121.8
2006	352	105.8	6.57	93.4	119.3	6,102	118.0	1.53	115.0	121.0
2007	363	101.4	6.32	89.4	114.4	6,051	115.1	1.50	112.2	118.1
2008	367	97.4	5.92	86.2	109.6	6,114	114.2	1.49	111.3	117.2
2009	390	99.1	5.86	88.0	111.1	6,094	111.6	1.46	108.7	114.5
2010	442	97.9	5.37	87.6	108.9	6,069	109.5	1.43	106.7	112.3
2011	447	96.3	5.27	86.3	107.1	6,233	110.0	1.42	107.2	112.8
2012	474	100.9	5.29	90.8	111.7	6,272	108.1	1.40	105.3	110.8
2013	481	93.4	4.85	84.1	103.3	6,272	106.4	1.38	103.8	109.2
2014	488	90.1	4.60	81.3	99.4	6,389	106.0	1.36	103.3	108.7
2015	557	96.7	4.62	87.8	106.1	6,578	108.1	1.37	105.4	110.8
2016	596	94.4	4.32	86.1	103.2	6,404	103.8	1.33	101.2	106.5
2017	653	101.8	4.43	93.3	110.8	6,262	100.4	1.30	97.9	103.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	135,425	111.3	0.31	110.7	111.9	24,550	145.1	0.97	143.2	147.0
1990	4,336	114.5	1.79	111.0	118.1	661	147.0	6.10	135.3	159.4
1991	4,346	114.0	1.78	110.6	117.6	618	132.0	5.65	121.2	143.5
1992	4,472	115.7	1.77	112.3	119.3	635	135.6	5.76	124.5	147.2
1993	4,307	110.1	1.72	106.8	113.5	683	142.7	5.82	131.5	154.5
1994	4,556	116.3	1.76	112.9	119.8	724	150.7	5.96	139.2	162.8
1995	4,541	115.5	1.74	112.1	119.0	817	165.7	6.18	153.8	178.2
1996	4,581	115.8	1.74	112.5	119.3	795	154.1	5.79	143.0	165.8
1997	4,668	117.1	1.73	113.7	120.6	773	147.6	5.62	136.8	159.0
1998	4,948	122.8	1.76	119.4	126.3	827	158.3	5.83	147.1	170.1
1999	4,944	121.5	1.74	118.1	125.0	780	145.6	5.49	135.0	156.7
2000	5,047	123.0	1.74	119.6	126.5	852	154.4	5.57	143.6	165.6
2001	4,847	117.9	1.70	114.6	121.3	833	147.3	5.38	136.9	158.2
2002	4,995	120.0	1.71	116.7	123.4	886	155.2	5.52	144.5	166.3
2003	4,937	117.5	1.69	114.2	120.9	909	156.0	5.46	145.5	167.0
2004	5,098	119.8	1.69	116.5	123.2	891	148.9	5.26	138.7	159.5
2005	4,922	114.2	1.64	111.0	117.5	931	154.5	5.37	144.2	165.4
2006	4,917	112.6	1.62	109.5	115.8	982	155.6	5.22	145.5	166.1
2007	4,872	110.0	1.59	106.9	113.1	945	149.1	5.13	139.2	159.4
2008	4,895	108.8	1.58	105.7	112.0	993	154.6	5.18	144.6	165.1
2009	4,877	106.7	1.55	103.7	109.8	1,001	149.4	4.99	139.8	159.5
2010	4,878	105.1	1.53	102.2	108.2	961	141.3	4.81	132.0	151.0
2011	4,988	105.9	1.53	102.9	108.9	1,022	143.8	4.73	134.7	153.4
2012	5,033	104.2	1.50	101.2	107.1	956	134.9	4.59	126.0	144.2
2013	4,991	102.5	1.48	99.6	105.5	1,050	140.9	4.57	132.1	150.1
2014	5,065	101.9	1.47	99.0	104.8	1,049	138.9	4.50	130.2	148.0
2015	5,247	104.9	1.49	102.1	107.9	1,024	131.8	4.32	123.4	140.5
2016	5,076	100.2	1.45	97.4	103.1	1,016	131.2	4.31	122.9	139.9
2017	5,041	99.1	1.44	96.3	102.0	936	119.0	4.06	111.1	127.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,026	68.9	0.89	67.2	70.7	146,697	75.8	0.20	75.4	76.2
1990	102	56.0	6.02	44.8	68.8	4,888	78.3	1.14	76.1	80.6
1991	72	42.7	5.52	32.6	54.6	4,744	75.0	1.10	72.9	77.2
1992	97	52.3	5.76	41.6	64.6	4,748	74.1	1.09	71.9	76.2
1993	154	83.5	7.24	69.9	98.7	4,874	75.2	1.09	73.1	77.3
1994	144	74.5	6.80	61.7	88.7	5,244	79.9	1.11	77.7	82.1
1995	155	76.5	6.70	63.9	90.5	5,104	77.9	1.10	75.7	80.1
1996	148	69.7	6.28	57.9	82.9	5,255	79.3	1.11	77.1	81.5
1997	146	68.4	6.22	56.7	81.4	5,300	79.8	1.11	77.6	82.0
1998	187	77.6	6.33	65.7	90.8	5,597	83.6	1.13	81.4	85.9
1999	168	65.6	5.61	55.1	77.3	5,371	79.8	1.10	77.7	82.0
2000	198	73.4	5.82	62.5	85.5	5,451	80.6	1.10	78.5	82.8
2001	214	73.6	5.62	63.0	85.3	5,437	80.1	1.10	78.0	82.3
2002	192	63.9	5.06	54.4	74.5	5,482	80.6	1.10	78.4	82.7
2003	205	64.4	4.95	55.0	74.7	5,308	77.7	1.08	75.6	79.9
2004	247	74.4	5.22	64.6	85.2	5,444	79.2	1.09	77.1	81.4
2005	272	76.1	5.08	66.4	86.6	5,409	78.3	1.08	76.2	80.5
2006	275	74.7	4.97	65.3	85.0	5,337	77.4	1.08	75.3	79.6
2007	271	68.0	4.50	59.4	77.2	5,419	77.8	1.07	75.7	79.9
2008	275	62.1	4.06	54.4	70.4	5,335	76.0	1.06	74.0	78.2
2009	324	72.1	4.35	63.8	81.0	5,193	73.4	1.04	71.4	75.5
2010	320	68.7	4.14	60.8	77.2	5,136	71.8	1.02	69.8	73.8
2011	333	69.7	4.10	61.9	78.1	5,239	72.4	1.02	70.4	74.5
2012	365	68.9	3.85	61.5	76.8	5,017	68.3	0.99	66.4	70.3
2013	345	63.6	3.66	56.6	71.1	5,236	70.8	1.01	68.9	72.8
2014	400	66.9	3.55	60.2	74.2	5,211	70.1	1.00	68.2	72.1
2015	436	69.2	3.51	62.5	76.4	5,231	69.8	0.99	67.8	71.7
2016	497	76.6	3.64	69.6	84.0	5,432	72.5	1.02	70.6	74.6
2017	484	70.8	3.40	64.3	77.7	5,255	69.0	0.99	67.1	71.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Digestive System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	119,800	73.0	0.21	72.6	73.4	23,070	95.0	0.63	93.7	96.2
1990	4,216	76.1	1.19	73.8	78.5	631	95.5	3.87	88.1	103.4
1991	4,079	72.8	1.16	70.6	75.2	601	90.0	3.72	82.8	97.5
1992	4,096	72.1	1.15	69.9	74.4	593	83.7	3.48	77.0	90.8
1993	4,178	73.2	1.15	71.0	75.5	621	89.1	3.62	82.2	96.5
1994	4,480	77.5	1.18	75.2	79.8	685	95.8	3.70	88.7	103.3
1995	4,294	74.7	1.16	72.5	77.0	730	99.6	3.72	92.4	107.1
1996	4,426	76.4	1.17	74.2	78.8	744	101.2	3.75	94.0	108.8
1997	4,441	76.8	1.17	74.5	79.1	766	102.3	3.73	95.1	109.9
1998	4,672	80.6	1.20	78.2	82.9	809	105.8	3.75	98.6	113.4
1999	4,513	77.4	1.17	75.1	79.7	747	94.2	3.47	87.5	101.3
2000	4,534	77.7	1.18	75.4	80.1	791	97.9	3.50	91.1	105.0
2001	4,479	76.9	1.17	74.6	79.2	843	103.3	3.58	96.3	110.5
2002	4,472	76.7	1.17	74.4	79.0	866	104.4	3.57	97.5	111.6
2003	4,305	73.9	1.15	71.6	76.2	853	101.6	3.51	94.9	108.7
2004	4,450	76.2	1.17	73.9	78.5	866	100.9	3.45	94.2	107.9
2005	4,401	75.2	1.16	73.0	77.5	870	99.7	3.41	93.2	106.6
2006	4,274	73.5	1.15	71.2	75.8	900	100.7	3.39	94.2	107.6
2007	4,386	74.9	1.16	72.7	77.2	885	97.2	3.30	90.8	103.9
2008	4,284	73.1	1.15	70.9	75.4	890	95.3	3.23	89.1	101.9
2009	4,188	71.1	1.13	68.9	73.4	850	89.7	3.11	83.7	96.0
2010	4,027	68.0	1.10	65.9	70.2	934	96.6	3.20	90.5	103.1
2011	4,090	68.6	1.11	66.5	70.8	972	97.1	3.16	91.0	103.5
2012	3,969	65.9	1.08	63.8	68.0	857	84.5	2.93	78.9	90.5
2013	4,111	68.1	1.10	66.0	70.3	937	90.1	2.99	84.3	96.1
2014	4,065	67.0	1.09	64.9	69.2	922	88.2	2.95	82.5	94.2
2015	4,080	67.1	1.09	64.9	69.3	952	88.5	2.92	82.8	94.4
2016	4,232	70.4	1.13	68.2	72.7	988	90.3	2.93	84.7	96.2
2017	4,058	66.6	1.10	64.5	68.8	967	86.7	2.84	81.2	92.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	600	3.2	0.14	3.0	3.5	18,071	5.3	0.04	5.3	5.4
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8
1993	13	3.6	1.16	1.7	6.4	539	4.9	0.21	4.5	5.4
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1
1997	14	3.0	0.95	1.4	5.3	542	4.9	0.21	4.5	5.3
1998	18	4.1	1.13	2.2	6.8	654	5.8	0.23	5.4	6.3
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2
2002	22	3.7	0.89	2.2	5.8	635	5.5	0.22	5.1	5.9
2003	24	4.3	0.96	2.6	6.5	637	5.4	0.22	5.0	5.9
2004	21	3.1	0.79	1.7	5.0	679	5.8	0.22	5.3	6.2
2005	29	5.0	1.01	3.2	7.3	636	5.3	0.21	4.9	5.7
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0
2007	24	3.1	0.69	1.9	4.7	686	5.6	0.21	5.1	6.0
2008	22	2.9	0.67	1.7	4.4	700	5.6	0.21	5.2	6.0
2009	24	2.6	0.59	1.6	4.0	700	5.6	0.21	5.2	6.0
2010	22	2.6	0.62	1.5	4.1	640	5.0	0.20	4.6	5.4
2011	34	3.7	0.68	2.5	5.2	700	5.4	0.21	5.0	5.8
2012	25	2.9	0.63	1.8	4.4	737	5.5	0.21	5.1	6.0
2013	21	1.8	0.43	1.1	2.9	691	5.1	0.20	4.7	5.5
2014	19	1.5	0.38	0.9	2.5	720	5.2	0.20	4.8	5.6
2015	28	2.7	0.55	1.8	4.0	733	5.2	0.20	4.8	5.6
2016	35	2.8	0.51	1.9	4.0	670	4.8	0.19	4.4	5.1
2017	35	2.6	0.48	1.8	3.7	658	4.7	0.19	4.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	14,658	5.1	0.04	5.1	5.2	3,122	7.2	0.13	6.9	7.5
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0
1993	404	4.2	0.21	3.8	4.7	127	9.9	0.89	8.2	11.8
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6
1997	402	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8
1998	520	5.4	0.24	5.0	5.9	126	9.2	0.84	7.7	11.0
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2
2000	556	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2
2001	531	5.5	0.24	5.0	5.9	111	7.8	0.75	6.4	9.4
2002	524	5.4	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5
2003	531	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8
2004	564	5.7	0.24	5.2	6.2	108	7.1	0.69	5.8	8.6
2005	539	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6
2007	571	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7
2009	598	5.8	0.24	5.3	6.2	88	5.1	0.56	4.1	6.3
2010	530	5.0	0.22	4.6	5.4	94	5.3	0.56	4.2	6.5
2011	590	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	6.9
2012	629	5.7	0.23	5.3	6.2	94	5.3	0.56	4.3	6.5
2013	590	5.3	0.22	4.9	5.8	93	5.0	0.53	4.0	6.2
2014	614	5.4	0.22	5.0	5.9	80	4.3	0.49	3.4	5.4
2015	632	5.5	0.22	5.1	6.0	87	4.5	0.49	3.6	5.6
2016	558	4.9	0.21	4.5	5.3	92	4.8	0.51	3.9	5.9
2017	561	5.0	0.22	4.6	5.4	83	4.1	0.46	3.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	478	5.4	0.28	4.9	6.0	13,833	9.4	0.08	9.2	9.5
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	490	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	14	6.3	1.99	3.0	11.3	506	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	17	5.5	1.67	2.7	9.6	481	9.6	0.44	8.7	10.5
2003	19	7.7	1.94	4.4	12.2	499	9.9	0.45	9.1	10.9
2004	16	3.9	1.11	2.1	6.8	512	9.9	0.44	9.0	10.8
2005	23	9.4	2.17	5.6	14.4	497	9.6	0.44	8.7	10.5
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.0
2007	17	4.8	1.35	2.5	8.0	515	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	562	10.2	0.44	9.4	11.1
2009	23	5.5	1.31	3.2	8.5	533	9.7	0.43	8.8	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.7	9.3
2011	27	6.1	1.31	3.8	9.1	542	9.4	0.41	8.6	10.2
2012	18	5.0	1.31	2.8	8.1	569	9.7	0.42	8.9	10.5
2013	19	3.4	0.88	1.9	5.5	551	9.2	0.40	8.4	10.0
2014	16	2.7	0.77	1.4	4.6	572	9.1	0.39	8.4	9.9
2015	23	4.9	1.12	2.9	7.5	590	9.3	0.39	8.6	10.2
2016	28	4.2	0.88	2.7	6.3	511	8.1	0.37	7.4	8.8
2017	29	4.7	0.97	3.0	6.9	515	8.1	0.37	7.4	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,453	9.2	0.09	9.0	9.4	2,183	12.1	0.27	11.6	12.7
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0
1995	372	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6
1998	411	10.0	0.50	9.1	11.0	88	15.9	1.78	12.6	19.7
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5
2000	431	10.4	0.50	9.4	11.4	95	16.6	1.78	13.2	20.4
2001	389	9.3	0.47	8.4	10.2	80	13.6	1.56	10.7	16.9
2002	405	9.5	0.48	8.6	10.5	72	11.5	1.41	8.9	14.5
2003	427	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6
2004	440	10.1	0.48	9.1	11.0	68	10.6	1.34	8.2	13.6
2005	429	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1
2007	439	9.6	0.46	8.7	10.6	66	10.3	1.33	7.8	13.2
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6
2009	452	9.8	0.47	8.9	10.8	69	9.5	1.19	7.3	12.1
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3
2011	474	9.8	0.46	8.9	10.7	61	8.9	1.19	6.7	11.5
2012	502	10.2	0.47	9.3	11.2	60	8.4	1.14	6.3	10.9
2013	480	9.7	0.45	8.8	10.6	66	8.7	1.12	6.6	11.2
2014	502	9.7	0.44	8.8	10.6	52	6.8	0.98	5.0	9.0
2015	515	9.9	0.45	9.0	10.8	65	7.9	1.02	6.1	10.2
2016	432	8.3	0.41	7.5	9.1	62	8.1	1.08	6.1	10.5
2017	451	8.7	0.42	7.9	9.5	55	6.5	0.92	4.9	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	122	1.4	0.13	1.1	1.6	4,238	2.2	0.03	2.1	2.3
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6
1992	0					151	2.4	0.20	2.0	2.8
1993	6	3.4	1.53	1.1	7.5	154	2.5	0.20	2.1	2.9
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	2.1	148	2.3	0.19	2.0	2.7
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7
1997	1	0.3	0.33	0.0	1.9	149	2.3	0.19	2.0	2.7
1998	4	2.1	1.19	0.5	5.4	148	2.3	0.19	1.9	2.7
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4
2004	5	2.0	0.99	0.6	4.6	167	2.5	0.20	2.2	2.9
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3
2007	7	1.7	0.68	0.7	3.5	171	2.5	0.19	2.1	2.9
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4
2009	1	0.2	0.17	0.0	1.0	167	2.3	0.18	2.0	2.7
2010	6	2.0	0.83	0.7	4.1	156	2.2	0.18	1.8	2.5
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.8	2.6
2012	7	1.4	0.56	0.5	2.9	168	2.3	0.18	1.9	2.6
2013	2	0.4	0.32	0.1	1.4	140	1.8	0.16	1.5	2.2
2014	3	0.5	0.28	0.1	1.4	148	1.9	0.16	1.6	2.3
2015	5	1.0	0.45	0.3	2.2	143	1.8	0.15	1.5	2.1
2016	7	1.4	0.53	0.5	2.7	159	2.1	0.17	1.8	2.4
2017	6	0.8	0.35	0.3	1.8	143	1.9	0.16	1.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Esophagus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,205	2.0	0.03	1.9	2.0	939	3.8	0.12	3.5	4.0
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0
1993	112	2.0	0.19	1.6	2.4	40	5.3	0.85	3.8	7.3
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6
1995	105	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2
1997	100	1.8	0.18	1.4	2.2	45	5.7	0.85	4.1	7.6
1998	109	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9
2000	125	2.2	0.20	1.8	2.6	40	4.8	0.76	3.4	6.5
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9
2004	124	2.2	0.20	1.8	2.7	40	4.6	0.74	3.3	6.3
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6
2007	132	2.3	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8
2009	146	2.5	0.21	2.1	2.9	19	1.9	0.45	1.2	3.0
2010	120	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9
2012	127	2.1	0.19	1.7	2.5	34	3.3	0.57	2.3	4.6
2013	110	1.8	0.17	1.4	2.1	27	2.5	0.49	1.6	3.7
2014	112	1.8	0.17	1.5	2.2	28	2.5	0.49	1.7	3.7
2015	117	1.8	0.17	1.5	2.2	22	1.9	0.42	1.2	3.0
2016	126	2.0	0.18	1.7	2.4	30	2.7	0.49	1.8	3.8
2017	110	1.8	0.19	1.5	2.2	28	2.4	0.46	1.6	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,379	12.0	0.28	11.4	12.5	24,807	7.4	0.05	7.3	7.5
1990	37	12.2	2.35	8.1	17.5	917	8.7	0.29	8.2	9.3
1991	35	9.2	1.80	6.0	13.3	887	8.4	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	58	16.4	2.48	11.9	21.8	916	8.4	0.28	7.9	9.0
1994	54	14.5	2.26	10.4	19.4	891	8.2	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	51	13.1	2.13	9.2	17.8	917	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	936	8.3	0.27	7.7	8.8
1999	62	10.7	1.62	7.8	14.3	875	7.7	0.26	7.2	8.2
2000	65	12.7	1.79	9.5	16.6	846	7.4	0.25	6.9	7.9
2001	76	12.2	1.67	9.1	15.8	846	7.3	0.25	6.8	7.8
2002	75	13.5	1.80	10.2	17.4	900	7.8	0.26	7.3	8.3
2003	78	11.4	1.52	8.6	14.7	884	7.5	0.25	7.0	8.0
2004	86	13.1	1.66	10.0	16.6	850	7.2	0.25	6.7	7.7
2005	88	13.1	1.60	10.1	16.5	827	6.9	0.24	6.5	7.4
2006	87	12.4	1.51	9.6	15.6	829	6.9	0.24	6.5	7.4
2007	91	11.5	1.33	9.0	14.3	856	7.1	0.24	6.6	7.6
2008	89	10.9	1.29	8.5	13.7	856	7.0	0.24	6.5	7.5
2009	122	14.7	1.49	11.9	17.8	847	6.8	0.24	6.4	7.3
2010	106	10.6	1.16	8.4	13.1	828	6.6	0.23	6.2	7.1
2011	112	11.9	1.25	9.6	14.6	897	7.0	0.24	6.6	7.5
2012	105	10.0	1.08	8.0	12.3	871	6.7	0.23	6.3	7.2
2013	118	11.1	1.13	9.0	13.5	936	7.2	0.24	6.7	7.7
2014	129	11.4	1.10	9.4	13.8	903	6.8	0.23	6.3	7.2
2015	144	11.7	1.07	9.7	14.0	920	6.8	0.23	6.4	7.3
2016	143	11.6	1.05	9.6	13.8	911	6.7	0.23	6.3	7.2
2017	157	12.1	1.04	10.1	14.2	912	6.6	0.23	6.2	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	18,451	6.5	0.05	6.4	6.6	5,117	12.7	0.18	12.4	13.1
1990	741	7.9	0.29	7.4	8.5	153	13.9	1.16	11.7	16.3
1991	705	7.5	0.29	7.0	8.1	158	14.6	1.20	12.4	17.2
1992	696	7.3	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4
1993	713	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7
1994	693	7.2	0.28	6.7	7.8	177	14.5	1.12	12.4	16.8
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4
1996	696	7.2	0.27	6.7	7.7	190	15.6	1.16	13.4	18.1
1997	711	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3
1998	705	7.2	0.27	6.7	7.7	194	15.7	1.15	13.6	18.1
1999	681	6.9	0.26	6.4	7.4	154	11.7	0.97	9.9	13.8
2000	623	6.3	0.25	5.8	6.8	179	13.4	1.02	11.5	15.6
2001	623	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8
2002	679	6.8	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3
2003	676	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1
2004	631	6.3	0.25	5.8	6.8	176	12.5	0.96	10.7	14.5
2005	601	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8
2006	584	5.8	0.24	5.3	6.3	193	12.7	0.93	10.9	14.6
2007	616	6.1	0.25	5.6	6.6	186	12.4	0.92	10.6	14.3
2008	616	6.0	0.24	5.5	6.5	194	12.8	0.94	11.0	14.8
2009	591	5.7	0.24	5.3	6.2	210	13.0	0.92	11.3	15.0
2010	599	5.7	0.24	5.3	6.2	172	10.7	0.83	9.1	12.4
2011	643	6.1	0.24	5.6	6.6	202	12.1	0.87	10.5	14.0
2012	652	6.0	0.24	5.6	6.5	159	9.5	0.77	8.0	11.1
2013	672	6.2	0.25	5.8	6.7	204	11.9	0.85	10.3	13.7
2014	643	5.9	0.24	5.4	6.4	210	11.9	0.84	10.3	13.6
2015	666	6.0	0.24	5.5	6.5	190	10.4	0.77	8.9	12.0
2016	650	5.9	0.24	5.4	6.4	212	11.8	0.82	10.2	13.5
2017	652	5.9	0.24	5.4	6.4	201	10.8	0.78	9.4	12.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,350	14.8	0.47	13.9	15.7	15,184	10.7	0.09	10.5	10.9
1990	20	18.3	5.11	9.7	30.2	551	13.0	0.57	11.9	14.2
1991	26	13.0	3.01	7.8	20.2	541	12.6	0.56	11.5	13.8
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3
1994	33	19.4	4.14	12.1	28.8	546	12.2	0.54	11.2	13.3
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7
1998	35	17.6	3.70	11.1	26.0	558	12.0	0.52	11.1	13.1
1999	36	14.3	3.12	8.9	21.5	528	11.3	0.50	10.3	12.3
2000	32	14.6	2.97	9.4	21.4	517	10.9	0.48	10.0	11.9
2001	46	18.1	3.47	12.0	25.9	495	10.3	0.47	9.4	11.2
2002	40	15.9	3.07	10.5	22.8	554	11.5	0.49	10.5	12.5
2003	44	12.6	2.31	8.5	17.8	527	10.9	0.48	10.0	11.9
2004	51	14.0	2.39	9.7	19.3	532	10.8	0.47	9.9	11.7
2005	50	16.9	2.96	11.6	23.5	504	10.0	0.45	9.1	10.9
2006	46	14.6	2.58	10.0	20.3	503	9.8	0.44	9.0	10.7
2007	55	15.7	2.43	11.3	21.1	514	9.9	0.44	9.1	10.8
2008	53	14.3	2.25	10.3	19.3	517	9.9	0.44	9.0	10.8
2009	67	18.3	2.61	13.5	23.9	523	9.5	0.42	8.7	10.4
2010	62	14.6	2.15	10.7	19.3	525	9.6	0.43	8.8	10.5
2011	66	14.3	2.03	10.6	18.8	559	10.1	0.44	9.3	11.0
2012	63	14.1	2.05	10.4	18.6	574	10.1	0.43	9.2	10.9
2013	72	13.9	1.90	10.5	18.1	574	10.0	0.43	9.2	10.8
2014	66	12.1	1.69	9.1	15.8	552	9.3	0.40	8.5	10.1
2015	70	11.9	1.62	9.0	15.5	587	9.7	0.41	8.9	10.5
2016	75	12.6	1.65	9.6	16.1	560	9.3	0.40	8.5	10.1
2017	86	14.3	1.70	11.2	18.0	550	9.0	0.40	8.3	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,493	9.5	0.09	9.4	9.7	2,961	18.3	0.35	17.6	19.0
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4
1991	434	11.6	0.57	10.5	12.7	93	20.2	2.24	16.1	25.0
1992	425	11.0	0.54	9.9	12.1	95	21.2	2.34	16.9	26.2
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7
1994	424	11.0	0.54	10.0	12.1	110	21.4	2.15	17.4	26.0
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9
1996	434	11.1	0.54	10.0	12.2	114	23.6	2.37	19.2	28.7
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2
1998	431	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4
1999	411	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9
2000	384	9.4	0.48	8.5	10.4	102	19.4	2.04	15.6	23.7
2001	369	9.0	0.47	8.1	9.9	103	18.7	1.96	15.1	22.9
2002	428	10.4	0.51	9.4	11.4	100	17.5	1.85	14.1	21.5
2003	413	10.0	0.50	9.1	11.0	98	17.8	1.90	14.2	21.8
2004	407	9.6	0.48	8.7	10.6	98	17.7	1.92	14.1	21.8
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1
2006	362	8.4	0.44	7.5	9.3	112	17.8	1.77	14.5	21.6
2007	371	8.5	0.44	7.6	9.4	113	18.8	1.87	15.3	22.8
2008	372	8.4	0.44	7.6	9.3	116	20.3	2.00	16.6	24.6
2009	370	8.1	0.43	7.3	9.0	125	18.8	1.77	15.5	22.6
2010	391	8.5	0.44	7.7	9.4	100	15.4	1.63	12.4	18.9
2011	404	8.8	0.44	7.9	9.7	120	17.9	1.71	14.7	21.6
2012	445	9.3	0.45	8.4	10.2	89	13.6	1.53	10.8	17.0
2013	431	9.0	0.44	8.1	9.9	110	15.9	1.58	12.9	19.2
2014	406	8.2	0.42	7.4	9.1	120	16.8	1.61	13.8	20.3
2015	445	8.9	0.43	8.0	9.8	104	13.8	1.42	11.2	16.9
2016	420	8.4	0.42	7.6	9.3	106	14.8	1.49	12.0	18.0
2017	415	8.3	0.42	7.5	9.2	104	14.4	1.47	11.6	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,029	9.7	0.33	9.1	10.4	9,623	5.0	0.05	4.9	5.1
1990	17	8.9	2.33	4.9	14.5	366	5.8	0.31	5.2	6.4
1991	9	5.5	2.02	2.3	10.6	346	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	26	14.8	3.13	9.3	21.9	376	5.7	0.30	5.1	6.3
1994	21	10.5	2.56	6.1	16.5	345	5.2	0.28	4.7	5.8
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	16	7.5	2.10	4.0	12.5	349	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	378	5.5	0.29	5.0	6.1
1999	26	8.1	1.77	5.0	12.3	347	5.1	0.28	4.5	5.6
2000	33	11.3	2.21	7.4	16.3	329	4.8	0.27	4.3	5.3
2001	30	8.0	1.62	5.1	11.8	351	5.0	0.27	4.5	5.6
2002	35	11.7	2.23	7.8	16.8	346	5.1	0.28	4.5	5.6
2003	34	10.2	1.97	6.7	14.7	357	5.2	0.28	4.6	5.7
2004	35	11.7	2.20	7.7	16.6	318	4.7	0.27	4.2	5.2
2005	38	10.3	1.83	7.1	14.4	323	4.6	0.26	4.1	5.2
2006	41	10.7	1.86	7.4	14.9	326	4.8	0.27	4.3	5.3
2007	36	8.1	1.46	5.5	11.4	342	5.0	0.27	4.4	5.5
2008	36	8.1	1.48	5.4	11.4	339	4.9	0.27	4.4	5.5
2009	55	11.9	1.76	8.7	15.8	324	4.7	0.26	4.2	5.2
2010	44	7.4	1.23	5.2	10.2	303	4.4	0.26	3.9	4.9
2011	46	9.7	1.54	6.9	13.1	338	4.6	0.26	4.2	5.2
2012	42	6.9	1.14	4.8	9.4	297	4.1	0.24	3.6	4.6
2013	46	8.6	1.35	6.1	11.6	362	4.9	0.27	4.4	5.5
2014	63	10.7	1.43	8.1	13.9	351	4.8	0.26	4.3	5.3
2015	74	11.5	1.42	8.9	14.6	333	4.5	0.26	4.1	5.1
2016	68	10.7	1.37	8.2	13.7	351	4.6	0.25	4.1	5.2
2017	71	10.2	1.27	7.8	12.9	362	4.8	0.26	4.3	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Stomach										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	6,958	4.2	0.05	4.1	4.3	2,156	9.0	0.20	8.7	9.4
1990	306	5.5	0.32	4.9	6.1	53	8.1	1.14	6.0	10.7
1991	271	4.8	0.29	4.2	5.4	65	10.5	1.32	8.1	13.4
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8
1993	301	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2
1994	269	4.6	0.29	4.1	5.2	67	9.4	1.16	7.3	12.0
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8
1996	262	4.5	0.28	3.9	5.1	76	10.5	1.21	8.2	13.1
1997	263	4.5	0.28	3.9	5.1	71	9.4	1.13	7.3	11.9
1998	274	4.5	0.28	4.0	5.1	90	12.1	1.29	9.7	14.9
1999	270	4.5	0.28	4.0	5.1	64	8.3	1.05	6.4	10.6
2000	239	3.9	0.26	3.5	4.5	77	9.6	1.11	7.6	12.0
2001	254	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4
2002	251	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8
2003	263	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6
2005	236	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7
2006	222	3.8	0.26	3.3	4.4	81	9.1	1.02	7.2	11.3
2007	245	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4
2008	244	4.2	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7
2009	221	3.9	0.27	3.4	4.4	85	8.9	0.98	7.1	11.1
2010	208	3.5	0.25	3.1	4.1	72	7.7	0.92	6.0	9.7
2011	239	4.0	0.26	3.5	4.5	82	8.2	0.92	6.5	10.3
2012	207	3.4	0.24	2.9	3.9	70	7.0	0.85	5.5	8.9
2013	241	4.0	0.27	3.5	4.6	94	9.1	0.95	7.3	11.2
2014	237	4.0	0.27	3.5	4.6	90	8.7	0.93	7.0	10.8
2015	221	3.7	0.26	3.2	4.2	86	8.1	0.89	6.5	10.1
2016	230	3.8	0.26	3.3	4.3	106	9.7	0.96	7.9	11.8
2017	237	3.9	0.26	3.4	4.4	97	8.9	0.92	7.2	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	332	1.6	0.10	1.4	1.8	7,173	2.2	0.03	2.1	2.2
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	6	1.5	0.71	0.4	3.4	159	1.5	0.12	1.2	1.7
1996	4	0.5	0.28	0.1	1.6	180	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	8	2.0	0.77	0.8	4.0	204	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	208	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	231	2.0	0.13	1.8	2.3
2002	10	2.2	0.77	0.9	4.1	258	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	201	1.7	0.12	1.5	2.0
2004	11	1.5	0.60	0.6	3.1	239	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	273	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	249	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	292	2.4	0.14	2.1	2.7
2008	13	1.3	0.40	0.6	2.3	298	2.5	0.14	2.2	2.8
2009	18	2.2	0.61	1.2	3.7	324	2.6	0.15	2.3	2.9
2010	20	2.4	0.58	1.4	3.8	326	2.6	0.15	2.3	2.9
2011	14	1.4	0.41	0.7	2.4	341	2.7	0.15	2.4	3.0
2012	18	1.6	0.42	0.9	2.7	368	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	360	2.7	0.15	2.5	3.0
2014	14	1.1	0.31	0.6	1.8	364	2.8	0.15	2.5	3.1
2015	25	1.9	0.41	1.2	2.8	393	2.9	0.15	2.6	3.3
2016	29	2.2	0.44	1.4	3.2	374	2.8	0.15	2.5	3.1
2017	27	1.7	0.36	1.1	2.6	376	2.8	0.15	2.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	5,563	2.0	0.03	1.9	2.0	1,411	3.3	0.09	3.1	3.5
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9
1995	123	1.3	0.12	1.1	1.5	34	2.8	0.48	1.9	3.9
1996	141	1.5	0.12	1.2	1.7	36	2.6	0.45	1.8	3.6
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9
1998	166	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6
1999	164	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2
2000	170	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4
2001	182	1.9	0.14	1.6	2.2	44	3.1	0.47	2.2	4.2
2002	201	2.1	0.15	1.8	2.4	50	3.4	0.49	2.5	4.5
2003	154	1.5	0.12	1.3	1.8	41	2.8	0.44	2.0	3.8
2004	185	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3
2005	219	2.2	0.15	1.9	2.5	48	3.2	0.47	2.3	4.2
2006	186	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2
2007	228	2.3	0.15	2.0	2.6	57	3.5	0.47	2.6	4.5
2008	220	2.2	0.15	1.9	2.5	69	4.4	0.54	3.4	5.6
2009	249	2.4	0.16	2.1	2.8	67	4.1	0.52	3.2	5.3
2010	239	2.3	0.15	2.0	2.7	74	4.5	0.53	3.5	5.7
2011	261	2.5	0.16	2.2	2.8	64	3.6	0.46	2.8	4.6
2012	286	2.6	0.16	2.3	3.0	70	4.0	0.49	3.1	5.1
2013	279	2.6	0.16	2.3	2.9	76	4.2	0.49	3.3	5.2
2014	276	2.6	0.16	2.3	3.0	76	4.2	0.50	3.3	5.3
2015	305	2.8	0.16	2.5	3.1	75	4.1	0.49	3.2	5.2
2016	278	2.6	0.16	2.3	2.9	81	4.3	0.49	3.4	5.4
2017	280	2.6	0.16	2.3	2.9	86	4.7	0.51	3.7	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	174	1.6	0.14	1.4	1.9	3,749	2.6	0.04	2.5	2.7
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2
1995	1	0.4	0.35	0.0	2.6	91	2.0	0.21	1.6	2.4
1996	2	0.4	0.25	0.0	2.4	91	2.0	0.21	1.6	2.4
1997	0					87	1.8	0.20	1.5	2.3
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8
1999	4	2.9	1.67	0.6	7.4	112	2.3	0.22	1.9	2.7
2000	0					106	2.2	0.22	1.8	2.7
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0
2002	5	2.0	0.90	0.6	4.5	130	2.6	0.23	2.1	3.0
2003	4	0.8	0.44	0.2	2.5	117	2.4	0.22	1.9	2.8
2004	5	1.7	1.10	0.3	4.8	135	2.6	0.23	2.2	3.1
2005	5	1.3	0.65	0.4	3.2	146	2.8	0.23	2.4	3.3
2006	9	2.4	0.95	0.9	4.9	128	2.4	0.22	2.0	2.9
2007	6	1.5	0.68	0.5	3.4	140	2.6	0.22	2.2	3.1
2008	6	1.4	0.66	0.4	3.2	145	2.7	0.23	2.3	3.2
2009	9	2.2	0.90	0.8	4.5	176	3.2	0.24	2.7	3.7
2010	9	1.6	0.57	0.7	3.1	175	3.2	0.25	2.8	3.8
2011	10	2.2	0.81	0.9	4.3	165	2.8	0.23	2.4	3.3
2012	12	2.2	0.67	1.0	3.9	204	3.5	0.25	3.1	4.1
2013	11	1.6	0.50	0.7	2.9	166	2.8	0.22	2.4	3.3
2014	6	0.8	0.36	0.3	1.9	188	3.2	0.24	2.7	3.7
2015	15	2.4	0.70	1.2	4.1	214	3.6	0.25	3.1	4.1
2016	19	2.7	0.70	1.5	4.4	207	3.4	0.24	2.9	3.9
2017	14	2.0	0.59	1.0	3.5	204	3.3	0.24	2.9	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,941	2.4	0.04	2.3	2.5	693	4.0	0.16	3.7	4.3
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4
1995	71	1.7	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5
1996	70	1.8	0.21	1.4	2.3	19	3.2	0.74	1.9	5.0
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6
1999	88	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5
2000	83	2.0	0.23	1.6	2.5	20	3.5	0.79	2.1	5.4
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4
2002	103	2.4	0.24	2.0	2.9	20	3.4	0.80	2.0	5.3
2003	88	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9
2004	106	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3
2005	120	2.7	0.25	2.3	3.3	22	3.5	0.79	2.1	5.4
2006	103	2.3	0.23	1.9	2.8	19	3.0	0.73	1.8	4.8
2007	112	2.5	0.24	2.0	3.0	23	3.2	0.69	2.0	4.9
2008	107	2.4	0.23	1.9	2.9	33	5.1	0.91	3.5	7.2
2009	137	2.9	0.26	2.5	3.5	33	5.1	0.92	3.4	7.2
2010	132	3.0	0.26	2.5	3.5	36	5.4	0.95	3.7	7.5
2011	133	2.8	0.25	2.3	3.3	23	2.9	0.65	1.8	4.5
2012	155	3.2	0.26	2.7	3.8	42	6.0	0.97	4.3	8.2
2013	128	2.6	0.23	2.2	3.1	35	4.8	0.84	3.3	6.7
2014	139	2.9	0.25	2.4	3.4	43	5.7	0.91	4.1	7.8
2015	175	3.6	0.28	3.1	4.2	31	4.0	0.75	2.7	5.8
2016	156	3.1	0.26	2.6	3.7	40	5.1	0.84	3.6	7.0
2017	157	3.1	0.26	2.6	3.7	40	5.1	0.83	3.6	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	158	1.5	0.13	1.2	1.7	3,424	1.8	0.03	1.8	1.9
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0
2001	3	1.5	0.87	0.3	3.9	110	1.7	0.17	1.4	2.1
2002	5	2.1	1.05	0.6	4.9	128	2.0	0.18	1.7	2.4
2003	5	2.2	1.08	0.6	5.1	84	1.3	0.14	1.0	1.6
2004	6	1.5	0.73	0.4	3.5	104	1.6	0.15	1.3	1.9
2005	2	0.4	0.27	0.0	1.5	127	1.9	0.17	1.6	2.2
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7
2009	9	2.2	0.82	0.9	4.3	148	2.1	0.18	1.8	2.5
2010	11	2.9	0.91	1.4	5.1	151	2.1	0.18	1.8	2.5
2011	4	0.7	0.38	0.2	1.8	176	2.5	0.20	2.2	3.0
2012	6	1.1	0.50	0.4	2.5	164	2.2	0.18	1.9	2.6
2013	11	1.8	0.57	0.9	3.2	194	2.7	0.20	2.3	3.1
2014	8	1.3	0.47	0.5	2.5	176	2.5	0.20	2.2	3.0
2015	10	1.4	0.47	0.7	2.7	179	2.4	0.19	2.1	2.8
2016	10	1.6	0.55	0.8	3.0	167	2.3	0.18	2.0	2.7
2017	13	1.5	0.43	0.8	2.6	172	2.4	0.19	2.1	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Small Intestine										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,622	1.7	0.03	1.6	1.8	718	2.9	0.11	2.7	3.1
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4
1998	79	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8
2001	86	1.6	0.17	1.3	2.0	21	2.4	0.54	1.5	3.7
2002	98	1.8	0.18	1.5	2.2	30	3.5	0.64	2.3	5.0
2003	66	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1
2004	79	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2
2005	99	1.8	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3
2006	83	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.65	2.7	5.4
2009	112	2.0	0.19	1.6	2.4	34	3.5	0.61	2.4	4.9
2010	107	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4
2011	128	2.3	0.21	1.9	2.7	41	4.1	0.65	2.9	5.6
2012	131	2.2	0.20	1.8	2.6	28	2.6	0.50	1.7	3.8
2013	151	2.6	0.22	2.2	3.1	41	3.8	0.60	2.7	5.2
2014	137	2.5	0.22	2.1	3.0	33	3.2	0.57	2.2	4.5
2015	130	2.1	0.19	1.7	2.5	44	4.2	0.65	3.1	5.7
2016	122	2.1	0.19	1.7	2.5	41	3.8	0.61	2.7	5.2
2017	123	2.2	0.21	1.8	2.6	46	4.4	0.65	3.2	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,149	35.9	0.47	34.9	36.8	181,187	54.0	0.13	53.7	54.2
1990	128	38.0	3.81	30.9	46.1	6,506	61.7	0.77	60.2	63.3
1991	92	28.9	3.47	22.5	36.3	6,480	60.8	0.76	59.3	62.3
1992	112	33.0	3.50	26.5	40.4	6,457	59.7	0.75	58.3	61.2
1993	144	41.9	3.93	34.6	50.2	6,450	59.0	0.74	57.6	60.5
1994	146	37.5	3.57	30.8	45.0	6,686	60.7	0.74	59.2	62.1
1995	166	47.8	4.23	39.8	56.6	6,547	59.1	0.73	57.7	60.6
1996	152	37.4	3.46	30.9	44.7	6,651	59.7	0.73	58.3	61.1
1997	183	44.8	3.74	37.8	52.6	6,867	61.2	0.74	59.7	62.7
1998	179	44.2	3.79	37.1	52.1	7,193	63.5	0.75	62.0	64.9
1999	188	40.2	3.41	33.8	47.3	6,999	61.3	0.73	59.9	62.8
2000	193	37.6	3.13	31.7	44.1	7,134	62.1	0.74	60.7	63.6
2001	218	41.3	3.21	35.3	48.0	6,862	59.3	0.72	57.9	60.8
2002	234	41.1	3.06	35.3	47.4	7,044	60.6	0.72	59.2	62.0
2003	242	38.6	2.84	33.2	44.5	6,851	58.4	0.71	57.0	59.8
2004	268	42.7	3.01	37.0	49.0	6,930	58.6	0.71	57.3	60.0
2005	277	40.5	2.75	35.3	46.2	6,698	56.2	0.69	54.8	57.5
2006	290	40.6	2.71	35.4	46.2	6,750	56.1	0.69	54.8	57.5
2007	295	38.2	2.53	33.4	43.4	6,533	53.7	0.67	52.4	55.0
2008	290	34.1	2.25	29.9	38.8	6,423	52.0	0.66	50.7	53.3
2009	294	33.5	2.18	29.3	37.9	6,000	48.1	0.63	46.9	49.3
2010	305	31.4	2.01	27.5	35.5	6,056	47.9	0.62	46.6	49.1
2011	337	33.6	2.04	29.7	37.8	6,107	47.7	0.62	46.5	48.9
2012	341	32.6	1.95	28.9	36.7	5,831	44.8	0.60	43.6	46.0
2013	327	30.3	1.84	26.8	34.1	5,891	44.6	0.59	43.5	45.8
2014	400	34.1	1.86	30.5	37.9	5,801	43.5	0.58	42.3	44.6
2015	421	33.2	1.76	29.8	36.8	5,854	43.7	0.59	42.6	44.9
2016	459	33.8	1.71	30.5	37.3	5,981	44.4	0.59	43.3	45.6
2017	468	32.9	1.64	29.7	36.2	5,605	41.2	0.57	40.1	42.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	151,367	53.2	0.14	52.9	53.4	25,303	61.7	0.40	60.9	62.4
1990	5,752	61.6	0.82	60.0	63.2	699	64.2	2.50	59.4	69.3
1991	5,735	60.8	0.81	59.3	62.5	672	59.8	2.38	55.2	64.6
1992	5,746	60.3	0.80	58.7	61.9	639	54.8	2.23	50.5	59.3
1993	5,641	58.7	0.79	57.1	60.2	732	63.3	2.40	58.7	68.1
1994	5,854	60.5	0.79	59.0	62.1	754	63.5	2.37	58.9	68.3
1995	5,642	58.3	0.78	56.8	59.8	803	66.1	2.39	61.5	70.9
1996	5,742	59.1	0.78	57.6	60.6	796	64.4	2.33	59.9	69.1
1997	5,891	60.4	0.79	58.8	61.9	868	69.6	2.42	64.9	74.5
1998	6,142	62.5	0.80	61.0	64.1	933	73.1	2.44	68.4	78.1
1999	6,004	60.9	0.79	59.3	62.4	857	64.4	2.24	60.1	69.0
2000	6,075	61.4	0.79	59.9	63.0	910	67.2	2.27	62.8	71.8
2001	5,790	58.3	0.77	56.8	59.8	933	68.3	2.28	63.9	72.9
2002	5,891	59.3	0.78	57.8	60.8	994	71.6	2.32	67.1	76.3
2003	5,655	56.5	0.76	55.1	58.0	1,029	72.6	2.31	68.1	77.2
2004	5,776	57.6	0.76	56.1	59.1	1,010	69.0	2.21	64.7	73.4
2005	5,525	54.7	0.74	53.3	56.2	979	66.2	2.16	62.0	70.6
2006	5,520	54.4	0.74	53.0	55.9	1,031	68.1	2.16	63.9	72.4
2007	5,355	52.4	0.72	50.9	53.8	985	63.5	2.07	59.5	67.7
2008	5,221	50.6	0.71	49.2	52.0	1,003	63.6	2.05	59.6	67.7
2009	4,875	46.9	0.68	45.5	48.2	950	58.7	1.95	55.0	62.7
2010	4,858	46.2	0.68	44.9	47.6	992	60.7	1.97	56.9	64.6
2011	4,871	46.0	0.67	44.7	47.4	1,047	61.3	1.94	57.5	65.2
2012	4,660	43.4	0.65	42.1	44.7	932	54.5	1.83	51.0	58.2
2013	4,680	43.3	0.65	42.0	44.5	991	55.8	1.81	52.3	59.4
2014	4,602	42.1	0.64	40.9	43.4	963	53.7	1.77	50.3	57.3
2015	4,679	43.0	0.65	41.8	44.3	931	50.5	1.70	47.2	53.9
2016	4,734	43.5	0.65	42.2	44.8	982	52.7	1.72	49.4	56.2
2017	4,451	40.8	0.64	39.6	42.1	888	46.9	1.61	43.8	50.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,952	42.5	0.79	41.0	44.1	91,225	64.1	0.22	63.7	64.5
1990	69	45.2	6.47	33.5	59.4	3,195	75.2	1.38	72.5	77.9
1991	52	35.4	6.01	24.6	48.7	3,229	75.1	1.36	72.4	77.8
1992	65	41.1	6.17	29.9	54.5	3,279	75.3	1.35	72.6	78.0
1993	71	43.2	6.25	31.8	56.8	3,170	71.8	1.31	69.2	74.4
1994	77	40.1	5.58	29.9	52.2	3,178	71.3	1.30	68.8	73.9
1995	86	57.6	7.62	43.6	73.9	3,177	70.9	1.28	68.4	73.5
1996	76	40.5	5.64	30.3	52.8	3,214	71.1	1.28	68.6	73.6
1997	104	54.3	6.25	42.7	67.6	3,374	73.8	1.29	71.3	76.4
1998	97	55.7	6.92	43.0	70.5	3,519	76.0	1.30	73.4	78.6
1999	115	52.9	6.16	41.5	66.0	3,492	74.7	1.28	72.2	77.2
2000	100	41.7	5.00	32.5	52.4	3,590	75.6	1.28	73.2	78.2
2001	113	47.9	5.34	38.0	59.2	3,416	71.8	1.24	69.4	74.3
2002	148	57.3	5.68	46.7	69.2	3,526	72.9	1.24	70.5	75.3
2003	146	47.7	4.78	38.8	57.8	3,487	71.1	1.22	68.7	73.5
2004	158	56.6	5.56	46.2	68.3	3,460	69.5	1.20	67.2	71.9
2005	144	44.8	4.39	36.6	54.0	3,366	66.6	1.16	64.3	68.9
2006	152	45.4	4.30	37.4	54.4	3,379	65.9	1.15	63.6	68.2
2007	166	45.0	4.17	37.2	53.8	3,299	63.4	1.12	61.2	65.6
2008	157	41.6	3.92	34.3	49.9	3,262	61.3	1.09	59.2	63.5
2009	155	40.0	3.72	33.1	47.8	3,057	56.4	1.04	54.4	58.5
2010	178	37.7	3.27	31.5	44.5	3,147	57.2	1.04	55.1	59.2
2011	187	39.0	3.32	32.8	46.0	3,135	55.8	1.02	53.8	57.8
2012	191	39.8	3.29	33.6	46.7	3,052	53.3	0.99	51.4	55.3
2013	175	34.0	2.92	28.5	40.1	3,065	52.5	0.97	50.6	54.4
2014	217	40.0	3.08	34.2	46.4	3,040	51.1	0.95	49.3	53.0
2015	241	40.2	2.92	34.6	46.2	3,101	51.7	0.95	49.8	53.6
2016	236	35.7	2.59	30.8	41.1	3,091	50.7	0.94	48.9	52.6
2017	276	40.2	2.69	35.1	45.8	2,925	47.8	0.91	46.1	49.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	76,582	63.3	0.23	62.8	63.8	12,175	73.3	0.70	71.9	74.7
1990	2,831	75.2	1.46	72.3	78.1	329	76.6	4.52	68.0	85.9
1991	2,884	76.0	1.46	73.2	78.9	312	68.9	4.16	61.0	77.5
1992	2,926	76.3	1.45	73.5	79.2	312	68.6	4.15	60.7	77.1
1993	2,774	71.4	1.39	68.7	74.2	355	76.9	4.38	68.6	85.9
1994	2,801	71.5	1.38	68.8	74.3	340	73.8	4.29	65.6	82.6
1995	2,739	70.0	1.36	67.4	72.7	384	80.3	4.36	71.9	89.2
1996	2,789	70.9	1.36	68.2	73.6	360	70.4	3.93	63.0	78.5
1997	2,909	73.2	1.37	70.5	76.0	402	78.9	4.18	70.9	87.4
1998	3,028	75.3	1.38	72.6	78.1	437	85.1	4.31	76.9	93.9
1999	3,015	74.5	1.37	71.9	77.3	401	76.6	4.05	68.9	84.9
2000	3,070	75.1	1.36	72.5	77.8	442	81.8	4.11	74.0	90.2
2001	2,914	71.3	1.33	68.7	74.0	423	76.6	3.93	69.1	84.6
2002	2,980	71.9	1.33	69.3	74.5	466	84.9	4.16	76.9	93.4
2003	2,910	69.5	1.30	67.0	72.1	492	85.6	4.08	77.8	94.0
2004	2,894	68.4	1.28	65.9	71.0	485	81.3	3.89	73.9	89.3
2005	2,789	65.0	1.24	62.6	67.5	468	79.6	3.89	72.2	87.6
2006	2,780	64.1	1.23	61.7	66.5	499	81.3	3.83	73.9	89.1
2007	2,717	61.9	1.20	59.5	64.3	473	75.3	3.65	68.3	82.8
2008	2,639	59.1	1.16	56.8	61.4	500	78.1	3.69	71.0	85.7
2009	2,467	54.4	1.11	52.2	56.6	497	75.7	3.59	68.8	83.1
2010	2,556	55.4	1.12	53.3	57.7	485	72.7	3.48	66.0	79.8
2011	2,532	54.2	1.10	52.1	56.4	505	70.7	3.30	64.3	77.4
2012	2,462	51.7	1.06	49.6	53.8	452	65.0	3.21	58.8	71.6
2013	2,440	50.6	1.05	48.6	52.7	498	68.0	3.20	61.9	74.6
2014	2,424	49.4	1.03	47.4	51.5	493	66.7	3.15	60.7	73.2
2015	2,497	50.8	1.04	48.7	52.9	459	61.2	3.00	55.5	67.4
2016	2,469	49.5	1.03	47.5	51.5	477	62.0	2.96	56.3	68.0
2017	2,346	47.2	1.01	45.3	49.3	429	56.3	2.83	50.8	62.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,197	30.4	0.58	29.3	31.6	89,962	46.4	0.16	46.1	46.8
1990	59	32.5	4.65	24.1	42.7	3,311	52.7	0.93	50.9	54.6
1991	40	23.5	4.12	16.2	32.7	3,251	51.3	0.91	49.5	53.1
1992	47	26.3	4.12	18.9	35.4	3,178	49.4	0.89	47.6	51.1
1993	73	40.6	5.08	31.3	51.6	3,280	50.3	0.89	48.6	52.1
1994	69	34.9	4.60	26.4	44.8	3,508	53.4	0.91	51.6	55.2
1995	80	41.5	5.04	32.2	52.3	3,370	51.2	0.89	49.5	53.0
1996	76	35.0	4.39	26.9	44.4	3,437	51.7	0.89	49.9	53.5
1997	79	36.8	4.52	28.5	46.5	3,493	52.3	0.89	50.6	54.1
1998	82	36.2	4.40	28.1	45.6	3,674	54.8	0.91	53.0	56.6
1999	73	30.0	3.90	22.9	38.5	3,507	52.0	0.89	50.3	53.8
2000	93	34.2	3.98	26.9	42.7	3,544	52.2	0.89	50.5	54.0
2001	105	36.3	3.95	28.9	44.7	3,446	50.6	0.87	48.9	52.4
2002	86	28.2	3.35	22.0	35.4	3,518	51.6	0.88	49.9	53.4
2003	96	30.6	3.45	24.2	38.0	3,364	49.2	0.86	47.5	50.9
2004	110	32.4	3.42	26.1	39.7	3,470	50.4	0.87	48.7	52.1
2005	133	36.9	3.51	30.4	44.3	3,332	48.2	0.85	46.6	49.9
2006	138	36.2	3.43	29.8	43.4	3,371	48.8	0.85	47.2	50.5
2007	129	32.4	3.12	26.5	39.0	3,234	46.4	0.83	44.8	48.0
2008	133	28.6	2.68	23.6	34.3	3,161	45.0	0.81	43.4	46.6
2009	139	28.6	2.64	23.7	34.2	2,943	41.7	0.78	40.2	43.3
2010	127	25.6	2.47	21.0	30.8	2,909	40.6	0.77	39.1	42.1
2011	150	29.1	2.55	24.3	34.5	2,972	41.1	0.77	39.6	42.6
2012	150	26.9	2.35	22.4	31.8	2,779	38.0	0.74	36.5	39.5
2013	152	27.2	2.37	22.7	32.1	2,826	38.4	0.74	36.9	39.9
2014	183	29.3	2.31	25.0	34.2	2,761	37.3	0.73	35.9	38.8
2015	180	27.2	2.15	23.2	31.7	2,753	37.2	0.73	35.8	38.7
2016	223	32.3	2.29	28.0	37.1	2,890	39.3	0.76	37.9	40.9
2017	192	26.3	2.01	22.5	30.5	2,680	35.8	0.72	34.4	37.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon and Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	74,785	45.5	0.17	45.1	45.8	13,128	54.0	0.48	53.1	55.0
1990	2,921	52.4	0.99	50.5	54.4	370	56.5	2.99	50.8	62.7
1991	2,851	50.7	0.97	48.9	52.7	360	53.7	2.88	48.3	59.7
1992	2,820	49.5	0.95	47.6	51.4	327	46.7	2.62	41.7	52.1
1993	2,867	49.9	0.95	48.1	51.8	377	54.5	2.84	49.1	60.3
1994	3,053	52.8	0.97	50.9	54.7	414	58.0	2.88	52.5	63.9
1995	2,903	50.3	0.95	48.5	52.2	419	57.3	2.83	51.9	63.0
1996	2,953	50.8	0.95	49.0	52.7	436	59.5	2.88	54.0	65.4
1997	2,982	51.3	0.96	49.5	53.3	466	62.6	2.93	57.0	68.6
1998	3,114	53.6	0.98	51.7	55.6	496	65.1	2.95	59.4	71.1
1999	2,989	51.2	0.95	49.3	53.1	456	57.1	2.70	52.0	62.6
2000	3,005	51.2	0.95	49.4	53.1	468	57.8	2.69	52.7	63.3
2001	2,876	49.1	0.93	47.3	51.0	510	62.5	2.79	57.2	68.2
2002	2,911	49.8	0.94	47.9	51.6	528	63.4	2.78	58.1	69.1
2003	2,745	47.0	0.92	45.3	48.9	537	63.7	2.77	58.4	69.4
2004	2,882	49.2	0.94	47.4	51.1	525	60.5	2.66	55.4	66.0
2005	2,736	46.7	0.91	44.9	48.5	511	58.0	2.59	53.0	63.3
2006	2,740	47.1	0.92	45.3	48.9	532	59.3	2.59	54.4	64.6
2007	2,638	45.0	0.90	43.2	46.8	512	56.0	2.50	51.2	61.1
2008	2,582	44.0	0.89	42.3	45.8	503	54.1	2.44	49.4	59.1
2009	2,408	41.0	0.86	39.3	42.7	453	47.8	2.27	43.4	52.4
2010	2,302	38.9	0.84	37.3	40.6	507	52.3	2.35	47.8	57.1
2011	2,339	39.1	0.84	37.5	40.8	542	54.2	2.36	49.7	59.1
2012	2,198	36.5	0.81	35.0	38.2	480	47.6	2.20	43.4	52.1
2013	2,240	37.3	0.82	35.7	38.9	493	47.6	2.17	43.4	52.0
2014	2,178	36.0	0.80	34.5	37.6	470	45.1	2.12	41.1	49.5
2015	2,182	36.4	0.82	34.8	38.0	472	44.0	2.06	40.0	48.2
2016	2,265	38.5	0.85	36.9	40.2	505	46.6	2.11	42.5	50.9
2017	2,105	35.2	0.81	33.6	36.9	459	41.3	1.97	37.5	45.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,677	24.5	0.40	23.7	25.2	131,723	39.2	0.11	39.0	39.4
1990	81	24.3	3.05	18.7	30.9	4,778	45.4	0.66	44.1	46.7
1991	60	20.0	2.93	14.6	26.3	4,661	43.8	0.65	42.5	45.0
1992	77	23.6	3.03	18.0	30.1	4,677	43.3	0.64	42.0	44.5
1993	95	28.0	3.24	22.0	34.9	4,716	43.1	0.63	41.9	44.4
1994	100	26.9	3.09	21.2	33.4	5,013	45.5	0.64	44.3	46.8
1995	117	34.7	3.61	27.9	42.3	4,765	43.0	0.62	41.8	44.2
1996	99	25.0	2.85	19.7	31.0	4,901	43.9	0.63	42.7	45.2
1997	127	31.7	3.17	25.8	38.4	5,009	44.5	0.63	43.3	45.8
1998	116	30.2	3.20	24.2	36.9	5,306	46.7	0.64	45.5	48.0
1999	126	27.1	2.78	22.0	33.0	5,149	45.0	0.63	43.8	46.2
2000	136	26.8	2.67	21.8	32.5	5,281	45.9	0.63	44.6	47.1
2001	148	29.3	2.74	24.2	35.1	5,091	43.9	0.62	42.7	45.2
2002	147	26.9	2.51	22.2	32.1	5,112	43.9	0.61	42.7	45.1
2003	161	25.6	2.34	21.2	30.5	5,073	43.2	0.61	42.0	44.4
2004	180	30.4	2.60	25.6	35.9	5,056	42.7	0.60	41.6	43.9
2005	183	28.9	2.39	24.4	33.9	4,847	40.6	0.59	39.5	41.8
2006	208	29.6	2.32	25.2	34.4	4,899	40.8	0.59	39.6	41.9
2007	199	27.6	2.21	23.5	32.2	4,786	39.3	0.57	38.2	40.4
2008	176	21.0	1.77	17.7	24.7	4,596	37.3	0.56	36.2	38.4
2009	188	23.2	1.87	19.6	27.0	4,346	34.9	0.54	33.9	36.0
2010	194	21.2	1.70	18.0	24.7	4,304	34.1	0.53	33.1	35.1
2011	228	22.7	1.67	19.6	26.2	4,396	34.4	0.53	33.4	35.5
2012	224	22.6	1.66	19.5	26.0	4,168	32.1	0.51	31.1	33.1
2013	197	19.3	1.51	16.4	22.4	4,216	31.9	0.50	30.9	32.9
2014	258	23.2	1.58	20.2	26.4	4,144	31.0	0.49	30.0	32.0
2015	274	22.5	1.48	19.7	25.5	4,181	31.1	0.49	30.2	32.1
2016	295	22.9	1.44	20.1	25.8	4,279	31.7	0.50	30.7	32.7
2017	283	20.6	1.32	18.0	23.3	3,973	29.1	0.47	28.2	30.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	109,578	38.3	0.12	38.1	38.6	19,340	47.6	0.35	46.9	48.3
1990	4,190	44.9	0.70	43.5	46.3	551	50.7	2.23	46.5	55.3
1991	4,124	43.7	0.69	42.4	45.1	498	44.5	2.05	40.6	48.7
1992	4,133	43.3	0.68	42.0	44.7	496	42.6	1.97	38.9	46.6
1993	4,119	42.7	0.67	41.4	44.1	554	47.8	2.08	43.8	52.0
1994	4,363	45.0	0.68	43.7	46.4	596	50.8	2.13	46.7	55.1
1995	4,057	41.8	0.66	40.5	43.1	642	53.3	2.15	49.2	57.7
1996	4,201	43.1	0.67	41.8	44.4	628	51.1	2.09	47.1	55.3
1997	4,279	43.6	0.67	42.3	45.0	661	53.3	2.12	49.2	57.6
1998	4,474	45.3	0.68	44.0	46.7	753	59.6	2.22	55.3	64.1
1999	4,372	44.1	0.67	42.8	45.4	677	51.3	2.01	47.4	55.4
2000	4,464	44.9	0.67	43.6	46.2	719	53.7	2.04	49.8	57.8
2001	4,261	42.7	0.66	41.4	44.0	735	54.3	2.04	50.4	58.4
2002	4,233	42.3	0.65	41.1	43.6	777	56.3	2.06	52.3	60.4
2003	4,166	41.4	0.64	40.2	42.7	801	57.1	2.06	53.2	61.3
2004	4,206	41.7	0.65	40.5	43.0	766	53.0	1.95	49.2	56.9
2005	3,986	39.3	0.63	38.1	40.6	744	51.1	1.91	47.4	54.9
2006	3,992	39.2	0.63	38.0	40.5	789	52.6	1.91	49.0	56.5
2007	3,923	38.1	0.62	36.9	39.4	750	49.0	1.83	45.5	52.7
2008	3,715	35.9	0.60	34.7	37.1	759	48.7	1.81	45.2	52.4
2009	3,524	33.8	0.58	32.7	34.9	713	44.9	1.72	41.6	48.4
2010	3,420	32.5	0.57	31.4	33.6	759	46.9	1.74	43.6	50.5
2011	3,510	33.1	0.57	32.0	34.3	773	46.0	1.69	42.7	49.4
2012	3,326	30.8	0.55	29.8	31.9	689	41.1	1.60	38.0	44.4
2013	3,343	30.7	0.54	29.7	31.8	736	42.1	1.59	39.0	45.3
2014	3,261	29.7	0.53	28.7	30.8	736	41.3	1.56	38.3	44.5
2015	3,345	30.5	0.54	29.5	31.6	692	37.8	1.47	35.0	40.8
2016	3,408	31.1	0.55	30.1	32.2	711	38.5	1.48	35.6	41.5
2017	3,183	28.9	0.53	27.9	30.0	635	33.8	1.37	31.2	36.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,458	27.8	0.65	26.5	29.1	63,140	44.8	0.18	44.5	45.2
1990	43	30.1	5.47	20.4	42.4	2,252	53.3	1.16	51.1	55.6
1991	34	23.1	4.77	14.7	33.9	2,240	52.5	1.15	50.3	54.8
1992	48	32.0	5.67	21.9	44.6	2,295	53.2	1.14	51.0	55.5
1993	45	29.8	5.48	20.0	42.0	2,209	50.4	1.10	48.2	52.6
1994	48	25.9	4.54	17.8	36.1	2,285	51.9	1.11	49.8	54.2
1995	62	42.5	6.56	30.6	56.7	2,210	49.7	1.08	47.6	51.8
1996	44	23.6	4.23	16.0	33.1	2,248	50.3	1.08	48.2	52.4
1997	68	35.0	4.95	26.0	45.8	2,329	51.4	1.08	49.3	53.6
1998	57	35.7	5.71	25.4	48.2	2,462	53.5	1.09	51.4	55.7
1999	73	34.5	4.96	25.5	45.3	2,428	52.4	1.08	50.3	54.5
2000	67	28.3	4.21	20.6	37.4	2,517	53.6	1.08	51.5	55.8
2001	74	32.9	4.50	24.7	42.6	2,408	51.2	1.05	49.1	53.3
2002	83	34.4	4.51	26.1	44.1	2,435	50.8	1.04	48.8	52.9
2003	101	32.9	4.00	25.5	41.5	2,486	51.1	1.04	49.1	53.2
2004	97	37.5	4.65	29.0	47.4	2,387	48.5	1.00	46.6	50.5
2005	91	30.7	3.72	23.9	38.7	2,315	46.3	0.97	44.4	48.2
2006	104	32.8	3.68	26.0	40.7	2,348	46.4	0.97	44.6	48.4
2007	106	30.8	3.57	24.2	38.4	2,307	44.7	0.94	42.9	46.6
2008	89	23.5	2.95	18.1	29.8	2,206	42.0	0.91	40.2	43.8
2009	89	26.0	3.14	20.2	32.7	2,090	39.2	0.87	37.5	40.9
2010	109	24.1	2.68	19.2	29.8	2,128	39.3	0.87	37.6	41.0
2011	121	24.6	2.61	19.8	30.2	2,136	38.5	0.85	36.9	40.3
2012	123	26.6	2.73	21.5	32.3	2,059	36.6	0.82	35.0	38.2
2013	100	20.9	2.38	16.5	25.9	2,090	36.2	0.81	34.6	37.8
2014	132	27.4	2.69	22.3	33.0	2,092	35.5	0.79	34.0	37.1
2015	145	24.4	2.28	20.1	29.2	2,092	35.2	0.79	33.7	36.8
2016	147	23.5	2.17	19.4	28.0	2,122	35.1	0.78	33.6	36.6
2017	158	24.4	2.15	20.3	28.9	1,964	32.4	0.75	30.9	33.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	52,670	43.9	0.19	43.5	44.3	9,001	55.1	0.61	53.9	56.3
1990	1,976	52.8	1.22	50.4	55.2	251	59.0	3.98	51.5	67.2
1991	1,997	53.1	1.22	50.7	55.5	227	49.8	3.53	43.1	57.2
1992	2,027	53.4	1.22	51.1	55.9	241	53.3	3.67	46.3	60.9
1993	1,928	50.0	1.17	47.7	52.3	260	56.5	3.75	49.4	64.3
1994	2,001	51.7	1.18	49.4	54.0	259	57.5	3.84	50.3	65.5
1995	1,871	48.2	1.13	46.0	50.4	302	63.5	3.89	56.1	71.5
1996	1,927	49.4	1.14	47.2	51.7	283	56.4	3.56	49.7	63.8
1997	1,988	50.4	1.15	48.2	52.7	303	59.7	3.64	52.8	67.3
1998	2,083	52.1	1.15	49.9	54.4	347	68.1	3.88	60.7	76.1
1999	2,081	51.8	1.14	49.5	54.1	297	57.6	3.54	50.8	64.9
2000	2,135	52.6	1.15	50.4	54.9	333	63.1	3.66	56.1	70.6
2001	2,029	50.1	1.12	48.0	52.4	328	60.2	3.51	53.5	67.4
2002	2,029	49.4	1.10	47.2	51.6	358	65.7	3.67	58.7	73.2
2003	2,061	49.5	1.10	47.4	51.8	372	66.5	3.65	59.6	74.0
2004	2,007	47.9	1.08	45.8	50.0	339	57.7	3.30	51.4	64.4
2005	1,921	45.1	1.04	43.1	47.2	337	59.1	3.41	52.6	66.1
2006	1,923	44.9	1.03	42.9	46.9	367	60.9	3.35	54.5	67.8
2007	1,886	43.3	1.01	41.3	45.3	361	58.6	3.25	52.3	65.2
2008	1,763	39.8	0.96	38.0	41.8	374	59.4	3.25	53.2	66.1
2009	1,681	37.4	0.93	35.6	39.3	348	54.8	3.10	48.9	61.2
2010	1,701	37.5	0.92	35.7	39.3	360	54.7	3.04	48.9	60.9
2011	1,727	37.4	0.92	35.6	39.2	356	51.1	2.84	45.7	57.0
2012	1,654	35.2	0.88	33.4	36.9	319	47.5	2.79	42.2	53.3
2013	1,653	34.5	0.87	32.9	36.3	359	50.3	2.79	44.9	56.0
2014	1,651	33.9	0.85	32.3	35.6	370	50.9	2.78	45.6	56.6
2015	1,683	34.4	0.86	32.8	36.2	326	44.0	2.56	39.2	49.3
2016	1,696	34.1	0.85	32.5	35.9	336	44.3	2.52	39.5	49.5
2017	1,591	32.2	0.83	30.6	33.9	288	38.6	2.37	34.1	43.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,219	21.8	0.50	20.9	22.8	68,583	35.1	0.14	34.8	35.4
1990	38	20.3	3.59	13.9	28.4	2,526	40.1	0.81	38.5	41.7
1991	26	17.0	3.62	10.7	25.3	2,421	38.1	0.78	36.6	39.6
1992	29	17.0	3.35	11.0	24.6	2,382	36.8	0.76	35.3	38.4
1993	50	27.0	4.09	19.6	36.0	2,507	38.3	0.77	36.8	39.8
1994	52	27.2	4.13	19.8	36.3	2,728	41.3	0.80	39.8	42.9
1995	55	29.6	4.28	21.8	38.9	2,555	38.6	0.77	37.1	40.1
1996	55	25.9	3.81	19.0	34.2	2,653	39.7	0.78	38.2	41.2
1997	59	28.3	4.03	21.0	37.1	2,680	39.9	0.78	38.4	41.4
1998	59	26.8	3.83	19.8	35.2	2,844	42.0	0.80	40.5	43.6
1999	53	21.5	3.26	15.6	28.6	2,721	40.1	0.78	38.5	41.6
2000	69	25.6	3.45	19.3	33.1	2,764	40.4	0.78	38.9	42.0
2001	74	26.6	3.42	20.3	34.0	2,683	39.0	0.76	37.6	40.6
2002	64	21.2	2.92	15.9	27.6	2,677	39.0	0.76	37.5	40.5
2003	60	19.2	2.77	14.2	25.3	2,587	37.6	0.75	36.1	39.1
2004	83	25.6	3.10	19.9	32.2	2,669	38.4	0.75	36.9	39.9
2005	92	27.3	3.11	21.6	34.0	2,532	36.3	0.73	34.9	37.8
2006	104	26.9	2.93	21.4	33.1	2,551	36.7	0.74	35.2	38.1
2007	93	24.9	2.81	19.7	30.9	2,479	35.2	0.72	33.8	36.7
2008	87	19.4	2.24	15.3	24.2	2,390	33.8	0.70	32.5	35.2
2009	99	21.5	2.33	17.2	26.5	2,256	31.7	0.68	30.4	33.0
2010	85	18.4	2.16	14.5	23.1	2,176	30.1	0.66	28.8	31.4
2011	107	21.1	2.19	17.0	25.7	2,260	31.0	0.67	29.7	32.4
2012	101	19.3	2.05	15.5	23.7	2,109	28.6	0.64	27.4	29.9
2013	97	18.0	1.96	14.4	22.2	2,126	28.6	0.64	27.4	29.9
2014	126	20.4	1.94	16.8	24.5	2,052	27.4	0.62	26.2	28.6
2015	129	20.6	1.93	17.0	24.7	2,089	27.8	0.63	26.6	29.1
2016	148	22.5	1.96	18.8	26.6	2,157	29.0	0.65	27.7	30.3
2017	125	17.3	1.64	14.2	20.8	2,009	26.4	0.61	25.2	27.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Colon excluding Rectum										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	56,908	34.2	0.15	33.9	34.5	10,339	42.8	0.42	41.9	43.6
1990	2,214	39.5	0.85	37.8	41.2	300	45.8	2.69	40.7	51.3
1991	2,127	37.6	0.83	36.0	39.3	271	40.9	2.52	36.1	46.1
1992	2,106	36.7	0.81	35.1	38.3	255	36.5	2.31	32.1	41.3
1993	2,191	37.8	0.82	36.2	39.5	294	42.3	2.49	37.5	47.4
1994	2,362	40.5	0.85	38.9	42.2	337	47.5	2.62	42.5	52.9
1995	2,186	37.5	0.82	36.0	39.2	340	46.9	2.57	42.0	52.2
1996	2,274	38.8	0.83	37.2	40.5	345	47.1	2.56	42.3	52.4
1997	2,291	39.1	0.83	37.5	40.7	358	48.3	2.57	43.3	53.5
1998	2,391	40.6	0.85	39.0	42.3	406	53.7	2.69	48.6	59.2
1999	2,291	38.7	0.82	37.1	40.4	380	47.8	2.47	43.1	52.9
2000	2,329	39.2	0.83	37.6	40.9	386	48.0	2.46	43.3	53.0
2001	2,232	37.6	0.81	36.0	39.2	407	50.1	2.50	45.3	55.2
2002	2,204	37.2	0.81	35.7	38.9	419	50.5	2.48	45.7	55.6
2003	2,105	35.6	0.79	34.1	37.2	429	51.1	2.49	46.4	56.2
2004	2,199	37.0	0.81	35.4	38.6	427	49.6	2.42	45.0	54.6
2005	2,065	34.7	0.78	33.2	36.3	407	46.5	2.32	42.1	51.3
2006	2,069	35.0	0.79	33.5	36.6	422	47.3	2.32	42.9	52.1
2007	2,037	34.2	0.78	32.7	35.8	389	43.0	2.20	38.8	47.5
2008	1,952	32.9	0.77	31.4	34.5	385	41.8	2.15	37.7	46.2
2009	1,843	30.9	0.74	29.5	32.4	365	38.6	2.05	34.7	42.9
2010	1,719	28.6	0.71	27.2	30.1	399	41.5	2.10	37.5	45.8
2011	1,783	29.5	0.72	28.1	31.0	417	42.0	2.09	38.0	46.3
2012	1,672	27.4	0.69	26.0	28.8	370	37.0	1.95	33.3	41.0
2013	1,690	27.7	0.70	26.4	29.2	377	36.8	1.92	33.1	40.8
2014	1,610	26.2	0.68	24.9	27.6	366	35.0	1.86	31.5	38.9
2015	1,662	27.3	0.70	25.9	28.7	366	34.1	1.81	30.6	37.8
2016	1,712	28.7	0.73	27.3	30.2	375	34.6	1.82	31.2	38.4
2017	1,592	26.1	0.69	24.7	27.5	347	31.3	1.71	28.0	34.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,472	11.4	0.26	10.9	11.9	49,464	14.8	0.07	14.6	14.9
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	32	9.0	1.86	5.7	13.2	1,819	17.0	0.40	16.2	17.8
1992	35	9.4	1.75	6.2	13.4	1,780	16.5	0.39	15.7	17.3
1993	49	14.0	2.22	9.9	18.9	1,734	15.9	0.38	15.1	16.6
1994	46	10.6	1.80	7.4	14.6	1,673	15.2	0.37	14.4	15.9
1995	49	13.1	2.20	9.1	17.9	1,782	16.1	0.38	15.4	16.9
1996	53	12.4	1.97	8.9	16.8	1,750	15.8	0.38	15.0	16.5
1997	56	13.1	1.97	9.6	17.5	1,858	16.6	0.39	15.9	17.4
1998	63	14.0	2.03	10.3	18.4	1,887	16.7	0.39	16.0	17.5
1999	62	13.0	1.97	9.5	17.3	1,850	16.3	0.38	15.6	17.1
2000	57	10.8	1.62	7.9	14.4	1,853	16.2	0.38	15.5	17.0
2001	70	12.0	1.68	9.0	15.7	1,771	15.4	0.37	14.7	16.1
2002	87	14.2	1.75	11.0	18.0	1,932	16.7	0.38	16.0	17.5
2003	81	13.0	1.62	10.0	16.4	1,778	15.2	0.36	14.5	15.9
2004	88	12.3	1.52	9.5	15.6	1,874	15.9	0.37	15.2	16.7
2005	94	11.6	1.36	9.1	14.5	1,851	15.6	0.36	14.9	16.3
2006	82	11.0	1.40	8.4	14.0	1,851	15.3	0.36	14.6	16.1
2007	96	10.5	1.21	8.3	13.2	1,747	14.4	0.35	13.7	15.1
2008	114	13.1	1.39	10.5	16.1	1,827	14.7	0.35	14.1	15.4
2009	106	10.3	1.13	8.2	12.7	1,654	13.2	0.33	12.6	13.9
2010	111	10.2	1.07	8.2	12.5	1,752	13.8	0.33	13.1	14.4
2011	109	10.9	1.16	8.7	13.4	1,711	13.3	0.33	12.6	13.9
2012	117	10.1	1.03	8.1	12.2	1,663	12.7	0.32	12.1	13.3
2013	130	11.0	1.05	9.1	13.3	1,675	12.7	0.32	12.1	13.4
2014	142	10.9	0.99	9.0	13.0	1,657	12.5	0.31	11.8	13.1
2015	147	10.7	0.96	9.0	12.8	1,673	12.6	0.32	12.0	13.2
2016	164	10.9	0.91	9.2	12.9	1,702	12.7	0.32	12.1	13.4
2017	185	12.3	0.97	10.5	14.4	1,632	12.1	0.31	11.5	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	41,789	14.8	0.07	14.7	15.0	5,963	14.1	0.19	13.7	14.4
1990	1,562	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9
1991	1,611	17.1	0.43	16.3	18.0	174	15.3	1.20	13.0	17.8
1992	1,613	17.0	0.43	16.2	17.9	143	12.1	1.05	10.2	14.4
1993	1,522	15.9	0.41	15.1	16.7	178	15.5	1.20	13.3	18.0
1994	1,491	15.5	0.40	14.7	16.3	158	12.7	1.03	10.7	14.8
1995	1,585	16.5	0.42	15.7	17.4	161	12.8	1.03	10.8	14.9
1996	1,541	16.0	0.41	15.2	16.9	168	13.3	1.04	11.3	15.5
1997	1,612	16.7	0.42	15.9	17.6	207	16.3	1.16	14.1	18.7
1998	1,668	17.2	0.42	16.4	18.1	180	13.5	1.03	11.6	15.7
1999	1,632	16.8	0.42	16.0	17.6	180	13.1	0.99	11.2	15.2
2000	1,611	16.6	0.41	15.8	17.4	191	13.5	0.99	11.6	15.5
2001	1,529	15.7	0.40	14.9	16.5	198	14.0	1.02	12.1	16.2
2002	1,658	16.9	0.42	16.1	17.8	217	15.3	1.06	13.3	17.6
2003	1,489	15.1	0.39	14.3	15.9	228	15.5	1.04	13.5	17.6
2004	1,570	15.9	0.40	15.1	16.7	244	16.0	1.04	14.0	18.2
2005	1,539	15.4	0.40	14.7	16.2	235	15.1	1.01	13.2	17.2
2006	1,528	15.2	0.39	14.4	16.0	242	15.5	1.01	13.5	17.6
2007	1,432	14.2	0.38	13.5	15.0	235	14.5	0.97	12.7	16.5
2008	1,506	14.7	0.38	13.9	15.5	244	14.9	0.97	13.0	16.9
2009	1,351	13.1	0.36	12.4	13.8	237	13.9	0.92	12.1	15.8
2010	1,438	13.7	0.37	13.0	14.5	233	13.7	0.92	12.0	15.6
2011	1,361	12.9	0.36	12.2	13.6	274	15.3	0.95	13.5	17.3
2012	1,334	12.5	0.35	11.8	13.2	243	13.4	0.88	11.7	15.3
2013	1,337	12.5	0.35	11.9	13.2	255	13.7	0.88	12.0	15.5
2014	1,341	12.4	0.35	11.7	13.1	227	12.4	0.84	10.8	14.1
2015	1,334	12.5	0.35	11.8	13.2	239	12.7	0.84	11.1	14.5
2016	1,326	12.3	0.35	11.7	13.1	271	14.2	0.88	12.5	16.1
2017	1,268	11.9	0.35	11.2	12.6	253	13.1	0.84	11.5	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,494	14.8	0.44	13.9	15.6	28,085	19.3	0.12	19.1	19.5
1990	26	15.1	3.45	9.1	23.3	943	21.9	0.74	20.5	23.4
1991	18	12.3	3.66	6.2	21.1	989	22.6	0.74	21.2	24.1
1992	17	9.1	2.43	5.0	15.1	984	22.0	0.72	20.6	23.5
1993	26	13.4	3.01	8.1	20.5	961	21.4	0.71	20.0	22.8
1994	29	14.2	3.25	8.5	21.8	893	19.4	0.66	18.1	20.7
1995	24	15.1	3.88	8.5	24.1	967	21.2	0.70	19.9	22.6
1996	32	16.9	3.72	10.5	25.5	966	20.8	0.68	19.5	22.2
1997	36	19.3	3.82	12.5	27.9	1,045	22.4	0.70	21.0	23.8
1998	40	20.0	3.90	13.1	28.8	1,057	22.5	0.70	21.1	23.9
1999	42	18.4	3.66	11.9	26.6	1,064	22.3	0.69	21.0	23.7
2000	33	13.4	2.71	8.7	19.6	1,073	22.1	0.68	20.7	23.4
2001	39	15.0	2.89	9.9	21.5	1,008	20.7	0.66	19.4	22.0
2002	65	22.9	3.45	16.6	30.5	1,091	22.0	0.67	20.7	23.4
2003	45	14.8	2.62	10.2	20.7	1,001	20.0	0.64	18.7	21.2
2004	61	19.1	3.05	13.6	25.8	1,073	21.0	0.65	19.7	22.3
2005	53	14.0	2.34	9.8	19.3	1,051	20.3	0.63	19.1	21.6
2006	48	12.6	2.22	8.6	17.5	1,031	19.4	0.61	18.3	20.7
2007	60	14.2	2.15	10.3	18.9	992	18.7	0.60	17.5	19.9
2008	68	18.1	2.58	13.4	23.8	1,056	19.3	0.61	18.2	20.6
2009	66	14.0	2.01	10.4	18.4	967	17.3	0.57	16.2	18.4
2010	69	13.5	1.88	10.1	17.7	1,019	17.9	0.57	16.8	19.1
2011	66	14.4	2.05	10.7	18.9	999	17.2	0.56	16.1	18.3
2012	68	13.2	1.84	9.9	17.3	993	16.7	0.54	15.7	17.8
2013	75	13.1	1.70	10.0	16.8	975	16.3	0.53	15.3	17.4
2014	85	12.7	1.49	9.9	15.9	948	15.6	0.52	14.6	16.7
2015	96	15.8	1.82	12.4	19.7	1,009	16.5	0.53	15.5	17.6
2016	89	12.2	1.42	9.6	15.3	969	15.7	0.52	14.7	16.7
2017	118	15.8	1.62	12.8	19.3	961	15.5	0.51	14.5	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	23,912	19.4	0.13	19.1	19.6	3,174	18.2	0.34	17.6	18.9
1990	855	22.4	0.79	20.9	24.0	78	17.6	2.15	13.7	22.3
1991	887	23.0	0.79	21.4	24.6	85	19.1	2.21	15.0	23.8
1992	899	22.9	0.78	21.4	24.5	71	15.3	1.95	11.7	19.5
1993	846	21.5	0.75	20.0	23.0	95	20.4	2.27	16.2	25.3
1994	800	19.8	0.71	18.5	21.3	81	16.2	1.91	12.7	20.4
1995	868	21.8	0.75	20.4	23.4	82	16.8	1.96	13.1	21.0
1996	862	21.5	0.74	20.0	23.0	77	14.0	1.65	11.0	17.6
1997	921	22.8	0.76	21.3	24.3	99	19.1	2.05	15.3	23.5
1998	945	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1
1999	934	22.8	0.75	21.3	24.3	104	19.1	1.97	15.4	23.3
2000	935	22.5	0.74	21.1	24.0	109	18.7	1.87	15.2	22.7
2001	885	21.2	0.72	19.8	22.7	95	16.3	1.77	13.1	20.1
2002	951	22.5	0.73	21.1	24.0	108	19.2	1.97	15.6	23.4
2003	849	20.0	0.69	18.7	21.4	120	19.1	1.83	15.7	23.0
2004	887	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0
2005	868	19.9	0.68	18.6	21.3	131	20.5	1.88	17.0	24.6
2006	857	19.2	0.66	17.9	20.5	132	20.4	1.86	16.9	24.3
2007	831	18.6	0.65	17.4	20.0	112	16.7	1.66	13.6	20.3
2008	876	19.2	0.66	18.0	20.6	126	18.7	1.76	15.4	22.5
2009	786	16.9	0.61	15.7	18.2	149	20.9	1.82	17.5	24.8
2010	855	18.0	0.63	16.8	19.3	125	18.0	1.69	14.8	21.6
2011	805	16.8	0.61	15.7	18.1	149	19.6	1.68	16.4	23.1
2012	808	16.5	0.59	15.4	17.8	133	17.4	1.59	14.5	20.8
2013	787	16.1	0.59	15.0	17.3	139	17.8	1.58	14.8	21.1
2014	773	15.5	0.57	14.4	16.7	123	15.8	1.49	13.0	19.0
2015	814	16.4	0.59	15.2	17.6	133	17.2	1.57	14.3	20.5
2016	773	15.3	0.57	14.2	16.5	141	17.7	1.55	14.8	21.0
2017	755	15.1	0.57	14.0	16.2	141	17.6	1.55	14.7	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	978	8.6	0.30	8.0	9.2	21,379	11.3	0.08	11.2	11.5
1990	21	12.2	2.95	7.2	19.1	785	12.7	0.46	11.8	13.6
1991	14	6.6	1.96	3.3	11.4	830	13.2	0.47	12.3	14.2
1992	18	9.4	2.40	5.3	15.1	796	12.5	0.45	11.7	13.4
1993	23	13.6	3.02	8.4	20.5	773	12.1	0.44	11.2	12.9
1994	17	7.6	2.03	4.2	12.5	780	12.1	0.44	11.3	13.0
1995	25	11.9	2.68	7.3	18.1	815	12.6	0.45	11.8	13.5
1996	21	9.1	2.18	5.3	14.2	784	12.0	0.43	11.2	12.9
1997	20	8.5	2.03	5.0	13.2	813	12.5	0.44	11.6	13.3
1998	23	9.4	2.16	5.7	14.4	830	12.8	0.45	11.9	13.7
1999	20	8.6	2.15	4.9	13.6	786	12.0	0.43	11.2	12.9
2000	24	8.6	1.98	5.2	13.2	780	11.8	0.43	11.0	12.7
2001	31	9.6	1.98	6.2	14.2	763	11.6	0.42	10.8	12.4
2002	22	7.0	1.63	4.2	10.8	841	12.6	0.44	11.8	13.5
2003	36	11.4	2.06	7.7	16.0	777	11.6	0.42	10.8	12.5
2004	27	6.9	1.46	4.3	10.3	801	12.0	0.43	11.2	12.9
2005	41	9.6	1.64	6.7	13.3	800	11.9	0.43	11.1	12.8
2006	34	9.4	1.78	6.2	13.4	820	12.2	0.43	11.3	13.1
2007	36	7.5	1.36	5.0	10.6	755	11.2	0.41	10.4	12.0
2008	46	9.2	1.48	6.5	12.5	771	11.2	0.41	10.4	12.0
2009	40	7.1	1.24	4.9	10.0	687	10.0	0.39	9.3	10.8
2010	42	7.2	1.20	5.0	9.9	733	10.5	0.40	9.7	11.3
2011	43	8.0	1.32	5.7	11.0	712	10.0	0.39	9.3	10.8
2012	49	7.6	1.15	5.5	10.1	670	9.4	0.37	8.7	10.2
2013	55	9.1	1.32	6.7	12.1	700	9.8	0.38	9.0	10.5
2014	57	9.0	1.26	6.7	11.8	709	9.9	0.38	9.2	10.7
2015	51	6.6	0.95	4.9	8.7	664	9.4	0.38	8.6	10.1
2016	75	9.8	1.19	7.6	12.4	733	10.3	0.40	9.6	11.1
2017	67	9.0	1.16	6.9	11.6	671	9.4	0.38	8.6	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Rectum and Rectosigmoid Junction										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	17,877	11.3	0.09	11.1	11.5	2,789	11.3	0.22	10.9	11.7
1990	707	12.9	0.50	12.0	13.9	70	10.8	1.31	8.4	13.6
1991	724	13.1	0.50	12.1	14.1	89	12.9	1.39	10.3	15.9
1992	714	12.8	0.49	11.8	13.8	72	10.3	1.23	8.0	12.9
1993	676	12.1	0.47	11.2	13.1	83	12.2	1.36	9.7	15.1
1994	691	12.3	0.48	11.4	13.2	77	10.5	1.21	8.3	13.1
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9
1996	679	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2
1997	691	12.3	0.47	11.3	13.2	108	14.3	1.39	11.7	17.3
1998	723	13.0	0.49	12.1	14.0	90	11.4	1.21	9.1	14.0
1999	698	12.4	0.48	11.5	13.4	76	9.3	1.08	7.3	11.7
2000	676	12.0	0.47	11.1	13.0	82	9.9	1.09	7.8	12.2
2001	644	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1
2002	707	12.5	0.48	11.6	13.5	109	12.9	1.25	10.6	15.6
2003	640	11.4	0.46	10.5	12.3	108	12.6	1.22	10.3	15.2
2004	683	12.2	0.48	11.3	13.2	98	10.9	1.11	8.9	13.3
2005	671	12.0	0.47	11.1	12.9	104	11.5	1.13	9.4	13.9
2006	671	12.1	0.48	11.1	13.0	110	12.0	1.16	9.9	14.5
2007	601	10.7	0.45	9.9	11.7	123	13.0	1.18	10.8	15.5
2008	630	11.1	0.45	10.2	12.0	118	12.3	1.14	10.1	14.7
2009	565	10.0	0.43	9.2	10.9	88	9.1	0.99	7.3	11.3
2010	583	10.3	0.44	9.5	11.2	108	10.8	1.05	8.8	13.1
2011	556	9.6	0.42	8.8	10.5	125	12.2	1.11	10.1	14.6
2012	526	9.2	0.42	8.4	10.0	110	10.6	1.02	8.7	12.8
2013	550	9.6	0.42	8.7	10.4	116	10.8	1.02	8.9	13.0
2014	568	9.8	0.43	9.0	10.7	104	10.1	1.01	8.2	12.3
2015	520	9.1	0.42	8.3	10.0	106	9.9	0.98	8.1	12.0
2016	553	9.8	0.44	9.0	10.7	130	11.9	1.07	9.9	14.2
2017	513	9.1	0.43	8.3	10.0	112	10.0	0.97	8.2	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	266	1.3	0.09	1.1	1.5	5,026	1.5	0.02	1.5	1.6
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	6	2.2	0.98	0.7	4.8	107	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	7	2.6	1.08	1.0	5.3	109	1.0	0.10	0.8	1.2
1997	5	0.6	0.27	0.2	1.6	120	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	8	1.4	0.54	0.6	2.9	144	1.3	0.11	1.1	1.5
2000	6	0.7	0.31	0.3	1.7	165	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	148	1.3	0.11	1.1	1.5
2003	10	1.7	0.58	0.7	3.2	186	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	166	1.4	0.11	1.2	1.6
2006	8	1.1	0.42	0.4	2.2	172	1.5	0.11	1.2	1.7
2007	11	1.4	0.47	0.6	2.6	212	1.8	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	194	1.6	0.11	1.4	1.8
2009	17	1.7	0.49	0.9	2.9	227	1.9	0.12	1.6	2.1
2010	13	1.3	0.41	0.6	2.3	218	1.7	0.12	1.5	2.0
2011	13	1.2	0.37	0.6	2.1	213	1.7	0.12	1.5	1.9
2012	11	0.7	0.21	0.4	1.3	234	1.8	0.12	1.6	2.0
2013	15	1.1	0.31	0.6	1.9	260	2.0	0.13	1.8	2.3
2014	13	1.1	0.34	0.6	2.0	287	2.1	0.13	1.9	2.4
2015	19	1.5	0.39	0.9	2.5	238	1.7	0.12	1.5	2.0
2016	13	1.0	0.28	0.5	1.7	292	2.2	0.13	1.9	2.4
2017	17	1.3	0.35	0.7	2.1	276	2.0	0.12	1.8	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,149	1.5	0.02	1.5	1.6	808	1.8	0.07	1.7	2.0
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8
1992	91	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2
1996	94	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0
1997	102	1.1	0.11	0.9	1.3	16	1.2	0.30	0.7	1.9
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4
1999	123	1.3	0.12	1.1	1.6	19	1.3	0.30	0.8	2.0
2000	135	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3
2002	122	1.3	0.12	1.1	1.5	23	1.4	0.30	0.9	2.1
2003	154	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8
2005	137	1.4	0.12	1.2	1.6	27	1.6	0.31	1.0	2.3
2006	136	1.4	0.12	1.2	1.6	33	2.0	0.35	1.4	2.8
2007	176	1.8	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8
2008	149	1.5	0.12	1.3	1.7	41	2.5	0.40	1.8	3.4
2009	190	1.9	0.14	1.6	2.2	33	2.0	0.36	1.4	2.8
2010	169	1.6	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8
2011	167	1.6	0.13	1.4	1.9	39	2.3	0.37	1.6	3.1
2012	196	1.8	0.13	1.6	2.1	33	1.9	0.33	1.3	2.6
2013	224	2.2	0.15	1.9	2.5	33	1.9	0.33	1.3	2.6
2014	237	2.2	0.14	1.9	2.5	48	2.5	0.38	1.9	3.4
2015	198	1.8	0.13	1.5	2.1	35	1.8	0.31	1.3	2.5
2016	246	2.3	0.15	2.0	2.6	41	2.2	0.34	1.5	3.0
2017	221	2.0	0.14	1.7	2.3	50	2.6	0.38	1.9	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	106	1.0	0.12	0.8	1.3	1,938	1.3	0.03	1.3	1.4
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	62	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	70	1.3	0.16	1.0	1.7
2006	2	0.3	0.19	0.0	1.4	78	1.5	0.17	1.2	1.8
2007	2	0.5	0.47	0.0	2.2	77	1.5	0.17	1.2	1.8
2008	6	1.6	0.73	0.5	3.6	80	1.5	0.16	1.1	1.8
2009	6	0.7	0.30	0.3	1.8	82	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	73	1.4	0.16	1.1	1.7
2012	6	0.7	0.30	0.3	1.7	95	1.6	0.17	1.3	2.0
2013	5	0.5	0.23	0.2	1.3	101	1.8	0.18	1.5	2.2
2014	3	0.6	0.39	0.1	1.8	119	2.0	0.18	1.6	2.4
2015	9	1.6	0.59	0.6	3.1	91	1.4	0.15	1.1	1.8
2016	8	1.3	0.49	0.5	2.6	96	1.5	0.16	1.2	1.9
2017	5	0.9	0.46	0.2	2.2	106	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,512	1.2	0.03	1.2	1.3	393	2.1	0.11	1.9	2.3
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7
2002	48	1.1	0.16	0.8	1.5	13	1.7	0.47	0.9	3.0
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6
2005	52	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7
2006	54	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7
2007	63	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8
2008	57	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1
2009	66	1.5	0.19	1.2	1.9	14	2.1	0.58	1.1	3.5
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4
2011	53	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7
2012	75	1.5	0.18	1.2	1.9	16	1.9	0.49	1.1	3.2
2013	83	1.8	0.21	1.5	2.3	15	2.0	0.54	1.1	3.4
2014	96	1.9	0.20	1.5	2.3	22	2.5	0.54	1.6	3.8
2015	76	1.5	0.17	1.1	1.8	14	1.5	0.41	0.8	2.6
2016	74	1.5	0.17	1.1	1.8	21	2.5	0.57	1.5	3.9
2017	77	1.6	0.18	1.2	2.0	26	3.3	0.67	2.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	160	1.5	0.13	1.3	1.8	3,088	1.7	0.03	1.6	1.8
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	4	2.8	1.48	0.7	6.8	65	1.1	0.13	0.8	1.4
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	1	0.4	0.39	0.0	2.1	70	1.1	0.14	0.9	1.4
1997	4	0.9	0.44	0.2	2.6	77	1.2	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	5	1.8	0.84	0.5	4.2	89	1.4	0.15	1.1	1.8
2000	3	0.8	0.45	0.1	2.4	102	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	4	1.3	0.65	0.3	3.2	105	1.6	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	6	1.7	0.74	0.6	3.7	94	1.4	0.15	1.2	1.8
2007	9	2.1	0.76	0.9	4.0	135	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	114	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	9	1.8	0.65	0.8	3.5	128	1.9	0.17	1.6	2.2
2011	10	1.9	0.64	0.9	3.5	140	2.0	0.17	1.6	2.3
2012	5	0.7	0.30	0.2	1.6	139	2.0	0.17	1.6	2.3
2013	10	1.6	0.54	0.7	3.0	159	2.3	0.18	1.9	2.6
2014	10	1.6	0.54	0.7	3.0	168	2.3	0.18	2.0	2.7
2015	10	1.5	0.50	0.7	2.8	147	2.0	0.17	1.7	2.4
2016	5	0.7	0.32	0.2	1.6	196	2.7	0.20	2.3	3.1
2017	12	1.7	0.52	0.9	3.0	170	2.2	0.18	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Anus, Anal Canal and Anorectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,637	1.8	0.03	1.7	1.8	415	1.7	0.08	1.5	1.8
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1
1992	56	1.0	0.14	0.8	1.4	9	1.2	0.42	0.6	2.3
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3
1996	59	1.1	0.15	0.8	1.4	11	1.6	0.47	0.8	2.8
1997	66	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3
1999	76	1.5	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5
2000	84	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6
2002	74	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1
2003	92	1.7	0.18	1.4	2.1	13	1.5	0.42	0.8	2.6
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8
2006	82	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0
2007	113	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4
2008	92	1.7	0.18	1.4	2.1	18	1.9	0.45	1.1	3.0
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1
2010	109	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8
2011	114	2.0	0.19	1.6	2.4	22	2.1	0.46	1.3	3.3
2012	121	2.1	0.20	1.7	2.5	17	1.7	0.42	1.0	2.8
2013	141	2.5	0.21	2.1	2.9	18	1.8	0.43	1.0	2.8
2014	141	2.4	0.21	2.0	2.9	26	2.5	0.50	1.6	3.7
2015	122	2.1	0.20	1.7	2.5	21	1.9	0.43	1.2	3.0
2016	172	3.0	0.24	2.5	3.5	20	1.9	0.44	1.2	3.0
2017	144	2.4	0.20	2.0	2.8	24	2.1	0.44	1.3	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,944	9.6	0.24	9.2	10.1	16,145	4.8	0.04	4.7	4.9
1990	10	3.4	1.16	1.5	6.3	243	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	28	6.1	1.30	3.8	9.1	410	3.7	0.18	3.4	4.1
1996	38	8.5	1.56	5.7	12.1	423	3.8	0.19	3.5	4.2
1997	35	8.3	1.60	5.5	11.9	429	3.9	0.19	3.5	4.2
1998	46	10.4	1.76	7.2	14.3	451	4.0	0.19	3.7	4.4
1999	50	9.7	1.67	6.7	13.4	488	4.3	0.20	4.0	4.7
2000	50	8.9	1.46	6.3	12.2	501	4.4	0.20	4.0	4.8
2001	53	9.9	1.50	7.2	13.2	499	4.4	0.19	4.0	4.8
2002	58	8.8	1.26	6.5	11.6	534	4.6	0.20	4.2	5.0
2003	56	8.3	1.22	6.1	11.0	521	4.5	0.20	4.1	4.9
2004	60	8.8	1.27	6.5	11.6	580	4.9	0.21	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	620	5.2	0.21	4.8	5.6
2006	61	8.7	1.23	6.4	11.3	627	5.2	0.21	4.8	5.6
2007	75	9.2	1.17	7.0	11.7	676	5.5	0.21	5.1	6.0
2008	63	7.5	1.04	5.6	9.8	680	5.4	0.21	5.0	5.9
2009	106	11.9	1.28	9.5	14.6	746	5.8	0.22	5.4	6.3
2010	124	13.2	1.29	10.7	15.9	766	5.9	0.22	5.5	6.4
2011	96	10.0	1.12	8.0	12.4	754	5.7	0.21	5.3	6.1
2012	124	12.2	1.20	10.0	14.8	777	5.7	0.21	5.3	6.1
2013	128	11.2	1.09	9.2	13.5	779	5.6	0.21	5.2	6.1
2014	111	9.9	1.01	8.0	12.1	887	6.3	0.22	5.9	6.7
2015	125	10.4	1.01	8.5	12.5	911	6.4	0.22	6.0	6.9
2016	153	11.3	0.98	9.5	13.4	848	5.9	0.21	5.5	6.3
2017	147	11.1	0.98	9.2	13.1	809	5.5	0.20	5.1	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,716	4.1	0.04	4.1	4.2	3,299	7.5	0.13	7.3	7.8
1990	185	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	300	3.2	0.18	2.8	3.5	89	7.2	0.79	5.7	8.9
1996	291	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	314	3.3	0.19	2.9	3.7	90	6.9	0.75	5.6	8.6
1998	339	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	351	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	359	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	387	4.0	0.20	3.6	4.4	107	7.4	0.73	6.0	9.0
2003	389	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	432	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	460	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	457	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	473	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	483	4.7	0.22	4.3	5.1	145	8.4	0.71	7.1	9.9
2009	557	5.3	0.23	4.9	5.8	136	7.6	0.66	6.3	9.0
2010	560	5.3	0.23	4.8	5.7	155	8.7	0.71	7.4	10.2
2011	534	4.9	0.22	4.5	5.4	171	9.1	0.71	7.7	10.6
2012	571	5.1	0.22	4.7	5.6	151	7.9	0.66	6.7	9.3
2013	551	4.9	0.21	4.5	5.4	182	9.2	0.70	7.9	10.7
2014	631	5.6	0.23	5.2	6.1	181	8.9	0.68	7.6	10.3
2015	650	5.7	0.23	5.2	6.1	187	9.1	0.68	7.8	10.5
2016	594	5.1	0.22	4.7	5.6	178	8.5	0.66	7.3	9.9
2017	575	4.9	0.21	4.5	5.3	171	8.0	0.62	6.8	9.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,426	14.3	0.43	13.4	15.1	11,391	7.6	0.07	7.5	7.8
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	269	5.9	0.37	5.2	6.6
1995	18	6.9	1.82	3.8	11.5	279	6.0	0.37	5.3	6.8
1996	23	8.8	2.02	5.3	13.8	284	6.0	0.36	5.3	6.8
1997	24	8.8	1.93	5.5	13.5	284	6.1	0.36	5.4	6.8
1998	35	16.8	3.45	10.7	24.6	309	6.4	0.37	5.7	7.2
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	30	8.5	1.71	5.5	12.7	338	6.9	0.38	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	340	6.9	0.38	6.2	7.7
2002	48	14.6	2.34	10.3	19.8	361	7.1	0.38	6.4	7.9
2003	39	11.6	2.09	7.9	16.4	369	7.2	0.38	6.5	8.0
2004	45	12.8	2.29	8.7	18.0	404	7.6	0.38	6.9	8.4
2005	54	15.2	2.39	10.8	20.5	448	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	442	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	50	11.7	1.91	8.3	16.0	467	8.3	0.39	7.5	9.0
2009	79	18.4	2.41	14.0	23.6	569	9.9	0.42	9.1	10.7
2010	97	21.5	2.48	16.9	26.8	529	9.0	0.40	8.2	9.8
2011	71	15.1	2.07	11.3	19.6	569	9.3	0.40	8.6	10.2
2012	91	18.1	2.15	14.1	22.7	578	9.2	0.39	8.4	10.0
2013	90	15.5	1.86	12.1	19.5	577	9.1	0.39	8.4	9.9
2014	86	16.2	1.93	12.6	20.4	658	10.1	0.40	9.3	10.9
2015	90	15.6	1.87	12.2	19.6	678	10.4	0.41	9.6	11.2
2016	119	17.8	1.79	14.5	21.6	602	9.0	0.38	8.2	9.7
2017	97	14.7	1.65	11.7	18.3	567	8.4	0.36	7.7	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	8,240	6.6	0.07	6.4	6.7	2,335	12.5	0.27	12.0	13.1
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9
1994	202	5.0	0.36	4.4	5.8	53	11.7	1.72	8.6	15.5
1995	205	5.1	0.36	4.4	5.8	57	11.7	1.69	8.6	15.4
1996	185	4.5	0.34	3.9	5.3	74	13.7	1.66	10.6	17.3
1997	206	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0
1998	234	5.7	0.37	5.0	6.5	59	10.5	1.44	7.9	13.7
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0
2000	249	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0
2001	255	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5
2002	264	6.2	0.38	5.5	7.0	68	10.9	1.38	8.3	13.9
2003	279	6.5	0.39	5.7	7.3	65	10.1	1.30	7.7	13.0
2004	306	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2
2005	335	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2
2006	322	7.2	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5
2008	330	7.1	0.39	6.3	7.9	107	14.4	1.45	11.7	17.5
2009	425	8.9	0.44	8.1	9.8	102	13.3	1.37	10.7	16.2
2010	389	8.0	0.41	7.2	8.8	104	13.3	1.36	10.8	16.3
2011	394	7.9	0.41	7.1	8.7	137	17.1	1.53	14.2	20.4
2012	422	8.1	0.40	7.3	9.0	118	14.2	1.36	11.7	17.2
2013	405	7.8	0.40	7.1	8.6	139	16.4	1.45	13.7	19.5
2014	472	8.9	0.42	8.1	9.8	133	15.3	1.39	12.7	18.3
2015	484	9.1	0.42	8.2	9.9	140	15.6	1.37	13.1	18.6
2016	421	7.7	0.39	7.0	8.5	124	13.9	1.29	11.4	16.6
2017	409	7.4	0.37	6.7	8.2	115	12.7	1.23	10.4	15.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	518	5.4	0.25	4.9	5.9	4,754	2.5	0.04	2.4	2.6
1990	4	2.8	1.43	0.7	6.8	74	1.3	0.15	1.0	1.6
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0
1994	9	5.2	1.89	2.2	9.9	132	2.0	0.17	1.6	2.3
1995	10	5.0	1.69	2.3	9.2	131	2.1	0.18	1.7	2.4
1996	15	7.5	2.11	4.0	12.6	139	2.1	0.18	1.8	2.5
1997	11	6.9	2.17	3.3	12.1	145	2.3	0.19	1.9	2.7
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5
1999	17	6.9	1.91	3.7	11.5	173	2.7	0.20	2.3	3.1
2000	20	8.5	2.08	5.0	13.4	163	2.5	0.19	2.1	2.9
2001	16	6.7	1.77	3.7	10.9	159	2.4	0.19	2.0	2.8
2002	10	3.5	1.16	1.6	6.4	173	2.6	0.20	2.2	3.0
2003	17	5.2	1.37	2.9	8.5	152	2.3	0.19	1.9	2.7
2004	15	5.2	1.38	2.8	8.5	176	2.6	0.20	2.2	3.0
2005	18	4.4	1.15	2.4	7.2	172	2.6	0.20	2.2	3.0
2006	12	4.0	1.24	2.0	7.0	185	2.7	0.20	2.3	3.2
2007	15	4.1	1.12	2.2	6.8	191	2.8	0.20	2.4	3.2
2008	13	3.6	1.05	1.9	6.2	213	3.0	0.21	2.6	3.5
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0
2010	27	5.8	1.19	3.7	8.5	237	3.4	0.22	3.0	3.9
2011	25	5.6	1.18	3.6	8.3	185	2.6	0.20	2.3	3.0
2012	33	6.9	1.28	4.7	9.8	199	2.7	0.20	2.3	3.1
2013	38	7.1	1.23	4.9	9.8	202	2.7	0.20	2.4	3.1
2014	25	4.3	0.92	2.7	6.5	229	3.1	0.21	2.7	3.5
2015	35	5.7	1.02	3.9	8.1	233	3.1	0.21	2.7	3.5
2016	34	5.3	0.95	3.6	7.4	246	3.1	0.21	2.8	3.6
2017	50	7.6	1.12	5.5	10.0	242	3.1	0.20	2.7	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Liver										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,476	2.2	0.04	2.1	2.2	964	3.9	0.13	3.7	4.2
1990	61	1.2	0.16	0.9	1.6	12	1.6	0.48	0.8	2.9
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6
1994	103	1.7	0.17	1.4	2.1	25	3.4	0.69	2.2	5.0
1995	95	1.7	0.18	1.4	2.1	32	4.4	0.79	3.0	6.2
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2
1997	108	2.0	0.20	1.6	2.4	31	4.3	0.77	2.9	6.0
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1
1999	131	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4
2001	120	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2
2002	123	2.1	0.20	1.8	2.6	39	4.8	0.77	3.4	6.5
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9
2006	135	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7
2007	143	2.4	0.21	2.1	2.9	36	3.9	0.66	2.7	5.4
2008	153	2.6	0.21	2.2	3.1	38	3.9	0.64	2.8	5.4
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8
2010	171	3.0	0.23	2.5	3.5	51	5.1	0.73	3.8	6.8
2011	140	2.4	0.21	2.0	2.9	34	3.3	0.58	2.3	4.6
2012	149	2.5	0.21	2.1	2.9	33	3.1	0.55	2.1	4.4
2013	146	2.5	0.21	2.1	2.9	43	3.9	0.60	2.8	5.3
2014	159	2.7	0.22	2.3	3.2	48	4.2	0.62	3.1	5.7
2015	166	2.7	0.22	2.3	3.2	47	4.2	0.63	3.1	5.7
2016	173	2.8	0.22	2.4	3.3	54	4.6	0.63	3.4	6.0
2017	166	2.7	0.22	2.3	3.2	56	4.6	0.62	3.4	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	464	2.5	0.13	2.2	2.7	4,498	1.3	0.02	1.3	1.4
1990	9	2.3	0.83	1.0	4.6	152	1.4	0.12	1.2	1.7
1991	7	2.2	0.95	0.7	4.7	147	1.4	0.12	1.2	1.6
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6
1996	8	1.4	0.53	0.6	2.9	164	1.5	0.12	1.3	1.7
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8
1999	14	3.1	0.89	1.6	5.3	145	1.3	0.10	1.1	1.5
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6
2001	14	2.4	0.78	1.1	4.4	157	1.4	0.11	1.2	1.6
2002	17	3.2	0.85	1.7	5.2	151	1.3	0.11	1.1	1.5
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5
2005	13	1.8	0.58	0.8	3.2	176	1.5	0.11	1.3	1.7
2006	23	3.2	0.75	1.9	4.9	145	1.2	0.10	1.0	1.4
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7
2009	25	2.8	0.62	1.8	4.3	161	1.3	0.10	1.1	1.5
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5
2011	18	2.0	0.51	1.1	3.2	183	1.4	0.11	1.2	1.7
2012	29	3.5	0.70	2.2	5.0	153	1.2	0.10	1.0	1.4
2013	16	1.7	0.46	0.9	2.8	180	1.4	0.10	1.2	1.6
2014	24	2.1	0.45	1.3	3.1	181	1.4	0.10	1.2	1.6
2015	27	2.2	0.47	1.4	3.3	188	1.4	0.10	1.2	1.6
2016	35	3.1	0.57	2.1	4.4	173	1.3	0.10	1.1	1.5
2017	23	1.8	0.40	1.1	2.7	164	1.2	0.09	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,680	1.3	0.02	1.2	1.3	674	1.7	0.06	1.5	1.8
1990	139	1.5	0.13	1.2	1.8	10	1.1	0.35	0.5	1.9
1991	125	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2
1996	141	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5
1999	129	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3
2001	141	1.4	0.12	1.2	1.7	13	0.9	0.26	0.5	1.6
2002	124	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9
2005	150	1.5	0.12	1.3	1.8	22	1.6	0.35	1.0	2.5
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9
2007	133	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8
2009	125	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2
2011	139	1.3	0.11	1.1	1.6	37	2.2	0.37	1.5	3.1
2012	110	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7
2013	134	1.3	0.11	1.0	1.5	36	2.1	0.35	1.4	2.9
2014	136	1.2	0.11	1.0	1.5	34	1.8	0.32	1.3	2.6
2015	144	1.3	0.11	1.1	1.5	34	1.8	0.32	1.2	2.5
2016	126	1.1	0.10	0.9	1.4	42	2.2	0.35	1.6	3.0
2017	118	1.1	0.10	0.9	1.3	38	2.0	0.33	1.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	125	1.5	0.16	1.2	1.9	1,255	0.9	0.03	0.9	1.0
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1
1993	2	1.8	1.47	0.1	6.3	26	0.6	0.11	0.4	0.8
1994	0					50	1.2	0.17	0.9	1.6
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3
1999	6	2.9	1.23	1.0	6.3	47	1.0	0.15	0.8	1.4
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4
2003	4	2.1	1.05	0.5	5.0	33	0.7	0.12	0.5	1.0
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2
2005	3	0.5	0.34	0.1	1.9	48	1.0	0.14	0.7	1.3
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1
2009	6	1.1	0.54	0.3	2.7	49	0.9	0.14	0.7	1.2
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3
2011	4	0.8	0.45	0.2	2.1	65	1.2	0.15	0.9	1.6
2012	7	2.4	0.98	0.9	4.9	45	0.8	0.13	0.6	1.1
2013	4	0.5	0.25	0.1	1.4	54	1.0	0.13	0.7	1.3
2014	6	1.0	0.44	0.3	2.2	43	0.8	0.12	0.5	1.0
2015	9	1.5	0.55	0.6	3.0	50	0.9	0.12	0.6	1.1
2016	11	2.2	0.75	1.0	4.1	51	0.8	0.12	0.6	1.1
2017	9	1.7	0.59	0.7	3.2	52	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,019	0.9	0.03	0.8	0.9	184	1.2	0.09	1.0	1.4
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8
1992	33	0.8	0.15	0.6	1.2	0				
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1
1999	42	1.1	0.17	0.8	1.4	3	0.5	0.31	0.1	1.5
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2
2005	37	0.9	0.15	0.6	1.2	9	1.6	0.57	0.7	3.1
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2
2007	36	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9
2013	39	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2
2014	30	0.6	0.12	0.4	0.9	8	1.1	0.39	0.4	2.1
2015	38	0.8	0.13	0.5	1.1	7	1.0	0.39	0.4	2.0
2016	36	0.7	0.12	0.5	1.0	13	1.7	0.49	0.9	2.9
2017	37	0.7	0.12	0.5	1.0	12	1.6	0.47	0.8	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	339	3.3	0.19	2.9	3.7	3,243	1.7	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	115	1.8	0.17	1.5	2.2
1991	4	2.4	1.36	0.5	6.3	107	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	94	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	5	1.5	0.70	0.5	3.7	113	1.7	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	8	3.2	1.22	1.3	6.4	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	10	2.8	0.99	1.2	5.4	116	1.7	0.16	1.4	2.1
2002	15	4.9	1.32	2.6	8.1	98	1.4	0.15	1.2	1.8
2003	11	2.5	0.76	1.2	4.5	124	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	17	4.3	1.14	2.3	7.0	101	1.4	0.14	1.1	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	19	4.3	1.04	2.5	6.7	112	1.5	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.85	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	22	4.5	1.02	2.7	6.8	108	1.4	0.14	1.2	1.7
2013	12	2.5	0.76	1.2	4.4	126	1.7	0.15	1.4	2.0
2014	18	3.0	0.75	1.7	4.8	138	1.8	0.16	1.5	2.2
2015	18	2.9	0.71	1.6	4.6	138	1.8	0.15	1.5	2.1
2016	24	4.0	0.85	2.5	6.0	122	1.6	0.15	1.3	1.9
2017	14	2.0	0.56	1.0	3.4	112	1.5	0.14	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Gallbladder										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,661	1.6	0.03	1.5	1.7	490	2.0	0.09	1.8	2.2
1990	104	1.8	0.18	1.5	2.2	9	1.5	0.52	0.7	2.9
1991	89	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9
1996	94	1.7	0.17	1.3	2.0	18	2.4	0.57	1.4	3.8
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8
2001	105	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2
2002	82	1.4	0.16	1.1	1.8	12	1.4	0.40	0.7	2.4
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7
2006	86	1.4	0.15	1.1	1.8	12	1.3	0.39	0.7	2.3
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8
2009	88	1.4	0.16	1.1	1.8	21	2.2	0.49	1.4	3.4
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9
2011	87	1.5	0.16	1.2	1.8	26	2.5	0.50	1.6	3.7
2012	78	1.2	0.14	1.0	1.6	24	2.2	0.46	1.4	3.4
2013	95	1.6	0.16	1.3	1.9	23	2.2	0.47	1.4	3.3
2014	106	1.7	0.17	1.4	2.1	26	2.5	0.49	1.6	3.6
2015	106	1.7	0.17	1.4	2.0	27	2.4	0.47	1.6	3.6
2016	90	1.5	0.16	1.2	1.9	29	2.6	0.48	1.7	3.7
2017	81	1.3	0.15	1.0	1.7	26	2.3	0.46	1.5	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,013	11.3	0.28	10.7	11.8	42,136	12.5	0.06	12.4	12.6
1990	19	4.9	1.20	2.8	7.8	1,097	10.4	0.32	9.8	11.1
1991	28	8.6	1.81	5.4	12.8	1,000	9.4	0.30	8.8	10.0
1992	21	6.4	1.58	3.7	10.1	1,047	9.7	0.30	9.1	10.3
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2
1994	35	10.0	1.90	6.7	14.3	1,292	11.7	0.33	11.1	12.4
1995	35	8.6	1.60	5.8	12.2	1,300	11.8	0.33	11.1	12.4
1996	36	10.7	1.98	7.1	15.1	1,347	12.1	0.33	11.5	12.8
1997	41	10.2	1.80	6.9	14.2	1,276	11.4	0.32	10.8	12.0
1998	41	9.2	1.67	6.2	13.0	1,375	12.1	0.33	11.5	12.8
1999	50	9.9	1.55	7.1	13.3	1,382	12.1	0.33	11.5	12.8
2000	47	10.4	1.71	7.3	14.1	1,437	12.5	0.33	11.9	13.2
2001	56	10.8	1.66	7.8	14.4	1,453	12.6	0.33	12.0	13.3
2002	44	7.9	1.32	5.5	10.8	1,462	12.6	0.33	11.9	13.2
2003	51	8.6	1.33	6.2	11.5	1,484	12.6	0.33	12.0	13.3
2004	71	11.7	1.52	8.9	15.0	1,530	12.9	0.33	12.2	13.5
2005	71	12.0	1.61	9.1	15.5	1,603	13.4	0.33	12.7	14.0
2006	87	13.4	1.60	10.4	16.8	1,512	12.6	0.33	11.9	13.2
2007	82	11.4	1.42	8.8	14.5	1,579	12.9	0.33	12.3	13.6
2008	97	13.1	1.47	10.3	16.2	1,633	13.2	0.33	12.5	13.9
2009	70	10.0	1.30	7.6	12.7	1,757	14.0	0.34	13.4	14.7
2010	101	12.8	1.39	10.2	15.7	1,677	13.2	0.33	12.6	13.9
2011	102	12.8	1.37	10.2	15.7	1,695	13.2	0.32	12.5	13.8
2012	120	12.9	1.28	10.5	15.6	1,726	13.0	0.32	12.4	13.7
2013	115	11.7	1.17	9.5	14.2	1,786	13.3	0.32	12.7	13.9
2014	116	11.0	1.11	8.9	13.4	1,828	13.4	0.32	12.8	14.0
2015	126	11.3	1.08	9.3	13.6	1,924	14.1	0.33	13.4	14.7
2016	141	12.2	1.11	10.1	14.5	1,882	13.5	0.32	12.9	14.2
2017	176	14.8	1.20	12.5	17.3	2,008	14.1	0.32	13.5	14.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	34,763	12.1	0.07	12.0	12.3	6,545	16.2	0.20	15.8	16.6
1990	912	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9
1991	866	9.3	0.32	8.6	9.9	125	11.5	1.05	9.5	13.7
1992	878	9.3	0.32	8.7	9.9	157	13.2	1.08	11.1	15.4
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0
1994	1,074	11.1	0.34	10.5	11.8	194	16.5	1.22	14.2	19.1
1995	1,083	11.3	0.34	10.6	12.0	203	17.1	1.23	14.8	19.7
1996	1,140	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3
1997	1,088	11.2	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9
1998	1,167	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7
1999	1,156	11.7	0.35	11.1	12.4	197	15.2	1.10	13.1	17.5
2000	1,204	12.2	0.35	11.5	12.9	200	15.0	1.08	13.0	17.3
2001	1,206	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5
2002	1,196	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8
2003	1,211	12.1	0.35	11.4	12.8	244	17.5	1.14	15.3	19.9
2004	1,284	12.7	0.36	12.0	13.4	219	15.2	1.05	13.2	17.4
2005	1,296	12.7	0.36	12.0	13.4	277	19.2	1.18	17.0	21.7
2006	1,210	11.9	0.34	11.2	12.6	272	18.4	1.14	16.3	20.8
2007	1,296	12.6	0.35	11.9	13.3	250	16.9	1.09	14.8	19.1
2008	1,336	12.8	0.35	12.1	13.5	255	16.4	1.05	14.4	18.5
2009	1,447	13.8	0.37	13.1	14.5	272	17.4	1.08	15.4	19.7
2010	1,387	13.1	0.36	12.4	13.8	252	16.0	1.03	14.0	18.1
2011	1,392	13.0	0.36	12.3	13.8	261	15.8	1.00	13.9	17.8
2012	1,407	12.9	0.35	12.2	13.6	277	16.3	1.00	14.4	18.4
2013	1,454	13.1	0.35	12.4	13.8	292	16.7	1.00	14.8	18.8
2014	1,473	13.1	0.35	12.4	13.8	299	16.7	0.99	14.9	18.8
2015	1,527	13.7	0.36	13.0	14.4	349	19.3	1.06	17.3	21.5
2016	1,541	13.5	0.35	12.9	14.3	296	15.9	0.95	14.1	17.9
2017	1,662	14.4	0.36	13.7	15.1	301	15.7	0.93	14.0	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,035	12.2	0.43	11.3	13.0	20,762	14.5	0.10	14.3	14.7
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0
1991	14	8.3	2.47	4.2	14.6	464	10.7	0.51	9.7	11.7
1992	10	6.9	2.68	2.7	13.7	504	11.2	0.51	10.3	12.3
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9
1996	15	10.1	2.97	5.2	17.2	638	13.9	0.56	12.9	15.1
1997	21	9.3	2.20	5.5	14.6	599	12.9	0.54	11.9	14.0
1998	20	11.4	3.03	6.3	18.5	624	13.5	0.55	12.4	14.6
1999	29	12.0	2.60	7.4	18.0	663	14.0	0.55	12.9	15.1
2000	20	8.7	2.33	4.7	14.2	724	15.1	0.57	14.0	16.3
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0
2004	34	12.4	2.34	8.2	17.7	784	15.7	0.57	14.6	16.9
2005	30	9.4	1.94	6.0	13.9	758	15.0	0.55	13.9	16.1
2006	55	17.6	2.81	12.5	23.8	748	14.5	0.54	13.5	15.6
2007	42	11.7	2.16	7.9	16.6	773	14.8	0.54	13.7	15.9
2008	47	14.2	2.34	10.0	19.4	824	15.5	0.55	14.5	16.6
2009	32	9.0	1.79	5.8	13.0	871	16.1	0.55	15.0	17.2
2010	50	13.6	2.22	9.6	18.5	838	15.3	0.54	14.2	16.3
2011	49	12.3	1.96	8.7	16.6	853	15.2	0.53	14.1	16.2
2012	61	13.3	1.91	9.8	17.5	858	14.7	0.51	13.7	15.7
2013	79	17.6	2.20	13.5	22.3	900	15.3	0.52	14.3	16.3
2014	60	11.7	1.71	8.6	15.4	950	15.8	0.52	14.8	16.9
2015	64	12.0	1.67	9.0	15.7	984	16.4	0.54	15.4	17.5
2016	65	11.7	1.61	8.8	15.2	967	15.9	0.52	14.9	16.9
2017	95	16.3	1.85	12.8	20.2	1,035	16.3	0.52	15.3	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	17,309	14.2	0.11	14.0	14.4	3,032	18.2	0.35	17.5	18.9
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2
1991	407	10.6	0.54	9.6	11.7	53	12.1	1.76	8.9	16.0
1992	420	10.7	0.53	9.6	11.7	76	16.9	2.06	13.1	21.3
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6
1996	540	13.5	0.59	12.4	14.8	89	18.3	2.06	14.5	22.8
1997	513	12.8	0.57	11.7	14.0	77	13.8	1.64	10.8	17.3
1998	532	13.3	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3
1999	564	13.8	0.58	12.6	14.9	86	16.1	1.82	12.8	20.0
2000	614	14.9	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6
2003	590	14.0	0.58	12.9	15.2	127	22.3	2.10	18.4	26.8
2004	665	15.7	0.61	14.5	16.9	104	16.7	1.72	13.5	20.4
2005	616	14.3	0.58	13.2	15.5	128	21.4	2.02	17.6	25.7
2006	600	13.8	0.57	12.7	14.9	127	20.4	1.89	16.9	24.4
2007	640	14.4	0.58	13.3	15.6	109	18.4	1.88	14.9	22.4
2008	682	15.2	0.59	14.0	16.4	121	19.1	1.83	15.7	23.0
2009	726	15.9	0.60	14.7	17.1	129	20.2	1.88	16.7	24.2
2010	710	15.3	0.59	14.2	16.5	108	16.4	1.65	13.3	19.9
2011	721	15.3	0.58	14.2	16.5	116	17.3	1.69	14.2	21.0
2012	702	14.4	0.55	13.3	15.5	136	19.5	1.76	16.2	23.2
2013	748	15.2	0.57	14.1	16.4	136	18.6	1.68	15.4	22.1
2014	785	15.7	0.57	14.6	16.9	138	18.5	1.65	15.4	22.0
2015	789	15.9	0.58	14.8	17.1	167	22.3	1.81	18.9	26.1
2016	809	16.0	0.58	14.9	17.2	137	18.5	1.65	15.4	22.0
2017	884	16.9	0.58	15.8	18.1	132	16.3	1.48	13.5	19.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	978	10.5	0.36	9.8	11.2	21,374	10.9	0.08	10.8	11.1
1990	8	4.1	1.53	1.6	8.1	582	9.4	0.40	8.6	10.2
1991	14	8.4	2.43	4.3	14.3	536	8.5	0.37	7.8	9.3
1992	11	6.1	2.00	2.8	11.1	543	8.5	0.37	7.8	9.2
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4
1994	16	9.5	2.51	5.2	15.4	662	10.0	0.39	9.2	10.8
1995	16	7.8	2.09	4.3	12.8	674	10.2	0.40	9.4	11.0
1996	21	11.0	2.60	6.5	17.0	709	10.7	0.40	9.9	11.5
1997	20	10.1	2.51	5.8	15.9	677	10.1	0.39	9.4	10.9
1998	21	7.8	1.92	4.5	12.3	751	11.2	0.41	10.4	12.0
1999	21	8.1	1.91	4.8	12.6	719	10.6	0.40	9.8	11.4
2000	27	11.6	2.42	7.3	17.1	713	10.5	0.40	9.8	11.3
2001	29	10.7	2.23	6.8	15.8	742	11.0	0.41	10.2	11.8
2002	22	7.0	1.61	4.2	10.8	761	11.1	0.41	10.3	11.9
2003	22	7.4	1.70	4.5	11.3	750	10.9	0.40	10.1	11.7
2004	37	11.2	1.98	7.7	15.6	746	10.6	0.39	9.8	11.4
2005	41	13.7	2.32	9.5	18.8	845	12.1	0.42	11.3	13.0
2006	32	9.8	1.84	6.5	13.9	764	11.0	0.40	10.2	11.8
2007	40	11.1	1.89	7.7	15.3	806	11.4	0.41	10.6	12.2
2008	50	12.2	1.88	8.8	16.4	809	11.3	0.41	10.6	12.2
2009	38	10.5	1.81	7.3	14.5	886	12.3	0.42	11.5	13.2
2010	51	12.2	1.81	8.9	16.2	839	11.5	0.41	10.7	12.4
2011	53	12.8	1.86	9.4	16.9	842	11.5	0.40	10.7	12.3
2012	59	12.4	1.70	9.3	16.1	868	11.7	0.40	10.9	12.5
2013	36	6.8	1.19	4.7	9.5	886	11.8	0.40	11.0	12.6
2014	56	10.4	1.46	7.7	13.6	878	11.6	0.40	10.8	12.4
2015	62	10.7	1.42	8.1	13.8	940	12.2	0.41	11.4	13.0
2016	76	12.6	1.53	9.8	15.9	915	11.7	0.40	11.0	12.5
2017	81	13.5	1.58	10.6	16.9	973	12.2	0.40	11.4	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Pancreas										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	17,454	10.5	0.08	10.3	10.6	3,513	14.7	0.25	14.2	15.2
1990	476	8.7	0.41	7.9	9.6	100	14.9	1.52	12.1	18.2
1991	459	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9
1992	458	8.1	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5
1994	550	9.4	0.41	8.6	10.3	97	13.8	1.42	11.2	16.9
1995	570	9.8	0.42	9.0	10.7	103	14.5	1.45	11.8	17.6
1996	600	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1
1997	575	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0
1998	635	10.9	0.44	10.1	11.8	105	13.6	1.33	11.1	16.4
1999	592	10.0	0.42	9.2	10.9	111	14.3	1.37	11.8	17.2
2000	590	10.1	0.43	9.3	11.0	107	13.6	1.33	11.2	16.5
2001	608	10.4	0.43	9.6	11.3	120	14.7	1.35	12.2	17.6
2002	622	10.5	0.43	9.7	11.4	128	15.8	1.40	13.1	18.7
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0
2004	619	10.3	0.42	9.5	11.1	115	13.7	1.29	11.3	16.5
2005	680	11.5	0.45	10.6	12.4	149	17.6	1.45	14.9	20.7
2006	610	10.3	0.43	9.5	11.2	145	16.7	1.40	14.1	19.7
2007	656	11.0	0.44	10.1	11.9	141	15.9	1.35	13.4	18.8
2008	654	10.9	0.44	10.1	11.8	134	14.4	1.26	12.0	17.1
2009	721	11.9	0.46	11.1	12.9	143	15.5	1.31	13.1	18.3
2010	677	11.2	0.44	10.3	12.1	144	15.4	1.30	12.9	18.1
2011	671	11.1	0.44	10.2	12.0	145	14.6	1.23	12.3	17.2
2012	705	11.6	0.45	10.7	12.5	141	14.0	1.20	11.8	16.6
2013	706	11.3	0.44	10.5	12.3	156	15.4	1.25	13.1	18.1
2014	688	11.0	0.43	10.2	11.9	161	15.5	1.24	13.1	18.1
2015	738	11.8	0.45	10.9	12.7	182	17.0	1.28	14.6	19.7
2016	732	11.5	0.44	10.7	12.4	159	14.4	1.16	12.2	16.8
2017	778	12.1	0.45	11.2	13.0	169	15.1	1.18	12.9	17.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	6,386	35.7	0.49	34.7	36.6	261,332	77.5	0.15	77.2	77.8
1990	113	36.2	3.85	29.1	44.4	7,846	73.5	0.84	71.8	75.1
1991	108	32.0	3.48	25.5	39.4	7,818	72.3	0.83	70.7	74.0
1992	119	34.2	3.49	27.7	41.6	8,238	75.7	0.84	74.1	77.4
1993	140	34.8	3.27	28.6	41.7	8,617	78.6	0.85	77.0	80.3
1994	157	38.6	3.47	32.1	45.9	9,177	83.1	0.87	81.4	84.8
1995	175	50.6	4.27	42.6	59.5	9,186	82.9	0.87	81.2	84.6
1996	193	49.6	4.02	42.1	58.0	9,176	82.7	0.87	81.0	84.4
1997	179	45.2	3.79	38.0	53.1	9,067	81.1	0.85	79.4	82.8
1998	210	54.1	4.16	46.3	62.8	9,173	81.4	0.85	79.7	83.1
1999	203	43.5	3.45	37.0	50.7	9,258	81.7	0.85	80.0	83.4
2000	200	39.1	3.13	33.2	45.6	9,135	80.2	0.84	78.6	81.9
2001	199	39.9	3.21	33.8	46.6	9,260	80.9	0.84	79.2	82.5
2002	184	35.2	2.92	29.7	41.2	9,575	83.0	0.85	81.3	84.7
2003	206	35.6	2.74	30.4	41.2	9,565	82.1	0.84	80.5	83.8
2004	245	40.9	2.94	35.4	47.0	9,271	79.0	0.82	77.4	80.7
2005	228	36.2	2.65	31.2	41.7	9,479	80.1	0.83	78.5	81.7
2006	238	36.6	2.61	31.7	42.0	9,691	81.3	0.83	79.7	82.9
2007	259	37.9	2.55	33.0	43.1	9,809	81.1	0.83	79.5	82.8
2008	304	41.0	2.60	36.1	46.3	9,777	79.6	0.81	78.0	81.2
2009	241	32.4	2.27	28.1	37.1	10,043	80.9	0.82	79.3	82.5
2010	254	31.4	2.14	27.3	35.8	9,727	77.2	0.79	75.7	78.8
2011	315	38.0	2.31	33.6	42.8	9,735	75.9	0.78	74.4	77.5
2012	300	34.2	2.13	30.2	38.6	9,714	74.5	0.77	73.0	76.0
2013	256	26.8	1.81	23.4	30.5	9,571	71.7	0.75	70.3	73.2
2014	312	29.7	1.81	26.2	33.4	10,055	74.1	0.75	72.6	75.6
2015	349	31.1	1.79	27.7	34.8	9,878	71.7	0.73	70.2	73.1
2016	318	28.2	1.69	24.9	31.6	9,785	70.3	0.73	68.9	71.8
2017	381	32.8	1.79	29.4	36.5	9,706	68.4	0.71	67.0	69.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	218,881	76.9	0.16	76.5	77.2	38,592	91.8	0.48	90.9	92.7
1990	6,681	71.3	0.88	69.6	73.1	1,112	93.3	2.86	87.8	99.0
1991	6,705	70.8	0.87	69.0	72.5	1,054	86.4	2.71	81.1	91.9
1992	7,021	74.0	0.89	72.3	75.8	1,158	94.4	2.83	89.0	100.2
1993	7,244	75.9	0.90	74.2	77.7	1,295	104.2	2.95	98.5	110.1
1994	7,801	81.3	0.93	79.5	83.1	1,297	102.9	2.91	97.2	108.7
1995	7,713	80.4	0.92	78.6	82.2	1,389	106.9	2.92	101.2	112.7
1996	7,684	80.2	0.92	78.4	82.0	1,393	107.1	2.92	101.5	113.0
1997	7,624	79.1	0.91	77.4	80.9	1,345	100.8	2.79	95.4	106.4
1998	7,698	79.5	0.91	77.7	81.3	1,356	100.6	2.77	95.3	106.2
1999	7,795	80.3	0.91	78.5	82.1	1,363	99.1	2.73	93.8	104.6
2000	7,743	79.7	0.91	77.9	81.5	1,282	91.5	2.59	86.4	96.7
2001	7,823	80.3	0.91	78.5	82.1	1,330	94.4	2.63	89.3	99.7
2002	8,053	82.2	0.92	80.4	84.0	1,395	96.8	2.63	91.7	102.1
2003	8,037	81.6	0.91	79.8	83.4	1,410	96.2	2.60	91.1	101.4
2004	7,730	78.1	0.89	76.4	79.9	1,420	95.9	2.59	90.9	101.1
2005	7,938	79.8	0.90	78.1	81.6	1,401	92.6	2.52	87.8	97.7
2006	8,083	80.7	0.90	79.0	82.5	1,461	95.2	2.54	90.3	100.3
2007	8,186	80.9	0.90	79.2	82.7	1,464	94.6	2.52	89.7	99.7
2008	8,216	80.2	0.89	78.4	81.9	1,404	88.2	2.40	83.5	93.0
2009	8,430	81.7	0.90	80.0	83.5	1,433	87.3	2.36	82.7	92.0
2010	8,105	77.5	0.87	75.8	79.3	1,436	86.4	2.34	81.9	91.1
2011	8,125	76.6	0.86	74.9	78.3	1,426	84.6	2.29	80.1	89.2
2012	8,012	74.4	0.85	72.7	76.1	1,512	88.0	2.32	83.6	92.7
2013	7,906	72.0	0.82	70.4	73.6	1,461	82.3	2.21	78.1	86.8
2014	8,368	75.2	0.84	73.6	76.9	1,476	81.2	2.17	77.0	85.5
2015	8,088	71.8	0.81	70.2	73.5	1,545	82.6	2.15	78.4	86.9
2016	8,070	71.2	0.81	69.6	72.8	1,505	80.3	2.12	76.2	84.6
2017	8,002	69.4	0.79	67.8	70.9	1,469	76.4	2.04	72.4	80.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,818	47.3	0.87	45.7	49.1	147,803	102.0	0.27	101.5	102.6
1990	64	48.0	7.36	34.6	64.0	5,025	111.4	1.61	108.3	114.6
1991	68	45.9	6.54	34.0	60.2	4,962	108.5	1.58	105.5	111.7
1992	72	47.6	6.68	35.4	62.1	5,143	111.1	1.58	108.0	114.3
1993	95	52.7	6.42	40.8	66.5	5,323	115.1	1.61	112.0	118.3
1994	98	51.0	6.28	39.4	64.5	5,603	121.0	1.65	117.8	124.3
1995	114	77.1	8.55	61.3	95.2	5,556	118.4	1.61	115.3	121.6
1996	136	76.5	7.83	61.9	93.0	5,456	116.5	1.60	113.4	119.7
1997	112	61.9	6.91	49.1	76.6	5,402	114.3	1.57	111.3	117.5
1998	121	74.1	7.87	59.5	90.7	5,425	113.6	1.56	110.6	116.7
1999	125	57.9	6.07	46.6	70.7	5,402	112.6	1.55	109.6	115.6
2000	133	55.0	5.53	44.7	66.7	5,303	109.4	1.51	106.5	112.4
2001	121	55.4	5.82	44.6	67.7	5,339	110.1	1.52	107.1	113.1
2002	103	47.6	5.45	37.6	59.2	5,434	111.1	1.52	108.1	114.1
2003	142	54.7	5.19	45.0	65.6	5,355	107.6	1.48	104.7	110.5
2004	143	50.2	4.90	41.1	60.5	5,162	102.8	1.45	99.9	105.6
2005	148	50.6	4.74	41.7	60.5	5,230	102.5	1.43	99.8	105.4
2006	149	50.3	4.71	41.5	60.1	5,299	103.6	1.44	100.8	106.4
2007	162	53.5	4.69	44.7	63.3	5,335	102.3	1.42	99.6	105.1
2008	179	52.0	4.36	43.8	61.0	5,237	98.5	1.38	95.8	101.2
2009	130	39.8	3.90	32.5	48.0	5,355	98.8	1.37	96.1	101.5
2010	148	42.2	3.85	35.0	50.3	5,178	94.0	1.33	91.4	96.6
2011	177	49.3	4.11	41.6	57.9	5,276	94.0	1.32	91.4	96.6
2012	170	44.7	3.78	37.6	52.6	5,139	89.6	1.28	87.1	92.2
2013	150	34.9	3.18	28.9	41.5	5,205	88.3	1.25	85.9	90.8
2014	168	36.6	3.12	30.7	43.1	5,288	88.0	1.24	85.6	90.5
2015	199	37.2	2.93	31.7	43.3	5,193	85.1	1.21	82.8	87.6
2016	178	34.4	2.84	29.0	40.3	5,070	82.2	1.18	79.9	84.5
2017	213	39.6	2.96	34.0	45.7	5,108	81.3	1.17	79.0	83.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	123,064	99.9	0.29	99.3	100.5	22,348	130.5	0.91	128.8	132.3
1990	4,246	107.0	1.68	103.7	110.4	739	151.8	5.86	140.5	163.7
1991	4,239	105.5	1.66	102.3	108.8	681	136.3	5.47	125.7	147.4
1992	4,354	107.4	1.66	104.2	110.7	752	149.7	5.73	138.7	161.3
1993	4,449	110.0	1.68	106.8	113.4	822	162.3	5.95	150.8	174.3
1994	4,740	117.4	1.73	114.1	120.9	814	159.3	5.87	148.0	171.1
1995	4,612	113.1	1.69	109.8	116.5	894	168.8	5.93	157.4	180.8
1996	4,538	111.7	1.68	108.5	115.1	856	162.5	5.81	151.4	174.3
1997	4,485	109.9	1.66	106.7	113.2	852	156.5	5.58	145.8	167.8
1998	4,497	109.1	1.64	105.9	112.3	843	155.4	5.60	144.6	166.7
1999	4,515	109.3	1.64	106.1	112.5	822	148.3	5.40	137.9	159.3
2000	4,439	106.7	1.61	103.6	109.9	799	139.8	5.16	129.8	150.2
2001	4,459	107.3	1.62	104.2	110.5	803	139.7	5.15	129.8	150.2
2002	4,571	109.4	1.63	106.2	112.6	793	134.5	4.99	124.9	144.7
2003	4,471	105.5	1.59	102.4	108.6	803	134.3	4.96	124.7	144.4
2004	4,267	99.9	1.54	96.9	103.0	818	137.5	5.05	127.8	147.7
2005	4,329	100.2	1.54	97.2	103.3	809	132.1	4.89	122.7	142.0
2006	4,396	101.4	1.54	98.4	104.5	809	130.6	4.84	121.3	140.4
2007	4,411	100.2	1.52	97.2	103.2	838	134.3	4.89	124.8	144.2
2008	4,378	97.7	1.50	94.8	100.7	775	119.9	4.53	111.2	129.1
2009	4,484	98.7	1.50	95.8	101.7	758	112.4	4.30	104.2	121.1
2010	4,298	93.1	1.44	90.3	96.0	775	113.1	4.29	104.9	121.8
2011	4,381	93.2	1.43	90.4	96.0	782	114.2	4.28	106.0	122.9
2012	4,239	88.5	1.39	85.8	91.2	783	112.7	4.23	104.6	121.3
2013	4,298	87.5	1.36	84.9	90.3	790	110.2	4.12	102.3	118.6
2014	4,375	87.6	1.35	85.0	90.3	784	106.7	4.00	99.0	114.8
2015	4,231	83.8	1.32	81.2	86.4	821	109.1	3.99	101.4	117.1
2016	4,193	82.3	1.30	79.7	84.9	748	97.9	3.74	90.7	105.5
2017	4,169	80.4	1.28	78.0	83.0	785	101.6	3.79	94.3	109.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,568	26.4	0.56	25.3	27.5	113,529	59.8	0.18	59.5	60.2
1990	49	28.1	4.33	20.3	37.7	2,821	47.2	0.90	45.5	49.0
1991	40	21.0	3.73	14.4	29.4	2,856	46.9	0.89	45.1	48.7
1992	47	24.8	3.84	17.8	33.3	3,095	50.6	0.92	48.8	52.4
1993	45	20.5	3.29	14.6	27.9	3,294	53.2	0.94	51.4	55.1
1994	59	28.6	3.99	21.3	37.3	3,574	56.9	0.96	55.0	58.8
1995	61	31.7	4.34	23.8	41.2	3,630	57.9	0.97	56.0	59.9
1996	57	28.5	4.07	21.1	37.4	3,720	59.1	0.98	57.2	61.1
1997	67	32.0	4.23	24.2	41.1	3,665	57.6	0.96	55.7	59.5
1998	89	40.0	4.58	31.5	49.8	3,748	58.5	0.96	56.6	60.4
1999	78	31.7	3.96	24.4	40.2	3,856	59.9	0.97	58.0	61.9
2000	67	25.1	3.42	18.9	32.5	3,832	59.3	0.96	57.4	61.2
2001	78	27.2	3.47	20.8	34.7	3,921	60.3	0.97	58.4	62.2
2002	81	26.1	3.21	20.2	33.0	4,141	63.3	0.99	61.4	65.3
2003	64	19.8	2.69	14.9	25.7	4,210	64.1	1.00	62.2	66.1
2004	102	32.9	3.55	26.3	40.4	4,109	62.1	0.98	60.2	64.1
2005	80	24.2	2.92	18.8	30.4	4,249	64.0	0.99	62.0	65.9
2006	89	25.6	2.91	20.2	31.8	4,392	65.6	1.00	63.6	67.6
2007	97	25.6	2.75	20.5	31.4	4,474	66.0	1.00	64.0	67.9
2008	125	31.6	3.08	25.9	38.1	4,540	66.1	0.99	64.2	68.1
2009	111	26.9	2.71	21.8	32.7	4,688	67.8	1.00	65.9	69.8
2010	106	23.0	2.39	18.6	28.1	4,549	64.9	0.98	63.0	66.8
2011	138	29.7	2.68	24.7	35.3	4,459	62.4	0.95	60.5	64.3
2012	130	26.4	2.44	21.8	31.5	4,575	63.3	0.95	61.5	65.2
2013	106	20.5	2.10	16.6	24.9	4,366	59.3	0.91	57.5	61.1
2014	144	24.5	2.16	20.5	29.1	4,767	63.7	0.94	61.9	65.6
2015	150	25.9	2.23	21.7	30.6	4,685	61.7	0.92	60.0	63.6
2016	140	23.3	2.06	19.4	27.7	4,715	61.4	0.91	59.6	63.2
2017	168	27.3	2.20	23.1	31.9	4,598	58.7	0.88	57.0	60.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Respiratory System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	95,817	60.2	0.20	59.8	60.6	16,244	65.9	0.52	64.9	66.9
1990	2,435	46.8	0.97	44.9	48.7	373	53.5	2.80	48.2	59.3
1991	2,466	46.4	0.96	44.6	48.3	373	52.3	2.74	47.1	57.9
1992	2,667	50.4	1.00	48.5	52.4	406	56.7	2.84	51.3	62.5
1993	2,795	52.2	1.01	50.3	54.2	473	65.0	3.02	59.2	71.2
1994	3,061	56.3	1.04	54.3	58.4	483	65.4	3.00	59.6	71.5
1995	3,101	57.4	1.05	55.4	59.5	495	65.1	2.95	59.4	71.1
1996	3,146	58.3	1.06	56.2	60.4	537	70.1	3.05	64.3	76.3
1997	3,139	57.6	1.04	55.6	59.7	493	62.9	2.85	57.4	68.7
1998	3,201	58.4	1.05	56.4	60.5	513	64.5	2.87	59.0	70.3
1999	3,280	59.8	1.06	57.7	61.9	541	66.7	2.89	61.2	72.6
2000	3,304	60.3	1.06	58.2	62.4	483	58.8	2.69	53.6	64.3
2001	3,364	61.3	1.07	59.2	63.4	527	63.7	2.79	58.4	69.4
2002	3,482	63.1	1.08	61.0	65.3	602	71.3	2.93	65.7	77.3
2003	3,566	64.8	1.10	62.6	67.0	607	70.6	2.89	65.1	76.5
2004	3,463	62.5	1.08	60.4	64.7	602	68.8	2.82	63.3	74.5
2005	3,609	65.2	1.10	63.1	67.4	592	66.7	2.77	61.4	72.4
2006	3,687	66.0	1.10	63.9	68.2	652	72.3	2.86	66.8	78.1
2007	3,775	67.1	1.11	64.9	69.3	626	69.0	2.78	63.6	74.6
2008	3,838	67.6	1.11	65.4	69.8	629	67.3	2.71	62.1	72.8
2009	3,946	69.2	1.12	67.0	71.4	675	70.5	2.75	65.3	76.1
2010	3,807	66.0	1.09	63.9	68.2	661	68.4	2.70	63.2	73.9
2011	3,744	64.0	1.07	62.0	66.2	644	64.5	2.58	59.5	69.8
2012	3,773	63.9	1.06	61.9	66.1	729	72.0	2.71	66.8	77.5
2013	3,608	60.1	1.02	58.1	62.1	671	64.4	2.53	59.5	69.5
2014	3,993	66.0	1.07	63.9	68.1	692	64.3	2.49	59.5	69.4
2015	3,857	63.0	1.04	61.0	65.1	724	65.7	2.49	60.9	70.8
2016	3,877	62.8	1.04	60.8	64.9	757	68.5	2.53	63.6	73.6
2017	3,833	60.9	1.01	59.0	63.0	684	60.1	2.34	55.6	64.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	543	2.7	0.13	2.5	3.0	15,582	4.6	0.04	4.5	4.7
1990	13	3.5	1.07	1.7	6.2	578	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1
1992	13	3.7	1.10	1.9	6.4	589	5.5	0.23	5.1	6.0
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9
1994	18	4.1	1.05	2.3	6.6	574	5.3	0.22	4.9	5.7
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3
1996	21	5.3	1.30	3.0	8.3	621	5.7	0.23	5.3	6.2
1997	19	5.2	1.37	2.9	8.4	597	5.4	0.22	5.0	5.9
1998	14	3.6	1.11	1.8	6.3	552	4.9	0.21	4.5	5.4
1999	17	3.5	0.93	1.9	5.7	559	5.0	0.21	4.6	5.4
2000	19	3.0	0.73	1.8	4.8	584	5.2	0.21	4.8	5.6
2001	17	2.7	0.76	1.5	4.6	546	4.8	0.21	4.4	5.2
2002	14	2.3	0.69	1.1	4.0	580	5.0	0.21	4.6	5.5
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0
2004	16	2.6	0.76	1.3	4.4	520	4.4	0.19	4.0	4.8
2005	13	2.1	0.62	1.1	3.7	546	4.6	0.20	4.2	5.0
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7
2007	30	3.8	0.74	2.5	5.5	550	4.5	0.19	4.1	4.8
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6
2009	17	2.1	0.55	1.2	3.4	538	4.2	0.18	3.9	4.6
2010	15	1.9	0.53	1.0	3.2	569	4.3	0.18	4.0	4.7
2011	26	3.2	0.67	2.0	4.7	527	4.0	0.18	3.7	4.4
2012	20	2.1	0.50	1.2	3.2	524	3.9	0.17	3.6	4.3
2013	18	1.8	0.45	1.0	2.9	511	3.7	0.17	3.4	4.1
2014	28	2.3	0.47	1.5	3.4	540	3.9	0.17	3.6	4.2
2015	28	2.1	0.42	1.3	3.0	516	3.7	0.17	3.4	4.0
2016	22	1.7	0.38	1.0	2.5	533	3.7	0.16	3.4	4.1
2017	29	2.1	0.41	1.3	3.0	520	3.6	0.16	3.3	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	12,369	4.4	0.04	4.3	4.5	3,011	6.8	0.13	6.6	7.1
1990	460	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	465	5.1	0.24	4.6	5.5	119	9.5	0.88	7.8	11.4
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	469	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	459	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	436	4.6	0.22	4.2	5.0	110	7.9	0.76	6.5	9.5
1999	443	4.7	0.22	4.2	5.1	110	7.5	0.72	6.2	9.1
2000	476	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	423	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2
2002	459	4.7	0.22	4.3	5.2	117	7.7	0.72	6.4	9.3
2003	409	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7
2004	404	4.1	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3
2005	442	4.4	0.21	4.0	4.9	101	6.2	0.62	5.0	7.6
2006	417	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9
2007	430	4.2	0.20	3.8	4.6	114	6.9	0.65	5.6	8.3
2008	435	4.2	0.21	3.8	4.7	82	4.8	0.54	3.8	6.0
2009	427	4.1	0.20	3.7	4.5	103	5.8	0.58	4.7	7.0
2010	449	4.2	0.20	3.8	4.6	115	6.1	0.58	5.0	7.4
2011	435	4.1	0.20	3.7	4.5	86	4.9	0.54	3.9	6.0
2012	415	3.8	0.19	3.4	4.2	103	5.8	0.58	4.7	7.0
2013	401	3.6	0.18	3.2	4.0	102	5.6	0.57	4.6	6.9
2014	422	3.8	0.19	3.4	4.1	106	5.5	0.55	4.5	6.7
2015	395	3.5	0.18	3.2	3.9	108	5.4	0.53	4.4	6.5
2016	426	3.7	0.18	3.3	4.1	95	4.7	0.50	3.8	5.8
2017	419	3.6	0.18	3.3	4.0	95	4.8	0.51	3.9	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	455	5.0	0.27	4.5	5.5	12,358	8.2	0.07	8.1	8.4
1990	8	4.4	1.79	1.6	9.4	453	10.0	0.48	9.0	10.9
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	478	9.9	0.46	9.0	10.9
1994	15	7.7	2.36	3.8	13.6	457	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	493	10.4	0.48	9.5	11.4
1996	19	10.9	3.09	5.7	18.2	474	9.9	0.46	9.0	10.9
1997	16	10.3	3.08	5.2	17.6	472	9.7	0.45	8.8	10.6
1998	9	5.5	2.21	2.0	11.0	458	9.4	0.44	8.5	10.3
1999	14	6.2	1.92	3.0	10.9	465	9.4	0.44	8.6	10.3
2000	19	6.3	1.55	3.6	10.1	469	9.4	0.44	8.5	10.3
2001	13	5.2	1.66	2.5	9.4	438	8.8	0.42	8.0	9.7
2002	13	4.7	1.52	2.2	8.5	461	9.1	0.43	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	13	5.4	1.78	2.5	9.8	423	8.1	0.40	7.3	8.9
2005	12	4.5	1.37	2.2	7.8	431	8.1	0.39	7.3	8.9
2006	14	3.8	1.17	1.8	6.7	422	7.8	0.39	7.1	8.6
2007	27	7.6	1.59	4.8	11.3	438	7.9	0.39	7.2	8.7
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	14	4.2	1.21	2.2	7.1	422	7.3	0.36	6.6	8.1
2010	10	2.7	0.91	1.2	5.0	440	7.4	0.36	6.7	8.2
2011	21	5.8	1.40	3.4	9.0	418	7.2	0.36	6.5	7.9
2012	16	3.8	1.06	2.0	6.3	399	6.7	0.34	6.1	7.4
2013	15	3.2	0.92	1.7	5.4	411	6.6	0.33	6.0	7.3
2014	21	3.7	0.92	2.2	5.9	422	6.7	0.33	6.1	7.4
2015	24	3.5	0.79	2.1	5.4	412	6.5	0.33	5.8	7.1
2016	22	3.5	0.84	2.1	5.5	410	6.3	0.32	5.7	7.0
2017	21	3.4	0.83	2.0	5.3	405	6.2	0.32	5.6	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	9,866	7.8	0.08	7.6	8.0	2,332	12.7	0.27	12.2	13.2
1990	358	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2
1993	384	9.1	0.47	8.2	10.1	88	16.8	1.87	13.3	20.8
1994	372	9.0	0.47	8.1	10.0	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	97	17.5	1.84	14.0	21.4
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	361	8.7	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	367	8.8	0.46	7.9	9.7	86	14.8	1.65	11.8	18.4
1999	368	8.7	0.46	7.9	9.7	91	15.0	1.62	12.0	18.5
2000	384	9.0	0.46	8.1	10.0	79	13.2	1.55	10.4	16.6
2001	342	8.2	0.44	7.3	9.1	90	14.1	1.52	11.3	17.4
2002	372	8.6	0.45	7.8	9.6	86	13.9	1.55	11.0	17.3
2003	325	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3
2004	336	7.6	0.42	6.8	8.5	79	12.4	1.47	9.7	15.6
2005	346	7.7	0.42	6.9	8.6	82	11.8	1.33	9.3	14.7
2006	342	7.6	0.41	6.8	8.5	72	10.8	1.34	8.3	13.7
2007	335	7.3	0.40	6.5	8.1	99	14.2	1.47	11.4	17.3
2008	347	7.4	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7
2009	334	7.0	0.39	6.3	7.8	83	11.1	1.27	8.8	13.9
2010	348	7.2	0.39	6.4	8.0	88	10.8	1.20	8.6	13.5
2011	352	7.2	0.39	6.5	8.1	62	8.6	1.14	6.5	11.1
2012	323	6.5	0.37	5.8	7.3	72	10.0	1.24	7.8	12.7
2013	325	6.2	0.35	5.6	7.0	79	11.0	1.30	8.6	13.8
2014	330	6.4	0.36	5.7	7.1	81	10.2	1.18	8.0	12.7
2015	317	6.1	0.35	5.4	6.8	84	10.2	1.16	8.0	12.7
2016	331	6.3	0.36	5.6	7.0	70	8.7	1.10	6.7	11.2
2017	324	6.1	0.35	5.4	6.8	75	9.1	1.10	7.1	11.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	88	0.8	0.09	0.6	1.0	3,224	1.8	0.03	1.7	1.8
1990	5	2.7	1.27	0.8	6.3	125	2.2	0.20	1.8	2.6
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5
1992	3	1.7	1.00	0.3	4.7	125	2.1	0.19	1.8	2.6
1993	4	1.5	0.76	0.4	3.9	107	1.8	0.18	1.5	2.2
1994	3	1.1	0.64	0.2	3.3	117	1.9	0.18	1.6	2.3
1995	3	1.2	0.68	0.2	3.4	146	2.5	0.21	2.1	2.9
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5
1998	5	2.3	1.15	0.6	5.5	94	1.5	0.15	1.2	1.8
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9
2000	0					115	1.9	0.17	1.5	2.2
2001	4	0.7	0.37	0.2	2.1	108	1.7	0.17	1.4	2.1
2002	1	0.3	0.27	0.0	1.5	119	1.9	0.17	1.6	2.3
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8
2005	1	0.2	0.23	0.0	1.3	115	1.8	0.17	1.5	2.2
2006	1	0.3	0.32	0.0	1.5	95	1.4	0.15	1.2	1.8
2007	3	0.5	0.30	0.1	1.6	112	1.7	0.16	1.4	2.1
2008	3	0.6	0.33	0.1	1.7	103	1.5	0.15	1.2	1.9
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0
2010	5	1.2	0.59	0.3	2.8	129	1.8	0.16	1.5	2.1
2011	5	1.1	0.51	0.3	2.5	109	1.5	0.15	1.3	1.9
2012	4	0.6	0.31	0.2	1.6	125	1.7	0.16	1.4	2.1
2013	3	0.6	0.35	0.1	1.7	100	1.4	0.14	1.1	1.7
2014	7	1.0	0.40	0.4	2.1	118	1.6	0.15	1.3	1.9
2015	4	0.7	0.35	0.2	1.7	104	1.4	0.14	1.1	1.7
2016	0					123	1.5	0.14	1.3	1.8
2017	8	1.0	0.35	0.4	1.9	115	1.5	0.15	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Larynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,503	1.7	0.03	1.6	1.7	679	2.6	0.10	2.5	2.9
1990	102	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7
1992	90	1.8	0.19	1.4	2.2	35	4.8	0.82	3.4	6.7
1993	83	1.6	0.18	1.3	2.0	23	3.1	0.65	1.9	4.6
1994	97	1.9	0.20	1.6	2.4	18	2.3	0.55	1.4	3.6
1995	108	2.2	0.21	1.8	2.6	37	4.8	0.79	3.4	6.6
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5
1998	69	1.3	0.16	1.0	1.6	24	3.0	0.62	1.9	4.5
1999	75	1.5	0.17	1.2	1.9	19	2.2	0.51	1.3	3.5
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5
2001	81	1.6	0.18	1.3	2.0	25	2.9	0.59	1.9	4.3
2002	87	1.7	0.18	1.3	2.1	31	3.5	0.62	2.3	4.9
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4
2005	96	1.8	0.19	1.5	2.3	19	2.1	0.48	1.2	3.2
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.46	1.2	3.1
2007	95	1.8	0.19	1.5	2.2	15	1.6	0.42	0.9	2.7
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0
2010	101	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8
2011	83	1.5	0.16	1.2	1.8	24	2.3	0.47	1.4	3.4
2012	92	1.6	0.17	1.2	1.9	31	2.9	0.53	2.0	4.2
2013	76	1.3	0.16	1.0	1.7	23	2.1	0.45	1.3	3.2
2014	92	1.6	0.16	1.2	1.9	25	2.3	0.47	1.5	3.5
2015	78	1.3	0.16	1.0	1.7	24	2.0	0.42	1.3	3.1
2016	95	1.5	0.16	1.2	1.8	25	2.0	0.41	1.3	3.0
2017	95	1.6	0.16	1.2	1.9	20	1.9	0.44	1.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	5,629	32.2	0.47	31.3	33.2	242,867	72.0	0.15	71.7	72.3
1990	98	32.5	3.70	25.7	40.4	7,186	67.2	0.80	65.6	68.8
1991	88	27.4	3.26	21.4	34.4	7,113	65.7	0.79	64.2	67.2
1992	100	29.5	3.28	23.4	36.5	7,544	69.2	0.80	67.6	70.8
1993	115	30.2	3.11	24.4	36.8	7,920	72.2	0.82	70.6	73.8
1994	134	34.1	3.30	28.0	41.1	8,505	76.9	0.84	75.3	78.6
1995	149	45.2	4.09	37.5	53.8	8,465	76.3	0.83	74.7	77.9
1996	168	43.4	3.76	36.4	51.3	8,452	76.0	0.83	74.4	77.7
1997	157	39.6	3.52	33.0	47.0	8,377	74.8	0.82	73.2	76.4
1998	192	49.3	3.95	41.9	57.5	8,511	75.5	0.82	73.9	77.1
1999	181	39.5	3.31	33.3	46.4	8,582	75.7	0.82	74.1	77.3
2000	170	34.3	2.98	28.7	40.6	8,449	74.2	0.81	72.6	75.7
2001	174	36.5	3.11	30.7	43.0	8,620	75.2	0.81	73.7	76.9
2002	161	31.6	2.79	26.3	37.4	8,880	77.0	0.82	75.4	78.6
2003	177	32.1	2.64	27.1	37.6	8,913	76.5	0.81	74.9	78.1
2004	220	37.4	2.81	32.1	43.2	8,661	73.9	0.80	72.3	75.4
2005	206	33.1	2.55	28.3	38.4	8,848	74.8	0.80	73.2	76.4
2006	218	34.0	2.53	29.3	39.3	9,062	76.1	0.80	74.5	77.7
2007	224	33.9	2.44	29.2	38.9	9,140	75.7	0.80	74.1	77.3
2008	263	37.2	2.52	32.5	42.4	9,135	74.4	0.79	72.9	76.0
2009	216	29.5	2.17	25.4	34.0	9,401	75.8	0.79	74.3	77.4
2010	229	28.7	2.05	24.9	33.0	9,062	72.1	0.77	70.6	73.6
2011	280	34.2	2.20	30.0	38.8	9,104	71.0	0.76	69.6	72.5
2012	271	31.8	2.06	27.8	36.0	9,089	69.7	0.74	68.3	71.2
2013	229	24.5	1.74	21.2	28.1	8,956	67.2	0.72	65.8	68.6
2014	274	26.7	1.73	23.4	30.3	9,399	69.3	0.73	67.9	70.8
2015	308	28.4	1.73	25.1	32.0	9,264	67.2	0.71	65.8	68.6
2016	283	25.6	1.62	22.5	29.0	9,144	65.7	0.70	64.4	67.1
2017	344	30.3	1.73	27.0	33.8	9,085	64.0	0.68	62.7	65.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	204,069	71.6	0.16	71.3	71.9	35,218	84.2	0.46	83.3	85.1
1990	6,151	65.5	0.85	63.9	67.2	988	83.2	2.70	78.0	88.7
1991	6,130	64.6	0.83	62.9	66.2	930	76.6	2.56	71.7	81.8
1992	6,466	68.0	0.85	66.3	69.7	1,025	83.9	2.67	78.7	89.3
1993	6,681	69.9	0.86	68.2	71.6	1,170	94.4	2.82	89.0	100.1
1994	7,247	75.3	0.89	73.6	77.1	1,187	94.6	2.80	89.2	100.2
1995	7,143	74.3	0.88	72.5	76.0	1,242	96.0	2.77	90.6	101.6
1996	7,090	73.8	0.88	72.1	75.5	1,273	98.2	2.80	92.8	103.9
1997	7,087	73.4	0.87	71.7	75.1	1,209	91.2	2.66	86.0	96.5
1998	7,166	73.9	0.87	72.2	75.6	1,234	91.9	2.66	86.7	97.2
1999	7,249	74.6	0.88	72.8	76.3	1,240	90.8	2.62	85.7	96.0
2000	7,187	73.8	0.87	72.1	75.5	1,167	83.6	2.48	78.8	88.6
2001	7,319	75.0	0.88	73.3	76.7	1,203	86.0	2.52	81.1	91.1
2002	7,492	76.4	0.88	74.6	78.1	1,268	88.5	2.52	83.6	93.5
2003	7,527	76.4	0.88	74.6	78.1	1,274	87.4	2.49	82.6	92.4
2004	7,245	73.2	0.86	71.5	74.9	1,305	88.5	2.49	83.7	93.5
2005	7,426	74.7	0.87	73.0	76.4	1,285	85.5	2.43	80.8	90.4
2006	7,573	75.6	0.88	73.9	77.3	1,354	88.7	2.45	83.9	93.6
2007	7,660	75.8	0.87	74.1	77.5	1,333	86.6	2.42	82.0	91.5
2008	7,685	75.0	0.86	73.3	76.7	1,306	82.4	2.33	77.9	87.1
2009	7,919	76.8	0.87	75.1	78.5	1,315	80.6	2.27	76.2	85.2
2010	7,571	72.5	0.84	70.8	74.1	1,311	79.8	2.26	75.4	84.3
2011	7,603	71.6	0.83	70.0	73.3	1,326	78.9	2.22	74.6	83.3
2012	7,511	69.7	0.82	68.1	71.4	1,395	81.5	2.23	77.2	86.0
2013	7,414	67.5	0.80	65.9	69.1	1,349	76.1	2.12	72.0	80.4
2014	7,849	70.6	0.81	69.0	72.2	1,356	74.9	2.08	70.8	79.1
2015	7,609	67.5	0.79	65.9	69.0	1,426	76.5	2.08	72.5	80.7
2016	7,567	66.7	0.78	65.2	68.3	1,388	74.4	2.05	70.4	78.5
2017	7,502	65.0	0.77	63.5	66.5	1,359	70.8	1.97	67.0	74.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,214	41.3	0.82	39.7	43.0	133,709	92.6	0.26	92.1	93.1
1990	55	43.3	7.13	30.4	58.9	4,519	100.3	1.53	97.3	103.3
1991	55	38.2	6.04	27.3	51.5	4,425	97.0	1.49	94.1	100.0
1992	58	40.0	6.24	28.7	53.7	4,621	99.9	1.50	97.0	102.9
1993	77	45.3	6.10	34.1	58.5	4,786	103.9	1.53	101.0	107.0
1994	79	42.6	5.80	32.0	55.2	5,088	110.2	1.57	107.2	113.4
1995	94	67.4	8.09	52.5	84.6	5,003	106.7	1.53	103.7	109.7
1996	113	63.4	7.05	50.3	78.3	4,917	105.3	1.52	102.3	108.3
1997	93	51.0	6.17	39.6	64.2	4,867	103.4	1.50	100.5	106.4
1998	110	67.2	7.48	53.4	83.1	4,902	103.0	1.48	100.1	105.9
1999	109	51.2	5.75	40.5	63.4	4,868	101.8	1.47	98.9	104.7
2000	106	46.0	5.18	36.4	57.0	4,774	98.9	1.44	96.1	101.7
2001	105	49.7	5.57	39.4	61.6	4,846	100.2	1.45	97.3	103.1
2002	85	41.6	5.19	32.1	52.7	4,890	100.4	1.45	97.6	103.3
2003	116	47.9	4.97	38.7	58.4	4,874	98.2	1.42	95.4	101.0
2004	124	43.6	4.51	35.3	53.2	4,689	93.7	1.38	91.0	96.4
2005	129	44.8	4.50	36.4	54.3	4,745	93.5	1.37	90.8	96.2
2006	130	45.1	4.49	36.8	54.6	4,814	94.6	1.38	91.9	97.3
2007	132	45.7	4.41	37.4	54.9	4,831	93.1	1.36	90.5	95.8
2008	141	44.8	4.16	37.0	53.5	4,740	89.6	1.32	87.0	92.2
2009	111	34.4	3.66	27.6	42.2	4,872	90.3	1.32	87.8	93.0
2010	128	38.1	3.70	31.2	45.8	4,681	85.5	1.27	83.0	88.0
2011	151	42.7	3.84	35.5	50.8	4,789	85.6	1.26	83.1	88.1
2012	147	40.2	3.61	33.5	47.8	4,689	82.0	1.23	79.7	84.5
2013	130	31.1	3.03	25.5	37.5	4,732	80.7	1.20	78.3	83.1
2014	142	32.2	2.96	26.7	38.4	4,801	80.3	1.19	78.0	82.6
2015	164	32.6	2.79	27.3	38.4	4,717	77.5	1.16	75.3	79.8
2016	144	29.2	2.65	24.2	34.7	4,592	74.6	1.13	72.4	76.9
2017	186	35.4	2.82	30.1	41.3	4,637	74.0	1.11	71.8	76.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	111,715	90.9	0.27	90.3	91.4	19,811	116.8	0.87	115.1	118.5
1990	3,845	96.9	1.60	93.8	100.1	638	132.3	5.51	121.7	143.5
1991	3,799	94.7	1.57	91.6	97.8	590	119.2	5.15	109.3	129.6
1992	3,929	96.9	1.57	93.8	100.0	661	132.4	5.41	122.1	143.4
1993	4,012	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,318	107.2	1.66	104.0	110.5	727	143.8	5.62	132.9	155.1
1995	4,169	102.2	1.60	99.1	105.4	787	149.8	5.61	139.0	161.2
1996	4,098	101.0	1.60	97.9	104.2	764	146.2	5.54	135.5	157.4
1997	4,071	100.0	1.58	96.9	103.1	744	138.5	5.29	128.3	149.2
1998	4,073	98.9	1.56	95.9	102.0	749	139.2	5.34	129.0	150.1
1999	4,087	99.1	1.56	96.0	102.2	722	132.0	5.13	122.2	142.5
2000	4,006	96.5	1.53	93.5	99.6	713	125.5	4.91	116.1	135.5
2001	4,071	98.1	1.55	95.1	101.1	704	124.3	4.90	114.9	134.3
2002	4,125	99.1	1.55	96.0	102.1	699	119.5	4.73	110.4	129.1
2003	4,089	96.6	1.52	93.7	99.7	709	119.3	4.69	110.3	128.8
2004	3,884	91.1	1.47	88.3	94.1	736	124.8	4.83	115.5	134.5
2005	3,940	91.5	1.47	88.6	94.4	716	118.7	4.68	109.7	128.2
2006	4,004	92.7	1.48	89.8	95.7	726	118.2	4.61	109.3	127.5
2007	4,015	91.5	1.46	88.7	94.4	736	119.6	4.66	110.7	129.1
2008	3,969	88.9	1.43	86.1	91.8	697	108.7	4.34	100.4	117.5
2009	4,101	90.6	1.43	87.8	93.4	666	100.1	4.09	92.3	108.4
2010	3,899	84.7	1.38	82.1	87.5	681	101.6	4.11	93.7	110.0
2011	3,970	84.6	1.37	82.0	87.4	712	104.5	4.10	96.7	112.9
2012	3,872	81.0	1.33	78.4	83.6	705	101.9	4.03	94.2	110.1
2013	3,917	80.1	1.31	77.6	82.7	707	98.7	3.90	91.2	106.6
2014	3,988	80.1	1.30	77.6	82.7	697	95.7	3.80	88.4	103.4
2015	3,859	76.5	1.26	74.0	79.0	731	98.0	3.80	90.7	105.7
2016	3,813	75.0	1.24	72.6	77.5	664	87.3	3.54	80.5	94.5
2017	3,792	73.3	1.22	70.9	75.7	700	91.3	3.61	84.4	98.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,415	25.2	0.54	24.1	26.3	109,158	57.5	0.18	57.1	57.8
1990	43	25.3	4.13	17.9	34.5	2,667	44.6	0.88	42.9	46.3
1991	33	19.0	3.58	12.7	27.1	2,688	44.0	0.86	42.3	45.7
1992	42	22.5	3.69	15.9	30.7	2,923	47.7	0.89	45.9	49.5
1993	38	18.4	3.18	12.7	25.6	3,134	50.6	0.91	48.8	52.4
1994	55	27.3	3.93	20.2	35.9	3,417	54.3	0.94	52.5	56.2
1995	55	29.7	4.26	21.9	38.9	3,462	55.1	0.95	53.3	57.0
1996	55	27.5	4.01	20.2	36.2	3,535	56.1	0.95	54.2	58.0
1997	64	30.5	4.12	23.0	39.5	3,510	55.1	0.94	53.2	56.9
1998	82	36.7	4.36	28.7	46.1	3,609	56.3	0.94	54.4	58.1
1999	72	29.8	3.87	22.7	38.2	3,714	57.7	0.95	55.8	59.6
2000	64	24.3	3.38	18.1	31.6	3,675	56.7	0.94	54.9	58.6
2001	69	25.7	3.42	19.4	33.1	3,774	57.9	0.95	56.1	59.8
2002	76	24.7	3.12	18.9	31.4	3,990	60.9	0.97	59.0	62.9
2003	61	19.3	2.68	14.4	25.2	4,039	61.4	0.97	59.5	63.4
2004	96	31.7	3.51	25.2	39.2	3,972	60.0	0.96	58.2	61.9
2005	77	23.5	2.88	18.2	29.6	4,103	61.7	0.97	59.8	63.6
2006	88	25.3	2.89	19.9	31.4	4,248	63.4	0.98	61.5	65.4
2007	92	24.9	2.73	19.8	30.7	4,309	63.4	0.98	61.5	65.4
2008	122	31.1	3.06	25.4	37.5	4,395	64.0	0.98	62.1	65.9
2009	105	25.9	2.67	20.9	31.6	4,529	65.5	0.99	63.6	67.5
2010	101	21.8	2.31	17.5	26.8	4,381	62.5	0.96	60.6	64.4
2011	129	28.1	2.62	23.2	33.6	4,315	60.3	0.93	58.5	62.2
2012	124	25.6	2.42	21.1	30.7	4,400	60.9	0.93	59.1	62.7
2013	99	19.3	2.04	15.5	23.7	4,224	57.3	0.90	55.5	59.1
2014	132	22.7	2.08	18.8	27.2	4,598	61.4	0.92	59.6	63.3
2015	144	25.0	2.19	20.9	29.6	4,547	59.9	0.91	58.1	61.7
2016	139	23.1	2.05	19.3	27.4	4,552	59.3	0.90	57.6	61.1
2017	158	26.1	2.17	22.0	30.7	4,448	56.7	0.87	55.0	58.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lung and Bronchus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	92,354	57.9	0.19	57.6	58.3	15,407	62.6	0.51	61.6	63.6
1990	2,306	44.2	0.94	42.4	46.1	350	50.3	2.72	45.1	55.9
1991	2,331	43.8	0.93	42.0	45.7	340	47.8	2.62	42.8	53.2
1992	2,537	47.8	0.97	45.9	49.8	364	50.9	2.70	45.8	56.5
1993	2,669	49.8	0.98	47.9	51.8	440	60.6	2.92	55.0	66.5
1994	2,929	53.7	1.01	51.7	55.7	460	62.3	2.93	56.7	68.3
1995	2,974	54.9	1.02	52.9	57.0	455	60.0	2.84	54.6	65.8
1996	2,992	55.3	1.03	53.3	57.4	509	66.6	2.97	60.9	72.6
1997	3,016	55.2	1.02	53.2	57.2	465	59.5	2.78	54.1	65.1
1998	3,093	56.4	1.03	54.4	58.5	485	61.0	2.79	55.7	66.7
1999	3,162	57.6	1.04	55.5	59.6	518	64.0	2.83	58.6	69.8
2000	3,181	57.9	1.04	55.9	60.0	454	55.4	2.61	50.4	60.7
2001	3,248	59.0	1.05	57.0	61.1	499	60.4	2.72	55.2	66.0
2002	3,367	60.9	1.06	58.9	63.1	569	67.6	2.85	62.2	73.4
2003	3,438	62.3	1.08	60.2	64.5	565	66.0	2.80	60.6	71.7
2004	3,361	60.6	1.06	58.6	62.7	569	65.1	2.75	59.8	70.7
2005	3,486	62.9	1.08	60.8	65.0	569	64.2	2.71	59.0	69.8
2006	3,569	63.8	1.08	61.7	66.0	628	69.8	2.81	64.4	75.5
2007	3,645	64.7	1.09	62.6	66.8	597	65.8	2.72	60.6	71.3
2008	3,716	65.3	1.09	63.2	67.5	609	65.3	2.67	60.1	70.7
2009	3,818	66.9	1.10	64.7	69.1	649	68.0	2.70	62.8	73.5
2010	3,672	63.7	1.07	61.6	65.8	630	65.4	2.64	60.4	70.8
2011	3,633	62.0	1.05	60.0	64.1	614	61.6	2.53	56.8	66.8
2012	3,639	61.6	1.04	59.6	63.7	690	68.3	2.64	63.2	73.6
2013	3,497	58.1	1.00	56.1	60.1	642	61.7	2.47	57.0	66.8
2014	3,861	63.8	1.05	61.8	65.9	659	61.2	2.42	56.6	66.2
2015	3,750	61.1	1.02	59.2	63.2	695	63.2	2.44	58.5	68.2
2016	3,754	60.8	1.02	58.8	62.8	724	65.7	2.49	60.9	70.8
2017	3,710	58.9	0.99	57.0	60.9	659	57.7	2.29	53.3	62.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	338	0.8	0.05	0.7	0.9	2,744	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	97	0.9	0.10	0.8	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	7	0.6	0.27	0.2	1.6	98	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	103	0.9	0.09	0.8	1.1
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	97	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	9	0.4	0.14	0.2	1.0	102	0.9	0.09	0.7	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	114	1.0	0.10	0.9	1.2
2007	15	0.8	0.21	0.4	1.4	114	1.0	0.10	0.9	1.2
2008	6	0.5	0.23	0.1	1.2	88	0.8	0.09	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	95	0.9	0.09	0.7	1.1
2010	9	0.5	0.22	0.2	1.2	94	0.8	0.09	0.7	1.0
2011	13	0.7	0.25	0.3	1.4	95	0.8	0.09	0.7	1.0
2012	19	1.0	0.26	0.6	1.7	102	0.9	0.09	0.7	1.1
2013	22	1.3	0.33	0.7	2.1	105	0.9	0.09	0.8	1.1
2014	13	0.6	0.17	0.3	1.1	110	1.0	0.09	0.8	1.2
2015	17	0.8	0.19	0.4	1.3	86	0.8	0.08	0.6	0.9
2016	16	0.7	0.18	0.4	1.2	108	0.9	0.09	0.8	1.1
2017	18	0.9	0.25	0.5	1.6	114	1.0	0.10	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,250	0.9	0.02	0.9	1.0	364	0.7	0.04	0.7	0.8
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7
1996	86	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3
2000	88	1.0	0.11	0.8	1.2	8	0.4	0.16	0.2	0.9
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5
2002	81	0.9	0.10	0.7	1.2	12	0.6	0.18	0.3	1.1
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.9
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1
2006	92	1.1	0.11	0.9	1.3	17	0.9	0.21	0.5	1.4
2007	90	1.1	0.11	0.9	1.3	16	0.8	0.21	0.5	1.4
2008	75	0.9	0.10	0.7	1.1	8	0.4	0.14	0.2	0.8
2009	73	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6
2010	77	0.9	0.10	0.7	1.1	14	0.8	0.21	0.4	1.3
2011	73	0.8	0.10	0.6	1.0	17	0.8	0.20	0.5	1.3
2012	87	1.0	0.11	0.8	1.2	11	0.6	0.19	0.3	1.1
2013	89	1.1	0.11	0.8	1.3	13	0.7	0.19	0.4	1.2
2014	87	1.0	0.11	0.8	1.2	15	0.8	0.21	0.4	1.3
2015	73	0.9	0.10	0.7	1.1	9	0.4	0.14	0.2	0.8
2016	90	1.0	0.11	0.8	1.3	13	0.7	0.20	0.4	1.2
2017	85	1.0	0.11	0.8	1.2	17	1.0	0.24	0.6	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	185	0.9	0.08	0.7	1.0	1,491	1.0	0.03	1.0	1.1
1990	7	3.7	1.82	1.0	8.9	50	1.0	0.14	0.7	1.3
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	2.8	57	1.1	0.15	0.8	1.4
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5
2004	6	0.5	0.21	0.2	1.8	59	1.1	0.15	0.9	1.4
2005	7	1.0	0.47	0.3	2.5	57	1.1	0.14	0.8	1.4
2006	10	1.6	0.67	0.6	3.5	57	1.1	0.15	0.8	1.4
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1
2009	11	0.9	0.29	0.4	2.0	48	0.9	0.13	0.7	1.2
2010	1	0.1	0.11	0.0	1.0	57	1.0	0.14	0.8	1.4
2011	8	0.8	0.33	0.3	1.9	52	0.9	0.13	0.7	1.3
2012	10	0.8	0.27	0.4	1.8	59	1.1	0.14	0.8	1.4
2013	11	1.3	0.49	0.5	2.6	65	1.2	0.15	0.9	1.6
2014	9	0.9	0.30	0.4	1.8	67	1.2	0.15	0.9	1.5
2015	11	1.1	0.33	0.5	2.0	47	0.9	0.13	0.6	1.1
2016	8	0.7	0.25	0.3	1.5	56	1.0	0.14	0.7	1.3
2017	11	0.9	0.28	0.5	1.8	53	1.0	0.14	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,222	1.1	0.03	1.0	1.1	196	0.9	0.07	0.8	1.0
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3
2000	45	1.1	0.16	0.8	1.5	6	0.8	0.38	0.3	1.9
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5
2006	43	1.1	0.17	0.8	1.5	10	1.0	0.31	0.5	1.9
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2
2009	41	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6
2010	49	1.1	0.16	0.8	1.5	6	0.7	0.29	0.2	1.6
2011	37	0.8	0.14	0.6	1.2	13	1.4	0.42	0.7	2.5
2012	53	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6
2013	55	1.4	0.19	1.0	1.8	8	0.8	0.31	0.4	1.7
2014	52	1.2	0.17	0.9	1.6	9	1.2	0.41	0.5	2.3
2015	41	1.0	0.16	0.7	1.3	3	0.3	0.18	0.1	1.0
2016	45	1.0	0.16	0.7	1.4	8	1.0	0.35	0.4	2.0
2017	38	0.9	0.16	0.6	1.3	9	1.1	0.37	0.5	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	153	0.8	0.08	0.7	1.0	1,253	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	4	0.6	0.31	0.1	2.1	40	0.7	0.11	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	50	0.9	0.12	0.6	1.2
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	5	0.5	0.25	0.2	1.6	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	7	0.8	0.31	0.3	1.8	50	0.9	0.12	0.6	1.1
2008	3	0.3	0.15	0.1	1.1	47	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	47	0.8	0.12	0.6	1.1
2010	8	0.9	0.40	0.3	2.1	37	0.7	0.11	0.5	0.9
2011	5	0.6	0.34	0.1	1.7	43	0.7	0.12	0.5	1.0
2012	9	1.1	0.41	0.5	2.3	43	0.7	0.11	0.5	1.0
2013	11	1.3	0.46	0.6	2.5	40	0.7	0.11	0.5	0.9
2014	4	0.4	0.18	0.1	1.0	43	0.8	0.12	0.5	1.0
2015	6	0.5	0.18	0.2	1.1	39	0.7	0.11	0.5	0.9
2016	8	0.7	0.26	0.3	1.5	52	0.9	0.13	0.7	1.2
2017	7	0.9	0.38	0.3	1.9	61	1.0	0.13	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Bones and Joints										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,028	0.8	0.03	0.8	0.9	168	0.6	0.05	0.5	0.7
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4
1996	36	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9
2002	41	0.9	0.14	0.6	1.2	6	0.6	0.24	0.2	1.3
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5
2007	37	0.8	0.14	0.6	1.1	8	0.8	0.27	0.3	1.5
2008	39	0.9	0.14	0.6	1.2	4	0.4	0.18	0.1	0.9
2009	32	0.8	0.14	0.5	1.1	12	1.2	0.36	0.6	2.1
2010	28	0.6	0.13	0.4	0.9	8	0.8	0.29	0.4	1.6
2011	36	0.8	0.14	0.6	1.1	4	0.4	0.19	0.1	1.0
2012	34	0.7	0.13	0.5	1.1	8	0.8	0.27	0.3	1.5
2013	34	0.8	0.14	0.5	1.1	5	0.5	0.22	0.2	1.2
2014	35	0.8	0.14	0.5	1.1	6	0.6	0.25	0.2	1.4
2015	32	0.7	0.14	0.5	1.1	6	0.6	0.23	0.2	1.2
2016	45	1.0	0.16	0.7	1.4	5	0.5	0.24	0.2	1.2
2017	47	1.0	0.16	0.7	1.4	8	0.9	0.30	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	853	2.8	0.11	2.6	3.0	9,840	3.1	0.03	3.0	3.1
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	15	2.4	0.79	1.1	4.5	246	2.3	0.15	2.0	2.6
1993	12	1.6	0.54	0.7	3.1	243	2.3	0.14	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	18	1.9	0.52	1.0	3.4	276	2.5	0.15	2.2	2.8
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	24	3.4	0.86	1.9	5.5	338	3.1	0.17	2.7	3.4
1998	26	3.0	0.70	1.8	4.8	322	2.9	0.16	2.6	3.2
1999	15	1.6	0.50	0.7	2.9	320	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	286	2.5	0.15	2.3	2.9
2001	31	3.3	0.78	2.0	5.2	342	3.1	0.17	2.7	3.4
2002	17	1.3	0.40	0.7	2.4	326	2.9	0.16	2.6	3.2
2003	32	2.4	0.56	1.4	3.8	375	3.3	0.17	3.0	3.7
2004	33	2.8	0.59	1.7	4.2	357	3.1	0.17	2.8	3.5
2005	35	2.4	0.50	1.6	3.7	357	3.1	0.17	2.8	3.4
2006	30	3.4	0.73	2.1	5.0	403	3.5	0.18	3.2	3.9
2007	37	3.4	0.67	2.2	4.9	385	3.4	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	399	3.5	0.18	3.1	3.8
2009	39	3.1	0.61	2.0	4.5	387	3.3	0.17	3.0	3.7
2010	49	3.8	0.67	2.6	5.3	401	3.4	0.17	3.1	3.7
2011	36	2.8	0.55	1.8	4.1	393	3.3	0.17	3.0	3.7
2012	55	3.7	0.56	2.7	5.0	407	3.3	0.17	3.0	3.7
2013	48	3.2	0.53	2.3	4.4	436	3.6	0.18	3.3	4.0
2014	42	3.0	0.50	2.1	4.1	451	3.7	0.18	3.4	4.1
2015	47	2.7	0.43	1.9	3.7	400	3.2	0.17	2.9	3.6
2016	52	3.1	0.48	2.3	4.2	445	3.6	0.18	3.3	4.0
2017	49	3.1	0.49	2.2	4.2	450	3.7	0.18	3.3	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,917	3.0	0.03	2.9	3.1	1,561	3.4	0.09	3.2	3.6
1990	197	2.2	0.16	1.9	2.6	42	3.0	0.48	2.1	4.1
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	198	2.2	0.16	1.9	2.5	41	3.0	0.47	2.1	4.0
1993	205	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9
1995	231	2.5	0.17	2.2	2.9	39	2.4	0.40	1.7	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0
1998	258	2.8	0.17	2.5	3.2	56	3.6	0.50	2.7	4.7
1999	253	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	235	2.5	0.17	2.2	2.9	44	2.7	0.42	2.0	3.7
2001	282	3.1	0.19	2.7	3.5	48	3.1	0.46	2.3	4.1
2002	271	2.9	0.18	2.6	3.3	45	2.8	0.43	2.0	3.8
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	283	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	277	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8
2006	321	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4
2007	313	3.4	0.20	3.0	3.8	56	3.3	0.45	2.5	4.3
2008	322	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8
2009	309	3.3	0.19	2.9	3.7	54	3.1	0.43	2.3	4.1
2010	319	3.3	0.19	2.9	3.6	62	3.6	0.46	2.7	4.6
2011	318	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4
2012	328	3.3	0.19	3.0	3.7	66	3.6	0.45	2.8	4.6
2013	344	3.5	0.20	3.2	4.0	65	3.6	0.46	2.8	4.7
2014	346	3.6	0.20	3.2	4.0	80	4.3	0.50	3.4	5.4
2015	311	3.1	0.18	2.8	3.5	74	4.1	0.49	3.2	5.2
2016	355	3.6	0.20	3.2	4.0	73	4.0	0.47	3.1	5.0
2017	343	3.5	0.20	3.1	3.9	78	4.3	0.49	3.3	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	478	3.3	0.19	2.9	3.7	5,255	3.7	0.05	3.6	3.8
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9
1993	7	1.5	0.68	0.5	4.2	122	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	15	3.0	0.93	1.4	5.9	139	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.2	1.22	1.3	6.6	177	3.6	0.28	3.1	4.2
1999	11	2.5	1.00	1.0	5.5	177	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	148	3.0	0.25	2.5	3.5
2001	15	2.8	0.91	1.3	5.3	187	3.7	0.27	3.2	4.2
2002	7	0.6	0.24	0.2	2.0	169	3.5	0.27	3.0	4.0
2003	22	3.6	1.25	1.6	6.8	184	3.6	0.27	3.1	4.2
2004	20	3.6	1.11	1.8	6.4	191	3.7	0.27	3.2	4.3
2005	22	2.7	0.72	1.5	4.6	188	3.7	0.27	3.1	4.2
2006	20	4.5	1.20	2.5	7.4	193	3.8	0.27	3.2	4.3
2007	13	3.1	1.14	1.3	6.0	220	4.2	0.29	3.7	4.8
2008	14	2.0	0.81	0.7	4.1	215	4.2	0.29	3.6	4.8
2009	23	4.7	1.27	2.5	7.7	195	3.7	0.27	3.2	4.2
2010	26	3.7	0.89	2.1	5.9	220	4.1	0.28	3.6	4.7
2011	21	3.5	0.92	1.9	5.7	228	4.2	0.28	3.6	4.7
2012	29	4.3	0.94	2.7	6.5	211	3.8	0.27	3.3	4.4
2013	30	4.4	0.95	2.7	6.6	240	4.3	0.29	3.8	4.9
2014	24	3.9	0.92	2.3	6.1	256	4.6	0.29	4.0	5.2
2015	31	3.4	0.68	2.2	5.0	242	4.3	0.28	3.7	4.9
2016	31	4.0	0.82	2.6	5.9	234	4.2	0.28	3.7	4.8
2017	22	2.9	0.71	1.7	4.6	251	4.5	0.29	3.9	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,325	3.6	0.06	3.5	3.7	717	3.6	0.14	3.4	3.9
1990	105	2.6	0.26	2.1	3.2	22	3.5	0.86	2.0	5.6
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0
1993	104	2.5	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8
1995	122	3.0	0.28	2.5	3.6	13	1.7	0.47	0.9	2.9
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3
1998	147	3.6	0.30	3.0	4.2	27	3.7	0.78	2.3	5.5
1999	137	3.3	0.28	2.8	3.9	30	4.9	0.97	3.2	7.2
2000	122	3.0	0.27	2.5	3.5	21	3.1	0.71	1.8	4.8
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9
2002	145	3.6	0.30	3.0	4.2	19	2.6	0.64	1.5	4.2
2003	153	3.7	0.30	3.1	4.3	23	3.3	0.74	2.0	5.1
2004	159	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1
2005	151	3.5	0.29	3.0	4.2	28	4.3	0.91	2.7	6.4
2006	163	3.8	0.30	3.3	4.5	27	3.5	0.71	2.3	5.2
2007	187	4.4	0.33	3.8	5.1	27	3.8	0.77	2.4	5.6
2008	179	4.3	0.32	3.7	5.0	27	3.6	0.72	2.3	5.3
2009	163	3.7	0.30	3.2	4.4	19	2.5	0.60	1.4	3.9
2010	176	3.9	0.30	3.3	4.5	31	4.5	0.87	3.0	6.5
2011	191	4.3	0.32	3.7	5.0	27	3.4	0.69	2.2	5.1
2012	172	3.8	0.30	3.3	4.5	28	3.5	0.67	2.3	5.1
2013	193	4.3	0.32	3.7	5.0	30	3.8	0.71	2.5	5.4
2014	206	4.6	0.33	4.0	5.3	34	4.0	0.70	2.8	5.7
2015	194	4.2	0.31	3.6	4.8	38	5.2	0.88	3.6	7.2
2016	190	4.2	0.32	3.6	4.9	34	4.4	0.77	3.0	6.2
2017	192	4.3	0.32	3.7	4.9	40	5.0	0.82	3.5	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	375	2.4	0.14	2.2	2.7	4,585	2.6	0.04	2.6	2.7
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	6	1.6	0.73	0.5	4.0	135	2.3	0.20	1.9	2.8
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	137	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	5.8	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	138	2.2	0.19	1.9	2.6
2001	16	3.7	1.14	1.8	6.6	155	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	10	1.4	0.47	0.6	2.9	191	3.1	0.23	2.7	3.6
2004	13	2.1	0.62	1.1	3.8	166	2.7	0.21	2.3	3.1
2005	13	2.1	0.69	1.0	3.9	169	2.7	0.21	2.3	3.1
2006	10	2.3	0.83	1.0	4.4	210	3.4	0.24	3.0	3.9
2007	24	3.9	0.89	2.3	6.0	165	2.7	0.21	2.3	3.1
2008	21	3.6	0.91	2.0	5.8	184	2.9	0.22	2.5	3.4
2009	16	2.0	0.53	1.1	3.4	192	3.1	0.23	2.7	3.6
2010	23	3.7	0.93	2.1	5.9	181	2.8	0.22	2.4	3.3
2011	15	2.2	0.65	1.1	3.9	165	2.6	0.21	2.2	3.1
2012	26	3.2	0.69	2.0	4.9	196	2.9	0.21	2.5	3.4
2013	18	2.2	0.57	1.2	3.6	196	3.0	0.23	2.6	3.5
2014	18	2.3	0.55	1.3	3.6	195	3.0	0.22	2.6	3.5
2015	16	2.0	0.54	1.1	3.4	158	2.4	0.20	2.0	2.8
2016	21	2.4	0.56	1.4	3.8	211	3.2	0.23	2.7	3.6
2017	27	3.4	0.70	2.1	5.0	199	3.0	0.22	2.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Soft Tissue including Heart										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,592	2.6	0.04	2.5	2.6	844	3.3	0.11	3.0	3.5
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	107	2.2	0.22	1.8	2.7	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1
1995	109	2.2	0.22	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	122	2.4	0.22	2.0	2.8	29	3.5	0.66	2.3	5.0
1998	111	2.3	0.22	1.8	2.7	29	3.5	0.65	2.3	5.0
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	113	2.2	0.21	1.8	2.7	23	2.5	0.53	1.6	3.8
2001	126	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7
2002	126	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3
2004	124	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	126	2.5	0.23	2.0	2.9	32	3.4	0.61	2.3	4.9
2006	158	3.2	0.26	2.7	3.7	46	4.8	0.71	3.5	6.4
2007	126	2.6	0.24	2.2	3.1	29	3.0	0.56	2.0	4.3
2008	143	2.8	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3
2009	146	3.0	0.26	2.5	3.5	35	3.6	0.62	2.5	5.1
2010	143	2.7	0.24	2.3	3.3	31	3.1	0.57	2.1	4.5
2011	127	2.7	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7
2012	156	2.9	0.24	2.4	3.4	38	3.7	0.60	2.6	5.0
2013	151	3.0	0.26	2.5	3.5	35	3.5	0.60	2.4	4.9
2014	140	2.7	0.24	2.3	3.2	46	4.5	0.68	3.3	6.0
2015	117	2.2	0.22	1.8	2.7	36	3.4	0.58	2.4	4.8
2016	165	3.1	0.26	2.6	3.6	39	3.7	0.60	2.6	5.0
2017	151	2.8	0.25	2.4	3.4	38	3.7	0.61	2.6	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,185	4.9	0.17	4.6	5.2	55,897	17.2	0.07	17.0	17.3
1990	10	2.2	0.89	0.8	4.6	901	8.7	0.29	8.1	9.3
1991	17	3.9	1.25	1.9	7.0	956	9.2	0.30	8.7	9.9
1992	16	2.5	0.66	1.3	4.2	1,022	9.7	0.30	9.1	10.3
1993	17	3.6	1.04	1.9	6.2	967	9.0	0.29	8.4	9.6
1994	19	3.2	0.88	1.7	5.4	1,171	10.8	0.32	10.2	11.5
1995	29	4.8	1.06	2.9	7.3	1,213	11.2	0.32	10.5	11.8
1996	26	4.0	1.02	2.2	6.4	1,317	12.0	0.33	11.4	12.7
1997	25	3.9	1.03	2.1	6.4	1,438	13.0	0.34	12.3	13.7
1998	28	5.2	1.22	3.1	8.1	1,471	13.2	0.34	12.5	13.9
1999	38	6.4	1.32	4.1	9.4	1,523	13.6	0.35	12.9	14.3
2000	33	5.0	1.08	3.2	7.5	1,654	14.7	0.36	14.0	15.4
2001	24	2.6	0.64	1.5	4.2	1,776	15.7	0.37	15.0	16.4
2002	41	5.7	1.08	3.7	8.1	1,787	15.7	0.37	15.0	16.4
2003	41	4.5	0.88	2.9	6.5	1,833	16.0	0.37	15.3	16.7
2004	39	3.9	0.80	2.5	5.8	1,971	17.1	0.39	16.4	17.9
2005	42	4.7	0.87	3.2	6.7	2,191	18.9	0.41	18.1	19.7
2006	47	4.8	0.85	3.3	6.8	2,236	19.2	0.41	18.5	20.1
2007	52	5.4	0.92	3.8	7.5	2,320	19.8	0.42	19.0	20.6
2008	39	3.6	0.66	2.4	5.1	2,508	21.1	0.43	20.3	22.0
2009	57	4.3	0.65	3.1	5.7	2,515	21.1	0.43	20.2	21.9
2010	54	4.8	0.76	3.5	6.5	2,457	20.2	0.42	19.4	21.1
2011	66	6.4	0.90	4.7	8.3	2,617	21.4	0.43	20.6	22.3
2012	68	5.5	0.75	4.1	7.1	2,705	21.9	0.43	21.0	22.7
2013	63	5.7	0.79	4.2	7.4	2,643	21.0	0.42	20.2	21.8
2014	72	5.9	0.77	4.5	7.6	2,817	21.9	0.42	21.1	22.7
2015	63	4.8	0.66	3.6	6.2	3,083	24.3	0.45	23.4	25.2
2016	66	4.7	0.63	3.5	6.0	3,382	26.1	0.47	25.2	27.1
2017	93	6.6	0.74	5.2	8.2	3,423	26.5	0.47	25.6	27.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	52,701	19.6	0.09	19.5	19.8	814	1.8	0.07	1.7	2.0
1990	870	9.9	0.34	9.2	10.5	23	1.9	0.41	1.2	2.9
1991	929	10.6	0.35	9.9	11.3	18	1.5	0.36	0.8	2.3
1992	981	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3
1993	937	10.2	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5
1994	1,129	12.3	0.37	11.6	13.1	19	1.3	0.31	0.8	2.0
1995	1,159	12.7	0.37	11.9	13.4	23	1.6	0.34	1.0	2.4
1996	1,258	13.7	0.39	12.9	14.4	24	1.7	0.37	1.1	2.6
1997	1,359	14.7	0.40	13.9	15.5	30	2.0	0.37	1.3	2.8
1998	1,386	14.8	0.40	14.1	15.6	32	2.3	0.41	1.5	3.2
1999	1,460	15.7	0.41	14.9	16.5	30	2.0	0.38	1.3	2.9
2000	1,558	16.7	0.42	15.8	17.5	25	1.5	0.31	1.0	2.3
2001	1,666	17.8	0.44	16.9	18.6	31	2.1	0.40	1.4	3.1
2002	1,667	17.7	0.44	16.9	18.6	25	1.5	0.30	1.0	2.2
2003	1,686	17.8	0.44	17.0	18.7	37	2.3	0.39	1.6	3.2
2004	1,825	19.3	0.45	18.4	20.2	25	1.6	0.32	1.0	2.3
2005	1,995	21.0	0.48	20.1	21.9	32	2.1	0.38	1.4	3.0
2006	2,084	22.0	0.49	21.0	22.9	42	2.5	0.40	1.8	3.4
2007	2,185	23.0	0.50	22.0	24.0	37	2.3	0.38	1.6	3.1
2008	2,345	24.3	0.51	23.3	25.3	34	2.1	0.36	1.4	2.9
2009	2,356	24.4	0.51	23.4	25.4	42	2.5	0.39	1.8	3.4
2010	2,293	23.4	0.50	22.4	24.4	34	2.1	0.36	1.4	2.9
2011	2,445	24.8	0.52	23.8	25.8	30	1.6	0.30	1.1	2.3
2012	2,546	25.6	0.52	24.6	26.6	29	1.6	0.31	1.1	2.4
2013	2,519	24.9	0.51	23.9	26.0	31	1.7	0.32	1.2	2.5
2014	2,653	25.7	0.52	24.7	26.7	24	1.3	0.27	0.8	2.0
2015	2,916	28.8	0.56	27.7	29.9	33	1.9	0.34	1.3	2.7
2016	3,211	31.4	0.58	30.2	32.5	32	1.8	0.33	1.2	2.6
2017	3,283	32.2	0.59	31.1	33.4	26	1.4	0.28	0.9	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	558	5.4	0.28	4.9	6.0	31,381	21.7	0.12	21.5	22.0
1990	6	2.9	1.70	0.6	7.9	473	10.6	0.50	9.6	11.6
1991	8	3.1	1.67	0.7	7.9	503	11.0	0.50	10.0	12.0
1992	6	1.8	0.83	0.6	4.9	566	12.2	0.52	11.2	13.2
1993	8	5.6	2.35	2.0	11.6	526	11.2	0.50	10.3	12.2
1994	11	4.6	1.88	1.7	9.6	628	13.3	0.54	12.3	14.4
1995	17	7.9	2.33	4.0	13.6	687	14.4	0.56	13.3	15.6
1996	11	2.5	0.88	1.1	5.3	707	14.6	0.56	13.5	15.7
1997	13	3.4	1.30	1.4	7.0	816	16.7	0.59	15.6	18.0
1998	16	9.3	2.82	4.6	16.1	822	17.0	0.60	15.8	18.2
1999	25	11.6	3.04	6.5	18.7	887	18.0	0.61	16.8	19.2
2000	16	5.9	1.95	2.8	10.7	922	18.6	0.62	17.4	19.8
2001	13	3.7	1.29	1.6	7.1	987	19.7	0.63	18.5	21.0
2002	18	6.4	1.94	3.2	11.1	1,037	20.6	0.65	19.4	21.9
2003	17	3.5	0.99	1.8	6.1	1,015	20.0	0.63	18.8	21.3
2004	17	4.3	1.47	1.9	7.9	1,144	22.3	0.66	21.0	23.6
2005	23	5.2	1.33	2.9	8.4	1,201	23.3	0.68	22.0	24.7
2006	19	5.4	1.56	2.8	9.2	1,221	23.6	0.68	22.3	25.0
2007	26	7.0	1.77	4.0	11.1	1,256	23.9	0.68	22.6	25.3
2008	20	3.9	0.98	2.2	6.3	1,426	26.8	0.72	25.4	28.2
2009	20	3.3	0.88	1.8	5.5	1,398	25.9	0.71	24.6	27.4
2010	27	5.9	1.37	3.5	9.1	1,422	25.8	0.70	24.4	27.2
2011	25	5.4	1.29	3.2	8.4	1,490	26.8	0.71	25.5	28.3
2012	29	4.9	1.03	3.1	7.3	1,542	27.3	0.71	26.0	28.8
2013	35	7.2	1.38	4.8	10.3	1,488	26.0	0.69	24.6	27.4
2014	37	7.2	1.35	4.8	10.2	1,619	27.6	0.70	26.2	29.0
2015	26	4.5	1.02	2.8	6.9	1,717	29.2	0.72	27.8	30.6
2016	28	4.4	0.94	2.7	6.6	1,897	31.6	0.75	30.2	33.1
2017	41	6.7	1.16	4.6	9.3	1,984	33.0	0.76	31.5	34.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	29,840	24.6	0.14	24.3	24.9	351	1.9	0.11	1.7	2.1
1990	452	11.7	0.56	10.6	12.8	14	3.0	0.83	1.6	5.0
1991	492	12.4	0.57	11.3	13.6	8	1.7	0.65	0.7	3.4
1992	548	13.7	0.59	12.5	14.9	8	1.2	0.44	0.5	2.5
1993	512	12.7	0.57	11.6	13.8	10	1.8	0.60	0.8	3.3
1994	603	14.9	0.62	13.7	16.2	11	1.9	0.62	0.9	3.5
1995	666	16.3	0.64	15.1	17.6	10	1.9	0.64	0.8	3.5
1996	682	16.5	0.64	15.3	17.8	9	1.6	0.54	0.7	3.0
1997	780	18.8	0.68	17.5	20.1	10	1.6	0.58	0.7	3.1
1998	783	18.9	0.68	17.6	20.3	14	2.1	0.56	1.1	3.5
1999	855	20.4	0.70	19.1	21.8	16	2.2	0.57	1.3	3.7
2000	872	20.8	0.71	19.5	22.3	10	1.4	0.44	0.7	2.6
2001	926	21.9	0.72	20.5	23.4	17	2.8	0.70	1.6	4.5
2002	979	23.1	0.74	21.7	24.6	9	1.2	0.42	0.6	2.4
2003	961	22.5	0.73	21.1	24.0	10	1.6	0.51	0.7	2.9
2004	1,072	24.9	0.77	23.4	26.5	9	1.1	0.38	0.5	2.2
2005	1,109	25.7	0.78	24.2	27.3	11	1.8	0.60	0.9	3.4
2006	1,152	26.6	0.79	25.1	28.2	19	3.0	0.75	1.7	4.8
2007	1,195	27.3	0.80	25.8	28.9	16	2.2	0.57	1.2	3.7
2008	1,358	30.5	0.84	28.9	32.2	16	2.2	0.60	1.2	3.7
2009	1,311	29.2	0.82	27.7	30.9	18	2.5	0.60	1.4	4.0
2010	1,333	29.1	0.81	27.6	30.8	14	2.4	0.66	1.3	4.0
2011	1,408	30.6	0.83	29.0	32.3	14	1.9	0.51	1.0	3.2
2012	1,462	31.4	0.84	29.8	33.1	16	2.0	0.52	1.1	3.3
2013	1,427	30.2	0.82	28.6	31.9	13	1.6	0.48	0.8	2.9
2014	1,541	31.8	0.83	30.2	33.5	10	1.5	0.48	0.7	2.7
2015	1,639	33.9	0.86	32.2	35.7	13	1.8	0.51	0.9	3.1
2016	1,810	37.1	0.90	35.3	38.9	12	1.4	0.43	0.7	2.5
2017	1,912	39.1	0.92	37.3	40.9	14	1.8	0.49	0.9	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	627	4.6	0.21	4.2	5.0	24,516	14.2	0.09	14.0	14.4
1990	4	1.6	0.98	0.3	4.7	428	7.5	0.37	6.8	8.3
1991	9	4.5	1.77	1.7	9.1	453	8.1	0.39	7.3	8.9
1992	10	3.1	1.04	1.4	6.1	456	7.8	0.37	7.1	8.6
1993	9	2.6	0.93	1.1	5.3	441	7.5	0.36	6.8	8.2
1994	8	2.3	0.84	1.0	4.8	543	9.2	0.40	8.4	10.0
1995	12	2.5	0.77	1.2	4.8	526	8.9	0.39	8.1	9.7
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	622	10.4	0.42	9.6	11.3
1998	12	2.5	0.83	1.2	4.8	649	10.6	0.42	9.8	11.5
1999	13	2.7	0.86	1.3	5.0	636	10.5	0.42	9.7	11.3
2000	17	4.5	1.28	2.4	7.7	732	12.0	0.45	11.2	12.9
2001	11	1.8	0.57	0.8	3.5	789	12.9	0.46	12.0	13.8
2002	23	5.4	1.32	3.1	8.6	750	12.3	0.45	11.5	13.3
2003	24	5.2	1.32	3.0	8.4	818	13.3	0.47	12.4	14.2
2004	22	3.9	0.98	2.3	6.3	827	13.4	0.47	12.5	14.4
2005	19	4.3	1.13	2.3	7.0	990	16.1	0.52	15.1	17.1
2006	28	4.7	1.00	3.0	7.1	1,015	16.5	0.52	15.5	17.5
2007	26	4.5	1.02	2.7	6.9	1,064	17.3	0.54	16.2	18.3
2008	19	3.4	0.87	1.9	5.5	1,082	17.5	0.54	16.5	18.6
2009	37	5.2	0.96	3.5	7.5	1,117	17.9	0.55	16.8	19.0
2010	27	4.2	0.87	2.6	6.3	1,035	16.4	0.52	15.4	17.4
2011	41	7.3	1.26	5.0	10.1	1,127	17.9	0.55	16.9	19.0
2012	39	6.1	1.07	4.1	8.5	1,163	18.3	0.56	17.3	19.4
2013	28	4.5	0.90	2.9	6.6	1,155	17.7	0.54	16.7	18.8
2014	35	5.0	0.93	3.4	7.2	1,198	18.0	0.54	17.0	19.1
2015	37	5.2	0.91	3.6	7.3	1,366	21.1	0.60	19.9	22.3
2016	38	5.1	0.88	3.5	7.1	1,485	22.7	0.62	21.5	23.9
2017	52	6.7	0.98	4.9	8.9	1,439	22.0	0.61	20.8	23.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Skin excluding Basal and Squamous										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	22,861	16.4	0.11	16.2	16.7	463	1.8	0.09	1.7	2.0
1990	418	8.8	0.44	7.9	9.7	9	1.2	0.42	0.6	2.3
1991	437	9.3	0.46	8.4	10.2	10	1.3	0.43	0.6	2.5
1992	433	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	425	8.6	0.42	7.8	9.4	14	1.7	0.46	0.9	2.8
1994	526	10.7	0.47	9.8	11.6	8	0.9	0.33	0.4	1.8
1995	493	10.1	0.46	9.2	11.0	13	1.4	0.40	0.8	2.5
1996	576	11.7	0.49	10.7	12.7	15	1.8	0.48	1.0	3.0
1997	579	11.8	0.50	10.8	12.8	20	2.3	0.52	1.4	3.6
1998	603	12.0	0.50	11.1	13.0	18	2.3	0.54	1.3	3.6
1999	605	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	686	13.8	0.54	12.8	14.9	15	1.6	0.42	0.9	2.7
2001	740	14.9	0.56	13.8	16.1	14	1.7	0.45	0.9	2.8
2002	688	14.1	0.55	13.0	15.2	16	1.7	0.43	1.0	2.8
2003	725	14.6	0.55	13.5	15.7	27	2.9	0.56	1.9	4.2
2004	753	15.2	0.57	14.1	16.4	16	1.8	0.45	1.0	2.9
2005	886	18.0	0.62	16.8	19.2	21	2.3	0.51	1.4	3.5
2006	932	19.0	0.64	17.7	20.2	23	2.4	0.50	1.5	3.6
2007	990	20.4	0.67	19.1	21.7	21	2.2	0.49	1.4	3.4
2008	987	20.2	0.66	19.0	21.6	18	2.0	0.47	1.2	3.1
2009	1,045	21.3	0.68	19.9	22.6	24	2.5	0.51	1.6	3.7
2010	960	19.4	0.65	18.1	20.7	20	2.0	0.45	1.2	3.1
2011	1,037	21.1	0.68	19.8	22.5	16	1.5	0.37	0.8	2.4
2012	1,084	21.8	0.69	20.4	23.2	13	1.3	0.38	0.7	2.3
2013	1,092	21.5	0.69	20.2	22.9	18	1.8	0.44	1.1	2.9
2014	1,112	21.5	0.68	20.2	22.9	14	1.3	0.34	0.7	2.2
2015	1,277	25.5	0.75	24.0	27.0	20	2.1	0.47	1.2	3.2
2016	1,401	27.9	0.79	26.3	29.5	20	2.1	0.48	1.3	3.3
2017	1,371	27.4	0.79	25.9	29.0	12	1.1	0.33	0.6	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	951	4.0	0.15	3.7	4.3	51,359	15.8	0.07	15.7	15.9
1990	8	2.0	0.87	0.7	4.3	803	7.7	0.28	7.2	8.3
1991	13	3.3	1.20	1.4	6.3	866	8.4	0.29	7.8	8.9
1992	12	2.0	0.62	1.0	3.7	911	8.6	0.29	8.1	9.2
1993	13	2.7	0.87	1.3	4.9	841	7.8	0.27	7.3	8.4
1994	12	2.4	0.82	1.1	4.5	1,052	9.7	0.30	9.1	10.3
1995	24	3.8	0.93	2.2	6.1	1,098	10.1	0.31	9.5	10.7
1996	17	2.5	0.76	1.2	4.4	1,188	10.8	0.32	10.2	11.5
1997	18	3.1	0.94	1.5	5.4	1,303	11.8	0.33	11.2	12.5
1998	24	4.5	1.09	2.6	7.0	1,320	11.9	0.33	11.2	12.5
1999	27	4.7	1.15	2.8	7.4	1,388	12.4	0.33	11.8	13.1
2000	29	4.7	1.07	2.9	7.2	1,490	13.3	0.34	12.6	13.9
2001	20	2.2	0.60	1.2	3.7	1,605	14.2	0.35	13.5	14.9
2002	32	4.3	0.90	2.7	6.4	1,627	14.3	0.36	13.6	15.0
2003	34	3.9	0.85	2.5	5.9	1,661	14.5	0.36	13.8	15.2
2004	35	3.7	0.79	2.3	5.5	1,803	15.7	0.37	14.9	16.4
2005	31	3.6	0.75	2.3	5.3	2,009	17.4	0.39	16.6	18.1
2006	37	3.6	0.71	2.4	5.3	2,024	17.4	0.39	16.7	18.2
2007	38	4.3	0.84	2.8	6.2	2,149	18.4	0.40	17.6	19.2
2008	30	3.1	0.63	2.0	4.6	2,300	19.4	0.41	18.6	20.2
2009	44	3.3	0.56	2.3	4.6	2,320	19.5	0.41	18.7	20.3
2010	43	3.8	0.66	2.6	5.2	2,290	18.9	0.40	18.1	19.7
2011	53	5.1	0.80	3.6	6.9	2,449	20.1	0.41	19.3	20.9
2012	53	4.4	0.69	3.2	6.0	2,532	20.5	0.42	19.7	21.3
2013	56	5.1	0.75	3.7	6.7	2,464	19.6	0.40	18.8	20.4
2014	57	4.8	0.71	3.6	6.4	2,633	20.5	0.41	19.7	21.3
2015	55	4.0	0.59	2.9	5.3	2,863	22.6	0.43	21.7	23.4
2016	60	4.4	0.61	3.2	5.7	3,158	24.4	0.45	23.6	25.3
2017	76	5.4	0.67	4.2	6.9	3,212	24.9	0.46	24.1	25.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	48,815	18.2	0.08	18.1	18.4	346	0.8	0.05	0.7	0.9
1990	787	8.9	0.32	8.3	9.5	9	0.8	0.27	0.4	1.5
1991	850	9.7	0.34	9.0	10.4	10	0.8	0.28	0.4	1.6
1992	891	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2
1993	831	9.1	0.32	8.5	9.7	4	0.3	0.13	0.1	0.7
1994	1,025	11.2	0.35	10.5	11.9	8	0.6	0.22	0.3	1.2
1995	1,062	11.6	0.36	10.9	12.4	9	0.7	0.25	0.3	1.4
1996	1,150	12.5	0.37	11.8	13.3	10	0.9	0.29	0.4	1.6
1997	1,242	13.5	0.38	12.7	14.2	15	1.1	0.28	0.6	1.8
1998	1,262	13.6	0.38	12.8	14.3	10	0.8	0.24	0.4	1.4
1999	1,343	14.5	0.40	13.7	15.3	16	1.2	0.30	0.7	1.9
2000	1,413	15.2	0.40	14.4	16.0	11	0.7	0.22	0.4	1.3
2001	1,516	16.2	0.42	15.4	17.0	17	1.3	0.32	0.7	2.0
2002	1,534	16.4	0.42	15.6	17.3	10	0.7	0.21	0.3	1.2
2003	1,540	16.3	0.42	15.5	17.2	21	1.4	0.30	0.8	2.1
2004	1,680	17.8	0.44	16.9	18.7	10	0.7	0.22	0.3	1.2
2005	1,846	19.5	0.46	18.6	20.4	14	1.0	0.28	0.5	1.7
2006	1,904	20.1	0.47	19.2	21.0	18	1.2	0.29	0.7	1.9
2007	2,040	21.5	0.48	20.6	22.5	16	1.0	0.26	0.6	1.7
2008	2,168	22.5	0.49	21.5	23.5	8	0.5	0.19	0.2	1.1
2009	2,201	22.9	0.50	21.9	23.9	12	0.7	0.21	0.4	1.3
2010	2,152	22.0	0.49	21.0	22.9	17	1.1	0.26	0.6	1.7
2011	2,298	23.4	0.50	22.4	24.4	14	0.8	0.22	0.4	1.3
2012	2,401	24.2	0.51	23.2	25.2	7	0.4	0.16	0.2	0.9
2013	2,361	23.4	0.50	22.5	24.4	15	0.9	0.23	0.5	1.5
2014	2,491	24.2	0.50	23.2	25.2	12	0.7	0.20	0.4	1.2
2015	2,723	27.0	0.54	26.0	28.1	15	0.9	0.23	0.5	1.4
2016	3,013	29.5	0.56	28.4	30.7	15	0.8	0.22	0.5	1.4
2017	3,091	30.5	0.57	29.3	31.6	14	0.8	0.21	0.4	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	433	4.5	0.26	4.0	5.0	28,919	20.0	0.12	19.7	20.2
1990	4	2.5	1.68	0.4	7.6	419	9.3	0.46	8.4	10.2
1991	6	2.6	1.61	0.4	7.4	466	10.1	0.48	9.2	11.1
1992	4	1.6	0.81	0.4	4.6	500	10.7	0.49	9.8	11.7
1993	7	4.1	1.86	1.3	9.2	466	9.8	0.46	8.9	10.8
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8
1995	14	6.1	1.99	2.9	11.2	631	13.2	0.53	12.1	14.2
1996	8	1.7	0.73	0.6	4.3	648	13.3	0.53	12.3	14.4
1997	9	3.0	1.27	1.0	6.6	739	15.1	0.56	14.0	16.2
1998	13	7.5	2.41	3.5	13.4	749	15.4	0.57	14.3	16.5
1999	18	8.8	2.69	4.4	15.2	813	16.4	0.58	15.3	17.5
2000	13	5.4	1.92	2.3	10.2	836	16.7	0.58	15.6	17.9
2001	12	3.5	1.28	1.5	6.9	898	17.9	0.60	16.8	19.1
2002	13	4.7	1.51	2.2	8.4	947	18.7	0.61	17.5	19.9
2003	12	2.6	0.88	1.2	5.0	942	18.5	0.61	17.3	19.7
2004	15	4.0	1.45	1.6	7.6	1,056	20.5	0.64	19.2	21.8
2005	14	3.3	1.07	1.6	6.1	1,093	21.1	0.65	19.9	22.4
2006	15	4.4	1.42	2.0	7.8	1,105	21.3	0.65	20.1	22.6
2007	20	5.8	1.65	3.0	9.7	1,173	22.3	0.66	21.1	23.7
2008	13	3.0	0.91	1.5	5.3	1,310	24.5	0.69	23.2	25.9
2009	13	2.5	0.78	1.2	4.5	1,303	24.2	0.68	22.8	25.5
2010	21	4.4	1.18	2.4	7.3	1,323	23.9	0.67	22.6	25.3
2011	19	4.4	1.17	2.4	7.2	1,390	25.0	0.69	23.7	26.4
2012	24	4.3	0.99	2.6	6.6	1,435	25.4	0.68	24.1	26.8
2013	30	6.3	1.31	4.0	9.3	1,397	24.3	0.67	23.0	25.7
2014	30	6.0	1.25	3.8	8.9	1,507	25.6	0.68	24.3	27.0
2015	21	3.4	0.85	1.9	5.4	1,587	26.9	0.69	25.5	28.3
2016	25	4.1	0.93	2.5	6.3	1,768	29.3	0.72	27.9	30.8
2017	34	5.9	1.10	3.9	8.4	1,861	30.9	0.74	29.5	32.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	27,681	22.7	0.14	22.5	23.0	142	0.8	0.07	0.7	1.0
1990	405	10.3	0.52	9.3	11.4	7	1.5	0.58	0.6	3.1
1991	462	11.6	0.55	10.5	12.7	2	0.6	0.49	0.1	2.1
1992	492	12.2	0.56	11.1	13.4	3	0.4	0.25	0.1	1.4
1993	460	11.3	0.53	10.2	12.3	2	0.3	0.23	0.0	1.2
1994	541	13.3	0.58	12.2	14.5	4	0.8	0.42	0.2	2.1
1995	617	15.0	0.61	13.9	16.3	4	1.0	0.53	0.2	2.5
1996	630	15.2	0.61	14.0	16.5	3	0.6	0.34	0.1	1.6
1997	710	17.0	0.64	15.8	18.3	5	1.0	0.49	0.3	2.3
1998	723	17.4	0.65	16.2	18.7	4	0.7	0.38	0.2	1.9
1999	789	18.8	0.67	17.5	20.1	8	1.1	0.41	0.5	2.3
2000	794	18.8	0.67	17.5	20.2	5	0.8	0.35	0.3	1.8
2001	849	20.1	0.69	18.8	21.5	9	1.6	0.55	0.7	3.0
2002	901	21.2	0.71	19.8	22.6	4	0.6	0.31	0.2	1.6
2003	892	20.8	0.70	19.5	22.3	7	1.1	0.44	0.4	2.3
2004	994	23.0	0.74	21.6	24.5	2	0.3	0.19	0.0	1.0
2005	1,021	23.6	0.75	22.2	25.1	2	0.5	0.37	0.0	1.6
2006	1,051	24.3	0.76	22.8	25.8	8	1.6	0.60	0.6	3.1
2007	1,122	25.6	0.77	24.1	27.2	8	1.2	0.44	0.5	2.4
2008	1,256	28.2	0.81	26.6	29.8	4	0.6	0.32	0.2	1.6
2009	1,236	27.6	0.80	26.0	29.2	4	0.6	0.30	0.1	1.5
2010	1,246	27.2	0.79	25.6	28.7	8	1.5	0.54	0.6	2.9
2011	1,319	28.6	0.81	27.1	30.3	6	0.9	0.37	0.3	1.9
2012	1,372	29.4	0.81	27.9	31.1	3	0.3	0.19	0.1	1.0
2013	1,346	28.5	0.80	26.9	30.1	6	0.9	0.37	0.3	1.9
2014	1,439	29.7	0.80	28.1	31.3	4	0.7	0.35	0.2	1.7
2015	1,522	31.5	0.83	29.9	33.1	7	1.0	0.38	0.4	2.0
2016	1,693	34.5	0.87	32.8	36.3	6	0.7	0.28	0.2	1.5
2017	1,799	36.7	0.90	35.0	38.5	7	0.9	0.34	0.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	518	3.8	0.19	3.5	4.2	22,440	13.1	0.09	12.9	13.2
1990	4	1.6	0.98	0.3	4.7	384	6.8	0.35	6.1	7.5
1991	7	3.7	1.70	1.2	8.2	400	7.2	0.36	6.5	7.9
1992	8	2.6	0.95	1.1	5.3	411	7.1	0.35	6.4	7.8
1993	6	1.9	0.80	0.6	4.3	375	6.4	0.33	5.8	7.1
1994	6	1.9	0.78	0.7	4.3	495	8.4	0.38	7.7	9.2
1995	10	2.1	0.72	1.0	4.3	467	7.9	0.37	7.2	8.7
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	564	9.5	0.40	8.7	10.3
1998	11	2.4	0.82	1.1	4.7	571	9.5	0.40	8.7	10.3
1999	9	1.9	0.70	0.8	3.9	575	9.5	0.40	8.8	10.3
2000	16	4.4	1.27	2.3	7.6	654	10.8	0.43	10.0	11.7
2001	8	1.2	0.44	0.5	2.7	707	11.6	0.44	10.8	12.5
2002	19	4.2	1.12	2.3	7.0	680	11.3	0.44	10.4	12.2
2003	22	5.1	1.31	2.8	8.2	719	11.8	0.44	10.9	12.7
2004	20	3.7	0.97	2.1	6.1	747	12.2	0.45	11.3	13.1
2005	17	3.8	1.05	2.0	6.4	916	14.9	0.50	14.0	15.9
2006	22	3.4	0.77	2.1	5.4	919	15.0	0.50	14.0	16.0
2007	18	3.3	0.89	1.8	5.5	976	15.9	0.52	14.9	17.0
2008	17	3.2	0.87	1.8	5.4	990	16.1	0.52	15.1	17.2
2009	31	4.2	0.83	2.7	6.1	1,017	16.4	0.53	15.4	17.4
2010	22	3.4	0.78	2.0	5.3	967	15.3	0.51	14.4	16.4
2011	34	5.8	1.11	3.9	8.4	1,059	17.0	0.54	15.9	18.1
2012	29	4.6	0.94	2.9	6.8	1,097	17.3	0.54	16.3	18.4
2013	26	4.1	0.87	2.6	6.2	1,067	16.4	0.52	15.4	17.5
2014	27	4.1	0.85	2.6	6.0	1,126	17.0	0.53	16.0	18.1
2015	34	4.7	0.86	3.2	6.7	1,276	19.8	0.58	18.7	21.0
2016	35	4.8	0.86	3.2	6.7	1,390	21.4	0.60	20.2	22.6
2017	42	5.3	0.86	3.7	7.2	1,351	20.7	0.59	19.6	21.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Melanoma of the Skin										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	21,134	15.3	0.11	15.1	15.5	204	0.8	0.06	0.7	1.0
1990	382	8.1	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1
1991	388	8.3	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1
1992	399	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6
1993	371	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8
1994	484	9.9	0.46	9.0	10.8	4	0.5	0.26	0.1	1.3
1995	445	9.2	0.44	8.3	10.1	5	0.6	0.28	0.2	1.4
1996	520	10.6	0.47	9.7	11.6	7	1.0	0.39	0.4	2.1
1997	532	11.0	0.48	10.1	12.0	10	1.2	0.38	0.6	2.2
1998	539	10.9	0.48	10.0	11.9	6	0.8	0.32	0.3	1.7
1999	554	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1
2000	619	12.6	0.51	11.6	13.6	6	0.7	0.28	0.3	1.5
2001	667	13.6	0.54	12.6	14.7	8	1.0	0.35	0.4	1.9
2002	633	13.1	0.53	12.1	14.2	6	0.7	0.28	0.3	1.5
2003	648	13.2	0.53	12.2	14.3	14	1.5	0.42	0.8	2.6
2004	686	13.9	0.54	12.9	15.0	8	0.9	0.33	0.4	1.8
2005	825	16.9	0.60	15.7	18.1	12	1.4	0.40	0.7	2.4
2006	853	17.5	0.61	16.3	18.8	10	1.1	0.35	0.5	2.0
2007	918	19.1	0.65	17.8	20.4	8	0.8	0.30	0.4	1.7
2008	912	18.9	0.64	17.7	20.2	4	0.5	0.23	0.1	1.2
2009	965	19.9	0.66	18.6	21.2	8	0.8	0.29	0.4	1.6
2010	906	18.4	0.63	17.1	19.6	9	0.9	0.29	0.4	1.7
2011	979	20.1	0.67	18.8	21.4	8	0.8	0.28	0.3	1.5
2012	1,029	20.8	0.68	19.5	22.1	4	0.4	0.21	0.1	1.1
2013	1,015	20.2	0.67	18.9	21.5	9	0.9	0.31	0.4	1.7
2014	1,052	20.5	0.66	19.2	21.8	8	0.7	0.26	0.3	1.5
2015	1,201	24.2	0.74	22.8	25.7	8	0.8	0.28	0.3	1.6
2016	1,320	26.5	0.78	25.0	28.1	9	0.9	0.31	0.4	1.8
2017	1,292	26.0	0.77	24.5	27.5	7	0.7	0.25	0.3	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,468	45.8	0.48	44.9	46.8	240,433	73.0	0.15	72.8	73.3
1990	164	39.4	3.43	32.9	46.6	7,359	71.9	0.85	70.2	73.6
1991	171	37.6	3.17	31.6	44.3	7,570	73.0	0.85	71.3	74.7
1992	185	41.7	3.56	35.0	49.2	7,730	73.6	0.84	71.9	75.2
1993	214	40.2	3.11	34.3	46.7	7,550	70.6	0.82	69.1	72.3
1994	210	40.9	3.24	34.8	47.7	8,139	75.8	0.84	74.1	77.4
1995	261	48.1	3.46	41.5	55.3	8,017	74.0	0.83	72.4	75.7
1996	283	56.2	3.96	48.8	64.5	8,196	75.1	0.83	73.4	76.7
1997	304	52.7	3.63	45.8	60.2	8,310	75.5	0.83	73.9	77.1
1998	273	47.3	3.37	40.9	54.2	8,609	77.3	0.83	75.7	79.0
1999	334	52.8	3.37	46.4	59.7	8,801	78.3	0.84	76.7	80.0
2000	327	43.0	2.78	37.7	48.8	8,567	75.6	0.82	74.0	77.2
2001	310	44.3	2.99	38.7	50.5	8,769	76.7	0.82	75.1	78.3
2002	363	45.0	2.76	39.8	50.7	8,505	73.8	0.80	72.2	75.3
2003	339	42.3	2.72	37.2	48.0	7,913	67.9	0.77	66.4	69.5
2004	363	41.0	2.47	36.3	46.0	8,016	68.3	0.77	66.8	69.8
2005	416	46.0	2.57	41.1	51.3	8,160	69.0	0.77	67.5	70.5
2006	410	44.3	2.49	39.6	49.5	8,549	71.7	0.78	70.2	73.3
2007	461	45.4	2.36	40.8	50.2	8,537	70.8	0.77	69.3	72.3
2008	460	42.9	2.25	38.6	47.5	8,713	71.4	0.77	69.9	72.9
2009	490	44.5	2.26	40.2	49.2	8,885	72.0	0.78	70.5	73.6
2010	529	46.2	2.24	41.9	50.8	8,943	71.6	0.77	70.1	73.1
2011	523	43.0	2.09	39.0	47.2	9,263	73.6	0.78	72.1	75.2
2012	546	43.6	2.05	39.7	47.8	9,072	71.3	0.77	69.9	72.9
2013	616	47.1	2.08	43.1	51.4	9,432	73.3	0.77	71.7	74.8
2014	670	47.5	1.99	43.7	51.6	9,670	74.8	0.78	73.3	76.4
2015	716	49.7	2.01	45.8	53.8	9,721	74.3	0.78	72.7	75.8
2016	759	51.0	2.00	47.2	55.1	9,772	74.3	0.78	72.8	75.9
2017	771	48.8	1.88	45.2	52.6	9,665	73.2	0.77	71.7	74.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	201,045	73.4	0.16	73.1	73.7	32,003	73.8	0.42	72.9	74.6
1990	6,535	73.6	0.92	71.8	75.4	729	61.7	2.34	57.2	66.5
1991	6,678	74.4	0.92	72.6	76.2	783	62.9	2.31	58.5	67.6
1992	6,801	74.9	0.92	73.1	76.7	813	64.9	2.33	60.4	69.7
1993	6,548	71.1	0.89	69.3	72.8	883	68.9	2.38	64.3	73.7
1994	7,099	76.9	0.92	75.1	78.7	913	70.0	2.38	65.4	74.8
1995	6,937	74.9	0.90	73.1	76.7	941	70.8	2.36	66.2	75.5
1996	7,064	75.8	0.91	74.0	77.6	973	71.6	2.34	67.0	76.3
1997	7,087	75.7	0.90	74.0	77.5	1,043	76.4	2.41	71.7	81.2
1998	7,307	77.3	0.91	75.6	79.1	1,095	78.0	2.40	73.3	82.8
1999	7,490	79.0	0.91	77.2	80.8	1,080	75.1	2.33	70.6	79.8
2000	7,302	76.6	0.90	74.8	78.4	1,040	71.1	2.25	66.8	75.7
2001	7,413	77.3	0.90	75.6	79.1	1,151	77.8	2.34	73.3	82.5
2002	7,112	73.7	0.88	72.0	75.4	1,156	75.4	2.26	71.0	79.9
2003	6,601	68.1	0.84	66.4	69.7	1,084	69.8	2.16	65.6	74.1
2004	6,724	68.9	0.85	67.3	70.6	1,064	67.5	2.11	63.4	71.8
2005	6,767	69.0	0.85	67.3	70.7	1,144	72.4	2.18	68.2	76.8
2006	7,078	71.9	0.86	70.2	73.6	1,187	73.6	2.18	69.4	78.0
2007	7,093	71.4	0.86	69.7	73.1	1,162	70.5	2.11	66.5	74.8
2008	7,217	71.9	0.86	70.2	73.6	1,184	71.5	2.12	67.4	75.8
2009	7,271	71.9	0.86	70.2	73.6	1,316	77.8	2.19	73.5	82.2
2010	7,332	71.8	0.86	70.1	73.5	1,268	73.7	2.11	69.6	78.0
2011	7,550	73.7	0.87	72.0	75.4	1,320	76.2	2.14	72.1	80.6
2012	7,371	71.6	0.86	70.0	73.3	1,311	73.5	2.07	69.5	77.6
2013	7,598	73.0	0.86	71.3	74.7	1,434	79.1	2.13	74.9	83.4
2014	7,739	74.4	0.88	72.7	76.1	1,503	82.5	2.18	78.3	86.9
2015	7,785	74.0	0.87	72.3	75.8	1,498	80.7	2.14	76.6	85.0
2016	7,885	74.9	0.88	73.2	76.6	1,445	77.2	2.08	73.2	81.4
2017	7,661	72.6	0.87	70.9	74.4	1,483	78.9	2.10	74.8	83.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	54	0.5	0.09	0.4	0.7	1,958	1.4	0.03	1.3	1.4
1990	0					34	0.8	0.13	0.5	1.1
1991	0					47	1.1	0.17	0.8	1.5
1992	0					67	1.5	0.19	1.2	1.9
1993	3	1.1	0.65	0.2	3.8	64	1.4	0.17	1.0	1.7
1994	0					58	1.4	0.18	1.0	1.8
1995	1	0.3	0.27	0.0	2.4	73	1.6	0.19	1.2	2.0
1996	4	1.8	1.13	0.3	5.3	64	1.4	0.18	1.1	1.8
1997	0					72	1.5	0.18	1.2	1.9
1998	0					58	1.2	0.16	0.9	1.5
1999	1	0.8	0.77	0.0	3.5	73	1.5	0.18	1.2	1.9
2000	1	0.2	0.19	0.0	1.8	65	1.3	0.17	1.0	1.7
2001	3	0.8	0.46	0.2	2.6	64	1.3	0.16	1.0	1.6
2002	3	1.8	1.25	0.2	5.3	76	1.6	0.19	1.3	2.0
2003	2	1.0	0.73	0.1	3.3	69	1.4	0.17	1.1	1.8
2004	0					69	1.3	0.16	1.0	1.7
2005	0					59	1.2	0.16	0.9	1.5
2006	1	0.1	0.13	0.0	1.2	60	1.2	0.15	0.9	1.5
2007	0					70	1.3	0.16	1.0	1.7
2008	3	0.2	0.13	0.1	1.2	71	1.3	0.16	1.0	1.7
2009	3	0.5	0.30	0.1	1.6	74	1.4	0.16	1.1	1.7
2010	1	0.1	0.12	0.0	1.0	70	1.3	0.15	1.0	1.6
2011	5	1.0	0.50	0.2	2.4	85	1.5	0.16	1.2	1.9
2012	3	0.4	0.26	0.1	1.4	90	1.6	0.17	1.3	2.0
2013	4	0.7	0.42	0.1	2.0	83	1.4	0.15	1.1	1.7
2014	4	0.9	0.46	0.2	2.2	81	1.4	0.15	1.1	1.7
2015	5	0.7	0.39	0.2	1.9	71	1.1	0.14	0.9	1.5
2016	5	0.9	0.43	0.2	2.1	89	1.4	0.16	1.1	1.8
2017	2	0.4	0.31	0.0	1.4	102	1.7	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,592	1.3	0.03	1.2	1.4	319	1.9	0.11	1.7	2.2
1990	31	0.8	0.14	0.5	1.1	3	0.7	0.39	0.1	1.9
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2
1993	54	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4
1994	46	1.3	0.19	0.9	1.7	10	2.1	0.70	1.0	3.9
1995	63	1.6	0.20	1.2	2.0	9	1.7	0.59	0.7	3.2
1996	54	1.3	0.18	1.0	1.8	7	1.6	0.66	0.6	3.4
1997	57	1.4	0.19	1.1	1.8	13	2.7	0.81	1.4	4.7
1998	47	1.1	0.17	0.8	1.5	10	1.9	0.61	0.9	3.5
1999	60	1.5	0.19	1.1	1.9	11	2.1	0.68	1.0	3.8
2000	55	1.3	0.18	1.0	1.7	9	1.5	0.56	0.6	3.0
2001	54	1.3	0.17	1.0	1.7	9	1.4	0.50	0.6	2.8
2002	61	1.5	0.19	1.1	1.9	13	2.6	0.80	1.3	4.6
2003	57	1.4	0.18	1.0	1.8	12	2.0	0.61	1.0	3.6
2004	56	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8
2006	51	1.2	0.17	0.9	1.6	7	1.2	0.47	0.5	2.4
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2
2008	57	1.3	0.17	1.0	1.7	11	1.5	0.45	0.7	2.7
2009	58	1.3	0.17	1.0	1.7	15	2.0	0.53	1.1	3.4
2010	57	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1
2011	68	1.4	0.17	1.0	1.7	14	2.3	0.64	1.2	3.9
2012	71	1.5	0.19	1.2	2.0	14	1.9	0.52	1.0	3.2
2013	61	1.2	0.16	0.9	1.6	20	3.0	0.68	1.8	4.6
2014	62	1.2	0.16	0.9	1.6	15	2.1	0.56	1.1	3.4
2015	55	1.1	0.15	0.8	1.5	12	1.5	0.45	0.7	2.7
2016	74	1.4	0.17	1.1	1.8	15	2.2	0.58	1.2	3.6
2017	80	1.6	0.18	1.2	2.0	19	2.6	0.61	1.5	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,414	88.6	0.89	86.9	90.4	238,475	132.7	0.27	132.2	133.3
1990	164	75.5	6.32	63.6	88.8	7,325	127.8	1.52	124.9	130.9
1991	171	73.1	5.94	61.9	85.7	7,523	129.9	1.53	126.9	132.9
1992	185	79.2	6.40	67.1	92.6	7,663	130.7	1.52	127.8	133.8
1993	211	77.7	5.79	66.7	89.8	7,486	125.5	1.47	122.6	128.4
1994	210	78.8	5.94	67.6	91.3	8,081	134.5	1.52	131.5	137.5
1995	260	92.6	6.32	80.6	105.7	7,944	132.1	1.50	129.2	135.0
1996	279	104.1	6.96	90.9	118.5	8,132	134.2	1.50	131.2	137.2
1997	304	100.8	6.53	88.4	114.3	8,238	135.2	1.50	132.3	138.2
1998	273	89.9	6.08	78.4	102.6	8,551	138.8	1.51	135.8	141.7
1999	333	100.9	6.16	89.2	113.7	8,728	141.0	1.52	138.0	144.0
2000	326	84.3	5.22	74.4	95.1	8,502	136.2	1.49	133.3	139.1
2001	307	84.2	5.43	73.9	95.4	8,705	138.5	1.49	135.6	141.4
2002	360	86.5	5.06	76.9	97.0	8,429	133.4	1.46	130.6	136.3
2003	337	80.7	4.95	71.3	90.9	7,844	123.3	1.40	120.6	126.1
2004	363	79.9	4.63	71.1	89.5	7,947	124.1	1.41	121.4	126.9
2005	416	89.4	4.81	80.2	99.3	8,101	125.5	1.41	122.8	128.3
2006	409	85.4	4.61	76.6	94.9	8,489	131.0	1.44	128.2	133.9
2007	461	88.4	4.45	79.9	97.6	8,467	129.7	1.43	127.0	132.6
2008	457	83.2	4.23	75.1	91.9	8,642	130.6	1.43	127.8	133.4
2009	487	85.8	4.22	77.7	94.4	8,811	132.1	1.44	129.3	135.0
2010	528	89.3	4.19	81.3	97.9	8,873	131.7	1.43	128.9	134.5
2011	518	82.7	3.91	75.2	90.7	9,178	135.5	1.45	132.6	138.3
2012	543	84.4	3.86	77.0	92.3	8,982	131.5	1.43	128.7	134.3
2013	612	91.2	3.93	83.7	99.2	9,349	135.3	1.44	132.5	138.2
2014	666	92.7	3.78	85.5	100.4	9,589	138.6	1.46	135.7	141.5
2015	711	96.7	3.83	89.4	104.5	9,650	137.8	1.46	135.0	140.7
2016	754	99.4	3.80	92.1	107.1	9,683	138.0	1.46	135.1	140.9
2017	769	96.3	3.62	89.3	103.6	9,563	136.0	1.45	133.1	138.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Breast excluding in situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	199,453	134.8	0.31	134.2	135.4	31,684	126.0	0.71	124.6	127.4
1990	6,504	131.9	1.68	128.6	135.2	726	105.0	3.95	97.4	113.1
1991	6,637	133.4	1.68	130.1	136.7	777	107.6	3.92	100.0	115.5
1992	6,746	134.2	1.67	131.0	137.6	801	109.6	3.93	102.1	117.6
1993	6,494	127.2	1.61	124.1	130.4	873	116.4	3.99	108.7	124.5
1994	7,053	137.7	1.67	134.4	141.0	903	118.1	3.98	110.5	126.2
1995	6,874	134.8	1.66	131.5	138.1	932	119.9	3.97	112.2	127.9
1996	7,010	136.7	1.66	133.4	139.9	966	121.8	3.96	114.1	129.8
1997	7,030	137.0	1.66	133.7	140.3	1,030	128.7	4.05	120.9	136.9
1998	7,260	140.0	1.67	136.8	143.3	1,085	132.4	4.05	124.6	140.6
1999	7,430	143.6	1.69	140.3	146.9	1,069	127.4	3.92	119.9	135.4
2000	7,247	139.5	1.66	136.2	142.8	1,031	120.8	3.79	113.5	128.5
2001	7,359	141.2	1.67	137.9	144.5	1,142	132.2	3.94	124.6	140.1
2002	7,051	134.7	1.63	131.5	137.9	1,143	128.8	3.83	121.4	136.5
2003	6,544	124.9	1.57	121.9	128.0	1,072	119.0	3.66	111.9	126.4
2004	6,668	126.6	1.57	123.6	129.8	1,053	115.3	3.58	108.4	122.6
2005	6,717	126.9	1.58	123.9	130.1	1,136	123.7	3.70	116.5	131.1
2006	7,027	132.9	1.62	129.8	136.2	1,180	126.3	3.71	119.2	133.8
2007	7,036	132.6	1.61	129.4	135.8	1,150	121.0	3.60	114.1	128.3
2008	7,160	133.1	1.61	130.0	136.3	1,173	122.4	3.61	115.4	129.7
2009	7,213	133.6	1.62	130.5	136.8	1,301	133.2	3.74	126.0	140.8
2010	7,275	133.7	1.62	130.5	136.9	1,256	126.8	3.62	119.8	134.1
2011	7,482	137.5	1.64	134.2	140.7	1,306	130.3	3.66	123.2	137.6
2012	7,300	133.9	1.63	130.7	137.1	1,297	126.1	3.56	119.3	133.3
2013	7,537	136.9	1.64	133.7	140.1	1,414	135.3	3.66	128.2	142.7
2014	7,677	139.8	1.67	136.6	143.1	1,488	142.0	3.75	134.7	149.5
2015	7,730	139.4	1.66	136.1	142.7	1,486	139.4	3.69	132.2	146.8
2016	7,811	141.1	1.68	137.8	144.4	1,430	133.1	3.60	126.1	140.4
2017	7,581	137.0	1.66	133.8	140.3	1,464	135.9	3.64	128.9	143.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	6,652	49.1	0.66	47.9	50.5	98,140	54.5	0.18	54.1	54.8
1990	128	51.8	4.96	42.5	62.4	3,237	55.8	1.00	53.9	57.8
1991	138	57.3	5.51	47.0	69.0	3,205	54.7	0.98	52.8	56.6
1992	146	55.2	5.08	45.7	66.0	3,239	55.0	0.98	53.1	56.9
1993	141	49.6	4.60	41.0	59.4	3,265	54.7	0.97	52.8	56.7
1994	154	52.0	4.64	43.3	61.9	3,346	55.3	0.97	53.4	57.3
1995	161	50.5	4.47	42.1	60.0	3,357	55.7	0.97	53.8	57.6
1996	158	51.3	4.65	42.6	61.1	3,582	59.2	1.00	57.3	61.2
1997	164	52.6	4.76	43.7	62.7	3,373	55.4	0.96	53.5	57.3
1998	196	56.9	4.67	48.1	66.7	3,468	56.5	0.97	54.6	58.4
1999	197	58.6	4.87	49.4	68.8	3,309	53.6	0.94	51.8	55.5
2000	185	48.9	4.07	41.3	57.5	3,316	53.5	0.93	51.6	55.3
2001	195	47.1	3.81	39.9	55.1	3,356	53.8	0.93	51.9	55.6
2002	217	51.4	3.99	43.8	59.7	3,390	54.0	0.93	52.1	55.8
2003	190	40.0	3.30	33.8	46.9	3,298	51.7	0.91	50.0	53.5
2004	243	52.6	3.79	45.5	60.5	3,310	51.6	0.90	49.8	53.4
2005	210	41.8	3.21	35.7	48.5	3,482	53.9	0.92	52.1	55.7
2006	255	49.6	3.48	43.1	56.9	3,529	54.3	0.93	52.5	56.2
2007	240	45.0	3.16	39.0	51.6	3,477	53.1	0.91	51.3	54.9
2008	288	52.1	3.38	45.7	59.1	3,582	54.1	0.92	52.3	55.9
2009	285	48.2	3.13	42.3	54.7	3,675	54.7	0.92	52.9	56.6
2010	254	39.8	2.75	34.6	45.5	3,702	54.3	0.91	52.5	56.1
2011	315	50.8	3.12	44.8	57.2	3,720	54.4	0.92	52.7	56.3
2012	307	45.6	2.80	40.3	51.4	3,643	52.0	0.89	50.3	53.8
2013	381	55.7	3.04	49.9	61.9	3,740	52.8	0.89	51.1	54.6
2014	366	48.3	2.67	43.2	53.8	3,818	53.7	0.90	52.0	55.5
2015	365	48.8	2.70	43.6	54.3	3,868	53.9	0.90	52.1	55.7
2016	387	48.1	2.55	43.3	53.4	3,985	55.5	0.92	53.7	57.3
2017	386	47.3	2.51	42.5	52.4	3,868	53.7	0.90	51.9	55.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Female Genital System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	81,585	55.2	0.20	54.8	55.6	13,398	53.1	0.46	52.1	54.0
1990	2,776	55.8	1.09	53.7	58.0	422	59.7	2.96	54.0	65.8
1991	2,790	55.7	1.08	53.6	57.9	356	48.7	2.64	43.7	54.2
1992	2,861	57.1	1.09	55.0	59.3	332	44.9	2.51	40.1	50.1
1993	2,797	55.2	1.06	53.1	57.3	410	53.5	2.69	48.3	59.0
1994	2,855	55.6	1.06	53.5	57.7	441	57.9	2.80	52.5	63.6
1995	2,878	56.6	1.07	54.5	58.7	404	51.5	2.59	46.5	56.8
1996	3,072	60.5	1.11	58.3	62.7	435	54.9	2.66	49.8	60.3
1997	2,864	56.1	1.06	54.0	58.2	439	53.7	2.59	48.7	59.0
1998	2,946	57.3	1.07	55.3	59.5	445	53.1	2.54	48.3	58.3
1999	2,785	54.1	1.04	52.1	56.2	429	50.7	2.47	45.9	55.7
2000	2,747	53.4	1.03	51.4	55.4	453	52.4	2.48	47.7	57.5
2001	2,792	54.1	1.04	52.1	56.1	457	52.6	2.48	47.9	57.7
2002	2,837	54.8	1.04	52.8	56.9	452	51.3	2.43	46.7	56.3
2003	2,760	52.6	1.02	50.6	54.6	418	47.3	2.33	42.8	52.1
2004	2,753	52.3	1.01	50.3	54.3	455	51.0	2.41	46.4	55.9
2005	2,895	55.0	1.04	53.0	57.1	466	50.7	2.37	46.2	55.6
2006	2,909	54.9	1.04	52.9	57.0	497	54.2	2.45	49.5	59.2
2007	2,876	54.0	1.03	52.0	56.1	480	51.0	2.35	46.5	55.8
2008	2,952	55.0	1.04	53.0	57.1	500	51.7	2.33	47.2	56.5
2009	2,992	55.1	1.03	53.1	57.1	541	55.1	2.40	50.5	60.0
2010	3,030	55.1	1.03	53.1	57.2	514	51.5	2.30	47.1	56.2
2011	3,027	54.9	1.03	52.9	57.0	531	53.0	2.34	48.6	57.8
2012	2,970	52.9	1.01	51.0	54.9	534	51.4	2.26	47.1	56.1
2013	3,027	53.6	1.01	51.7	55.6	556	52.0	2.25	47.7	56.6
2014	3,062	54.5	1.03	52.5	56.6	597	55.6	2.32	51.1	60.3
2015	3,088	54.3	1.02	52.3	56.3	603	55.7	2.32	51.2	60.4
2016	3,186	56.2	1.05	54.2	58.3	615	56.9	2.35	52.4	61.7
2017	3,058	54.2	1.03	52.2	56.2	616	55.7	2.30	51.3	60.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Cervix Uteri										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,082	13.6	0.33	13.0	14.3	15,465	9.4	0.08	9.2	9.5
1990	56	19.7	2.88	14.5	26.3	683	12.5	0.49	11.6	13.5
1991	76	30.4	4.00	23.0	39.1	644	11.4	0.46	10.5	12.3
1992	71	25.1	3.41	18.8	32.6	599	10.6	0.44	9.8	11.5
1993	65	19.2	2.53	14.5	24.9	675	11.9	0.46	11.0	12.8
1994	71	20.8	2.75	15.8	27.0	589	10.2	0.43	9.4	11.1
1995	68	19.3	2.60	14.6	25.1	679	11.7	0.45	10.9	12.7
1996	76	20.3	2.55	15.6	26.0	675	11.7	0.45	10.8	12.6
1997	80	21.0	2.71	16.0	26.9	637	10.9	0.43	10.1	11.8
1998	88	21.5	2.63	16.6	27.2	661	11.3	0.44	10.4	12.2
1999	76	19.1	2.46	14.6	24.6	618	10.5	0.42	9.7	11.4
2000	66	15.0	2.10	11.2	19.7	662	11.2	0.44	10.4	12.1
2001	80	15.7	1.89	12.2	19.9	565	9.5	0.40	8.8	10.4
2002	70	14.3	1.99	10.7	18.8	537	9.1	0.40	8.4	9.9
2003	79	14.7	1.86	11.3	18.8	546	9.2	0.40	8.4	10.0
2004	77	14.8	1.87	11.4	18.9	494	8.2	0.37	7.5	9.0
2005	61	10.2	1.40	7.7	13.4	519	8.7	0.39	8.0	9.5
2006	78	14.8	1.91	11.3	19.0	508	8.6	0.39	7.8	9.4
2007	81	14.5	1.76	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	83	13.9	1.72	10.7	17.7	563	9.4	0.41	8.7	10.3
2009	70	10.1	1.31	7.7	13.0	496	8.2	0.38	7.5	9.0
2010	69	9.2	1.20	7.0	11.9	461	7.6	0.37	6.9	8.4
2011	93	13.3	1.49	10.5	16.5	466	7.7	0.37	7.0	8.4
2012	60	8.0	1.09	6.0	10.4	432	7.1	0.35	6.4	7.8
2013	76	10.1	1.23	7.8	12.8	434	7.2	0.36	6.5	7.9
2014	86	10.5	1.19	8.3	13.1	489	8.2	0.39	7.5	9.0
2015	64	7.6	1.00	5.8	9.9	434	7.3	0.37	6.6	8.0
2016	88	10.5	1.17	8.4	13.1	472	8.0	0.38	7.2	8.7
2017	74	8.6	1.04	6.7	10.8	440	7.2	0.36	6.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Cervix Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	10,924	8.4	0.08	8.2	8.5	3,905	15.3	0.25	14.8	15.8
1990	478	10.4	0.49	9.5	11.4	184	25.5	1.92	21.9	29.5
1991	459	9.7	0.46	8.8	10.7	160	20.9	1.70	17.7	24.5
1992	449	9.6	0.46	8.7	10.5	132	17.4	1.54	14.5	20.6
1993	475	10.1	0.47	9.2	11.1	177	21.9	1.68	18.8	25.5
1994	385	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	477	10.1	0.47	9.2	11.1	173	21.5	1.66	18.3	24.9
1996	493	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	466	9.8	0.46	8.9	10.8	149	17.0	1.41	14.3	20.0
1998	472	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	430	9.1	0.44	8.2	10.0	160	18.1	1.45	15.4	21.2
2000	446	9.4	0.45	8.6	10.3	183	20.3	1.51	17.5	23.5
2001	408	8.6	0.43	7.8	9.5	139	15.3	1.30	12.8	18.0
2002	387	8.3	0.43	7.5	9.2	132	14.6	1.27	12.2	17.3
2003	372	7.9	0.42	7.1	8.8	144	15.7	1.32	13.2	18.5
2004	348	7.3	0.40	6.5	8.1	120	13.2	1.21	10.9	15.8
2005	371	8.0	0.43	7.2	8.9	129	13.9	1.23	11.6	16.5
2006	365	7.9	0.42	7.1	8.8	125	13.3	1.20	11.0	15.8
2007	335	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	382	8.3	0.43	7.4	9.2	155	16.1	1.31	13.7	18.9
2009	320	6.8	0.39	6.1	7.6	146	14.7	1.23	12.4	17.3
2010	325	7.0	0.40	6.2	7.9	116	11.5	1.08	9.5	13.9
2011	338	7.2	0.41	6.4	8.0	116	11.9	1.12	9.8	14.3
2012	313	6.6	0.39	5.9	7.5	97	9.8	1.01	7.9	12.0
2013	311	6.8	0.40	6.0	7.6	106	10.4	1.03	8.5	12.6
2014	360	8.1	0.45	7.2	9.0	107	10.4	1.03	8.5	12.6
2015	312	7.0	0.42	6.2	7.8	97	9.8	1.02	7.9	12.0
2016	332	7.5	0.43	6.6	8.4	122	12.2	1.13	10.1	14.7
2017	315	7.0	0.42	6.2	7.8	101	9.8	1.00	8.0	12.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,841	21.8	0.44	21.0	22.7	50,333	27.4	0.12	27.1	27.6
1990	44	20.4	3.22	14.6	27.7	1,391	23.5	0.64	22.2	24.8
1991	25	12.6	2.66	7.9	18.8	1,447	24.1	0.64	22.9	25.4
1992	36	16.2	2.85	11.1	22.7	1,522	25.5	0.66	24.2	26.9
1993	40	15.2	2.59	10.6	21.2	1,471	24.4	0.64	23.1	25.7
1994	36	14.9	2.64	10.2	20.9	1,552	25.4	0.65	24.2	26.7
1995	42	14.9	2.44	10.5	20.5	1,552	25.5	0.66	24.3	26.9
1996	46	19.3	3.20	13.6	26.4	1,696	27.9	0.68	26.6	29.3
1997	51	18.5	2.96	13.1	25.1	1,554	25.2	0.65	24.0	26.5
1998	62	21.9	3.11	16.2	28.7	1,637	26.5	0.66	25.2	27.8
1999	61	20.8	3.03	15.3	27.4	1,544	24.9	0.64	23.6	26.2
2000	69	18.8	2.50	14.3	24.3	1,559	25.0	0.64	23.8	26.3
2001	67	19.1	2.59	14.4	24.8	1,679	26.7	0.66	25.4	28.0
2002	93	23.0	2.63	18.1	28.7	1,682	26.5	0.65	25.2	27.8
2003	65	15.2	2.07	11.4	19.8	1,614	25.1	0.63	23.9	26.4
2004	103	22.5	2.45	18.0	27.8	1,676	25.9	0.64	24.7	27.2
2005	92	19.3	2.19	15.3	24.1	1,776	27.1	0.65	25.8	28.4
2006	110	22.0	2.29	17.7	26.9	1,865	28.3	0.66	27.0	29.6
2007	102	20.3	2.17	16.3	25.0	1,819	27.3	0.65	26.1	28.6
2008	122	22.8	2.21	18.7	27.5	1,865	27.5	0.64	26.2	28.8
2009	141	23.3	2.11	19.3	27.8	2,034	29.6	0.67	28.3	30.9
2010	113	17.9	1.83	14.5	21.9	2,068	29.6	0.66	28.3	30.9
2011	150	23.9	2.08	20.0	28.3	2,069	29.4	0.66	28.1	30.7
2012	158	23.5	2.00	19.8	27.8	2,078	28.8	0.65	27.5	30.1
2013	202	29.5	2.19	25.3	34.1	2,146	29.2	0.65	28.0	30.5
2014	201	26.6	1.96	22.9	30.8	2,166	29.2	0.65	28.0	30.5
2015	189	24.6	1.87	21.1	28.6	2,245	30.0	0.65	28.7	31.3
2016	210	26.0	1.85	22.5	29.9	2,320	30.9	0.66	29.6	32.2
2017	211	25.6	1.82	22.1	29.4	2,306	30.7	0.66	29.4	32.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Uterus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	42,888	28.4	0.14	28.1	28.7	5,876	23.2	0.31	22.6	23.8
1990	1,265	24.8	0.72	23.4	26.3	119	16.9	1.57	13.9	20.2
1991	1,332	25.8	0.72	24.4	27.2	98	14.2	1.45	11.5	17.3
1992	1,391	27.3	0.75	25.9	28.9	117	16.1	1.51	13.2	19.3
1993	1,332	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1
1994	1,415	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4
1995	1,401	27.2	0.74	25.8	28.7	121	16.0	1.47	13.2	19.1
1996	1,523	29.8	0.78	28.3	31.3	146	19.4	1.62	16.4	22.8
1997	1,375	26.5	0.73	25.1	28.0	158	20.2	1.62	17.1	23.6
1998	1,441	27.8	0.74	26.3	29.3	166	20.6	1.61	17.6	24.0
1999	1,354	26.1	0.72	24.7	27.6	147	18.0	1.50	15.2	21.2
2000	1,342	25.9	0.72	24.6	27.4	169	20.2	1.57	17.3	23.5
2001	1,448	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5
2002	1,447	27.5	0.73	26.1	29.0	189	21.8	1.59	18.8	25.1
2003	1,394	26.3	0.71	25.0	27.8	159	18.5	1.48	15.7	21.6
2004	1,436	27.0	0.72	25.6	28.5	190	21.2	1.55	18.3	24.5
2005	1,513	28.3	0.74	26.8	29.7	205	22.3	1.57	19.3	25.6
2006	1,553	28.8	0.74	27.4	30.3	246	27.2	1.74	23.9	30.8
2007	1,529	28.2	0.73	26.8	29.7	231	24.6	1.63	21.5	28.0
2008	1,582	28.7	0.73	27.3	30.2	214	21.9	1.51	19.1	25.1
2009	1,722	30.9	0.76	29.5	32.5	244	24.8	1.61	21.8	28.2
2010	1,728	30.6	0.75	29.2	32.1	254	25.4	1.61	22.3	28.7
2011	1,694	29.7	0.74	28.3	31.2	277	27.3	1.66	24.1	30.7
2012	1,712	29.5	0.73	28.1	31.0	288	27.1	1.62	24.0	30.5
2013	1,760	30.1	0.74	28.6	31.6	287	25.7	1.55	22.8	28.9
2014	1,715	29.1	0.73	27.7	30.6	358	32.5	1.75	29.1	36.1
2015	1,799	30.2	0.74	28.7	31.7	349	31.0	1.70	27.8	34.5
2016	1,868	31.6	0.76	30.1	33.1	348	30.6	1.68	27.4	34.1
2017	1,817	30.7	0.75	29.2	32.2	372	32.8	1.74	29.5	36.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Corpus Uteri										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,754	21.1	0.43	20.3	22.0	48,965	26.7	0.12	26.4	26.9
1990	40	18.7	3.10	13.1	25.7	1,350	22.8	0.63	21.6	24.1
1991	23	11.5	2.54	7.0	17.5	1,399	23.3	0.63	22.0	24.5
1992	34	15.2	2.77	10.3	21.6	1,467	24.6	0.65	23.4	25.9
1993	37	14.3	2.52	9.8	20.0	1,407	23.4	0.63	22.1	24.6
1994	32	13.4	2.53	8.9	19.2	1,470	24.2	0.64	22.9	25.4
1995	39	13.9	2.32	9.7	19.2	1,515	25.0	0.65	23.7	26.3
1996	45	18.5	3.10	13.0	25.4	1,666	27.4	0.68	26.1	28.8
1997	48	17.7	2.92	12.4	24.2	1,516	24.6	0.64	23.4	25.9
1998	57	20.1	2.95	14.7	26.6	1,596	25.8	0.65	24.6	27.2
1999	57	19.3	2.90	14.0	25.7	1,506	24.3	0.63	23.1	25.6
2000	67	18.4	2.48	13.9	23.9	1,518	24.4	0.63	23.2	25.7
2001	67	19.1	2.59	14.4	24.8	1,642	26.2	0.65	24.9	27.5
2002	91	22.4	2.60	17.6	28.1	1,637	25.8	0.64	24.6	27.1
2003	64	15.0	2.06	11.2	19.6	1,584	24.7	0.62	23.5	25.9
2004	101	22.3	2.44	17.7	27.5	1,637	25.4	0.63	24.2	26.6
2005	90	18.8	2.16	14.8	23.5	1,732	26.5	0.64	25.2	27.8
2006	105	20.9	2.24	16.8	25.8	1,817	27.6	0.65	26.4	28.9
2007	102	20.3	2.17	16.3	25.0	1,785	26.8	0.64	25.6	28.1
2008	118	21.7	2.14	17.7	26.3	1,813	26.7	0.63	25.5	28.0
2009	140	23.1	2.10	19.2	27.6	1,991	29.0	0.66	27.7	30.3
2010	110	17.3	1.79	14.0	21.1	2,009	28.7	0.65	27.4	30.0
2011	149	23.7	2.07	19.8	28.0	2,018	28.6	0.65	27.4	29.9
2012	154	22.8	1.96	19.1	26.9	2,033	28.1	0.64	26.9	29.4
2013	199	28.9	2.17	24.8	33.5	2,096	28.6	0.64	27.3	29.8
2014	197	26.1	1.95	22.5	30.2	2,111	28.5	0.64	27.3	29.8
2015	186	24.1	1.85	20.7	28.0	2,183	29.1	0.64	27.9	30.4
2016	205	25.3	1.82	21.8	29.1	2,252	30.0	0.65	28.8	31.3
2017	197	23.9	1.76	20.6	27.6	2,215	29.5	0.65	28.3	30.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Corpus Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	41,925	27.8	0.14	27.5	28.1	5,499	21.7	0.29	21.1	22.3
1990	1,239	24.3	0.71	23.0	25.8	106	14.9	1.47	12.2	18.1
1991	1,298	25.1	0.71	23.7	26.5	84	12.1	1.34	9.6	15.0
1992	1,346	26.5	0.74	25.0	28.0	107	14.7	1.44	12.0	17.8
1993	1,283	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,349	26.0	0.72	24.6	27.5	108	14.6	1.43	12.0	17.7
1995	1,371	26.7	0.73	25.2	28.1	114	14.9	1.41	12.3	17.9
1996	1,498	29.3	0.77	27.8	30.9	142	18.9	1.60	15.9	22.2
1997	1,347	26.0	0.72	24.6	27.5	148	18.9	1.56	15.9	22.2
1998	1,412	27.3	0.74	25.9	28.8	155	19.3	1.56	16.4	22.6
1999	1,328	25.7	0.71	24.3	27.1	135	16.6	1.44	13.9	19.6
2000	1,313	25.4	0.71	24.1	26.9	158	18.8	1.50	16.0	22.0
2001	1,419	27.3	0.73	25.9	28.8	173	20.4	1.56	17.5	23.7
2002	1,415	27.0	0.73	25.6	28.5	176	20.3	1.54	17.4	23.5
2003	1,368	25.9	0.71	24.5	27.3	155	18.0	1.46	15.3	21.1
2004	1,407	26.6	0.72	25.2	28.0	180	20.1	1.51	17.3	23.3
2005	1,480	27.7	0.73	26.3	29.2	194	21.1	1.53	18.2	24.3
2006	1,525	28.4	0.74	27.0	29.9	227	25.0	1.67	21.8	28.4
2007	1,508	27.8	0.73	26.4	29.3	221	23.5	1.59	20.4	26.8
2008	1,549	28.1	0.73	26.7	29.6	196	20.1	1.45	17.4	23.2
2009	1,691	30.4	0.75	28.9	31.9	233	23.8	1.58	20.8	27.1
2010	1,689	29.9	0.74	28.5	31.4	236	23.5	1.55	20.5	26.7
2011	1,663	29.2	0.73	27.7	30.6	261	25.8	1.62	22.7	29.1
2012	1,682	29.0	0.73	27.6	30.5	274	25.7	1.58	22.7	29.0
2013	1,731	29.6	0.73	28.2	31.1	268	24.0	1.49	21.2	27.1
2014	1,680	28.6	0.72	27.2	30.1	338	30.7	1.70	27.4	34.2
2015	1,760	29.6	0.73	28.2	31.1	328	28.9	1.63	25.8	32.3
2016	1,820	30.8	0.75	29.4	32.4	328	28.8	1.62	25.7	32.2
2017	1,754	29.6	0.74	28.2	31.1	346	30.6	1.68	27.4	34.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Uterus, NOS										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	87	0.7	0.08	0.6	0.9	1,368	0.7	0.02	0.7	0.8
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	30	0.5	0.09	0.3	0.7
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	41	0.6	0.09	0.4	0.8
2001	0					37	0.5	0.09	0.4	0.7
2002	2	0.5	0.38	0.1	2.0	45	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6
2004	2	0.2	0.17	0.0	1.2	39	0.5	0.09	0.4	0.7
2005	2	0.5	0.38	0.1	1.8	44	0.6	0.10	0.5	0.9
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9
2007	0					34	0.5	0.09	0.3	0.7
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0
2009	1	0.1	0.14	0.0	0.9	43	0.6	0.09	0.4	0.8
2010	3	0.6	0.38	0.1	1.8	59	0.9	0.12	0.7	1.1
2011	1	0.2	0.20	0.0	1.0	51	0.7	0.10	0.5	1.0
2012	4	0.8	0.40	0.2	1.9	45	0.6	0.10	0.5	0.9
2013	3	0.5	0.33	0.1	1.5	50	0.7	0.10	0.5	0.9
2014	4	0.5	0.26	0.1	1.4	55	0.7	0.10	0.5	0.9
2015	3	0.5	0.30	0.1	1.4	62	0.8	0.11	0.6	1.1
2016	5	0.8	0.35	0.2	1.7	68	0.9	0.11	0.7	1.1
2017	14	1.7	0.48	0.9	2.9	91	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Uterus, NOS										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	963	0.6	0.02	0.6	0.6	377	1.5	0.08	1.4	1.7
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1
1996	25	0.5	0.10	0.3	0.7	4	0.6	0.28	0.2	1.4
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5
2000	29	0.5	0.09	0.3	0.7	11	1.4	0.44	0.7	2.5
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2
2004	29	0.4	0.08	0.3	0.6	10	1.1	0.34	0.5	2.0
2005	33	0.6	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5
2007	21	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9
2009	31	0.6	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9
2010	39	0.7	0.11	0.5	1.0	18	1.9	0.45	1.1	3.0
2011	31	0.5	0.10	0.4	0.8	16	1.5	0.38	0.9	2.5
2012	30	0.5	0.10	0.4	0.8	14	1.4	0.37	0.8	2.3
2013	29	0.4	0.09	0.3	0.7	19	1.7	0.40	1.0	2.7
2014	35	0.5	0.09	0.4	0.8	20	1.8	0.42	1.1	2.9
2015	39	0.6	0.10	0.4	0.8	21	2.2	0.48	1.3	3.3
2016	48	0.7	0.11	0.5	1.0	20	1.9	0.42	1.1	2.9
2017	63	1.1	0.14	0.8	1.4	26	2.2	0.44	1.5	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ovary										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,349	10.3	0.31	9.7	11.0	24,472	13.5	0.09	13.3	13.7
1990	25	10.1	2.24	6.2	15.4	957	16.4	0.54	15.4	17.5
1991	34	12.9	2.52	8.5	18.8	917	16.0	0.54	14.9	17.1
1992	29	9.5	1.89	6.2	14.1	898	15.4	0.52	14.4	16.4
1993	29	12.7	2.66	8.1	18.9	890	14.9	0.51	13.9	15.9
1994	38	12.6	2.19	8.7	17.7	969	16.0	0.52	15.0	17.0
1995	38	10.1	1.90	6.7	14.6	899	14.9	0.50	13.9	15.9
1996	31	10.2	2.05	6.6	14.9	965	15.8	0.51	14.8	16.8
1997	24	10.2	2.29	6.2	15.5	942	15.5	0.51	14.5	16.5
1998	32	10.2	2.07	6.6	15.0	925	14.9	0.50	14.0	15.9
1999	49	14.2	2.43	9.8	19.6	915	14.7	0.49	13.7	15.7
2000	36	10.1	1.93	6.7	14.5	856	13.5	0.47	12.6	14.4
2001	40	9.9	1.79	6.7	14.0	854	13.6	0.47	12.7	14.5
2002	41	9.4	1.65	6.4	13.2	904	14.3	0.48	13.3	15.2
2003	37	7.9	1.58	5.1	11.6	887	13.7	0.46	12.8	14.6
2004	53	12.5	2.00	8.9	17.0	887	13.6	0.46	12.8	14.6
2005	51	11.2	1.83	7.9	15.3	899	13.8	0.47	12.9	14.7
2006	59	11.5	1.71	8.4	15.3	910	13.8	0.46	12.9	14.7
2007	43	7.8	1.32	5.4	10.8	890	13.5	0.46	12.6	14.4
2008	65	11.9	1.66	8.9	15.5	837	12.5	0.44	11.7	13.4
2009	59	11.3	1.64	8.3	14.9	845	12.5	0.44	11.7	13.4
2010	56	8.9	1.34	6.4	11.8	867	12.7	0.44	11.9	13.6
2011	61	11.0	1.58	8.2	14.5	835	12.3	0.44	11.5	13.2
2012	56	8.0	1.15	5.9	10.6	801	11.5	0.42	10.7	12.4
2013	74	11.2	1.41	8.6	14.3	796	11.4	0.42	10.6	12.3
2014	58	8.1	1.14	6.0	10.6	802	11.3	0.41	10.5	12.2
2015	89	13.0	1.48	10.3	16.2	810	11.4	0.42	10.6	12.3
2016	65	8.2	1.07	6.2	10.6	781	11.1	0.41	10.3	11.9
2017	77	9.7	1.17	7.5	12.3	734	10.6	0.41	9.8	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ovary										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	21,132	14.2	0.10	14.0	14.4	2,598	10.4	0.21	10.0	10.8
1990	859	17.2	0.60	16.1	18.4	89	12.7	1.38	10.2	15.7
1991	830	17.1	0.61	15.9	18.3	74	10.3	1.23	8.1	13.0
1992	821	16.6	0.59	15.4	17.8	67	9.2	1.14	7.1	11.7
1993	795	15.7	0.57	14.6	16.8	83	11.1	1.23	8.8	13.8
1994	862	16.7	0.58	15.6	17.9	92	12.3	1.30	9.9	15.1
1995	802	15.7	0.56	14.6	16.8	81	10.2	1.15	8.1	12.7
1996	843	16.3	0.57	15.2	17.4	102	13.1	1.31	10.7	15.9
1997	825	16.1	0.57	15.0	17.3	95	11.9	1.23	9.6	14.6
1998	823	15.9	0.56	14.8	17.0	84	10.1	1.11	8.0	12.5
1999	812	15.6	0.55	14.5	16.7	85	10.1	1.10	8.1	12.5
2000	756	14.3	0.53	13.3	15.4	72	8.4	1.00	6.5	10.6
2001	719	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	779	14.9	0.54	13.8	16.0	94	10.7	1.11	8.6	13.1
2003	774	14.4	0.53	13.4	15.5	90	10.3	1.10	8.3	12.7
2004	773	14.5	0.53	13.4	15.5	97	11.1	1.13	8.9	13.5
2005	772	14.5	0.53	13.5	15.6	91	10.0	1.06	8.0	12.3
2006	781	14.4	0.53	13.4	15.5	92	10.0	1.05	8.1	12.3
2007	771	14.3	0.53	13.3	15.4	92	9.8	1.03	7.9	12.1
2008	718	13.2	0.51	12.2	14.2	92	9.6	1.01	7.7	11.8
2009	699	12.8	0.50	11.9	13.9	114	11.8	1.12	9.7	14.2
2010	712	12.9	0.50	11.9	13.9	111	11.2	1.07	9.2	13.5
2011	694	12.7	0.50	11.7	13.7	95	9.4	0.98	7.6	11.6
2012	675	12.0	0.48	11.1	13.0	96	9.4	0.97	7.6	11.5
2013	649	11.6	0.47	10.7	12.6	116	11.5	1.08	9.5	13.8
2014	679	12.1	0.48	11.1	13.0	90	8.6	0.92	6.9	10.6
2015	663	11.8	0.48	10.9	12.8	114	10.7	1.02	8.8	12.9
2016	635	11.3	0.47	10.3	12.2	101	9.9	1.01	8.1	12.1
2017	611	11.2	0.48	10.3	12.2	88	8.1	0.89	6.5	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Male Genital System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	10,995	119.3	1.30	116.7	121.8	232,304	157.0	0.33	156.3	157.6
1990	119	101.0	10.95	80.7	124.1	5,759	136.7	1.87	133.1	140.5
1991	111	80.3	9.21	63.3	99.9	7,289	168.0	2.04	164.1	172.1
1992	154	115.7	11.10	95.0	139.0	8,807	197.6	2.17	193.4	201.9
1993	171	123.6	11.19	102.7	147.0	8,452	187.0	2.09	182.9	191.1
1994	240	150.8	11.58	128.9	174.8	8,169	179.5	2.03	175.5	183.5
1995	230	140.0	11.03	119.2	162.9	7,662	165.5	1.93	161.8	169.4
1996	265	161.1	11.74	138.9	185.3	7,778	165.5	1.91	161.8	169.3
1997	269	142.6	10.28	123.1	163.8	8,089	171.0	1.92	167.2	174.8
1998	269	152.5	11.05	131.6	175.3	8,016	167.9	1.89	164.2	171.6
1999	327	157.2	10.35	137.6	178.5	8,453	175.3	1.92	171.5	179.1
2000	334	141.9	9.23	124.4	160.9	8,504	175.3	1.92	171.5	179.1
2001	337	141.7	9.06	124.5	160.3	9,039	184.5	1.96	180.7	188.4
2002	369	141.5	8.57	125.2	159.1	9,306	187.7	1.96	183.9	191.6
2003	375	132.4	8.06	117.1	149.0	8,601	170.5	1.86	166.9	174.2
2004	380	127.5	7.47	113.3	142.8	8,487	165.7	1.82	162.2	169.3
2005	421	126.7	7.05	113.2	141.1	8,288	159.3	1.77	155.8	162.8
2006	447	131.0	7.10	117.5	145.5	9,017	169.8	1.81	166.3	173.4
2007	509	146.1	7.38	132.0	161.1	9,738	179.8	1.85	176.2	183.5
2008	556	149.4	7.24	135.6	164.2	9,746	175.1	1.80	171.6	178.7
2009	602	152.3	7.02	138.8	166.5	9,463	165.4	1.73	162.0	168.9
2010	549	121.4	5.88	110.1	133.4	8,574	146.8	1.62	143.7	150.1
2011	551	111.7	5.39	101.3	122.6	8,745	146.5	1.60	143.4	149.7
2012	537	107.1	5.20	97.1	117.7	7,761	126.2	1.47	123.3	129.1
2013	556	104.3	4.94	94.8	114.3	7,445	118.8	1.41	116.0	121.5
2014	555	96.7	4.59	87.9	106.0	7,414	115.7	1.38	113.0	118.4
2015	555	89.2	4.24	81.1	97.8	7,793	119.4	1.39	116.7	122.1
2016	609	94.0	4.23	85.9	102.6	7,765	117.5	1.37	114.9	120.3
2017	598	90.1	4.07	82.3	98.4	8,144	121.2	1.38	118.5	124.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Male Genital System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	187,270	149.5	0.35	148.8	150.1	38,196	222.2	1.19	219.9	224.6
1990	5,041	134.2	1.95	130.4	138.0	661	168.7	7.04	155.2	182.9
1991	6,461	167.8	2.15	163.6	172.1	753	176.9	6.90	163.6	190.8
1992	7,708	195.2	2.28	190.8	199.8	1,027	236.0	7.85	220.8	251.8
1993	7,286	182.9	2.19	178.6	187.2	1,101	241.6	7.77	226.6	257.2
1994	6,814	170.1	2.10	166.0	174.3	1,259	276.9	8.34	260.8	293.6
1995	6,335	156.5	2.00	152.6	160.5	1,240	260.0	7.84	244.9	275.8
1996	6,360	155.5	1.97	151.7	159.5	1,321	265.9	7.73	251.0	281.5
1997	6,746	164.5	2.02	160.6	168.5	1,199	234.8	7.15	221.0	249.2
1998	6,550	158.8	1.98	154.9	162.7	1,265	243.8	7.21	229.9	258.3
1999	7,002	168.7	2.03	164.8	172.7	1,224	228.6	6.84	215.4	242.4
2000	6,884	165.4	2.00	161.5	169.4	1,433	264.4	7.31	250.3	279.1
2001	7,410	176.9	2.06	172.9	181.0	1,396	252.8	7.09	239.1	267.0
2002	7,628	180.6	2.08	176.6	184.8	1,384	241.5	6.82	228.3	255.2
2003	6,923	161.9	1.96	158.1	165.8	1,419	238.3	6.62	225.5	251.6
2004	6,777	156.7	1.92	153.0	160.6	1,446	239.6	6.61	226.8	252.9
2005	6,544	149.3	1.86	145.7	153.0	1,436	234.8	6.54	222.2	247.9
2006	7,146	160.5	1.92	156.7	164.3	1,590	250.9	6.60	238.1	264.2
2007	7,667	168.9	1.95	165.1	172.8	1,734	268.4	6.75	255.3	281.9
2008	7,640	164.5	1.91	160.7	168.3	1,756	259.7	6.47	247.2	272.7
2009	7,315	153.7	1.83	150.1	157.3	1,758	251.1	6.26	238.9	263.6
2010	6,664	137.6	1.72	134.3	141.0	1,576	219.3	5.79	208.2	231.0
2011	6,848	138.6	1.71	135.3	142.0	1,460	194.2	5.31	183.9	204.8
2012	5,895	116.4	1.55	113.4	119.5	1,489	191.9	5.20	181.9	202.4
2013	5,812	112.6	1.51	109.6	115.6	1,359	174.2	4.94	164.7	184.2
2014	5,694	108.4	1.47	105.6	111.4	1,385	170.3	4.77	161.1	179.9
2015	5,871	110.1	1.48	107.3	113.1	1,537	186.0	4.95	176.4	195.9
2016	6,021	112.3	1.49	109.4	115.3	1,440	167.4	4.59	158.6	176.7
2017	6,228	113.8	1.48	110.9	116.7	1,548	178.8	4.72	169.7	188.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Prostate										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	9,708	113.9	1.28	111.4	116.4	222,734	150.4	0.32	149.8	151.1
1990	101	95.0	10.70	75.2	117.7	5,443	130.8	1.84	127.2	134.5
1991	93	75.0	8.96	58.5	94.1	6,993	162.4	2.01	158.5	166.4
1992	137	112.9	11.07	92.2	136.1	8,521	192.3	2.14	188.2	196.6
1993	154	120.8	11.16	99.9	144.1	8,128	180.8	2.06	176.8	184.9
1994	222	148.1	11.56	126.3	172.1	7,843	173.4	2.01	169.5	177.4
1995	204	135.5	10.97	114.9	158.3	7,349	159.8	1.90	156.1	163.6
1996	242	156.8	11.68	134.7	180.9	7,448	159.4	1.88	155.8	163.1
1997	244	139.7	10.26	120.3	161.0	7,727	164.1	1.89	160.4	167.9
1998	245	149.2	11.01	128.4	171.9	7,680	161.5	1.86	157.8	165.1
1999	296	154.0	10.33	134.4	175.2	8,108	168.7	1.89	165.0	172.5
2000	293	136.9	9.18	119.5	155.8	8,188	169.2	1.89	165.6	173.0
2001	304	137.7	9.01	120.6	156.2	8,676	177.6	1.92	173.8	181.4
2002	327	136.3	8.49	120.2	153.7	8,971	181.3	1.93	177.6	185.2
2003	331	127.4	7.96	112.3	143.8	8,265	164.1	1.82	160.5	167.7
2004	345	123.9	7.44	109.8	139.2	8,121	158.7	1.78	155.2	162.2
2005	376	121.8	6.98	108.5	136.1	7,965	153.1	1.74	149.7	156.5
2006	393	125.8	7.05	112.4	140.2	8,667	163.0	1.78	159.6	166.6
2007	451	141.0	7.34	127.0	156.0	9,401	173.3	1.81	169.7	176.8
2008	495	143.2	7.16	129.5	157.8	9,371	167.7	1.76	164.3	171.2
2009	553	147.0	6.96	133.6	161.1	9,121	158.6	1.69	155.3	162.0
2010	480	114.8	5.81	103.7	126.6	8,193	139.4	1.57	136.4	142.6
2011	477	105.5	5.34	95.3	116.4	8,422	140.2	1.56	137.2	143.3
2012	476	101.6	5.14	91.8	112.1	7,387	119.0	1.42	116.2	121.8
2013	499	99.1	4.88	89.8	109.1	7,079	111.6	1.36	108.9	114.3
2014	485	90.0	4.49	81.4	99.1	7,057	108.8	1.33	106.2	111.4
2015	459	80.7	4.12	72.8	89.1	7,419	112.1	1.33	109.5	114.7
2016	521	86.3	4.14	78.3	94.7	7,383	110.1	1.31	107.5	112.7
2017	505	80.6	3.90	73.1	88.6	7,808	114.6	1.33	112.0	117.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Prostate										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	178,565	141.9	0.34	141.3	142.6	37,676	219.6	1.18	217.3	222.0
1990	4,750	127.7	1.92	124.0	131.5	642	164.6	6.97	151.3	178.8
1991	6,186	161.6	2.12	157.5	165.8	737	174.0	6.85	160.8	187.8
1992	7,441	189.3	2.25	184.9	193.7	1,011	233.5	7.82	218.4	249.2
1993	6,983	175.9	2.15	171.8	180.2	1,082	238.8	7.74	223.9	254.4
1994	6,511	163.2	2.06	159.2	167.3	1,242	274.2	8.31	258.2	290.9
1995	6,046	150.0	1.96	146.2	153.9	1,224	257.5	7.81	242.4	273.2
1996	6,065	148.8	1.93	145.1	152.7	1,301	263.0	7.70	248.1	278.5
1997	6,411	156.7	1.98	152.8	160.6	1,182	232.3	7.12	218.6	246.6
1998	6,239	151.4	1.93	147.7	155.3	1,248	241.6	7.18	227.7	256.0
1999	6,699	161.6	1.99	157.7	165.5	1,205	226.2	6.82	213.1	239.9
2000	6,595	158.5	1.96	154.7	162.4	1,416	261.9	7.29	247.8	276.5
2001	7,080	169.0	2.02	165.1	173.0	1,379	250.5	7.06	236.8	264.7
2002	7,325	173.4	2.04	169.4	177.4	1,363	238.7	6.79	225.6	252.3
2003	6,614	154.4	1.91	150.7	158.2	1,402	236.1	6.60	223.3	249.4
2004	6,441	148.5	1.86	144.9	152.2	1,429	237.3	6.59	224.6	250.6
2005	6,260	142.3	1.81	138.7	145.9	1,414	231.5	6.49	219.0	244.6
2006	6,827	152.6	1.87	148.9	156.3	1,575	249.0	6.58	236.2	262.2
2007	7,366	161.4	1.90	157.7	165.1	1,713	265.7	6.72	252.7	279.2
2008	7,305	156.0	1.85	152.4	159.7	1,732	256.7	6.44	244.2	269.6
2009	6,995	145.5	1.77	142.0	149.0	1,746	249.5	6.25	237.4	262.0
2010	6,318	128.9	1.65	125.7	132.2	1,553	216.3	5.75	205.2	227.9
2011	6,555	131.2	1.66	128.0	134.5	1,445	192.4	5.29	182.2	203.1
2012	5,558	107.9	1.48	105.0	110.9	1,470	189.4	5.17	179.4	199.8
2013	5,484	104.1	1.44	101.3	107.0	1,339	171.6	4.90	162.1	181.5
2014	5,380	100.4	1.40	97.7	103.2	1,361	166.9	4.71	157.8	176.4
2015	5,534	101.4	1.39	98.6	104.1	1,515	183.3	4.92	173.8	193.2
2016	5,667	103.1	1.40	100.3	105.9	1,425	165.5	4.56	156.7	174.7
2017	5,930	105.8	1.41	103.1	108.6	1,525	176.1	4.68	167.1	185.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Testis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,136	4.0	0.13	3.7	4.2	8,088	5.5	0.06	5.4	5.6
1990	13	2.4	0.76	1.1	5.3	260	4.6	0.29	4.1	5.2
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0
1993	14	1.9	0.58	1.0	4.4	271	4.9	0.30	4.3	5.5
1994	17	2.5	0.66	1.4	5.0	269	4.8	0.30	4.3	5.5
1995	21	2.5	0.62	1.5	4.9	259	4.7	0.29	4.1	5.3
1996	18	2.1	0.52	1.2	4.3	274	4.9	0.30	4.4	5.6
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4
1998	21	2.3	0.60	1.3	4.4	279	5.2	0.31	4.6	5.8
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2
2000	36	3.8	0.70	2.5	5.9	262	4.9	0.30	4.3	5.5
2001	29	2.7	0.54	1.8	4.5	299	5.6	0.32	5.0	6.3
2002	37	4.0	1.03	2.3	6.7	292	5.5	0.32	4.9	6.2
2003	42	3.7	0.63	2.6	5.6	286	5.4	0.32	4.8	6.1
2004	28	2.3	0.45	1.5	3.8	317	6.1	0.34	5.4	6.8
2005	41	4.0	0.83	2.5	6.2	282	5.4	0.32	4.8	6.1
2006	49	4.3	0.64	3.1	6.0	292	5.7	0.33	5.0	6.3
2007	54	4.6	0.65	3.4	6.3	277	5.4	0.33	4.8	6.1
2008	56	4.8	0.66	3.6	6.4	311	6.1	0.35	5.4	6.8
2009	40	3.4	0.56	2.4	4.9	300	5.9	0.34	5.3	6.6
2010	61	5.2	0.70	3.9	6.9	319	6.3	0.36	5.6	7.0
2011	70	5.7	0.69	4.4	7.3	270	5.3	0.33	4.7	6.0
2012	55	4.7	0.71	3.4	6.4	309	6.1	0.35	5.4	6.8
2013	51	4.2	0.59	3.1	5.6	322	6.4	0.36	5.7	7.1
2014	62	5.2	0.72	3.9	6.9	305	6.0	0.35	5.4	6.8
2015	86	6.8	0.74	5.4	8.5	312	6.2	0.36	5.5	7.0
2016	79	6.3	0.72	5.0	8.0	331	6.6	0.37	5.9	7.4
2017	76	6.1	0.72	4.8	7.8	288	5.9	0.35	5.2	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Testis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,481	6.5	0.08	6.4	6.7	310	1.3	0.08	1.2	1.5
1990	245	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4
1993	255	5.7	0.36	5.0	6.4	15	1.9	0.52	1.1	3.3
1994	257	5.7	0.36	5.0	6.5	8	0.9	0.31	0.4	1.8
1995	242	5.4	0.35	4.7	6.1	9	1.1	0.37	0.5	2.2
1996	247	5.5	0.35	4.9	6.3	12	1.5	0.44	0.8	2.7
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4
1998	261	6.1	0.38	5.4	6.9	12	1.3	0.38	0.7	2.4
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8
2000	244	5.8	0.37	5.1	6.6	9	1.0	0.33	0.5	2.0
2001	274	6.5	0.39	5.8	7.3	11	1.2	0.37	0.6	2.3
2002	268	6.4	0.39	5.7	7.3	14	1.7	0.45	0.9	2.9
2003	269	6.5	0.40	5.8	7.4	8	0.9	0.32	0.4	1.8
2004	294	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5
2005	253	6.3	0.40	5.6	7.2	14	1.6	0.44	0.9	2.8
2006	269	6.8	0.41	6.0	7.6	10	1.2	0.38	0.6	2.3
2007	254	6.5	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7
2008	284	7.3	0.43	6.4	8.2	14	1.7	0.46	0.9	2.9
2009	282	7.3	0.44	6.5	8.2	8	0.9	0.31	0.4	1.8
2010	295	7.6	0.45	6.8	8.6	13	1.6	0.45	0.8	2.8
2011	247	6.3	0.41	5.6	7.2	8	1.0	0.34	0.4	1.9
2012	283	7.3	0.44	6.5	8.3	12	1.4	0.42	0.7	2.6
2013	294	7.7	0.46	6.8	8.7	11	1.3	0.42	0.7	2.4
2014	271	7.2	0.44	6.3	8.1	16	1.9	0.47	1.1	3.1
2015	290	7.8	0.46	6.9	8.7	8	1.0	0.36	0.4	2.0
2016	312	8.3	0.48	7.4	9.3	9	1.2	0.41	0.6	2.3
2017	263	7.3	0.46	6.4	8.2	15	1.8	0.47	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Penis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	134	1.3	0.13	1.0	1.6	1,162	0.8	0.02	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	1	0.2	0.17	0.0	2.4	48	1.1	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	43	0.9	0.14	0.6	1.2
1997	2	0.5	0.37	0.1	2.6	40	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	4	1.2	0.74	0.2	3.6	50	1.1	0.15	0.8	1.4
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2
2009	9	1.9	0.73	0.7	3.8	38	0.8	0.13	0.5	1.1
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3
2011	4	0.5	0.24	0.1	1.4	41	0.8	0.12	0.5	1.0
2012	6	0.8	0.34	0.3	1.9	48	0.9	0.13	0.6	1.2
2013	4	0.7	0.39	0.1	1.9	32	0.6	0.11	0.4	0.8
2014	5	1.0	0.54	0.3	2.5	45	0.8	0.12	0.6	1.1
2015	10	1.7	0.62	0.7	3.3	47	0.8	0.12	0.6	1.1
2016	8	1.2	0.47	0.5	2.5	40	0.7	0.12	0.5	1.0
2017	15	3.1	0.87	1.6	5.2	35	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Penis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	960	0.8	0.03	0.8	0.9	169	1.0	0.08	0.9	1.2
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1
1994	37	0.9	0.16	0.7	1.3	9	1.8	0.61	0.8	3.4
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8
1996	36	0.9	0.15	0.6	1.2	7	1.2	0.49	0.4	2.6
1997	32	0.8	0.15	0.6	1.2	7	1.2	0.49	0.5	2.6
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4
2001	43	1.1	0.16	0.8	1.4	5	1.0	0.44	0.3	2.2
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8
2006	43	1.0	0.15	0.7	1.4	5	0.7	0.34	0.2	1.7
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4
2012	40	0.9	0.14	0.6	1.2	6	1.0	0.42	0.3	2.1
2013	24	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4
2014	37	0.7	0.12	0.5	1.0	7	1.4	0.53	0.6	2.8
2015	39	0.8	0.13	0.6	1.1	8	1.0	0.35	0.4	2.0
2016	34	0.7	0.13	0.5	1.0	3	0.5	0.27	0.1	1.3
2017	29	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	5,531	27.2	0.41	26.4	28.0	129,062	38.5	0.11	38.3	38.7
1990	69	21.9	2.97	16.5	28.4	3,274	31.1	0.55	30.0	32.2
1991	76	20.4	2.65	15.5	26.1	3,335	31.3	0.55	30.2	32.4
1992	77	20.6	2.63	15.8	26.3	3,474	32.1	0.55	31.0	33.2
1993	74	19.1	2.46	14.6	24.4	3,602	32.9	0.55	31.8	34.0
1994	97	25.0	2.84	19.7	31.0	3,717	33.8	0.56	32.7	34.9
1995	100	23.9	2.82	18.7	30.0	3,720	33.6	0.55	32.5	34.7
1996	98	23.9	2.79	18.7	29.8	3,972	35.8	0.57	34.7	36.9
1997	141	35.1	3.49	28.6	42.5	4,051	36.2	0.57	35.1	37.4
1998	139	28.2	2.78	23.0	34.1	4,015	35.6	0.56	34.5	36.7
1999	138	28.4	2.83	23.2	34.4	4,138	36.4	0.57	35.3	37.5
2000	141	24.4	2.35	20.0	29.4	4,360	38.2	0.58	37.0	39.3
2001	158	27.0	2.49	22.3	32.2	4,358	38.0	0.58	36.9	39.1
2002	149	24.9	2.32	20.5	29.8	4,692	40.5	0.59	39.4	41.7
2003	184	27.8	2.33	23.4	32.6	4,795	41.1	0.59	39.9	42.3
2004	159	22.8	2.08	18.9	27.2	4,866	41.3	0.59	40.2	42.5
2005	203	29.2	2.34	24.8	34.0	4,944	41.7	0.60	40.6	42.9
2006	190	25.5	2.13	21.5	29.9	4,943	41.5	0.59	40.3	42.7
2007	227	27.2	2.01	23.4	31.4	5,004	41.4	0.59	40.3	42.6
2008	233	27.6	2.05	23.7	31.9	5,233	42.7	0.60	41.6	43.9
2009	254	29.7	2.10	25.7	34.0	5,327	43.0	0.60	41.9	44.2
2010	253	25.9	1.84	22.4	29.7	5,082	40.4	0.58	39.3	41.5
2011	305	30.6	1.96	26.9	34.7	5,202	40.6	0.57	39.5	41.7
2012	307	28.7	1.81	25.3	32.4	5,226	40.3	0.57	39.2	41.4
2013	314	27.8	1.72	24.5	31.4	5,489	41.7	0.57	40.6	42.9
2014	355	31.8	1.85	28.3	35.6	5,521	41.2	0.57	40.1	42.4
2015	356	28.7	1.66	25.5	32.1	5,678	41.9	0.57	40.8	43.1
2016	352	27.3	1.57	24.3	30.5	5,565	40.9	0.56	39.8	42.0
2017	382	28.1	1.56	25.1	31.3	5,479	39.7	0.55	38.6	40.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	114,244	40.4	0.12	40.1	40.6	12,287	29.4	0.27	28.9	29.9
1990	3,029	32.8	0.60	31.6	34.0	221	19.1	1.32	16.6	21.8
1991	3,089	33.1	0.60	31.9	34.3	219	19.3	1.34	16.8	22.1
1992	3,188	33.7	0.60	32.6	34.9	251	21.7	1.41	19.0	24.6
1993	3,265	34.3	0.60	33.1	35.5	299	23.4	1.39	20.8	26.3
1994	3,380	35.3	0.61	34.2	36.6	295	23.8	1.42	21.1	26.7
1995	3,397	35.4	0.61	34.2	36.6	290	22.7	1.37	20.1	25.5
1996	3,589	37.5	0.63	36.2	38.7	330	25.7	1.45	22.9	28.6
1997	3,647	37.8	0.63	36.6	39.1	330	25.2	1.42	22.4	28.1
1998	3,616	37.3	0.62	36.1	38.5	336	25.0	1.39	22.4	27.9
1999	3,721	38.2	0.63	37.0	39.5	353	26.7	1.45	23.9	29.7
2000	3,887	39.8	0.64	38.6	41.1	406	29.4	1.49	26.5	32.4
2001	3,896	39.9	0.64	38.7	41.2	396	28.5	1.46	25.7	31.5
2002	4,187	42.6	0.66	41.3	43.9	428	30.6	1.51	27.7	33.7
2003	4,279	43.3	0.66	42.0	44.6	435	29.3	1.43	26.6	32.2
2004	4,358	43.8	0.67	42.5	45.1	421	28.3	1.41	25.6	31.2
2005	4,363	43.8	0.67	42.5	45.1	456	30.3	1.45	27.5	33.2
2006	4,348	43.5	0.67	42.2	44.8	485	31.7	1.47	28.9	34.7
2007	4,361	43.1	0.66	41.8	44.4	534	34.5	1.52	31.6	37.6
2008	4,557	44.5	0.67	43.2	45.9	576	36.1	1.53	33.1	39.2
2009	4,654	45.2	0.67	43.9	46.5	564	34.8	1.50	31.9	37.8
2010	4,436	42.5	0.65	41.2	43.8	513	31.0	1.40	28.3	33.9
2011	4,528	42.7	0.65	41.5	44.0	538	31.5	1.39	28.8	34.3
2012	4,561	42.6	0.65	41.4	43.9	543	31.5	1.38	28.8	34.3
2013	4,760	44.0	0.65	42.8	45.3	593	33.7	1.41	30.9	36.5
2014	4,729	43.2	0.64	41.9	44.5	642	35.5	1.43	32.7	38.4
2015	4,876	44.2	0.65	42.9	45.5	629	33.9	1.38	31.2	36.7
2016	4,793	43.3	0.64	42.0	44.6	630	34.3	1.40	31.6	37.1
2017	4,750	42.4	0.64	41.2	43.7	574	29.8	1.28	27.4	32.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,619	39.2	0.76	37.7	40.7	88,426	62.2	0.21	61.8	62.6
1990	41	32.0	5.84	21.6	45.1	2,260	52.9	1.15	50.7	55.2
1991	56	32.8	5.30	23.2	44.6	2,298	52.7	1.13	50.5	55.0
1992	53	32.4	5.25	22.9	44.0	2,364	53.7	1.13	51.5	55.9
1993	50	27.7	4.59	19.4	37.9	2,457	54.7	1.13	52.5	56.9
1994	66	37.3	5.48	27.3	49.2	2,483	55.2	1.13	53.0	57.4
1995	67	35.9	5.53	25.9	48.0	2,520	55.5	1.13	53.3	57.7
1996	59	33.0	5.35	23.3	44.7	2,694	58.6	1.15	56.4	60.9
1997	98	56.9	7.25	43.6	72.4	2,715	58.3	1.14	56.1	60.6
1998	97	45.7	5.73	35.1	58.0	2,721	58.2	1.13	56.0	60.4
1999	77	32.3	4.52	24.1	42.2	2,800	59.4	1.14	57.2	61.7
2000	93	36.9	4.51	28.6	46.6	2,941	61.7	1.15	59.5	64.0
2001	101	38.1	4.60	29.7	48.0	2,970	61.6	1.14	59.4	63.9
2002	94	33.7	4.09	26.1	42.4	3,249	67.2	1.19	64.9	69.6
2003	118	39.7	4.36	31.6	49.0	3,278	66.8	1.18	64.5	69.2
2004	109	36.1	4.14	28.5	45.0	3,321	66.8	1.17	64.5	69.1
2005	139	43.9	4.50	35.5	53.3	3,359	66.6	1.16	64.3	68.9
2006	115	33.7	3.76	26.8	41.8	3,331	65.5	1.15	63.2	67.8
2007	140	37.7	3.67	30.8	45.4	3,400	65.8	1.15	63.6	68.1
2008	149	38.6	3.80	31.5	46.6	3,594	68.3	1.16	66.1	70.7
2009	171	45.1	4.01	37.6	53.5	3,631	67.8	1.14	65.6	70.1
2010	167	36.3	3.29	30.1	43.2	3,499	64.3	1.11	62.1	66.5
2011	190	43.4	3.67	36.5	51.1	3,581	64.1	1.09	62.0	66.3
2012	194	39.7	3.27	33.6	46.6	3,591	63.1	1.08	61.0	65.2
2013	188	35.0	2.91	29.6	41.1	3,843	66.5	1.10	64.3	68.7
2014	231	45.2	3.37	38.9	52.2	3,846	65.3	1.08	63.2	67.5
2015	236	41.0	3.00	35.3	47.3	3,961	66.0	1.08	63.9	68.1
2016	251	42.1	2.98	36.5	48.3	3,886	64.7	1.07	62.6	66.8
2017	269	41.9	2.87	36.5	47.9	3,833	62.2	1.03	60.2	64.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	79,202	65.4	0.23	64.9	65.8	7,440	43.7	0.53	42.6	44.7
1990	2,121	56.3	1.26	53.8	58.8	123	26.0	2.53	21.3	31.4
1991	2,154	56.1	1.24	53.7	58.6	128	27.6	2.60	22.8	33.1
1992	2,186	56.4	1.23	54.0	58.8	153	33.6	2.91	28.1	39.7
1993	2,260	57.6	1.24	55.2	60.0	174	33.2	2.67	28.2	38.8
1994	2,288	58.1	1.24	55.7	60.6	161	32.3	2.72	27.2	38.0
1995	2,328	58.8	1.24	56.4	61.3	169	32.6	2.65	27.6	38.2
1996	2,470	61.8	1.26	59.4	64.4	188	35.0	2.69	29.9	40.6
1997	2,473	61.2	1.24	58.8	63.7	194	36.5	2.80	31.2	42.4
1998	2,485	61.4	1.24	59.0	63.9	194	35.2	2.67	30.2	40.8
1999	2,541	62.4	1.25	60.0	64.9	213	39.3	2.87	33.9	45.3
2000	2,654	64.7	1.26	62.2	67.2	234	42.2	2.93	36.7	48.3
2001	2,697	65.1	1.26	62.7	67.6	225	40.0	2.83	34.6	45.9
2002	2,945	71.0	1.32	68.4	73.6	254	46.3	3.10	40.4	52.7
2003	2,942	70.2	1.30	67.7	72.8	281	46.5	2.93	40.9	52.6
2004	3,004	70.8	1.30	68.2	73.4	258	43.2	2.86	37.8	49.1
2005	3,003	70.0	1.29	67.5	72.6	271	45.1	2.92	39.6	51.1
2006	2,967	68.8	1.27	66.3	71.3	285	47.1	2.97	41.5	53.3
2007	2,998	68.6	1.27	66.1	71.1	325	51.8	3.03	46.0	58.0
2008	3,184	71.7	1.29	69.2	74.2	336	51.0	2.92	45.4	57.0
2009	3,209	71.2	1.27	68.7	73.7	342	51.5	2.95	45.9	57.5
2010	3,087	67.5	1.24	65.1	70.0	322	46.8	2.74	41.6	52.5
2011	3,174	67.8	1.23	65.4	70.2	320	45.1	2.66	40.1	50.6
2012	3,183	67.0	1.21	64.7	69.5	327	46.0	2.67	40.9	51.5
2013	3,356	69.7	1.23	67.3	72.2	380	52.4	2.81	47.0	58.2
2014	3,313	67.9	1.21	65.5	70.3	419	56.1	2.86	50.6	61.9
2015	3,413	68.9	1.21	66.5	71.3	419	54.0	2.76	48.7	59.7
2016	3,403	68.6	1.21	66.3	71.1	383	50.3	2.68	45.2	55.8
2017	3,364	66.3	1.18	64.0	68.6	362	45.8	2.51	41.0	51.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,912	17.3	0.43	16.5	18.2	40,636	21.4	0.11	21.2	21.6
1990	28	14.8	3.12	9.4	22.0	1,014	16.6	0.53	15.6	17.7
1991	20	10.2	2.52	5.9	16.2	1,037	16.6	0.52	15.6	17.7
1992	24	11.4	2.54	7.0	17.4	1,110	17.6	0.54	16.6	18.7
1993	24	12.0	2.61	7.5	18.1	1,145	18.0	0.54	17.0	19.1
1994	31	15.1	2.92	9.9	21.7	1,234	19.1	0.55	18.1	20.3
1995	33	14.7	2.90	9.5	21.2	1,200	18.6	0.54	17.5	19.7
1996	39	17.3	3.06	11.8	24.1	1,278	19.9	0.56	18.8	21.0
1997	43	19.4	3.35	13.4	26.8	1,336	20.6	0.57	19.5	21.8
1998	42	14.8	2.53	10.3	20.5	1,294	20.0	0.56	18.9	21.1
1999	61	24.7	3.57	18.2	32.5	1,338	20.4	0.56	19.3	21.6
2000	48	14.1	2.30	10.0	19.3	1,419	21.6	0.58	20.5	22.8
2001	57	17.8	2.67	12.9	23.6	1,388	21.1	0.57	19.9	22.2
2002	55	17.3	2.58	12.7	23.0	1,443	21.7	0.58	20.6	22.8
2003	66	18.0	2.47	13.5	23.4	1,517	22.9	0.59	21.8	24.1
2004	50	12.0	1.90	8.6	16.3	1,545	23.1	0.59	21.9	24.3
2005	64	17.3	2.39	13.0	22.5	1,585	23.6	0.60	22.4	24.8
2006	75	18.7	2.42	14.3	23.9	1,612	23.9	0.60	22.7	25.1
2007	87	18.7	2.17	14.7	23.4	1,604	23.6	0.60	22.4	24.8
2008	84	18.8	2.22	14.7	23.6	1,639	23.8	0.60	22.6	25.0
2009	83	17.1	2.08	13.3	21.6	1,696	24.5	0.61	23.3	25.7
2010	86	16.8	2.01	13.1	21.2	1,583	22.4	0.58	21.3	23.6
2011	115	20.7	2.09	16.8	25.1	1,621	22.8	0.58	21.7	24.0
2012	113	19.6	1.98	15.9	23.8	1,635	22.7	0.58	21.6	23.9
2013	126	21.5	2.06	17.7	25.9	1,646	22.6	0.57	21.5	23.8
2014	124	20.7	1.98	17.0	24.9	1,675	22.6	0.57	21.5	23.7
2015	120	18.0	1.74	14.7	21.7	1,717	23.2	0.58	22.0	24.3
2016	101	14.5	1.53	11.7	17.8	1,679	22.3	0.56	21.2	23.5
2017	113	15.9	1.58	13.0	19.3	1,646	22.0	0.56	20.9	23.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	35,042	22.0	0.12	21.8	22.2	4,847	19.8	0.29	19.3	20.4
1990	908	17.1	0.58	16.0	18.3	98	14.4	1.48	11.7	17.6
1991	935	17.1	0.57	16.0	18.3	91	13.7	1.46	11.0	16.8
1992	1,002	18.3	0.59	17.2	19.5	98	14.2	1.45	11.5	17.3
1993	1,005	18.2	0.58	17.0	19.3	125	16.8	1.53	13.9	20.1
1994	1,092	19.5	0.60	18.4	20.8	134	18.2	1.59	15.2	21.5
1995	1,069	19.2	0.60	18.0	20.4	121	15.9	1.47	13.2	19.0
1996	1,119	20.3	0.62	19.1	21.5	142	18.8	1.60	15.8	22.2
1997	1,174	21.1	0.63	19.9	22.4	136	17.5	1.52	14.7	20.8
1998	1,131	20.4	0.62	19.2	21.7	142	18.0	1.53	15.2	21.3
1999	1,180	21.3	0.63	20.1	22.6	140	18.2	1.55	15.3	21.4
2000	1,233	22.1	0.64	20.9	23.4	172	21.0	1.62	18.0	24.4
2001	1,199	21.5	0.63	20.3	22.8	171	20.8	1.60	17.8	24.2
2002	1,242	22.1	0.64	20.8	23.3	174	20.8	1.59	17.8	24.1
2003	1,337	24.0	0.67	22.7	25.4	154	17.8	1.45	15.1	20.9
2004	1,354	24.1	0.67	22.8	25.4	163	18.6	1.47	15.8	21.7
2005	1,360	24.3	0.67	23.0	25.7	185	20.8	1.54	17.9	24.0
2006	1,381	24.5	0.67	23.2	25.9	200	22.1	1.58	19.1	25.4
2007	1,363	24.2	0.67	22.9	25.5	209	23.1	1.61	20.0	26.4
2008	1,373	24.0	0.66	22.8	25.4	240	25.8	1.68	22.6	29.3
2009	1,445	25.4	0.69	24.0	26.7	222	23.7	1.61	20.6	27.0
2010	1,349	23.3	0.65	22.0	24.6	191	19.9	1.46	17.1	22.9
2011	1,354	23.4	0.65	22.1	24.7	218	21.9	1.51	19.1	25.1
2012	1,378	23.4	0.65	22.1	24.7	216	21.8	1.50	18.9	24.9
2013	1,404	23.8	0.66	22.5	25.1	213	20.9	1.45	18.1	23.9
2014	1,416	23.7	0.65	22.4	25.0	223	21.1	1.44	18.4	24.1
2015	1,463	24.5	0.67	23.2	25.8	210	19.8	1.39	17.2	22.8
2016	1,390	23.0	0.65	21.8	24.3	247	23.2	1.50	20.3	26.3
2017	1,386	23.3	0.66	22.1	24.7	212	18.9	1.32	16.4	21.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,008	11.8	0.29	11.3	12.4	75,298	22.4	0.08	22.2	22.5
1990	35	12.8	2.37	8.6	18.1	2,165	20.5	0.44	19.6	21.3
1991	41	11.8	2.08	8.1	16.5	2,122	19.9	0.43	19.0	20.7
1992	39	10.5	1.84	7.2	14.7	2,212	20.4	0.44	19.5	21.2
1993	38	10.2	1.84	7.0	14.4	2,345	21.4	0.44	20.5	22.3
1994	45	12.4	2.06	8.7	16.9	2,372	21.5	0.44	20.6	22.4
1995	41	10.8	1.98	7.3	15.2	2,309	20.8	0.43	19.9	21.6
1996	42	11.2	1.94	7.7	15.5	2,557	22.9	0.45	22.0	23.8
1997	65	19.9	2.78	14.8	25.8	2,518	22.4	0.45	21.5	23.3
1998	64	14.7	2.11	10.9	19.3	2,503	22.1	0.44	21.2	23.0
1999	63	14.5	2.09	10.7	19.0	2,594	22.7	0.45	21.9	23.6
2000	59	10.9	1.60	8.0	14.5	2,703	23.6	0.45	22.7	24.5
2001	74	15.6	2.05	11.9	20.1	2,615	22.7	0.44	21.8	23.6
2002	65	13.1	1.82	9.8	17.1	2,810	24.2	0.46	23.3	25.1
2003	78	13.2	1.68	10.1	16.8	2,840	24.3	0.46	23.4	25.2
2004	65	11.5	1.60	8.6	15.0	2,809	23.8	0.45	22.9	24.7
2005	81	13.6	1.68	10.5	17.2	2,896	24.4	0.45	23.5	25.3
2006	58	9.9	1.45	7.3	13.1	2,720	22.8	0.44	21.9	23.7
2007	77	10.8	1.37	8.3	13.8	2,781	23.0	0.44	22.1	23.8
2008	72	10.9	1.42	8.3	14.0	2,939	24.0	0.45	23.1	24.9
2009	83	11.8	1.40	9.2	14.8	2,972	23.9	0.44	23.0	24.8
2010	88	11.1	1.31	8.7	13.9	2,829	22.4	0.43	21.5	23.2
2011	95	12.0	1.33	9.6	14.9	2,857	22.2	0.42	21.4	23.1
2012	101	12.1	1.30	9.7	14.9	2,806	21.5	0.41	20.7	22.4
2013	94	9.5	1.06	7.5	11.8	3,057	23.1	0.42	22.3	23.9
2014	120	13.3	1.29	10.9	16.0	2,941	21.8	0.41	21.0	22.6
2015	117	11.6	1.15	9.4	14.0	3,088	22.5	0.41	21.7	23.3
2016	102	10.1	1.05	8.1	12.3	2,980	21.6	0.40	20.8	22.4
2017	106	9.2	0.95	7.4	11.2	2,958	21.0	0.39	20.2	21.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	69,016	24.1	0.09	23.9	24.3	4,880	12.4	0.18	12.0	12.7
1990	2,043	21.9	0.49	21.0	22.9	107	9.7	0.97	7.9	11.8
1991	1,997	21.2	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2
1992	2,065	21.7	0.48	20.7	22.6	125	11.3	1.04	9.4	13.5
1993	2,190	22.8	0.49	21.9	23.8	139	11.7	1.02	9.8	13.8
1994	2,209	22.9	0.49	21.9	23.9	140	11.9	1.03	10.0	14.1
1995	2,151	22.2	0.48	21.3	23.2	135	11.1	0.98	9.3	13.2
1996	2,366	24.4	0.50	23.5	25.4	154	12.9	1.06	10.9	15.1
1997	2,326	23.9	0.50	22.9	24.9	148	12.3	1.04	10.4	14.5
1998	2,307	23.6	0.49	22.6	24.6	155	12.1	0.99	10.3	14.2
1999	2,394	24.4	0.50	23.4	25.4	160	13.0	1.05	11.0	15.2
2000	2,495	25.4	0.51	24.4	26.4	174	13.2	1.02	11.3	15.4
2001	2,416	24.5	0.50	23.6	25.5	162	12.5	1.00	10.6	14.6
2002	2,592	26.1	0.51	25.1	27.1	176	13.5	1.04	11.6	15.7
2003	2,635	26.4	0.52	25.4	27.5	155	11.2	0.91	9.5	13.1
2004	2,584	25.8	0.51	24.8	26.8	163	11.5	0.92	9.8	13.5
2005	2,644	26.3	0.51	25.3	27.3	178	12.5	0.96	10.7	14.5
2006	2,484	24.6	0.50	23.7	25.6	175	12.5	0.96	10.7	14.5
2007	2,522	24.7	0.50	23.7	25.7	194	13.2	0.96	11.3	15.2
2008	2,647	25.6	0.50	24.6	26.6	235	15.7	1.04	13.7	17.8
2009	2,687	25.7	0.50	24.7	26.7	226	14.8	1.00	12.9	16.9
2010	2,576	24.3	0.49	23.4	25.3	188	12.1	0.90	10.4	14.0
2011	2,597	24.2	0.48	23.3	25.2	195	12.1	0.88	10.4	13.9
2012	2,564	23.6	0.48	22.7	24.6	186	11.5	0.86	9.9	13.3
2013	2,744	25.0	0.49	24.1	26.0	240	14.3	0.94	12.5	16.3
2014	2,627	23.6	0.47	22.7	24.6	237	13.4	0.89	11.7	15.2
2015	2,788	24.6	0.48	23.7	25.6	210	11.9	0.84	10.3	13.7
2016	2,679	23.7	0.47	22.7	24.6	224	12.4	0.85	10.8	14.1
2017	2,687	23.3	0.46	22.4	24.2	190	10.2	0.75	8.7	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,443	19.1	0.57	18.0	20.3	55,623	39.9	0.17	39.6	40.2
1990	27	22.2	4.85	13.7	33.3	1,604	38.0	0.98	36.1	39.9
1991	32	21.3	4.58	13.3	31.8	1,555	36.2	0.95	34.4	38.1
1992	32	19.2	3.80	12.5	27.9	1,613	37.2	0.95	35.3	39.1
1993	25	14.6	3.36	8.8	22.5	1,716	38.7	0.96	36.9	40.6
1994	32	19.5	4.11	12.3	28.8	1,674	37.6	0.94	35.8	39.5
1995	30	17.0	3.92	10.2	26.0	1,692	37.8	0.94	36.0	39.7
1996	28	16.3	3.79	9.7	25.0	1,845	40.7	0.97	38.9	42.7
1997	49	35.5	6.04	24.6	48.7	1,825	39.8	0.94	37.9	41.7
1998	47	25.3	4.38	17.5	35.0	1,834	39.7	0.94	37.9	41.6
1999	39	18.6	3.58	12.2	26.6	1,889	40.6	0.95	38.8	42.5
2000	42	18.7	3.41	12.6	26.4	1,957	41.7	0.95	39.9	43.6
2001	50	24.3	4.01	17.1	33.2	1,926	40.7	0.94	38.9	42.6
2002	47	21.1	3.50	14.9	28.9	2,090	44.1	0.98	42.3	46.1
2003	55	20.7	3.32	14.7	28.0	2,058	42.8	0.95	41.0	44.7
2004	50	20.4	3.33	14.4	27.7	2,098	43.1	0.95	41.2	45.0
2005	60	23.3	3.55	16.8	31.0	2,121	42.8	0.94	41.0	44.7
2006	38	15.1	2.79	10.1	21.3	1,976	39.8	0.91	38.1	41.6
2007	56	18.0	2.74	13.1	24.0	2,056	40.7	0.91	39.0	42.6
2008	52	18.3	2.94	13.0	24.7	2,179	42.5	0.92	40.7	44.4
2009	60	19.9	2.85	14.8	26.1	2,243	42.9	0.92	41.1	44.7
2010	61	17.1	2.48	12.6	22.5	2,135	40.1	0.88	38.4	41.9
2011	67	19.7	2.65	14.9	25.4	2,120	38.9	0.86	37.2	40.6
2012	72	19.7	2.56	15.0	25.2	2,094	37.7	0.84	36.1	39.4
2013	59	12.1	1.75	8.9	15.9	2,321	40.9	0.87	39.3	42.7
2014	86	21.4	2.51	16.7	26.7	2,213	38.2	0.83	36.6	39.9
2015	84	18.2	2.19	14.2	22.9	2,299	38.8	0.83	37.2	40.5
2016	81	17.9	2.14	14.0	22.5	2,226	37.5	0.81	35.9	39.1
2017	82	15.4	1.89	11.9	19.5	2,264	37.2	0.80	35.6	38.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	51,517	43.0	0.19	42.7	43.4	3,059	19.7	0.37	18.9	20.4
1990	1,536	41.0	1.08	38.9	43.2	57	13.0	1.87	9.6	17.1
1991	1,482	39.1	1.05	37.0	41.2	62	14.4	1.93	10.8	18.6
1992	1,520	39.6	1.04	37.6	41.7	74	17.4	2.18	13.4	22.1
1993	1,620	41.6	1.06	39.6	43.7	87	17.9	2.03	14.2	22.3
1994	1,577	40.3	1.04	38.3	42.4	79	17.1	2.05	13.3	21.5
1995	1,597	40.8	1.04	38.8	42.9	79	16.3	1.93	12.7	20.4
1996	1,738	43.9	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2
1997	1,702	42.4	1.04	40.4	44.5	91	19.6	2.19	15.5	24.3
1998	1,704	42.4	1.04	40.4	44.5	101	19.1	2.01	15.4	23.4
1999	1,761	43.5	1.05	41.5	45.6	95	20.0	2.19	16.0	24.7
2000	1,822	44.8	1.06	42.8	46.9	107	20.8	2.14	16.9	25.4
2001	1,806	44.1	1.04	42.1	46.2	92	18.2	2.01	14.4	22.4
2002	1,965	48.0	1.09	45.9	50.2	97	20.0	2.15	16.0	24.5
2003	1,918	46.3	1.07	44.3	48.5	104	18.8	1.96	15.1	23.0
2004	1,947	46.5	1.06	44.5	48.7	107	19.2	1.99	15.5	23.5
2005	1,966	46.4	1.05	44.3	48.5	106	19.4	2.00	15.6	23.6
2006	1,820	42.8	1.01	40.9	44.8	110	21.1	2.13	17.2	25.6
2007	1,885	43.8	1.02	41.8	45.8	123	21.1	2.03	17.3	25.4
2008	1,995	45.7	1.03	43.6	47.7	142	23.4	2.07	19.6	27.8
2009	2,050	46.0	1.03	44.0	48.1	149	24.7	2.15	20.7	29.2
2010	1,958	43.4	1.00	41.4	45.4	125	19.8	1.86	16.4	23.8
2011	1,950	42.3	0.97	40.4	44.3	123	19.5	1.86	16.0	23.4
2012	1,943	41.5	0.96	39.7	43.5	110	16.8	1.69	13.7	20.4
2013	2,099	44.1	0.98	42.2	46.0	161	24.6	2.02	20.8	28.9
2014	1,989	41.1	0.94	39.3	43.0	161	22.4	1.86	19.0	26.4
2015	2,080	42.0	0.94	40.2	43.9	147	21.0	1.82	17.6	24.9
2016	2,019	40.9	0.93	39.1	42.8	155	21.5	1.81	18.1	25.4
2017	2,068	40.8	0.92	39.0	42.6	134	18.3	1.65	15.2	21.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	565	6.0	0.27	5.5	6.6	19,675	10.1	0.07	9.9	10.2
1990	8	5.7	2.18	2.3	11.2	561	9.0	0.39	8.3	9.8
1991	9	4.7	1.65	2.1	9.0	567	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	599	9.3	0.38	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	629	9.7	0.39	9.0	10.5
1994	13	6.7	2.02	3.4	11.7	698	10.6	0.41	9.8	11.4
1995	11	5.9	1.98	2.7	10.8	617	9.3	0.38	8.6	10.1
1996	14	7.4	2.07	3.9	12.3	712	10.7	0.41	10.0	11.6
1997	16	9.0	2.41	4.9	14.6	693	10.5	0.40	9.7	11.3
1998	17	6.5	1.80	3.5	10.9	669	10.1	0.39	9.3	10.9
1999	24	10.9	2.47	6.6	16.6	705	10.5	0.40	9.7	11.3
2000	17	4.9	1.23	2.7	7.9	746	11.1	0.41	10.3	12.0
2001	24	8.9	2.02	5.4	13.5	689	10.2	0.39	9.4	11.0
2002	18	6.5	1.72	3.6	10.5	720	10.5	0.40	9.7	11.3
2003	23	7.2	1.64	4.3	11.0	782	11.6	0.42	10.8	12.4
2004	15	4.5	1.29	2.3	7.6	711	10.3	0.39	9.6	11.1
2005	21	6.3	1.45	3.8	9.7	775	11.2	0.41	10.4	12.1
2006	20	6.0	1.47	3.5	9.4	744	10.8	0.40	10.0	11.6
2007	21	5.1	1.21	3.0	7.9	725	10.3	0.39	9.6	11.1
2008	20	5.4	1.28	3.2	8.4	760	10.7	0.40	10.0	11.5
2009	23	5.4	1.23	3.3	8.3	729	10.2	0.38	9.5	11.0
2010	27	6.2	1.32	3.9	9.2	694	9.4	0.36	8.7	10.2
2011	28	6.1	1.23	3.9	8.9	737	10.1	0.38	9.4	10.9
2012	29	6.2	1.22	4.1	9.0	712	9.6	0.37	8.9	10.3
2013	35	7.1	1.26	4.9	10.0	736	9.7	0.37	9.0	10.5
2014	34	6.8	1.23	4.7	9.6	728	9.5	0.36	8.9	10.3
2015	33	6.1	1.11	4.1	8.6	789	10.2	0.37	9.5	10.9
2016	21	3.8	0.86	2.3	5.8	754	9.5	0.36	8.8	10.2
2017	24	4.0	0.84	2.5	5.9	694	8.8	0.34	8.1	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Urinary Bladder (incl in situ)										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	17,499	10.6	0.08	10.4	10.8	1,821	7.7	0.18	7.4	8.1
1990	507	9.3	0.42	8.5	10.2	50	7.6	1.09	5.6	10.1
1991	515	9.2	0.41	8.4	10.0	47	7.4	1.09	5.4	9.8
1992	545	9.7	0.42	8.9	10.6	51	7.7	1.09	5.7	10.1
1993	570	10.1	0.43	9.2	11.0	52	7.4	1.05	5.5	9.8
1994	632	11.0	0.45	10.2	11.9	61	8.6	1.12	6.6	11.1
1995	554	9.7	0.42	8.9	10.5	56	7.6	1.03	5.7	9.9
1996	628	11.0	0.45	10.1	11.9	73	10.3	1.21	8.0	12.9
1997	624	10.9	0.45	10.1	11.9	57	7.8	1.04	5.9	10.1
1998	603	10.6	0.44	9.8	11.5	54	7.3	1.00	5.5	9.5
1999	633	11.0	0.45	10.2	11.9	65	8.7	1.09	6.7	11.1
2000	673	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	610	10.6	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	627	10.7	0.44	9.9	11.6	79	9.8	1.11	7.8	12.3
2003	717	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	637	10.9	0.44	10.1	11.8	56	6.7	0.90	5.0	8.6
2005	678	11.7	0.46	10.8	12.6	72	8.4	1.00	6.6	10.6
2006	664	11.5	0.46	10.6	12.4	65	7.5	0.94	5.8	9.6
2007	637	10.8	0.44	10.0	11.7	71	8.2	0.98	6.4	10.3
2008	652	11.0	0.44	10.2	11.9	93	10.5	1.10	8.5	12.9
2009	637	10.7	0.43	9.9	11.6	77	8.6	0.98	6.7	10.7
2010	618	10.1	0.42	9.3	10.9	63	6.9	0.87	5.3	8.8
2011	647	10.8	0.44	9.9	11.7	72	7.5	0.89	5.8	9.4
2012	621	10.1	0.41	9.3	10.9	76	8.1	0.94	6.4	10.1
2013	645	10.4	0.42	9.6	11.3	79	7.9	0.90	6.2	9.9
2014	638	10.3	0.42	9.5	11.2	76	7.3	0.85	5.8	9.2
2015	708	11.2	0.43	10.3	12.0	63	6.1	0.78	4.7	7.8
2016	660	10.3	0.42	9.5	11.1	69	6.4	0.78	4.9	8.1
2017	619	9.7	0.40	8.9	10.6	56	4.9	0.67	3.7	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,417	14.8	0.28	14.2	15.3	50,653	15.2	0.07	15.1	15.3
1990	33	8.6	1.70	5.6	12.5	1,006	9.7	0.31	9.1	10.3
1991	31	6.8	1.33	4.5	9.9	1,107	10.5	0.32	9.9	11.1
1992	36	9.0	1.69	5.9	12.8	1,172	10.9	0.32	10.3	11.6
1993	32	7.9	1.56	5.2	11.5	1,167	10.7	0.32	10.1	11.4
1994	49	11.9	1.91	8.4	16.1	1,240	11.4	0.32	10.7	12.0
1995	59	13.1	2.01	9.5	17.6	1,313	11.9	0.33	11.3	12.6
1996	53	11.3	1.82	8.0	15.3	1,334	12.2	0.33	11.5	12.8
1997	73	14.4	2.04	10.7	18.9	1,436	13.0	0.34	12.3	13.7
1998	68	12.0	1.70	8.9	15.7	1,412	12.6	0.34	12.0	13.3
1999	69	12.7	1.82	9.3	16.7	1,457	12.9	0.34	12.3	13.6
2000	79	12.7	1.66	9.7	16.3	1,553	13.7	0.35	13.0	14.4
2001	81	10.5	1.33	8.1	13.5	1,650	14.5	0.36	13.8	15.2
2002	80	11.2	1.41	8.6	14.2	1,773	15.4	0.37	14.7	16.1
2003	101	13.9	1.58	11.0	17.3	1,851	15.9	0.37	15.2	16.7
2004	93	11.2	1.32	8.7	14.0	1,953	16.6	0.38	15.9	17.4
2005	120	15.3	1.61	12.3	18.8	1,937	16.4	0.38	15.7	17.2
2006	130	15.3	1.54	12.4	18.6	2,100	17.7	0.39	16.9	18.5
2007	145	15.7	1.45	13.0	18.8	2,101	17.5	0.38	16.7	18.2
2008	158	16.3	1.45	13.6	19.4	2,172	17.8	0.39	17.0	18.5
2009	168	17.4	1.52	14.5	20.6	2,232	18.1	0.39	17.4	18.9
2010	163	14.5	1.27	12.1	17.2	2,118	16.9	0.37	16.2	17.7
2011	208	18.4	1.43	15.7	21.4	2,217	17.4	0.38	16.6	18.1
2012	199	15.8	1.22	13.5	18.4	2,294	17.7	0.38	17.0	18.5
2013	214	17.7	1.34	15.2	20.5	2,321	17.8	0.38	17.1	18.5
2014	229	18.0	1.30	15.6	20.7	2,443	18.4	0.38	17.7	19.2
2015	230	16.3	1.15	14.1	18.7	2,471	18.6	0.39	17.8	19.4
2016	245	16.8	1.16	14.6	19.2	2,448	18.3	0.38	17.6	19.1
2017	271	18.4	1.21	16.1	20.9	2,375	17.6	0.37	16.9	18.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	42,462	15.3	0.07	15.1	15.4	7,130	16.3	0.20	16.0	16.7
1990	894	9.9	0.34	9.3	10.6	104	8.4	0.84	6.8	10.2
1991	997	10.9	0.35	10.2	11.6	101	8.4	0.86	6.8	10.2
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8
1993	995	10.6	0.34	10.0	11.3	150	10.8	0.91	9.1	12.7
1994	1,076	11.5	0.35	10.8	12.2	147	11.2	0.95	9.4	13.2
1995	1,154	12.2	0.36	11.5	12.9	150	11.2	0.94	9.4	13.2
1996	1,150	12.3	0.36	11.6	13.0	169	12.3	0.97	10.5	14.3
1997	1,232	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3
1998	1,216	12.8	0.37	12.1	13.5	178	12.7	0.97	10.8	14.7
1999	1,254	13.1	0.37	12.4	13.9	183	13.0	0.98	11.1	15.0
2000	1,300	13.6	0.38	12.8	14.3	220	15.2	1.04	13.2	17.3
2001	1,395	14.5	0.39	13.8	15.3	227	15.4	1.04	13.5	17.6
2002	1,493	15.5	0.40	14.7	16.3	245	16.6	1.08	14.6	18.9
2003	1,555	16.0	0.41	15.2	16.8	267	17.3	1.08	15.3	19.5
2004	1,690	17.2	0.42	16.4	18.0	240	15.5	1.01	13.5	17.6
2005	1,618	16.5	0.41	15.7	17.4	272	17.4	1.08	15.4	19.6
2006	1,756	17.8	0.43	17.0	18.7	297	18.3	1.08	16.3	20.6
2007	1,734	17.4	0.42	16.6	18.3	324	20.2	1.14	18.1	22.6
2008	1,797	17.8	0.43	17.0	18.7	334	20.0	1.12	17.9	22.3
2009	1,858	18.4	0.44	17.6	19.3	326	19.2	1.08	17.1	21.4
2010	1,740	17.0	0.42	16.2	17.9	314	18.1	1.05	16.1	20.3
2011	1,818	17.5	0.42	16.7	18.3	335	18.9	1.06	16.9	21.1
2012	1,883	17.9	0.42	17.1	18.8	347	19.3	1.06	17.3	21.5
2013	1,918	18.1	0.43	17.3	19.0	340	18.6	1.03	16.6	20.7
2014	1,983	18.5	0.43	17.7	19.4	394	21.5	1.11	19.4	23.7
2015	1,985	18.7	0.44	17.8	19.6	408	21.3	1.08	19.2	23.5
2016	1,994	18.5	0.43	17.7	19.4	392	21.2	1.09	19.1	23.4
2017	1,937	18.1	0.43	17.3	19.0	370	18.9	1.01	17.0	21.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,113	19.3	0.49	18.4	20.3	30,899	20.9	0.12	20.7	21.2
1990	13	8.3	2.86	3.7	15.5	596	13.6	0.57	12.5	14.7
1991	23	11.1	2.63	6.6	17.5	682	15.1	0.59	13.9	16.3
1992	20	11.4	3.14	6.1	19.0	695	15.2	0.59	14.1	16.4
1993	22	11.4	2.97	6.4	18.6	690	14.8	0.57	13.7	16.0
1994	31	16.3	3.51	10.1	24.4	750	16.1	0.60	15.0	17.4
1995	37	18.8	3.91	12.0	27.7	765	16.3	0.60	15.1	17.5
1996	29	14.5	3.39	8.6	22.3	801	16.8	0.60	15.6	18.0
1997	49	21.4	4.01	14.3	30.4	824	17.1	0.60	16.0	18.4
1998	46	18.2	3.43	12.1	26.0	825	17.2	0.60	16.0	18.4
1999	34	12.2	2.64	7.6	18.4	857	17.6	0.61	16.5	18.9
2000	48	16.5	2.77	11.5	22.7	927	18.8	0.62	17.6	20.0
2001	50	13.2	2.15	9.3	18.1	987	19.7	0.63	18.5	21.0
2002	45	12.0	2.07	8.3	16.7	1,089	21.6	0.66	20.3	22.9
2003	60	18.1	2.78	13.1	24.3	1,155	22.7	0.67	21.4	24.0
2004	59	15.8	2.46	11.3	21.2	1,164	22.5	0.67	21.2	23.8
2005	77	20.0	2.72	15.0	25.9	1,169	22.3	0.66	21.1	23.7
2006	76	18.5	2.52	13.9	24.0	1,281	24.2	0.68	22.9	25.6
2007	79	18.3	2.37	14.0	23.5	1,272	23.6	0.67	22.3	25.0
2008	95	19.6	2.35	15.3	24.7	1,341	24.3	0.68	23.0	25.7
2009	111	25.2	2.82	20.0	31.2	1,314	23.5	0.66	22.2	24.8
2010	105	19.0	2.16	15.0	23.7	1,283	22.6	0.65	21.4	23.9
2011	122	23.6	2.54	18.8	29.0	1,373	23.6	0.65	22.3	24.9
2012	117	19.1	1.98	15.4	23.3	1,420	23.9	0.65	22.7	25.2
2013	127	22.5	2.29	18.2	27.3	1,451	24.2	0.65	23.0	25.6
2014	141	23.2	2.23	19.0	27.9	1,557	25.8	0.67	24.5	27.1
2015	148	21.7	1.98	18.0	25.9	1,585	25.8	0.67	24.5	27.1
2016	166	23.4	2.03	19.6	27.7	1,563	25.5	0.67	24.2	26.8
2017	183	25.6	2.10	21.7	30.0	1,483	23.7	0.64	22.4	24.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	25,950	20.9	0.13	20.6	21.1	4,251	23.2	0.37	22.5	23.9
1990	527	13.8	0.61	12.6	15.1	64	12.4	1.63	9.4	16.0
1991	616	15.6	0.64	14.3	16.9	62	12.6	1.70	9.5	16.3
1992	616	15.5	0.63	14.3	16.8	74	15.0	1.85	11.6	19.0
1993	594	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6
1994	655	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8
1995	672	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6
1996	686	16.7	0.64	15.5	18.0	105	18.4	1.89	14.9	22.5
1997	709	17.3	0.65	16.0	18.6	100	16.2	1.69	13.1	19.9
1998	722	17.5	0.66	16.3	18.9	91	15.7	1.73	12.5	19.4
1999	732	17.7	0.66	16.4	19.0	114	18.5	1.80	15.1	22.3
2000	780	18.6	0.67	17.3	19.9	122	20.2	1.92	16.6	24.3
2001	839	19.8	0.69	18.4	21.2	129	20.8	1.92	17.2	24.9
2002	912	21.3	0.71	20.0	22.8	155	26.0	2.22	21.9	30.7
2003	968	22.5	0.73	21.1	24.0	169	26.5	2.13	22.5	31.0
2004	1,007	23.0	0.73	21.6	24.5	144	22.5	1.97	18.8	26.7
2005	972	22.1	0.72	20.7	23.5	163	25.3	2.11	21.4	29.8
2006	1,079	24.3	0.75	22.9	25.9	169	24.9	2.01	21.1	29.2
2007	1,050	23.3	0.73	21.9	24.8	194	29.3	2.19	25.2	33.9
2008	1,120	24.4	0.74	23.0	25.9	191	27.2	2.05	23.4	31.5
2009	1,090	23.6	0.73	22.2	25.1	189	25.9	1.97	22.2	30.1
2010	1,058	22.6	0.71	21.2	24.0	190	25.7	1.95	22.0	29.8
2011	1,143	23.8	0.72	22.4	25.2	193	25.1	1.89	21.6	29.1
2012	1,172	24.0	0.72	22.6	25.5	209	27.8	2.01	24.0	32.0
2013	1,189	24.2	0.72	22.8	25.6	216	27.4	1.94	23.7	31.5
2014	1,259	25.4	0.74	24.0	26.9	252	32.9	2.16	28.8	37.4
2015	1,263	25.4	0.74	24.0	26.9	266	32.0	2.04	28.2	36.3
2016	1,298	26.0	0.75	24.5	27.5	219	27.6	1.94	23.9	31.7
2017	1,222	24.0	0.72	22.7	25.5	221	26.7	1.87	23.2	30.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,304	10.8	0.33	10.2	11.5	19,754	10.7	0.08	10.5	10.9
1990	20	9.2	2.23	5.3	14.5	410	6.9	0.35	6.3	7.6
1991	8	3.0	1.16	1.2	6.2	425	7.0	0.35	6.4	7.7
1992	16	7.3	1.96	4.0	12.1	477	7.8	0.36	7.1	8.6
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4
1994	18	8.3	2.11	4.7	13.4	490	7.8	0.36	7.1	8.6
1995	22	8.7	2.12	5.1	13.7	548	8.7	0.38	8.0	9.5
1996	24	9.1	2.08	5.5	14.0	533	8.6	0.38	7.9	9.4
1997	24	8.9	2.12	5.3	13.9	612	9.7	0.39	8.9	10.5
1998	22	7.2	1.65	4.3	11.1	587	9.3	0.39	8.6	10.1
1999	35	12.8	2.46	8.4	18.3	600	9.4	0.39	8.7	10.2
2000	31	9.3	1.94	5.9	13.8	626	9.8	0.40	9.0	10.6
2001	31	8.0	1.61	5.2	11.7	663	10.3	0.41	9.6	11.2
2002	35	10.2	1.87	6.9	14.4	684	10.6	0.41	9.8	11.5
2003	41	10.3	1.80	7.1	14.4	696	10.8	0.41	10.0	11.7
2004	34	7.3	1.38	4.9	10.5	789	12.1	0.43	11.3	13.0
2005	43	11.1	1.89	7.7	15.3	768	11.8	0.43	10.9	12.6
2006	54	12.3	1.88	8.9	16.5	819	12.4	0.44	11.5	13.3
2007	66	13.6	1.81	10.3	17.6	829	12.5	0.44	11.7	13.4
2008	63	13.2	1.80	9.9	17.1	831	12.4	0.44	11.6	13.3
2009	57	10.8	1.58	7.9	14.3	918	13.7	0.46	12.8	14.6
2010	58	10.2	1.48	7.5	13.5	835	12.3	0.43	11.4	13.1
2011	86	14.4	1.68	11.3	18.1	844	12.1	0.43	11.3	13.0
2012	82	12.8	1.51	10.0	16.1	874	12.5	0.43	11.7	13.4
2013	87	13.8	1.59	10.8	17.2	870	12.3	0.43	11.5	13.2
2014	88	13.5	1.53	10.7	16.8	886	12.2	0.42	11.4	13.1
2015	82	11.2	1.30	8.8	14.0	886	12.5	0.43	11.6	13.4
2016	79	10.6	1.26	8.3	13.3	885	12.3	0.43	11.4	13.1
2017	88	11.7	1.32	9.3	14.5	892	12.5	0.44	11.7	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kidney and Renal Pelvis										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	16,512	10.8	0.09	10.6	11.0	2,879	11.5	0.22	11.1	11.9
1990	367	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6
1991	381	7.3	0.38	6.5	8.0	39	5.6	0.91	3.9	7.6
1992	424	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6
1993	401	7.5	0.38	6.8	8.3	68	8.6	1.06	6.7	10.9
1994	421	7.8	0.39	7.1	8.6	66	8.5	1.07	6.6	10.9
1995	482	8.9	0.41	8.1	9.8	63	8.0	1.02	6.2	10.3
1996	464	8.8	0.42	8.0	9.7	64	8.0	1.01	6.1	10.2
1997	523	9.7	0.43	8.8	10.6	75	9.2	1.08	7.3	11.6
1998	494	9.3	0.42	8.5	10.1	87	10.6	1.15	8.5	13.1
1999	522	9.8	0.44	9.0	10.7	69	8.7	1.06	6.7	11.0
2000	520	9.7	0.43	8.8	10.6	98	11.6	1.19	9.4	14.2
2001	556	10.3	0.45	9.5	11.3	98	11.6	1.18	9.4	14.1
2002	581	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8
2003	587	10.9	0.46	10.1	11.9	98	11.0	1.12	8.9	13.4
2004	683	12.6	0.49	11.7	13.6	96	10.7	1.10	8.6	13.0
2005	646	12.1	0.48	11.1	13.1	109	12.0	1.16	9.8	14.5
2006	677	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4
2007	684	12.7	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6
2008	677	12.3	0.48	11.4	13.3	143	14.9	1.25	12.5	17.5
2009	768	14.0	0.52	13.0	15.1	137	14.3	1.23	11.9	16.9
2010	682	12.4	0.49	11.4	13.4	124	12.6	1.15	10.4	15.0
2011	675	12.1	0.48	11.2	13.1	142	14.1	1.20	11.8	16.6
2012	711	12.6	0.49	11.6	13.6	138	13.5	1.17	11.3	16.0
2013	729	12.9	0.50	12.0	13.9	124	12.0	1.10	10.0	14.4
2014	724	12.5	0.48	11.6	13.5	142	13.3	1.14	11.2	15.7
2015	722	12.9	0.50	11.9	13.9	142	13.3	1.13	11.1	15.7
2016	696	12.2	0.48	11.2	13.2	173	16.4	1.27	14.0	19.1
2017	715	12.8	0.51	11.9	13.9	149	13.3	1.11	11.2	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	69	0.4	0.06	0.3	0.6	2,180	0.7	0.01	0.6	0.7
1990	0					75	0.7	0.08	0.5	0.9
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9
1995	0					79	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	1.1	78	0.7	0.08	0.5	0.9
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9
2003	2	0.3	0.23	0.0	1.1	74	0.6	0.07	0.5	0.8
2004	1	0.1	0.12	0.0	0.7	68	0.6	0.07	0.5	0.7
2005	2	0.3	0.20	0.0	1.0	80	0.7	0.08	0.5	0.9
2006	2	0.3	0.23	0.0	1.1	95	0.8	0.08	0.7	1.0
2007	3	0.3	0.18	0.1	0.9	87	0.7	0.08	0.6	0.9
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9
2010	1	0.1	0.08	0.0	0.5	89	0.7	0.08	0.6	0.9
2011	2	0.2	0.12	0.0	0.6	87	0.7	0.07	0.5	0.8
2012	6	0.7	0.30	0.2	1.5	82	0.6	0.07	0.5	0.8
2013	4	0.5	0.25	0.1	1.2	64	0.5	0.06	0.4	0.6
2014	5	0.4	0.21	0.1	1.0	99	0.8	0.08	0.6	0.9
2015	5	0.6	0.27	0.2	1.3	81	0.6	0.07	0.5	0.8
2016	3	0.3	0.17	0.1	0.8	86	0.6	0.07	0.5	0.8
2017	3	0.4	0.22	0.1	1.0	89	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,033	0.7	0.02	0.7	0.7	99	0.3	0.03	0.2	0.3
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6
1997	69	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6
1998	74	0.7	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8
2000	72	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0
2001	65	0.7	0.08	0.5	0.8	0				
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7
2004	61	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4
2006	85	0.9	0.09	0.7	1.1	8	0.6	0.22	0.3	1.2
2007	81	0.8	0.09	0.6	1.0	5	0.3	0.15	0.1	0.8
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2010	82	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2011	78	0.7	0.08	0.6	0.9	4	0.3	0.13	0.1	0.6
2012	76	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7
2013	62	0.6	0.07	0.4	0.8	2	0.1	0.08	0.0	0.4
2014	89	0.8	0.09	0.7	1.0	4	0.2	0.12	0.1	0.6
2015	73	0.7	0.08	0.5	0.8	5	0.3	0.15	0.1	0.7
2016	77	0.7	0.08	0.5	0.9	7	0.4	0.13	0.1	0.7
2017	80	0.7	0.08	0.6	0.9	6	0.3	0.14	0.1	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	39	0.5	0.09	0.4	0.7	1,314	1.0	0.03	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4
2003	1	0.5	0.45	0.0	2.2	46	0.9	0.14	0.7	1.2
2004	0					41	0.8	0.13	0.6	1.1
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4
2007	3	0.6	0.36	0.1	1.9	51	1.1	0.15	0.8	1.4
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1
2009	0					51	1.0	0.14	0.7	1.3
2010	1	0.2	0.16	0.0	1.1	52	1.0	0.14	0.7	1.3
2011	1	0.1	0.13	0.0	0.9	56	1.0	0.13	0.7	1.3
2012	4	0.9	0.48	0.2	2.3	48	0.9	0.13	0.7	1.2
2013	2	0.5	0.38	0.0	1.7	41	0.8	0.12	0.5	1.0
2014	3	0.6	0.34	0.1	1.6	51	0.9	0.13	0.7	1.2
2015	3	0.9	0.53	0.2	2.4	54	1.0	0.14	0.7	1.3
2016	2	0.5	0.39	0.1	1.7	57	1.0	0.13	0.7	1.3
2017	2	0.6	0.42	0.1	1.8	51	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,231	1.0	0.03	1.0	1.1	54	0.3	0.05	0.3	0.4
1990	45	1.1	0.17	0.8	1.5	0				
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3
1994	45	1.2	0.18	0.8	1.6	0				
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0
1997	47	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6
1998	47	1.2	0.17	0.9	1.6	1	0.2	0.16	0.0	0.9
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0
2001	38	0.9	0.15	0.6	1.3	0				
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8
2007	47	1.1	0.17	0.8	1.5	3	0.4	0.24	0.1	1.2
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8
2010	48	1.0	0.15	0.8	1.4	3	0.6	0.32	0.1	1.5
2011	52	1.1	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7
2012	43	1.0	0.15	0.7	1.3	4	0.7	0.37	0.2	1.8
2013	41	0.9	0.14	0.6	1.2	0				
2014	45	1.0	0.15	0.7	1.3	2	0.3	0.22	0.0	1.1
2015	51	1.1	0.16	0.8	1.5	2	0.3	0.21	0.0	1.0
2016	51	1.0	0.15	0.8	1.4	4	0.5	0.27	0.1	1.4
2017	47	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	30	0.4	0.07	0.2	0.5	866	0.4	0.01	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					35	0.5	0.08	0.3	0.7
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	1	0.2	0.24	0.0	1.4	27	0.4	0.08	0.3	0.6
2005	0					33	0.5	0.08	0.3	0.7
2006	1	0.4	0.38	0.0	1.7	41	0.6	0.09	0.4	0.8
2007	0					36	0.5	0.09	0.4	0.7
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7
2010	0					37	0.5	0.09	0.4	0.7
2011	1	0.2	0.20	0.0	1.0	31	0.4	0.08	0.3	0.6
2012	2	0.5	0.38	0.1	1.7	34	0.5	0.08	0.3	0.7
2013	2	0.4	0.31	0.0	1.4	23	0.3	0.07	0.2	0.5
2014	2	0.3	0.25	0.0	1.2	48	0.6	0.09	0.5	0.8
2015	2	0.4	0.25	0.0	1.2	27	0.3	0.07	0.2	0.5
2016	1	0.1	0.12	0.0	0.7	29	0.4	0.07	0.3	0.6
2017	1	0.2	0.23	0.0	1.0	38	0.5	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ureter										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	802	0.5	0.02	0.4	0.5	45	0.2	0.03	0.1	0.3
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9
1992	29	0.5	0.09	0.3	0.7	0				
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8
1995	27	0.5	0.09	0.3	0.7	0				
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9
1997	22	0.4	0.09	0.3	0.6	0				
1998	27	0.4	0.08	0.3	0.6	0				
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8
2000	33	0.5	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9
2001	27	0.5	0.09	0.3	0.7	0				
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8
2004	24	0.4	0.08	0.3	0.6	3	0.4	0.22	0.1	1.1
2005	32	0.5	0.10	0.4	0.8	0				
2006	35	0.6	0.10	0.4	0.9	4	0.5	0.26	0.1	1.3
2007	34	0.6	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8
2008	36	0.6	0.10	0.4	0.8	0				
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2011	26	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0
2012	33	0.5	0.10	0.4	0.8	0				
2013	21	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7
2014	44	0.7	0.11	0.5	1.0	2	0.2	0.13	0.0	0.7
2015	22	0.3	0.07	0.2	0.5	3	0.3	0.19	0.1	0.9
2016	26	0.4	0.08	0.3	0.6	3	0.2	0.14	0.1	0.8
2017	33	0.5	0.09	0.3	0.7	4	0.4	0.19	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	195	0.6	0.06	0.5	0.7	2,611	0.8	0.02	0.8	0.8
1990	5	1.4	0.81	0.3	3.7	61	0.6	0.07	0.4	0.8
1991	7	0.8	0.37	0.2	2.1	65	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	92	0.8	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	7	0.5	0.22	0.2	1.4	89	0.8	0.09	0.7	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	2	0.4	0.39	0.0	1.8	78	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	88	0.8	0.08	0.6	1.0
2001	9	0.6	0.27	0.2	1.5	96	0.9	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	84	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	91	0.8	0.08	0.6	1.0
2005	8	0.8	0.31	0.3	1.7	115	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	97	0.8	0.08	0.7	1.0
2007	10	0.7	0.31	0.3	1.6	112	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	97	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	134	1.1	0.10	0.9	1.3
2010	6	0.7	0.32	0.2	1.5	99	0.8	0.09	0.7	1.0
2011	13	0.7	0.24	0.4	1.4	102	0.9	0.09	0.7	1.0
2012	8	0.4	0.15	0.2	0.9	94	0.8	0.08	0.6	0.9
2013	12	0.8	0.26	0.3	1.4	105	0.8	0.08	0.7	1.0
2014	6	0.4	0.19	0.1	0.9	83	0.6	0.07	0.5	0.8
2015	5	0.3	0.14	0.1	0.7	103	0.8	0.08	0.7	1.0
2016	6	0.5	0.21	0.2	1.0	107	0.8	0.08	0.7	1.0
2017	11	0.6	0.20	0.3	1.2	80	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,414	0.9	0.02	0.9	0.9	116	0.2	0.02	0.2	0.3
1990	52	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9
1991	58	0.6	0.08	0.5	0.8	2	0.1	0.07	0.0	0.4
1992	83	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7
1995	82	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8
1997	74	0.8	0.10	0.6	1.0	3	0.2	0.09	0.0	0.5
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6
2000	81	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6
2001	85	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8
2002	72	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2004	86	0.9	0.10	0.7	1.1	3	0.1	0.08	0.0	0.4
2005	108	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5
2006	94	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3
2007	109	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2008	88	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5
2009	125	1.3	0.12	1.1	1.6	8	0.4	0.15	0.2	0.9
2010	94	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6
2011	91	0.9	0.10	0.8	1.2	6	0.3	0.13	0.1	0.7
2012	89	0.9	0.10	0.7	1.1	2	0.1	0.07	0.0	0.4
2013	95	0.9	0.10	0.8	1.2	5	0.3	0.13	0.1	0.7
2014	75	0.7	0.08	0.5	0.9	5	0.3	0.12	0.1	0.6
2015	96	1.0	0.10	0.8	1.2	3	0.2	0.10	0.0	0.5
2016	98	0.9	0.10	0.8	1.2	2	0.1	0.09	0.0	0.4
2017	76	0.7	0.08	0.6	0.9	2	0.1	0.08	0.0	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	107	0.7	0.09	0.5	0.9	1,394	1.0	0.03	0.9	1.0
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0
1991	5	0.6	0.27	0.2	3.0	29	0.7	0.13	0.4	1.0
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4
1993	0					38	0.8	0.13	0.6	1.1
1994	0					41	0.9	0.14	0.6	1.2
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6
1997	1	0.1	0.09	0.0	2.0	45	0.9	0.14	0.7	1.3
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9
1999	0					50	1.0	0.15	0.8	1.4
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4
2001	4	0.5	0.28	0.1	2.1	50	1.0	0.15	0.8	1.3
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5
2006	6	1.0	0.56	0.2	2.7	48	0.9	0.13	0.7	1.2
2007	8	1.4	0.70	0.4	3.4	52	1.0	0.14	0.7	1.3
2008	4	0.4	0.20	0.1	1.4	54	1.0	0.14	0.8	1.3
2009	4	0.6	0.35	0.2	1.8	79	1.4	0.16	1.1	1.8
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2
2011	6	0.8	0.38	0.2	2.0	60	1.1	0.14	0.8	1.4
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2
2013	6	0.8	0.40	0.2	2.0	60	1.1	0.14	0.8	1.4
2014	3	0.3	0.18	0.1	1.1	46	0.8	0.11	0.6	1.0
2015	3	0.2	0.14	0.1	0.9	49	0.9	0.12	0.6	1.1
2016	4	0.7	0.39	0.2	1.8	55	0.9	0.13	0.7	1.2
2017	8	1.0	0.40	0.4	2.1	42	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,290	1.1	0.03	1.0	1.1	64	0.3	0.04	0.2	0.4
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1
1991	26	0.7	0.14	0.5	1.0	1	0.1	0.14	0.0	0.9
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8
1997	41	1.0	0.16	0.7	1.4	3	0.3	0.20	0.1	1.1
1998	30	0.7	0.13	0.5	1.0	0				
1999	50	1.2	0.17	0.9	1.6	0				
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8
2001	43	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5
2002	46	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7
2004	43	1.0	0.16	0.7	1.4	1	0.1	0.09	0.0	0.7
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9
2006	47	1.0	0.15	0.8	1.4	1	0.1	0.09	0.0	0.7
2007	51	1.2	0.17	0.9	1.6	0				
2008	52	1.2	0.17	0.9	1.6	1	0.1	0.10	0.0	0.7
2009	72	1.6	0.19	1.2	2.0	6	0.7	0.29	0.2	1.6
2010	47	1.1	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.18	0.0	0.9
2012	50	1.1	0.16	0.8	1.5	0				
2013	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0
2014	41	0.8	0.13	0.6	1.1	3	0.4	0.21	0.1	1.1
2015	45	1.0	0.15	0.7	1.3	1	0.2	0.15	0.0	0.8
2016	49	1.0	0.14	0.7	1.3	2	0.3	0.22	0.0	1.1
2017	40	0.8	0.14	0.6	1.2	2	0.2	0.16	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	88	0.6	0.07	0.4	0.7	1,217	0.7	0.02	0.7	0.7
1990	2	1.1	0.93	0.1	4.2	29	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.57	0.2	3.1	43	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	4	0.7	0.40	0.1	2.4	38	0.6	0.10	0.4	0.9
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	1	0.7	0.66	0.0	2.9	33	0.5	0.09	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	36	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	46	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	30	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	45	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	52	0.9	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	49	0.8	0.11	0.6	1.0
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					43	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	55	0.9	0.12	0.7	1.2
2010	1	0.4	0.38	0.0	1.6	50	0.8	0.12	0.6	1.1
2011	7	0.7	0.30	0.3	1.7	42	0.7	0.11	0.5	0.9
2012	5	0.5	0.24	0.2	1.3	43	0.7	0.10	0.5	0.9
2013	6	0.8	0.34	0.3	1.8	45	0.7	0.11	0.5	0.9
2014	3	0.5	0.30	0.1	1.4	37	0.5	0.09	0.4	0.7
2015	2	0.3	0.22	0.0	1.1	54	0.8	0.11	0.6	1.1
2016	2	0.3	0.21	0.0	1.0	52	0.8	0.11	0.6	1.0
2017	3	0.3	0.19	0.1	1.0	38	0.5	0.08	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Eye and Orbit										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,124	0.8	0.02	0.7	0.8	52	0.2	0.03	0.1	0.2
1990	24	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6
1992	40	0.8	0.12	0.5	1.0	3	0.4	0.23	0.1	1.1
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0
1995	35	0.7	0.12	0.5	1.0	2	0.2	0.10	0.0	0.6
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5
1997	33	0.7	0.12	0.5	0.9	0				
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0
2000	34	0.7	0.12	0.5	0.9	0				
2001	42	0.8	0.13	0.6	1.2	3	0.3	0.15	0.1	0.8
2002	26	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8
2003	56	1.1	0.14	0.8	1.4	0				
2004	43	0.9	0.13	0.6	1.2	2	0.2	0.13	0.0	0.7
2005	48	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6
2006	47	0.9	0.14	0.7	1.3	0				
2007	58	1.1	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6
2008	36	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9
2009	53	1.1	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7
2010	47	0.9	0.14	0.7	1.3	3	0.3	0.17	0.1	0.9
2011	36	0.7	0.12	0.5	1.0	4	0.4	0.19	0.1	1.0
2012	39	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
2013	40	0.7	0.12	0.5	1.0	3	0.3	0.18	0.1	0.9
2014	34	0.6	0.10	0.4	0.8	2	0.2	0.13	0.0	0.7
2015	51	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8
2016	49	0.9	0.14	0.7	1.3	0				
2017	36	0.6	0.10	0.4	0.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,642	5.3	0.16	5.0	5.6	21,098	6.6	0.05	6.5	6.7
1990	26	4.1	1.00	2.4	6.6	654	6.2	0.24	5.7	6.7
1991	34	5.1	1.03	3.3	7.6	693	6.5	0.25	6.0	7.0
1992	31	3.8	0.78	2.4	5.8	680	6.3	0.24	5.9	6.8
1993	32	4.8	1.03	3.0	7.3	684	6.3	0.24	5.9	6.8
1994	29	3.1	0.74	1.9	5.0	741	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.6	5.7	689	6.3	0.24	5.9	6.8
1996	38	4.6	0.90	3.0	6.8	723	6.6	0.25	6.1	7.1
1997	50	5.7	1.03	3.8	8.0	747	6.8	0.25	6.3	7.3
1998	44	4.3	0.83	2.8	6.3	712	6.5	0.24	6.0	6.9
1999	49	5.5	0.99	3.7	7.8	742	6.7	0.24	6.2	7.2
2000	48	5.7	1.03	3.9	8.1	726	6.5	0.24	6.1	7.0
2001	62	6.6	1.13	4.6	9.1	732	6.5	0.24	6.1	7.0
2002	65	6.7	1.03	4.8	9.0	697	6.2	0.24	5.8	6.7
2003	59	6.5	1.09	4.5	9.0	743	6.6	0.24	6.1	7.1
2004	64	5.8	0.97	4.1	8.0	789	7.0	0.25	6.5	7.5
2005	56	4.7	0.82	3.2	6.5	755	6.6	0.24	6.2	7.1
2006	66	6.1	0.91	4.4	8.1	826	7.2	0.25	6.7	7.8
2007	75	5.8	0.81	4.4	7.6	758	6.6	0.24	6.1	7.1
2008	60	4.7	0.73	3.4	6.4	836	7.2	0.25	6.7	7.7
2009	75	5.3	0.74	4.0	7.0	768	6.5	0.24	6.1	7.0
2010	75	5.9	0.80	4.4	7.6	826	7.1	0.25	6.6	7.6
2011	78	5.2	0.70	3.9	6.7	835	7.1	0.25	6.6	7.6
2012	77	5.3	0.73	4.0	7.0	761	6.2	0.23	5.8	6.7
2013	61	4.1	0.61	3.0	5.5	787	6.6	0.24	6.2	7.1
2014	92	5.3	0.62	4.2	6.7	797	6.6	0.24	6.2	7.1
2015	80	5.0	0.63	3.9	6.4	824	6.8	0.24	6.3	7.3
2016	95	6.0	0.68	4.7	7.5	789	6.5	0.24	6.0	6.9
2017	85	5.0	0.59	3.9	6.3	784	6.4	0.24	6.0	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	18,670	7.2	0.05	7.1	7.3	1,844	3.9	0.09	3.7	4.1
1990	599	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	636	7.1	0.29	6.6	7.7	46	3.2	0.49	2.3	4.3
1992	609	6.7	0.28	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	613	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	656	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4
1995	632	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6
1996	646	7.1	0.28	6.6	7.7	63	3.8	0.50	2.9	5.0
1997	673	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3
1998	626	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	653	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4
2000	645	7.1	0.28	6.5	7.7	68	4.2	0.53	3.2	5.4
2001	662	7.3	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3
2002	620	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4
2003	667	7.3	0.28	6.7	7.9	58	3.6	0.48	2.7	4.7
2004	702	7.7	0.29	7.1	8.3	67	4.1	0.51	3.1	5.2
2005	663	7.2	0.28	6.7	7.8	71	4.2	0.51	3.2	5.3
2006	721	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0
2007	661	7.2	0.29	6.7	7.8	68	3.9	0.49	3.0	5.0
2008	735	7.8	0.29	7.2	8.4	72	4.1	0.49	3.2	5.1
2009	673	7.2	0.28	6.6	7.8	66	3.8	0.48	2.9	4.9
2010	721	7.7	0.30	7.2	8.3	76	4.3	0.50	3.4	5.4
2011	721	7.7	0.30	7.1	8.3	88	4.9	0.53	3.9	6.1
2012	672	6.9	0.28	6.4	7.5	58	3.1	0.42	2.4	4.1
2013	705	7.5	0.30	7.0	8.1	59	3.3	0.44	2.5	4.3
2014	689	7.3	0.29	6.7	7.9	71	3.9	0.47	3.0	4.9
2015	719	7.6	0.30	7.0	8.2	75	4.0	0.47	3.2	5.1
2016	664	7.0	0.28	6.4	7.5	92	4.9	0.52	3.9	6.0
2017	687	7.2	0.29	6.6	7.7	72	4.0	0.48	3.1	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	944	6.2	0.25	5.7	6.7	11,457	7.8	0.07	7.7	8.0
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	18	4.2	1.13	2.3	7.7	379	7.9	0.42	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	418	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	396	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	425	8.5	0.42	7.8	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	30	5.9	1.58	3.2	9.9	400	8.0	0.40	7.2	8.8
2000	23	6.2	1.60	3.5	10.1	381	7.5	0.38	6.7	8.3
2001	39	8.6	1.86	5.4	13.0	402	7.9	0.40	7.2	8.7
2002	35	7.2	1.67	4.3	11.2	347	6.8	0.37	6.1	7.5
2003	35	7.2	1.69	4.2	11.2	411	7.9	0.39	7.2	8.7
2004	34	6.7	1.48	4.1	10.2	408	8.0	0.40	7.2	8.8
2005	37	6.3	1.41	3.8	9.7	405	7.7	0.39	7.0	8.5
2006	32	6.6	1.47	4.0	10.0	456	8.7	0.41	7.9	9.6
2007	47	8.0	1.53	5.3	11.5	385	7.2	0.37	6.5	7.9
2008	34	5.6	1.17	3.5	8.4	433	8.1	0.39	7.3	8.9
2009	42	6.0	1.08	4.1	8.6	412	7.6	0.38	6.9	8.4
2010	43	6.6	1.28	4.4	9.6	452	8.3	0.40	7.6	9.1
2011	50	6.6	1.16	4.6	9.3	454	8.3	0.40	7.6	9.2
2012	39	5.2	1.03	3.4	7.6	428	7.5	0.37	6.8	8.3
2013	34	4.4	0.91	2.8	6.6	440	7.9	0.38	7.1	8.7
2014	51	6.0	0.97	4.3	8.3	417	7.5	0.37	6.7	8.2
2015	46	6.1	1.04	4.2	8.4	473	8.3	0.39	7.5	9.1
2016	54	7.2	1.12	5.2	9.7	426	7.3	0.37	6.6	8.1
2017	56	6.9	1.03	5.0	9.2	440	7.8	0.38	7.1	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	10,165	8.5	0.08	8.3	8.6	980	4.7	0.16	4.4	5.0
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	350	8.6	0.47	7.7	9.6	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	373	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	359	8.6	0.45	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	350	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	338	8.0	0.44	7.2	8.9	36	5.2	0.97	3.5	7.5
2001	360	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	311	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	365	8.7	0.46	7.8	9.6	32	4.3	0.82	2.8	6.2
2005	356	8.3	0.44	7.4	9.2	39	5.1	0.86	3.6	7.1
2006	405	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	333	7.7	0.43	6.9	8.6	32	4.0	0.74	2.7	5.8
2008	378	8.6	0.45	7.8	9.6	38	4.6	0.77	3.2	6.4
2009	359	8.2	0.44	7.4	9.1	37	4.6	0.80	3.2	6.5
2010	402	9.2	0.47	8.3	10.2	36	4.8	0.83	3.3	6.7
2011	388	8.8	0.46	7.9	9.8	54	6.7	0.95	5.0	8.9
2012	379	8.2	0.44	7.4	9.1	31	3.6	0.67	2.4	5.2
2013	389	8.8	0.46	7.9	9.7	37	4.4	0.74	3.0	6.1
2014	372	8.3	0.44	7.4	9.2	33	4.2	0.75	2.8	5.9
2015	414	9.2	0.47	8.3	10.2	40	4.9	0.80	3.4	6.7
2016	367	8.0	0.43	7.1	8.9	46	5.5	0.84	4.0	7.4
2017	380	8.5	0.45	7.6	9.4	44	5.4	0.84	3.9	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	698	4.5	0.20	4.1	4.9	9,641	5.6	0.06	5.5	5.7
1990	11	4.9	1.57	2.3	9.0	294	5.1	0.30	4.6	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	13	2.9	0.96	1.4	5.7	310	5.2	0.30	4.7	5.9
1993	12	3.5	1.14	1.7	6.6	312	5.2	0.30	4.6	5.8
1994	14	2.9	0.88	1.5	5.5	323	5.4	0.30	4.8	6.0
1995	17	3.9	1.03	2.2	6.7	309	5.2	0.30	4.6	5.8
1996	17	4.6	1.28	2.4	7.8	327	5.5	0.31	4.9	6.2
1997	23	5.9	1.54	3.3	9.7	322	5.4	0.30	4.8	6.0
1998	14	2.7	0.85	1.3	5.1	325	5.4	0.30	4.9	6.1
1999	19	5.1	1.35	2.8	8.4	342	5.6	0.31	5.0	6.3
2000	25	5.3	1.31	3.0	8.5	345	5.7	0.31	5.1	6.4
2001	23	4.7	1.30	2.5	7.9	330	5.5	0.30	4.9	6.1
2002	30	6.2	1.34	3.9	9.4	350	5.8	0.31	5.2	6.4
2003	24	5.7	1.44	3.3	9.1	332	5.4	0.30	4.8	6.0
2004	30	4.9	1.19	2.8	7.7	381	6.3	0.33	5.6	6.9
2005	19	3.1	0.92	1.6	5.4	350	5.8	0.31	5.2	6.4
2006	34	5.7	1.17	3.7	8.4	370	6.0	0.32	5.4	6.7
2007	28	4.1	0.83	2.6	6.1	373	6.1	0.32	5.5	6.8
2008	26	3.9	0.91	2.4	6.1	403	6.4	0.33	5.8	7.1
2009	33	4.6	0.96	2.9	6.8	356	5.7	0.31	5.1	6.3
2010	32	5.1	1.03	3.3	7.5	374	5.9	0.32	5.3	6.6
2011	28	3.8	0.83	2.3	5.8	381	6.0	0.32	5.4	6.7
2012	38	5.4	1.01	3.6	7.7	333	5.2	0.30	4.7	5.8
2013	27	3.8	0.82	2.4	5.7	347	5.5	0.31	4.9	6.1
2014	41	4.6	0.79	3.2	6.5	380	6.0	0.32	5.3	6.6
2015	34	4.1	0.76	2.7	5.8	351	5.5	0.30	4.9	6.1
2016	41	4.9	0.81	3.4	6.7	363	5.7	0.32	5.1	6.4
2017	29	3.3	0.65	2.1	4.8	344	5.2	0.29	4.6	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain and Other Nervous System										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	8,505	6.2	0.07	6.0	6.3	864	3.3	0.11	3.1	3.5
1990	270	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	274	5.5	0.34	4.9	6.2	34	4.0	0.71	2.8	5.7
1993	276	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	283	5.6	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6
1995	278	5.7	0.35	5.0	6.4	29	3.5	0.66	2.3	5.1
1996	287	5.9	0.36	5.2	6.7	36	4.1	0.70	2.9	5.7
1997	294	6.0	0.36	5.4	6.8	21	2.2	0.49	1.4	3.4
1998	290	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	303	6.1	0.36	5.4	6.8	32	3.5	0.63	2.4	5.0
2000	307	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0
2001	302	6.2	0.37	5.6	7.0	18	2.0	0.47	1.2	3.1
2002	309	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5
2003	300	6.1	0.36	5.4	6.8	23	2.6	0.54	1.6	3.8
2004	337	6.9	0.39	6.2	7.7	35	3.8	0.65	2.6	5.3
2005	307	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7
2006	316	6.5	0.37	5.8	7.3	42	4.4	0.69	3.2	6.0
2007	328	6.8	0.39	6.1	7.6	36	3.8	0.64	2.6	5.2
2008	357	7.1	0.39	6.4	7.9	34	3.5	0.61	2.4	4.9
2009	314	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6
2010	319	6.4	0.38	5.7	7.2	40	4.0	0.63	2.8	5.4
2011	333	6.7	0.39	6.0	7.5	34	3.4	0.59	2.4	4.8
2012	293	5.8	0.36	5.1	6.6	27	2.7	0.53	1.8	4.0
2013	316	6.4	0.38	5.7	7.2	22	2.4	0.52	1.5	3.6
2014	317	6.4	0.38	5.7	7.2	38	3.6	0.60	2.6	5.0
2015	305	6.2	0.37	5.4	6.9	35	3.4	0.58	2.3	4.7
2016	297	6.1	0.38	5.4	6.9	46	4.5	0.67	3.3	6.0
2017	307	5.9	0.36	5.2	6.7	28	2.7	0.52	1.8	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,506	4.9	0.15	4.6	5.2	19,873	6.2	0.04	6.1	6.3
1990	24	3.8	0.97	2.2	6.3	602	5.7	0.23	5.2	6.2
1991	30	4.5	0.97	2.8	6.8	652	6.1	0.24	5.7	6.6
1992	27	3.2	0.72	2.0	5.1	650	6.0	0.24	5.6	6.5
1993	28	4.4	1.01	2.7	6.9	627	5.8	0.23	5.3	6.3
1994	26	2.7	0.69	1.5	4.5	703	6.5	0.25	6.0	7.0
1995	34	3.7	0.72	2.4	5.5	655	6.0	0.24	5.6	6.5
1996	35	4.3	0.87	2.8	6.4	673	6.1	0.24	5.7	6.6
1997	49	5.6	1.02	3.8	8.0	707	6.4	0.24	6.0	6.9
1998	39	4.0	0.82	2.6	6.0	667	6.0	0.23	5.6	6.5
1999	43	4.9	0.96	3.2	7.1	703	6.3	0.24	5.9	6.8
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6
2001	55	6.2	1.12	4.2	8.7	697	6.2	0.24	5.8	6.7
2002	61	6.5	1.03	4.6	8.8	665	5.9	0.23	5.5	6.4
2003	56	6.1	1.06	4.3	8.5	716	6.3	0.24	5.9	6.8
2004	62	5.7	0.96	4.0	7.9	735	6.5	0.24	6.0	7.0
2005	48	4.3	0.82	2.9	6.2	703	6.2	0.23	5.7	6.6
2006	63	5.8	0.90	4.2	7.8	784	6.8	0.25	6.4	7.3
2007	65	5.3	0.79	3.9	7.0	708	6.1	0.23	5.7	6.6
2008	56	4.6	0.72	3.2	6.2	787	6.7	0.24	6.3	7.2
2009	68	4.8	0.69	3.5	6.3	724	6.2	0.23	5.7	6.6
2010	68	5.4	0.77	4.0	7.1	790	6.7	0.24	6.2	7.2
2011	72	5.0	0.69	3.7	6.5	790	6.7	0.24	6.2	7.2
2012	71	4.8	0.68	3.6	6.3	716	5.9	0.22	5.4	6.3
2013	57	3.9	0.60	2.8	5.3	741	6.2	0.23	5.7	6.7
2014	83	4.9	0.60	3.8	6.2	745	6.2	0.23	5.7	6.7
2015	74	4.7	0.62	3.6	6.1	774	6.3	0.24	5.9	6.8
2016	88	5.6	0.65	4.4	7.0	744	6.0	0.23	5.6	6.5
2017	79	4.7	0.57	3.6	6.0	729	5.9	0.23	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	17,687	6.8	0.05	6.7	6.9	1,657	3.5	0.09	3.4	3.7
1990	555	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9
1991	605	6.7	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7
1992	585	6.5	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3
1993	568	6.3	0.27	5.8	6.8	48	3.2	0.49	2.4	4.3
1994	625	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8
1995	603	6.7	0.27	6.2	7.3	49	3.2	0.48	2.4	4.3
1996	611	6.7	0.27	6.2	7.3	54	3.2	0.46	2.4	4.2
1997	638	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1
1998	591	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5
1999	621	6.8	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8
2001	635	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9
2002	596	6.5	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0
2003	642	7.0	0.28	6.5	7.6	56	3.5	0.47	2.6	4.5
2004	653	7.1	0.28	6.6	7.7	62	3.7	0.49	2.8	4.8
2005	624	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6
2006	691	7.5	0.29	6.9	8.1	73	4.3	0.52	3.4	5.4
2007	619	6.7	0.27	6.2	7.2	61	3.5	0.46	2.7	4.5
2008	694	7.3	0.28	6.8	7.9	65	3.7	0.46	2.8	4.7
2009	639	6.8	0.28	6.3	7.4	59	3.5	0.47	2.6	4.5
2010	693	7.4	0.29	6.8	8.0	72	4.0	0.49	3.1	5.1
2011	683	7.2	0.29	6.7	7.8	81	4.6	0.52	3.6	5.7
2012	635	6.5	0.27	6.0	7.0	53	2.9	0.41	2.2	3.8
2013	665	7.0	0.28	6.5	7.6	54	3.0	0.42	2.2	3.9
2014	647	6.8	0.28	6.3	7.4	64	3.5	0.44	2.7	4.4
2015	682	7.2	0.29	6.6	7.7	65	3.4	0.43	2.6	4.4
2016	631	6.5	0.27	6.0	7.1	81	4.3	0.49	3.4	5.4
2017	642	6.6	0.28	6.1	7.2	66	3.6	0.45	2.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	893	5.9	0.25	5.4	6.4	10,887	7.4	0.07	7.3	7.6
1990	14	3.0	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	17	3.8	1.05	2.1	7.2	352	7.3	0.40	6.6	8.2
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	406	8.4	0.42	7.6	9.2
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	403	8.1	0.41	7.3	9.0
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0
1999	29	5.8	1.57	3.2	9.8	379	7.6	0.39	6.8	8.4
2000	22	6.1	1.60	3.4	10.1	364	7.1	0.38	6.4	7.9
2001	35	8.3	1.85	5.1	12.7	384	7.6	0.39	6.8	8.4
2002	35	7.2	1.67	4.3	11.2	328	6.4	0.35	5.7	7.1
2003	35	7.2	1.69	4.2	11.2	401	7.7	0.39	7.0	8.5
2004	34	6.7	1.48	4.1	10.2	386	7.5	0.39	6.8	8.3
2005	35	6.1	1.41	3.7	9.5	380	7.2	0.37	6.5	8.0
2006	32	6.6	1.47	4.0	10.0	439	8.4	0.40	7.6	9.2
2007	41	7.6	1.52	4.9	11.1	365	6.8	0.36	6.1	7.5
2008	33	5.5	1.17	3.5	8.3	416	7.8	0.39	7.0	8.5
2009	39	5.4	1.01	3.6	7.8	388	7.1	0.37	6.4	7.9
2010	41	6.5	1.27	4.2	9.4	441	8.1	0.39	7.3	8.9
2011	46	6.3	1.14	4.3	8.9	439	8.0	0.39	7.3	8.8
2012	37	5.0	1.02	3.2	7.4	406	7.1	0.36	6.4	7.9
2013	32	4.3	0.90	2.7	6.4	416	7.4	0.37	6.7	8.2
2014	49	5.8	0.96	4.1	8.0	399	7.1	0.36	6.4	7.8
2015	43	5.7	1.02	3.9	8.0	446	7.8	0.38	7.1	8.6
2016	52	6.8	1.07	4.9	9.2	399	6.8	0.35	6.2	7.6
2017	53	6.6	1.02	4.8	8.9	415	7.4	0.37	6.7	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	9,711	8.1	0.08	7.9	8.2	893	4.3	0.15	4.0	4.6
1990	308	7.5	0.44	6.7	8.4	25	3.8	0.82	2.3	5.8
1991	327	8.0	0.45	7.2	9.0	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	363	8.9	0.47	8.0	9.8	40	6.2	1.06	4.3	8.6
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8
1999	334	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6
2000	324	7.7	0.43	6.8	8.5	33	4.8	0.93	3.1	6.9
2001	346	8.2	0.44	7.4	9.2	30	4.7	0.92	3.1	6.8
2002	297	7.0	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4
2003	359	8.5	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	346	8.2	0.44	7.4	9.1	29	3.9	0.78	2.5	5.7
2005	337	7.8	0.43	7.0	8.7	35	4.6	0.81	3.1	6.5
2006	392	9.2	0.47	8.3	10.2	36	5.1	0.92	3.4	7.2
2007	316	7.2	0.41	6.4	8.1	29	3.6	0.69	2.4	5.3
2008	365	8.3	0.44	7.5	9.2	34	4.2	0.74	2.8	5.9
2009	340	7.7	0.43	6.9	8.6	33	4.2	0.76	2.8	6.0
2010	393	9.0	0.46	8.1	9.9	34	4.5	0.81	3.1	6.4
2011	375	8.5	0.45	7.6	9.4	52	6.5	0.94	4.8	8.7
2012	364	7.9	0.42	7.1	8.8	27	3.2	0.63	2.1	4.7
2013	367	8.2	0.44	7.4	9.1	36	4.2	0.72	2.9	5.9
2014	358	7.9	0.43	7.1	8.8	30	3.7	0.69	2.4	5.3
2015	392	8.7	0.46	7.8	9.6	36	4.4	0.76	3.0	6.2
2016	349	7.5	0.42	6.7	8.4	38	4.7	0.78	3.3	6.5
2017	361	8.0	0.44	7.2	9.0	40	4.9	0.80	3.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	613	4.0	0.19	3.6	4.4	8,986	5.2	0.06	5.1	5.3
1990	10	4.4	1.51	2.0	8.4	267	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	11	2.4	0.88	1.0	5.1	295	5.0	0.29	4.4	5.6
1993	11	3.2	1.11	1.5	6.3	281	4.7	0.28	4.1	5.3
1994	11	2.1	0.72	1.0	4.4	297	4.9	0.29	4.4	5.5
1995	16	3.7	1.01	2.0	6.4	293	4.9	0.29	4.4	5.5
1996	15	4.1	1.21	2.0	7.2	300	5.0	0.29	4.5	5.7
1997	22	5.8	1.53	3.2	9.6	304	5.1	0.29	4.5	5.7
1998	13	2.6	0.84	1.2	5.0	303	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	322	5.3	0.30	4.8	6.0
2001	20	4.2	1.27	2.1	7.4	313	5.2	0.30	4.6	5.8
2002	26	5.8	1.33	3.5	9.0	337	5.6	0.31	5.0	6.2
2003	21	5.1	1.35	2.8	8.3	315	5.1	0.29	4.5	5.7
2004	28	4.7	1.18	2.7	7.5	349	5.7	0.31	5.1	6.4
2005	13	2.6	0.90	1.2	4.9	323	5.3	0.30	4.7	5.9
2006	31	5.2	1.12	3.3	7.9	345	5.6	0.31	5.0	6.2
2007	24	3.4	0.76	2.1	5.3	343	5.6	0.31	5.0	6.2
2008	23	3.6	0.89	2.1	5.8	371	5.9	0.31	5.3	6.5
2009	29	4.0	0.89	2.5	6.1	336	5.4	0.30	4.8	6.0
2010	27	4.4	0.95	2.7	6.6	349	5.5	0.30	4.9	6.1
2011	26	3.6	0.82	2.2	5.6	351	5.5	0.30	4.9	6.2
2012	34	4.6	0.91	3.0	6.7	310	4.8	0.28	4.3	5.4
2013	25	3.5	0.80	2.2	5.4	325	5.1	0.29	4.5	5.7
2014	34	4.0	0.74	2.7	5.7	346	5.4	0.30	4.8	6.0
2015	31	3.8	0.75	2.5	5.5	328	5.1	0.29	4.5	5.7
2016	36	4.5	0.79	3.1	6.3	345	5.4	0.30	4.8	6.0
2017	26	3.0	0.62	1.9	4.5	314	4.6	0.28	4.1	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Brain										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,976	5.7	0.07	5.6	5.9	764	2.9	0.11	2.7	3.1
1990	247	5.2	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	261	5.3	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4
1993	252	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	262	5.2	0.33	4.6	5.9	30	3.4	0.63	2.3	4.9
1995	265	5.4	0.34	4.7	6.1	27	3.2	0.63	2.1	4.7
1996	267	5.5	0.34	4.8	6.2	30	3.3	0.62	2.2	4.8
1997	277	5.7	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3
1998	276	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	287	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	290	6.0	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3
2001	289	5.9	0.36	5.3	6.7	15	1.7	0.44	0.9	2.8
2002	299	6.1	0.36	5.4	6.9	27	2.9	0.56	1.9	4.2
2003	283	5.7	0.35	5.0	6.4	23	2.6	0.54	1.6	3.8
2004	307	6.3	0.37	5.6	7.0	33	3.6	0.63	2.5	5.0
2005	287	5.8	0.35	5.2	6.6	27	2.8	0.54	1.8	4.1
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3
2007	303	6.2	0.37	5.5	7.0	32	3.4	0.60	2.3	4.7
2008	329	6.5	0.37	5.8	7.3	31	3.2	0.58	2.2	4.6
2009	299	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2
2010	300	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2
2011	308	6.2	0.37	5.5	7.0	29	2.9	0.55	2.0	4.2
2012	271	5.3	0.34	4.7	6.0	26	2.6	0.52	1.7	3.9
2013	298	6.0	0.36	5.3	6.7	18	2.0	0.47	1.2	3.1
2014	289	5.8	0.36	5.1	6.6	34	3.3	0.56	2.2	4.6
2015	290	5.8	0.36	5.1	6.6	29	2.7	0.51	1.8	3.9
2016	282	5.7	0.36	5.0	6.5	43	4.1	0.64	3.0	5.6
2017	281	5.3	0.34	4.7	6.0	26	2.5	0.50	1.6	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,574	10.4	0.20	10.0	10.8	34,375	10.9	0.06	10.8	11.0
1990	25	4.2	1.07	2.4	6.9	576	5.5	0.23	5.0	6.0
1991	30	4.1	0.84	2.6	6.2	536	5.1	0.22	4.7	5.5
1992	29	3.8	0.88	2.3	6.0	602	5.7	0.23	5.2	6.1
1993	42	6.2	1.15	4.1	8.9	630	5.9	0.24	5.4	6.4
1994	44	4.5	0.76	3.1	6.4	623	5.8	0.23	5.3	6.2
1995	42	6.4	1.23	4.2	9.2	693	6.4	0.24	5.9	6.8
1996	51	5.7	0.93	4.0	7.9	745	6.8	0.25	6.3	7.3
1997	48	5.1	0.87	3.5	7.1	784	7.1	0.26	6.7	7.7
1998	71	6.5	0.84	4.9	8.4	775	7.0	0.25	6.5	7.5
1999	75	6.9	0.97	5.2	9.2	873	7.9	0.27	7.4	8.5
2000	58	5.3	0.79	3.8	7.1	883	8.0	0.27	7.4	8.5
2001	82	7.1	0.90	5.4	9.1	941	8.4	0.28	7.9	9.0
2002	81	6.9	0.87	5.3	8.8	1,124	10.1	0.30	9.5	10.7
2003	109	8.7	1.00	6.8	10.9	1,114	9.9	0.30	9.3	10.5
2004	119	8.9	0.97	7.1	11.0	1,250	11.2	0.32	10.6	11.8
2005	128	9.7	1.02	7.8	11.9	1,263	11.2	0.32	10.6	11.8
2006	129	8.9	0.89	7.2	10.8	1,424	12.6	0.34	11.9	13.2
2007	153	10.8	1.00	8.9	12.9	1,507	13.3	0.35	12.6	14.0
2008	159	11.1	1.03	9.2	13.3	1,602	14.0	0.36	13.3	14.7
2009	182	12.2	1.03	10.3	14.4	1,686	14.7	0.37	14.0	15.5
2010	200	12.6	0.98	10.7	14.6	1,679	14.6	0.36	13.9	15.4
2011	209	13.8	1.06	11.8	16.1	1,774	15.2	0.37	14.5	15.9
2012	207	11.9	0.89	10.2	13.8	1,937	16.7	0.39	15.9	17.5
2013	249	14.2	0.96	12.3	16.2	1,938	16.7	0.39	15.9	17.5
2014	246	14.4	1.01	12.5	16.6	1,926	16.6	0.39	15.8	17.3
2015	275	16.1	1.04	14.1	18.3	2,011	17.2	0.40	16.5	18.0
2016	277	14.9	0.96	13.1	17.0	1,837	15.9	0.38	15.1	16.6
2017	254	14.3	0.96	12.5	16.3	1,642	14.0	0.36	13.3	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	29,030	11.5	0.07	11.4	11.7	3,145	6.8	0.12	6.6	7.0
1990	507	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9
1991	471	5.3	0.25	4.9	5.8	41	3.0	0.49	2.1	4.1
1992	534	6.0	0.26	5.5	6.6	48	3.3	0.49	2.4	4.4
1993	552	6.2	0.27	5.7	6.8	48	3.5	0.52	2.5	4.6
1994	540	6.1	0.26	5.6	6.6	57	4.0	0.54	3.0	5.2
1995	596	6.7	0.28	6.2	7.3	60	4.0	0.53	3.0	5.2
1996	649	7.2	0.28	6.7	7.8	67	4.4	0.54	3.4	5.5
1997	658	7.3	0.29	6.8	7.9	81	5.6	0.64	4.4	7.0
1998	642	7.2	0.28	6.6	7.7	80	5.2	0.60	4.1	6.5
1999	753	8.5	0.31	7.9	9.1	63	3.8	0.48	2.9	4.9
2000	755	8.4	0.31	7.8	9.1	72	4.5	0.54	3.5	5.6
2001	798	8.9	0.32	8.3	9.5	97	6.1	0.63	4.9	7.4
2002	971	10.8	0.35	10.2	11.5	98	6.1	0.62	4.9	7.4
2003	954	10.6	0.35	10.0	11.3	99	5.9	0.60	4.8	7.2
2004	1,083	12.2	0.37	11.5	13.0	98	5.8	0.59	4.7	7.0
2005	1,067	11.9	0.37	11.2	12.6	106	6.4	0.63	5.2	7.7
2006	1,206	13.4	0.39	12.6	14.2	126	7.3	0.66	6.1	8.7
2007	1,278	14.2	0.41	13.4	15.0	129	7.5	0.67	6.3	9.0
2008	1,360	15.1	0.42	14.3	16.0	141	8.0	0.68	6.7	9.4
2009	1,449	16.2	0.44	15.3	17.0	152	8.7	0.72	7.4	10.2
2010	1,401	15.6	0.43	14.8	16.5	168	9.3	0.73	7.9	10.8
2011	1,492	16.3	0.44	15.5	17.2	167	9.2	0.72	7.8	10.7
2012	1,621	17.9	0.46	17.0	18.8	173	9.6	0.74	8.2	11.1
2013	1,617	18.1	0.47	17.2	19.0	181	9.7	0.74	8.3	11.3
2014	1,590	17.7	0.46	16.8	18.7	191	10.4	0.77	8.9	12.0
2015	1,688	18.8	0.48	17.9	19.8	179	9.9	0.75	8.4	11.4
2016	1,492	16.8	0.46	15.9	17.7	193	10.6	0.78	9.1	12.2
2017	1,306	14.5	0.42	13.7	15.4	179	9.5	0.73	8.1	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	762	4.8	0.21	4.4	5.2	9,363	6.3	0.07	6.2	6.4
1990	3	0.6	0.35	0.1	3.2	169	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	148	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	177	3.6	0.28	3.1	4.2
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	179	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.7	1.31	1.6	7.4	206	4.1	0.29	3.5	4.7
1997	14	3.9	1.37	1.7	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	237	4.6	0.30	4.0	5.2
2000	16	2.6	0.77	1.3	4.9	211	4.1	0.28	3.6	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	288	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	271	5.2	0.32	4.6	5.8
2004	19	2.5	0.64	1.4	4.4	342	6.4	0.35	5.8	7.2
2005	27	4.8	1.34	2.5	8.1	341	6.3	0.35	5.7	7.1
2006	28	3.8	0.85	2.3	6.0	376	7.0	0.36	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	400	7.4	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	400	7.2	0.36	6.5	7.9
2009	37	5.9	1.18	3.8	8.7	404	7.2	0.37	6.5	8.0
2010	36	4.9	0.99	3.1	7.2	464	8.4	0.40	7.6	9.2
2011	42	5.8	1.04	4.0	8.3	479	8.5	0.40	7.8	9.4
2012	45	4.5	0.70	3.3	6.2	506	8.9	0.41	8.1	9.8
2013	50	5.8	0.95	4.1	8.0	545	9.5	0.42	8.7	10.4
2014	52	6.2	0.92	4.5	8.3	540	9.4	0.41	8.6	10.2
2015	58	8.1	1.23	5.9	10.9	550	9.6	0.42	8.8	10.5
2016	67	7.9	1.07	5.9	10.2	531	9.4	0.42	8.6	10.2
2017	52	6.1	0.94	4.4	8.3	507	8.8	0.40	8.0	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	8,078	6.6	0.07	6.5	6.8	743	3.8	0.14	3.5	4.0
1990	148	3.6	0.30	3.1	4.3	16	3.0	0.85	1.6	5.1
1991	131	3.2	0.29	2.7	3.9	9	1.3	0.45	0.6	2.6
1992	154	3.8	0.31	3.2	4.4	16	2.5	0.64	1.4	4.2
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2
1994	150	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4
1995	161	3.8	0.30	3.3	4.5	13	1.8	0.53	0.9	3.2
1996	178	4.2	0.32	3.6	4.9	21	3.2	0.72	2.0	5.0
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2
1998	198	4.7	0.33	4.1	5.4	24	3.5	0.72	2.2	5.3
1999	209	4.9	0.34	4.3	5.6	16	2.2	0.57	1.2	3.6
2000	188	4.4	0.32	3.8	5.1	10	1.3	0.42	0.6	2.5
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2
2002	252	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9
2004	306	7.1	0.41	6.3	7.9	19	2.5	0.59	1.5	4.0
2005	299	6.9	0.40	6.1	7.7	25	3.5	0.72	2.2	5.2
2006	322	7.4	0.41	6.6	8.2	30	3.9	0.72	2.6	5.6
2007	345	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2
2008	351	7.8	0.42	7.0	8.7	31	3.9	0.73	2.6	5.6
2009	351	7.7	0.42	6.9	8.6	31	4.0	0.73	2.7	5.7
2010	401	9.0	0.46	8.2	10.0	35	4.3	0.76	3.0	6.1
2011	414	9.1	0.46	8.2	10.1	37	4.7	0.80	3.2	6.5
2012	439	9.6	0.47	8.7	10.6	39	5.2	0.87	3.7	7.2
2013	474	10.4	0.49	9.4	11.4	36	4.3	0.74	3.0	6.0
2014	464	10.1	0.49	9.2	11.1	45	5.4	0.84	3.9	7.3
2015	460	10.1	0.49	9.2	11.1	51	6.5	0.93	4.8	8.5
2016	435	9.8	0.49	8.8	10.8	50	6.2	0.91	4.6	8.3
2017	428	9.4	0.47	8.5	10.3	39	4.8	0.80	3.4	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,812	16.4	0.34	15.7	17.0	25,012	15.3	0.10	15.1	15.5
1990	22	7.6	1.92	4.3	12.3	407	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	388	7.0	0.36	6.3	7.7
1992	21	5.8	1.47	3.2	9.5	425	7.5	0.37	6.8	8.3
1993	32	8.5	1.68	5.6	12.6	446	7.9	0.38	7.2	8.7
1994	32	7.3	1.41	4.8	10.8	444	7.8	0.37	7.1	8.6
1995	31	8.3	1.75	5.2	12.5	513	9.0	0.40	8.2	9.8
1996	36	8.0	1.47	5.4	11.5	539	9.3	0.40	8.6	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	56	10.0	1.44	7.4	13.4	535	9.3	0.40	8.5	10.1
1999	57	11.0	1.68	7.9	14.9	636	11.0	0.44	10.2	11.9
2000	42	8.1	1.37	5.6	11.3	672	11.6	0.45	10.7	12.5
2001	63	11.3	1.59	8.4	14.9	667	11.5	0.45	10.6	12.4
2002	62	11.1	1.57	8.3	14.7	836	14.3	0.50	13.4	15.3
2003	89	14.5	1.77	11.2	18.4	843	14.4	0.50	13.5	15.4
2004	100	15.4	1.76	12.1	19.3	908	15.7	0.53	14.7	16.8
2005	101	15.0	1.66	11.9	18.6	922	15.7	0.52	14.7	16.8
2006	101	14.1	1.55	11.3	17.6	1,048	17.8	0.56	16.7	18.9
2007	124	17.2	1.71	14.1	21.0	1,107	18.8	0.57	17.7	20.0
2008	127	17.3	1.71	14.1	21.0	1,202	20.4	0.60	19.2	21.6
2009	145	18.9	1.71	15.7	22.5	1,282	21.8	0.62	20.6	23.1
2010	164	20.7	1.72	17.5	24.4	1,215	20.7	0.61	19.5	21.9
2011	167	21.9	1.84	18.4	25.8	1,295	21.5	0.62	20.3	22.8
2012	162	19.4	1.60	16.3	22.8	1,431	24.1	0.66	22.8	25.4
2013	199	23.0	1.71	19.7	26.6	1,393	23.6	0.65	22.3	24.9
2014	194	22.7	1.75	19.4	26.4	1,386	23.5	0.65	22.2	24.8
2015	217	24.7	1.74	21.4	28.3	1,461	24.6	0.67	23.3	25.9
2016	210	22.5	1.62	19.4	25.9	1,306	22.1	0.64	20.9	23.4
2017	202	22.6	1.66	19.5	26.1	1,135	19.1	0.59	18.0	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Endocrine System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	20,952	16.4	0.11	16.1	16.6	2,402	9.2	0.19	8.9	9.6
1990	359	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	340	7.4	0.41	6.6	8.3	32	4.2	0.77	2.8	6.0
1992	380	8.2	0.43	7.4	9.0	32	3.9	0.70	2.7	5.5
1993	382	8.3	0.43	7.4	9.1	37	4.8	0.80	3.4	6.6
1994	390	8.5	0.43	7.6	9.4	36	4.2	0.70	2.9	5.8
1995	435	9.5	0.46	8.6	10.4	47	5.6	0.83	4.1	7.5
1996	471	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	475	10.1	0.47	9.2	11.1	61	7.5	0.97	5.7	9.6
1998	444	9.7	0.46	8.8	10.6	56	6.4	0.87	4.8	8.3
1999	544	11.9	0.51	10.9	13.0	47	5.1	0.74	3.7	6.7
2000	567	12.3	0.52	11.3	13.4	62	6.8	0.87	5.2	8.8
2001	563	12.3	0.52	11.3	13.4	70	7.6	0.92	5.9	9.7
2002	719	15.7	0.59	14.5	16.9	79	8.6	0.98	6.8	10.8
2003	722	15.7	0.59	14.6	16.9	76	8.1	0.93	6.3	10.1
2004	777	17.3	0.63	16.1	18.6	79	8.4	0.94	6.6	10.4
2005	768	16.8	0.62	15.6	18.1	81	8.7	0.97	6.9	10.8
2006	884	19.3	0.66	18.0	20.7	96	9.9	1.02	8.0	12.1
2007	933	20.4	0.68	19.1	21.8	100	10.3	1.04	8.4	12.6
2008	1,009	22.2	0.72	20.8	23.7	110	11.2	1.08	9.2	13.5
2009	1,098	24.4	0.76	23.0	26.0	121	12.4	1.13	10.2	14.8
2010	1,000	22.2	0.73	20.8	23.7	133	13.3	1.17	11.1	15.8
2011	1,078	23.4	0.74	21.9	24.9	130	12.9	1.15	10.7	15.4
2012	1,182	26.1	0.79	24.5	27.7	134	13.2	1.16	11.0	15.7
2013	1,143	25.7	0.79	24.1	27.3	145	14.1	1.19	11.8	16.6
2014	1,126	25.4	0.79	23.8	27.0	146	14.4	1.22	12.1	17.0
2015	1,228	27.5	0.83	25.9	29.1	128	12.7	1.15	10.6	15.2
2016	1,057	23.8	0.77	22.3	25.4	143	14.2	1.22	12.0	16.8
2017	878	19.8	0.71	18.4	21.2	140	13.4	1.17	11.2	15.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,355	9.8	0.19	9.5	10.2	32,086	10.2	0.06	10.1	10.3
1990	24	3.8	0.99	2.1	6.3	513	4.9	0.22	4.5	5.3
1991	26	3.8	0.83	2.3	5.9	482	4.6	0.21	4.2	5.0
1992	26	3.5	0.85	2.0	5.6	515	4.8	0.22	4.4	5.3
1993	36	4.9	0.96	3.2	7.3	559	5.2	0.22	4.8	5.7
1994	36	4.0	0.74	2.7	5.9	568	5.3	0.22	4.8	5.7
1995	37	5.6	1.15	3.6	8.3	616	5.6	0.23	5.2	6.1
1996	45	5.0	0.88	3.4	7.1	673	6.1	0.24	5.7	6.6
1997	42	4.5	0.82	3.0	6.5	716	6.5	0.24	6.0	7.0
1998	66	5.8	0.79	4.4	7.7	715	6.5	0.24	6.0	7.0
1999	70	6.5	0.95	4.8	8.7	797	7.2	0.26	6.7	7.7
2000	55	4.9	0.76	3.5	6.7	818	7.4	0.26	6.9	7.9
2001	74	6.5	0.87	4.9	8.5	853	7.6	0.26	7.1	8.2
2002	73	6.4	0.85	4.8	8.3	1,039	9.3	0.29	8.7	9.9
2003	96	7.5	0.92	5.8	9.5	1,030	9.2	0.29	8.6	9.8
2004	110	8.3	0.95	6.6	10.4	1,143	10.2	0.30	9.6	10.8
2005	122	9.3	1.01	7.4	11.5	1,181	10.4	0.31	9.8	11.1
2006	125	8.5	0.87	6.9	10.4	1,315	11.6	0.32	11.0	12.3
2007	142	10.0	0.97	8.2	12.1	1,416	12.5	0.34	11.8	13.1
2008	153	10.8	1.02	8.9	12.9	1,512	13.2	0.35	12.6	13.9
2009	173	11.8	1.02	9.9	13.9	1,601	14.0	0.36	13.3	14.7
2010	187	11.8	0.95	10.1	13.9	1,591	13.9	0.35	13.2	14.6
2011	200	13.4	1.05	11.4	15.6	1,682	14.4	0.36	13.7	15.1
2012	196	11.3	0.87	9.7	13.2	1,847	15.9	0.38	15.2	16.7
2013	235	13.3	0.93	11.5	15.3	1,869	16.1	0.38	15.4	16.9
2014	237	13.9	0.99	12.1	16.0	1,841	15.8	0.38	15.1	16.6
2015	263	15.4	1.02	13.5	17.5	1,914	16.4	0.39	15.6	17.2
2016	267	14.5	0.95	12.7	16.5	1,735	15.0	0.37	14.3	15.8
2017	239	13.4	0.92	11.7	15.4	1,545	13.2	0.35	12.5	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	27,288	10.8	0.07	10.7	11.0	2,726	5.9	0.11	5.7	6.2
1990	458	5.2	0.25	4.8	5.7	39	2.9	0.49	2.0	4.0
1991	427	4.8	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6
1992	460	5.2	0.24	4.7	5.7	38	2.7	0.44	1.9	3.7
1993	493	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8
1994	496	5.6	0.25	5.1	6.1	49	3.4	0.50	2.5	4.6
1995	531	5.9	0.26	5.4	6.5	52	3.6	0.50	2.6	4.7
1996	594	6.6	0.27	6.1	7.2	53	3.4	0.48	2.6	4.5
1997	610	6.8	0.27	6.2	7.3	63	4.5	0.58	3.5	5.8
1998	599	6.7	0.27	6.2	7.2	67	4.4	0.55	3.4	5.6
1999	693	7.8	0.30	7.2	8.4	50	3.0	0.43	2.2	4.0
2000	704	7.9	0.30	7.3	8.5	64	4.0	0.51	3.1	5.2
2001	729	8.1	0.30	7.5	8.7	84	5.3	0.58	4.2	6.5
2002	902	10.0	0.34	9.4	10.7	85	5.3	0.58	4.2	6.5
2003	886	9.9	0.33	9.2	10.6	87	5.3	0.57	4.2	6.5
2004	997	11.2	0.36	10.5	12.0	80	4.7	0.53	3.7	5.9
2005	1,002	11.1	0.36	10.5	11.9	90	5.4	0.58	4.4	6.7
2006	1,124	12.5	0.38	11.8	13.3	101	5.9	0.60	4.8	7.2
2007	1,217	13.6	0.40	12.8	14.4	112	6.6	0.63	5.4	8.0
2008	1,288	14.3	0.41	13.5	15.2	129	7.4	0.66	6.2	8.8
2009	1,389	15.5	0.43	14.7	16.4	132	7.5	0.66	6.3	8.9
2010	1,339	14.9	0.42	14.1	15.7	146	8.1	0.68	6.8	9.6
2011	1,426	15.6	0.43	14.8	16.4	144	7.9	0.67	6.7	9.4
2012	1,551	17.1	0.45	16.3	18.1	158	8.7	0.71	7.4	10.2
2013	1,572	17.6	0.46	16.7	18.5	162	8.7	0.70	7.4	10.2
2014	1,523	17.0	0.45	16.1	17.9	178	9.7	0.74	8.3	11.3
2015	1,618	18.0	0.47	17.1	18.9	160	8.8	0.71	7.5	10.4
2016	1,420	16.0	0.45	15.1	16.9	173	9.5	0.74	8.1	11.1
2017	1,240	13.8	0.41	13.0	14.6	158	8.4	0.69	7.1	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	634	4.2	0.20	3.8	4.6	8,151	5.5	0.06	5.3	5.6
1990	3	0.6	0.35	0.1	3.2	136	2.9	0.25	2.4	3.4
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	3.9	133	2.7	0.24	2.3	3.3
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	3.6	147	3.0	0.25	2.5	3.5
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4
1996	11	3.1	1.26	1.2	6.7	167	3.3	0.26	2.8	3.9
1997	11	3.4	1.30	1.3	7.0	181	3.6	0.27	3.1	4.2
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7
1999	15	2.8	0.84	1.4	5.3	204	3.9	0.28	3.4	4.5
2000	14	2.2	0.73	1.0	4.5	181	3.5	0.26	3.0	4.0
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9
2002	14	2.3	0.68	1.2	4.4	240	4.6	0.30	4.0	5.2
2003	13	2.1	0.70	1.0	4.1	233	4.4	0.29	3.9	5.0
2004	15	2.1	0.57	1.1	3.8	290	5.4	0.32	4.8	6.1
2005	24	4.6	1.33	2.3	7.8	291	5.4	0.32	4.8	6.0
2006	25	3.4	0.82	2.0	5.6	309	5.7	0.33	5.1	6.4
2007	23	3.7	0.92	2.1	6.0	354	6.6	0.35	5.9	7.3
2008	29	4.9	1.10	3.0	7.6	357	6.4	0.34	5.7	7.1
2009	32	5.5	1.17	3.5	8.3	369	6.6	0.35	6.0	7.3
2010	30	4.5	0.98	2.7	6.8	419	7.5	0.38	6.8	8.3
2011	36	5.3	1.01	3.5	7.7	425	7.5	0.37	6.8	8.3
2012	39	4.1	0.68	2.9	5.7	459	8.1	0.39	7.3	8.8
2013	41	5.1	0.92	3.4	7.2	500	8.7	0.40	8.0	9.6
2014	49	5.9	0.91	4.3	8.0	494	8.6	0.40	7.8	9.4
2015	48	7.0	1.15	4.9	9.6	496	8.6	0.40	7.8	9.4
2016	60	7.3	1.05	5.4	9.6	475	8.3	0.40	7.6	9.2
2017	48	5.8	0.92	4.1	7.9	453	7.8	0.38	7.1	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,164	5.8	0.07	5.7	6.0	518	2.7	0.12	2.5	2.9
1990	122	3.0	0.28	2.5	3.6	10	2.2	0.77	1.0	4.2
1991	106	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3
1992	119	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0
1994	124	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4
1995	131	3.1	0.27	2.6	3.7	9	1.3	0.47	0.6	2.6
1996	149	3.5	0.29	3.0	4.1	14	2.2	0.61	1.2	3.8
1997	159	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8
1998	176	4.2	0.31	3.6	4.8	18	2.6	0.63	1.6	4.2
1999	182	4.3	0.32	3.7	4.9	11	1.6	0.48	0.8	2.9
2000	165	3.9	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4
2002	213	4.9	0.34	4.3	5.7	11	1.5	0.45	0.7	2.7
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3
2004	260	6.0	0.37	5.3	6.7	13	1.7	0.50	0.9	3.0
2005	260	5.9	0.37	5.2	6.7	15	2.1	0.57	1.2	3.6
2006	271	6.1	0.38	5.4	6.9	16	2.2	0.57	1.3	3.6
2007	316	7.2	0.41	6.4	8.1	20	3.2	0.76	1.9	5.0
2008	320	7.1	0.40	6.3	7.9	23	3.0	0.67	1.9	4.6
2009	327	7.3	0.41	6.5	8.1	23	2.9	0.62	1.8	4.4
2010	367	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7
2011	379	8.3	0.44	7.4	9.2	20	2.6	0.60	1.6	4.0
2012	404	8.8	0.45	8.0	9.7	28	3.7	0.73	2.4	5.4
2013	440	9.6	0.47	8.7	10.6	27	3.4	0.67	2.2	5.0
2014	429	9.3	0.47	8.4	10.3	36	4.5	0.77	3.1	6.2
2015	421	9.2	0.46	8.3	10.1	39	4.8	0.79	3.4	6.7
2016	399	8.9	0.46	8.0	9.8	39	4.9	0.82	3.5	6.8
2017	393	8.6	0.45	7.7	9.5	27	3.5	0.69	2.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,721	15.8	0.33	15.1	16.4	23,935	14.7	0.10	14.5	14.9
1990	21	6.9	1.78	3.8	11.3	377	6.8	0.35	6.1	7.5
1991	20	5.8	1.39	3.4	9.4	364	6.6	0.35	5.9	7.3
1992	21	5.8	1.47	3.2	9.5	382	6.8	0.35	6.1	7.5
1993	29	7.4	1.49	4.7	11.0	416	7.3	0.36	6.7	8.1
1994	31	7.2	1.40	4.7	10.7	421	7.4	0.37	6.7	8.2
1995	29	7.7	1.66	4.8	11.7	473	8.2	0.38	7.5	9.0
1996	34	7.3	1.39	4.8	10.7	506	8.8	0.39	8.0	9.6
1997	31	6.0	1.19	3.9	9.0	535	9.2	0.40	8.4	10.0
1998	56	10.0	1.44	7.4	13.4	506	8.8	0.39	8.0	9.6
1999	55	10.5	1.64	7.5	14.3	593	10.4	0.43	9.5	11.2
2000	41	7.7	1.33	5.4	10.9	637	11.0	0.44	10.1	11.9
2001	61	11.0	1.58	8.1	14.6	628	10.8	0.43	10.0	11.7
2002	59	10.6	1.54	7.8	14.1	799	13.7	0.49	12.7	14.7
2003	83	13.1	1.64	10.1	16.8	797	13.7	0.49	12.7	14.6
2004	95	14.7	1.73	11.5	18.5	853	14.8	0.51	13.8	15.8
2005	98	14.5	1.63	11.5	18.1	890	15.2	0.51	14.2	16.3
2006	100	13.9	1.53	11.0	17.2	1,006	17.1	0.55	16.1	18.2
2007	119	16.7	1.69	13.5	20.3	1,062	18.0	0.56	16.9	19.2
2008	124	16.9	1.69	13.8	20.6	1,155	19.7	0.59	18.5	20.8
2009	141	18.4	1.69	15.3	22.1	1,232	21.0	0.61	19.8	22.3
2010	157	19.8	1.67	16.6	23.3	1,172	20.0	0.60	18.8	21.2
2011	164	21.6	1.83	18.2	25.5	1,257	20.9	0.61	19.8	22.2
2012	157	18.7	1.58	15.8	22.1	1,388	23.4	0.65	22.2	24.7
2013	194	22.1	1.65	18.9	25.6	1,369	23.1	0.65	21.9	24.4
2014	188	22.0	1.72	18.7	25.6	1,347	22.9	0.65	21.6	24.2
2015	215	24.5	1.73	21.2	28.1	1,418	23.9	0.66	22.6	25.2
2016	207	22.2	1.61	19.2	25.6	1,260	21.5	0.63	20.2	22.7
2017	191	21.2	1.60	18.2	24.6	1,092	18.4	0.58	17.3	19.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Thyroid										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	20,124	15.7	0.11	15.5	16.0	2,208	8.5	0.18	8.1	8.9
1990	336	7.3	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3
1991	321	7.0	0.40	6.3	7.8	27	3.6	0.72	2.3	5.3
1992	341	7.3	0.40	6.6	8.2	28	3.4	0.65	2.3	4.9
1993	358	7.7	0.41	6.9	8.6	33	4.2	0.74	2.9	5.9
1994	372	8.1	0.42	7.3	9.0	32	3.7	0.66	2.5	5.2
1995	400	8.7	0.44	7.8	9.6	43	5.2	0.80	3.7	7.0
1996	445	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1
1997	451	9.6	0.46	8.7	10.5	51	6.4	0.90	4.7	8.4
1998	423	9.2	0.45	8.4	10.2	49	5.7	0.82	4.2	7.5
1999	511	11.3	0.50	10.3	12.3	39	4.2	0.67	3.0	5.7
2000	539	11.7	0.51	10.8	12.8	56	6.2	0.84	4.7	8.1
2001	530	11.6	0.51	10.6	12.6	67	7.3	0.90	5.7	9.3
2002	689	15.0	0.58	13.9	16.2	74	8.1	0.95	6.4	10.2
2003	688	15.0	0.58	13.9	16.2	68	7.3	0.88	5.6	9.2
2004	737	16.4	0.61	15.2	17.6	67	7.1	0.87	5.5	9.0
2005	742	16.3	0.61	15.1	17.5	75	8.0	0.93	6.3	10.1
2006	853	18.7	0.65	17.4	20.0	85	8.8	0.96	7.0	10.9
2007	901	19.7	0.67	18.4	21.1	92	9.6	1.01	7.7	11.8
2008	968	21.4	0.71	20.0	22.8	106	10.9	1.06	8.9	13.2
2009	1,062	23.7	0.75	22.2	25.2	109	11.1	1.08	9.1	13.4
2010	972	21.6	0.72	20.2	23.1	122	12.2	1.12	10.1	14.6
2011	1,047	22.8	0.73	21.3	24.2	124	12.3	1.12	10.2	14.7
2012	1,147	25.4	0.78	23.9	27.0	130	12.8	1.14	10.7	15.2
2013	1,132	25.4	0.79	23.9	27.0	135	13.0	1.14	10.9	15.4
2014	1,094	24.6	0.78	23.1	26.2	142	14.0	1.20	11.8	16.6
2015	1,197	26.8	0.82	25.2	28.4	121	12.1	1.12	10.0	14.5
2016	1,021	23.1	0.76	21.7	24.7	134	13.4	1.19	11.2	15.9
2017	847	19.1	0.69	17.7	20.5	131	12.6	1.13	10.5	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,964	20.5	0.34	19.8	21.2	73,113	22.3	0.08	22.2	22.5
1990	76	13.1	1.87	9.7	17.2	1,992	18.9	0.43	18.1	19.8
1991	68	14.1	2.12	10.3	18.8	1,990	18.6	0.42	17.8	19.5
1992	97	18.9	2.37	14.6	24.1	2,161	20.1	0.43	19.2	20.9
1993	99	18.0	2.30	13.8	23.0	2,210	20.3	0.44	19.5	21.2
1994	116	18.9	2.22	14.8	23.7	2,319	21.2	0.44	20.3	22.1
1995	122	22.8	2.64	17.9	28.5	2,406	21.9	0.45	21.0	22.8
1996	115	19.0	2.24	14.8	23.8	2,521	22.8	0.46	21.9	23.7
1997	99	14.9	1.84	11.5	18.9	2,467	22.2	0.45	21.3	23.1
1998	128	19.8	2.09	15.9	24.3	2,499	22.3	0.45	21.5	23.2
1999	162	23.7	2.35	19.3	28.7	2,575	22.9	0.45	22.0	23.8
2000	126	18.0	2.01	14.3	22.4	2,600	23.0	0.45	22.1	23.9
2001	132	19.3	2.05	15.5	23.7	2,599	22.8	0.45	21.9	23.7
2002	169	22.7	2.14	18.7	27.3	2,606	22.8	0.45	21.9	23.7
2003	168	20.1	1.88	16.5	24.1	2,637	22.9	0.45	22.0	23.8
2004	183	22.4	2.07	18.5	26.8	2,789	24.1	0.46	23.2	25.0
2005	181	20.7	1.88	17.2	24.6	2,741	23.5	0.45	22.6	24.4
2006	184	18.0	1.54	15.1	21.3	2,696	23.0	0.45	22.2	23.9
2007	208	22.4	1.85	19.0	26.3	2,710	22.9	0.44	22.0	23.8
2008	238	24.3	1.88	20.7	28.2	2,807	23.4	0.45	22.5	24.3
2009	229	22.6	1.74	19.3	26.2	2,794	23.1	0.44	22.3	24.0
2010	219	21.3	1.65	18.2	24.7	2,900	23.8	0.45	22.9	24.7
2011	216	19.4	1.51	16.5	22.5	2,826	22.8	0.44	22.0	23.7
2012	217	18.8	1.44	16.1	21.8	2,766	22.3	0.43	21.4	23.1
2013	263	20.4	1.42	17.7	23.4	2,804	22.1	0.43	21.3	23.0
2014	280	22.1	1.48	19.3	25.1	2,954	23.0	0.43	22.2	23.9
2015	276	21.2	1.42	18.5	24.1	2,966	23.0	0.43	22.2	23.9
2016	290	20.8	1.35	18.2	23.6	2,882	22.3	0.43	21.5	23.2
2017	303	21.4	1.34	18.9	24.2	2,896	22.2	0.43	21.3	23.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	63,799	23.4	0.09	23.2	23.6	7,152	16.0	0.19	15.6	16.4
1990	1,799	19.9	0.47	19.0	20.8	170	12.8	1.03	10.9	15.0
1991	1,815	19.8	0.47	18.9	20.7	140	10.4	0.92	8.7	12.4
1992	1,969	21.3	0.48	20.4	22.3	169	12.5	1.00	10.6	14.6
1993	1,991	21.4	0.48	20.5	22.4	192	13.3	1.00	11.4	15.4
1994	2,057	22.0	0.49	21.0	23.0	225	15.7	1.08	13.6	17.9
1995	2,131	22.7	0.49	21.7	23.7	227	16.0	1.11	14.0	18.4
1996	2,238	23.8	0.51	22.9	24.9	233	15.5	1.05	13.5	17.7
1997	2,179	23.1	0.50	22.1	24.1	233	15.3	1.03	13.4	17.5
1998	2,187	23.1	0.50	22.1	24.1	256	16.8	1.07	14.7	19.0
1999	2,308	24.3	0.51	23.3	25.3	224	14.9	1.02	12.9	17.0
2000	2,284	24.1	0.51	23.1	25.1	248	15.8	1.02	13.9	17.9
2001	2,293	24.0	0.50	23.0	25.0	247	15.7	1.02	13.8	17.9
2002	2,305	24.1	0.50	23.1	25.1	239	15.1	1.00	13.2	17.2
2003	2,298	23.9	0.50	22.9	24.9	262	16.3	1.02	14.4	18.5
2004	2,414	25.0	0.51	24.0	26.0	295	18.8	1.12	16.6	21.1
2005	2,382	24.6	0.51	23.6	25.6	267	16.7	1.05	14.7	18.9
2006	2,368	24.5	0.51	23.5	25.5	253	15.5	0.99	13.6	17.6
2007	2,352	24.0	0.50	23.1	25.0	288	17.2	1.04	15.2	19.4
2008	2,423	24.5	0.51	23.5	25.5	278	16.8	1.03	14.8	18.9
2009	2,415	24.2	0.50	23.3	25.3	271	15.9	0.99	14.1	18.0
2010	2,474	24.7	0.51	23.7	25.7	301	17.5	1.03	15.6	19.7
2011	2,410	23.7	0.50	22.8	24.7	306	17.4	1.02	15.5	19.5
2012	2,384	23.5	0.49	22.5	24.5	291	16.3	0.97	14.4	18.3
2013	2,403	23.4	0.49	22.4	24.3	287	15.8	0.95	14.0	17.8
2014	2,511	24.1	0.50	23.1	25.1	314	17.2	0.99	15.3	19.2
2015	2,541	24.3	0.50	23.4	25.4	298	16.2	0.96	14.3	18.2
2016	2,458	23.6	0.50	22.6	24.6	290	16.1	0.97	14.3	18.1
2017	2,410	22.9	0.49	22.0	23.9	348	19.1	1.05	17.1	21.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,822	23.7	0.55	22.6	24.8	38,838	27.1	0.14	26.8	27.3
1990	48	15.8	2.90	10.6	22.7	1,056	23.0	0.73	21.6	24.5
1991	50	18.9	3.63	12.5	27.3	1,021	21.9	0.70	20.5	23.3
1992	61	24.3	4.13	16.9	33.6	1,113	24.3	0.75	22.8	25.8
1993	65	18.8	3.06	13.3	25.8	1,152	24.4	0.73	23.0	25.9
1994	74	23.1	3.72	16.4	31.4	1,168	24.7	0.74	23.3	26.2
1995	69	23.8	4.02	16.6	32.8	1,264	26.4	0.76	25.0	27.9
1996	71	21.4	3.69	14.8	29.7	1,312	27.2	0.76	25.7	28.7
1997	60	17.6	3.03	12.2	24.5	1,277	26.4	0.75	25.0	27.9
1998	78	27.0	4.09	19.6	36.0	1,327	27.3	0.76	25.9	28.9
1999	100	30.0	4.14	22.4	39.0	1,356	27.8	0.76	26.3	29.3
2000	76	21.7	3.36	15.6	29.2	1,370	27.7	0.76	26.3	29.3
2001	65	20.2	3.48	13.9	27.9	1,340	27.1	0.75	25.6	28.6
2002	102	28.3	3.60	21.7	36.1	1,379	27.7	0.75	26.3	29.2
2003	97	25.2	3.46	18.9	32.8	1,393	27.6	0.75	26.2	29.1
2004	113	30.0	3.84	23.0	38.3	1,506	29.8	0.78	28.3	31.4
2005	101	22.1	2.83	16.9	28.3	1,456	28.6	0.76	27.2	30.2
2006	107	20.1	2.37	15.7	25.3	1,451	28.3	0.75	26.8	29.8
2007	114	25.2	3.02	19.7	31.7	1,470	28.1	0.74	26.6	29.6
2008	120	27.1	3.09	21.3	33.7	1,482	28.0	0.74	26.6	29.5
2009	127	27.9	3.05	22.3	34.4	1,458	27.4	0.73	26.0	28.8
2010	118	24.0	2.67	19.1	29.7	1,577	29.1	0.75	27.7	30.6
2011	116	21.4	2.41	16.9	26.5	1,512	27.4	0.72	26.0	28.8
2012	128	23.2	2.42	18.7	28.4	1,462	26.4	0.70	25.0	27.8
2013	146	23.2	2.28	18.9	28.0	1,538	27.2	0.71	25.8	28.6
2014	137	20.8	2.09	17.0	25.3	1,594	27.4	0.70	26.0	28.8
2015	165	27.2	2.45	22.6	32.4	1,632	27.9	0.71	26.5	29.3
2016	156	22.9	2.08	19.0	27.3	1,547	26.8	0.70	25.4	28.2
2017	158	22.0	1.99	18.3	26.2	1,625	27.3	0.70	25.9	28.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	33,824	28.1	0.15	27.8	28.5	3,855	19.9	0.34	19.2	20.6
1990	943	23.9	0.80	22.4	25.5	96	16.8	1.86	13.3	20.8
1991	930	23.2	0.78	21.7	24.8	74	12.2	1.54	9.4	15.6
1992	1,005	25.4	0.82	23.9	27.1	95	16.8	1.87	13.4	20.9
1993	1,031	25.5	0.81	24.0	27.2	108	16.2	1.70	13.1	19.9
1994	1,024	25.4	0.81	23.9	27.1	126	18.8	1.74	15.5	22.5
1995	1,110	27.2	0.83	25.6	28.9	136	22.1	2.07	18.3	26.5
1996	1,135	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2
1997	1,112	27.1	0.82	25.6	28.8	132	19.1	1.74	15.8	22.8
1998	1,152	28.0	0.83	26.4	29.7	145	21.5	1.87	18.0	25.5
1999	1,199	29.0	0.84	27.4	30.7	128	19.6	1.87	16.1	23.6
2000	1,196	28.9	0.84	27.2	30.6	137	19.4	1.73	16.1	23.1
2001	1,182	28.4	0.83	26.8	30.1	127	18.5	1.73	15.2	22.2
2002	1,221	29.2	0.84	27.6	30.9	124	17.7	1.68	14.6	21.3
2003	1,215	28.8	0.83	27.2	30.4	138	20.0	1.77	16.6	23.8
2004	1,307	31.0	0.86	29.3	32.7	159	23.5	1.99	19.8	27.7
2005	1,266	29.7	0.84	28.1	31.4	137	20.3	1.85	16.8	24.2
2006	1,276	29.9	0.84	28.2	31.6	129	18.1	1.66	15.0	21.7
2007	1,273	29.3	0.83	27.7	30.9	161	22.2	1.86	18.7	26.1
2008	1,287	29.3	0.83	27.7	30.9	139	19.6	1.76	16.3	23.4
2009	1,268	28.6	0.82	27.1	30.3	133	18.2	1.67	15.1	21.8
2010	1,341	29.8	0.83	28.2	31.5	168	23.0	1.87	19.5	27.0
2011	1,285	28.1	0.80	26.5	29.7	164	22.1	1.82	18.7	25.9
2012	1,272	27.9	0.80	26.3	29.5	143	18.4	1.59	15.4	21.8
2013	1,340	29.0	0.81	27.4	30.6	145	18.4	1.58	15.4	21.7
2014	1,367	28.7	0.80	27.1	30.3	161	20.1	1.66	17.0	23.6
2015	1,393	29.1	0.80	27.5	30.7	166	20.9	1.69	17.7	24.5
2016	1,338	28.5	0.80	26.9	30.1	148	18.9	1.62	15.9	22.4
2017	1,356	27.8	0.78	26.2	29.3	186	24.3	1.85	20.8	28.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,142	17.7	0.43	16.9	18.6	34,275	18.7	0.10	18.5	18.9
1990	28	10.3	2.32	6.3	15.8	936	15.7	0.52	14.7	16.7
1991	18	9.4	2.46	5.2	15.2	969	16.0	0.52	15.0	17.1
1992	36	14.1	2.74	9.2	20.4	1,048	17.0	0.53	16.0	18.1
1993	34	15.9	3.11	10.4	22.9	1,058	17.0	0.53	16.0	18.1
1994	42	14.9	2.71	10.1	21.1	1,151	18.4	0.55	17.4	19.5
1995	53	21.1	3.46	14.9	28.8	1,142	18.1	0.54	17.1	19.2
1996	44	16.6	2.84	11.5	23.0	1,209	19.2	0.56	18.1	20.3
1997	39	12.3	2.28	8.2	17.5	1,190	18.8	0.55	17.7	19.9
1998	50	14.4	2.20	10.4	19.4	1,172	18.5	0.55	17.5	19.6
1999	62	18.5	2.76	13.5	24.6	1,219	19.1	0.55	18.1	20.2
2000	50	14.8	2.48	10.3	20.3	1,230	19.4	0.56	18.3	20.5
2001	67	19.4	2.68	14.5	25.2	1,259	19.5	0.56	18.5	20.6
2002	67	17.7	2.55	13.1	23.3	1,227	18.9	0.55	17.9	20.0
2003	71	16.2	2.17	12.3	21.0	1,244	19.2	0.55	18.1	20.3
2004	70	16.4	2.31	12.2	21.5	1,283	19.7	0.56	18.6	20.8
2005	80	19.0	2.49	14.5	24.4	1,285	19.7	0.56	18.6	20.8
2006	77	16.0	2.02	12.3	20.4	1,245	19.0	0.55	17.9	20.1
2007	94	20.1	2.35	15.8	25.2	1,240	18.8	0.54	17.7	19.9
2008	118	22.3	2.36	18.0	27.4	1,325	19.9	0.56	18.8	21.0
2009	102	18.5	2.05	14.7	22.9	1,336	19.9	0.56	18.8	21.0
2010	101	19.1	2.09	15.2	23.5	1,323	19.9	0.56	18.8	21.0
2011	100	17.7	1.95	14.1	21.9	1,314	19.3	0.55	18.3	20.4
2012	89	14.9	1.73	11.7	18.6	1,304	19.0	0.54	17.9	20.0
2013	117	18.0	1.80	14.6	21.8	1,266	18.1	0.52	17.1	19.1
2014	143	22.9	2.08	19.0	27.3	1,360	19.5	0.55	18.5	20.7
2015	111	16.2	1.66	13.1	19.8	1,334	19.1	0.54	18.0	20.2
2016	134	18.7	1.74	15.5	22.4	1,335	18.8	0.54	17.8	19.9
2017	145	20.6	1.81	17.2	24.5	1,271	18.2	0.53	17.2	19.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	29,975	19.7	0.12	19.4	19.9	3,297	13.0	0.23	12.6	13.5
1990	856	16.6	0.58	15.5	17.8	74	10.1	1.20	7.9	12.7
1991	885	17.0	0.58	15.9	18.2	66	8.9	1.12	6.8	11.4
1992	964	18.3	0.60	17.1	19.5	74	9.5	1.13	7.4	12.0
1993	960	18.0	0.59	16.9	19.2	84	10.8	1.21	8.6	13.4
1994	1,033	19.3	0.61	18.1	20.5	99	12.7	1.30	10.3	15.5
1995	1,021	18.9	0.60	17.7	20.1	91	11.6	1.23	9.3	14.3
1996	1,103	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4
1997	1,067	19.9	0.62	18.7	21.2	101	12.1	1.22	9.8	14.8
1998	1,035	19.3	0.61	18.1	20.6	111	12.9	1.24	10.6	15.6
1999	1,109	20.7	0.63	19.5	22.0	96	11.4	1.18	9.2	14.0
2000	1,088	20.6	0.64	19.3	21.9	111	12.7	1.22	10.4	15.3
2001	1,111	20.6	0.63	19.4	21.9	120	13.6	1.26	11.3	16.3
2002	1,084	20.0	0.62	18.8	21.3	115	13.0	1.22	10.7	15.6
2003	1,083	20.0	0.62	18.8	21.3	124	13.7	1.23	11.3	16.3
2004	1,107	20.4	0.63	19.2	21.7	136	15.3	1.32	12.8	18.1
2005	1,116	20.6	0.63	19.4	21.9	130	14.3	1.27	11.9	17.0
2006	1,092	20.3	0.63	19.1	21.6	124	13.3	1.21	11.1	15.9
2007	1,079	19.8	0.62	18.6	21.1	127	13.6	1.22	11.3	16.2
2008	1,136	20.8	0.64	19.6	22.1	139	14.7	1.26	12.4	17.4
2009	1,147	20.9	0.64	19.6	22.2	138	14.3	1.23	12.0	17.0
2010	1,133	20.9	0.64	19.6	22.2	133	13.8	1.21	11.5	16.3
2011	1,125	20.3	0.63	19.1	21.6	142	14.2	1.21	12.0	16.8
2012	1,112	19.9	0.62	18.7	21.1	148	14.6	1.22	12.3	17.2
2013	1,063	18.8	0.60	17.6	20.0	142	13.8	1.18	11.6	16.3
2014	1,144	20.4	0.63	19.2	21.7	153	15.0	1.23	12.7	17.6
2015	1,148	20.4	0.63	19.2	21.7	132	12.7	1.13	10.6	15.2
2016	1,120	19.7	0.62	18.5	21.0	142	13.9	1.19	11.7	16.5
2017	1,054	19.1	0.62	17.9	20.4	162	15.6	1.25	13.2	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	921	2.6	0.11	2.4	2.9	9,093	3.0	0.03	2.9	3.0
1990	18	2.2	0.59	1.2	3.9	317	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	5.0	314	2.9	0.17	2.6	3.3
1992	14	1.8	0.69	0.8	3.7	327	3.0	0.16	2.6	3.3
1993	17	1.8	0.53	0.9	3.3	301	2.7	0.16	2.4	3.1
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1
1995	21	1.4	0.33	0.9	2.5	301	2.7	0.16	2.4	3.1
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6
1997	23	3.2	0.94	1.6	5.5	340	3.1	0.17	2.8	3.5
1998	23	2.4	0.71	1.2	4.2	303	2.8	0.16	2.5	3.1
1999	33	2.6	0.54	1.7	4.0	315	2.9	0.16	2.6	3.2
2000	23	2.7	0.83	1.3	4.8	340	3.1	0.17	2.8	3.5
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4
2002	30	2.3	0.53	1.4	3.6	337	3.1	0.17	2.8	3.4
2003	32	2.3	0.49	1.5	3.5	321	2.9	0.16	2.6	3.3
2004	35	3.4	0.82	2.0	5.4	326	3.0	0.17	2.7	3.3
2005	35	2.4	0.50	1.5	3.6	349	3.2	0.17	2.9	3.6
2006	34	2.4	0.51	1.5	3.7	354	3.3	0.17	2.9	3.6
2007	39	2.6	0.51	1.7	3.8	306	2.8	0.16	2.5	3.2
2008	43	3.0	0.56	2.0	4.3	373	3.4	0.18	3.1	3.8
2009	42	2.8	0.54	1.8	4.1	324	3.0	0.17	2.7	3.3
2010	52	3.5	0.58	2.5	4.8	332	3.1	0.17	2.8	3.5
2011	49	3.6	0.61	2.5	5.0	308	2.8	0.16	2.5	3.2
2012	34	2.1	0.43	1.4	3.1	321	2.9	0.17	2.6	3.3
2013	46	3.0	0.51	2.0	4.1	313	2.8	0.16	2.5	3.2
2014	53	3.1	0.48	2.2	4.2	325	2.9	0.16	2.6	3.2
2015	47	2.5	0.40	1.8	3.4	311	2.9	0.17	2.6	3.3
2016	48	2.6	0.42	1.9	3.6	295	2.7	0.16	2.4	3.1
2017	42	2.5	0.43	1.7	3.4	343	3.2	0.18	2.8	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,422	3.1	0.04	3.0	3.2	1,335	2.7	0.07	2.5	2.8
1990	272	3.1	0.19	2.7	3.5	43	2.6	0.41	1.9	3.6
1991	275	3.1	0.19	2.8	3.5	31	1.9	0.34	1.3	2.7
1992	284	3.1	0.19	2.8	3.5	39	2.4	0.39	1.7	3.3
1993	245	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1
1995	260	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7
1996	297	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6
1997	276	3.2	0.19	2.8	3.6	57	3.3	0.45	2.5	4.3
1998	250	2.9	0.18	2.5	3.2	41	2.3	0.36	1.6	3.1
1999	265	3.0	0.19	2.7	3.4	37	2.2	0.36	1.5	3.0
2000	282	3.3	0.20	2.9	3.7	47	2.6	0.39	1.9	3.5
2001	272	3.2	0.19	2.8	3.6	48	2.7	0.38	2.0	3.5
2002	290	3.4	0.20	3.0	3.8	41	2.3	0.37	1.6	3.2
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2
2004	264	3.1	0.19	2.7	3.5	52	2.9	0.40	2.1	3.8
2005	273	3.2	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7
2006	291	3.5	0.21	3.1	3.9	46	2.5	0.38	1.9	3.4
2007	252	3.0	0.19	2.6	3.4	44	2.3	0.35	1.7	3.1
2008	298	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0
2009	262	3.1	0.20	2.8	3.6	48	2.6	0.39	1.9	3.5
2010	260	3.2	0.20	2.8	3.6	57	3.0	0.40	2.3	3.9
2011	236	2.8	0.19	2.5	3.2	59	3.2	0.42	2.4	4.1
2012	248	2.9	0.19	2.6	3.3	59	3.2	0.43	2.4	4.2
2013	248	3.0	0.20	2.6	3.4	51	2.7	0.38	2.0	3.5
2014	259	3.0	0.19	2.7	3.4	47	2.6	0.38	1.9	3.4
2015	243	3.1	0.20	2.7	3.5	49	2.6	0.38	1.9	3.4
2016	227	2.8	0.19	2.4	3.2	52	2.9	0.41	2.1	3.8
2017	266	3.3	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	545	3.2	0.18	2.9	3.6	5,008	3.4	0.05	3.3	3.5
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1
1991	9	3.4	1.82	0.8	8.6	171	3.4	0.26	2.9	3.9
1992	9	3.2	1.59	0.9	7.8	163	3.2	0.25	2.7	3.7
1993	11	2.3	0.93	0.8	5.4	170	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	5.5	171	3.2	0.25	2.8	3.8
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8
1999	20	2.8	0.71	1.6	5.0	169	3.2	0.25	2.8	3.8
2000	14	3.8	1.62	1.3	8.0	202	3.9	0.27	3.3	4.4
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0
2002	17	2.4	0.65	1.3	4.4	181	3.4	0.26	3.0	4.0
2003	18	2.7	0.77	1.4	4.8	165	3.2	0.25	2.7	3.7
2004	21	4.4	1.46	2.0	8.0	191	3.7	0.27	3.2	4.2
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4
2006	20	2.6	0.73	1.4	4.5	183	3.5	0.26	3.0	4.1
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2
2009	26	4.2	1.12	2.3	6.9	172	3.3	0.25	2.8	3.8
2010	26	4.0	0.98	2.3	6.4	181	3.5	0.26	3.0	4.1
2011	34	5.4	1.14	3.4	8.0	169	3.2	0.25	2.7	3.8
2012	20	2.4	0.63	1.3	4.0	175	3.3	0.25	2.8	3.9
2013	30	3.9	0.86	2.4	5.9	158	3.0	0.24	2.5	3.5
2014	24	2.7	0.64	1.6	4.3	186	3.3	0.25	2.9	3.9
2015	31	3.7	0.76	2.4	5.5	184	3.5	0.26	3.0	4.0
2016	31	3.7	0.74	2.4	5.4	178	3.4	0.26	2.9	3.9
2017	25	2.5	0.54	1.5	3.8	178	3.3	0.26	2.8	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,055	3.5	0.05	3.4	3.6	761	3.3	0.12	3.1	3.6
1990	154	3.6	0.30	3.1	4.3	26	3.5	0.72	2.2	5.3
1991	149	3.6	0.30	3.0	4.2	17	2.3	0.58	1.3	3.8
1992	145	3.4	0.28	2.9	4.0	18	2.9	0.75	1.6	4.7
1993	139	3.3	0.28	2.7	3.8	28	3.4	0.67	2.2	5.1
1994	139	3.2	0.28	2.7	3.8	26	3.4	0.69	2.2	5.1
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9
1996	160	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5
1998	143	3.4	0.29	2.9	4.0	21	2.4	0.53	1.5	3.7
1999	136	3.2	0.28	2.7	3.8	22	2.7	0.59	1.7	4.2
2000	170	4.1	0.31	3.5	4.7	26	3.1	0.65	2.0	4.7
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1
2002	160	3.8	0.30	3.2	4.5	20	2.3	0.54	1.4	3.7
2003	138	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0
2004	152	3.7	0.30	3.1	4.3	36	4.5	0.77	3.1	6.3
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1
2006	150	3.7	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4
2007	140	3.4	0.29	2.9	4.0	28	3.2	0.62	2.1	4.7
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8
2009	139	3.3	0.29	2.8	4.0	27	3.2	0.62	2.1	4.7
2010	139	3.4	0.30	2.9	4.1	34	4.0	0.72	2.8	5.7
2011	129	3.1	0.28	2.6	3.7	33	4.1	0.74	2.7	5.8
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	4.9
2013	131	3.2	0.29	2.7	3.8	21	2.4	0.55	1.5	3.8
2014	147	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.0
2015	141	3.5	0.30	3.0	4.2	32	3.6	0.65	2.4	5.1
2016	134	3.3	0.29	2.8	3.9	35	4.2	0.73	2.9	5.9
2017	139	3.4	0.30	2.8	4.0	27	3.1	0.61	2.0	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	376	2.1	0.13	1.9	2.4	4,085	2.6	0.04	2.5	2.7
1990	8	1.6	0.62	0.6	3.9	135	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	143	2.5	0.21	2.1	2.9
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	9	1.5	0.53	0.6	3.4	134	2.3	0.20	1.9	2.7
1995	11	1.5	0.45	0.7	3.2	119	2.1	0.19	1.7	2.5
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.50	1.7	7.9	165	2.9	0.23	2.5	3.4
1998	5	0.8	0.37	0.2	2.3	133	2.4	0.21	2.0	2.8
1999	13	2.4	0.77	1.1	4.6	146	2.6	0.21	2.2	3.0
2000	9	1.9	0.86	0.6	4.3	138	2.4	0.21	2.1	2.9
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2
2002	13	2.1	0.76	0.9	4.2	156	2.7	0.22	2.3	3.2
2003	14	2.0	0.61	1.0	3.7	156	2.8	0.22	2.3	3.2
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9
2005	16	2.3	0.71	1.1	4.2	151	2.7	0.22	2.3	3.2
2006	14	2.2	0.70	1.1	4.1	171	3.0	0.23	2.6	3.5
2007	14	1.7	0.50	0.9	3.1	129	2.3	0.21	1.9	2.8
2008	22	3.0	0.80	1.7	5.0	179	3.3	0.25	2.8	3.8
2009	16	1.7	0.45	0.9	2.9	152	2.7	0.23	2.3	3.2
2010	26	3.2	0.70	2.0	4.9	151	2.7	0.23	2.3	3.2
2011	15	2.0	0.62	1.0	3.6	139	2.5	0.22	2.1	3.0
2012	14	1.8	0.56	0.9	3.2	146	2.6	0.22	2.2	3.0
2013	16	2.1	0.58	1.1	3.5	155	2.7	0.22	2.3	3.2
2014	29	3.5	0.71	2.2	5.2	139	2.5	0.22	2.1	2.9
2015	16	1.4	0.36	0.8	2.4	127	2.5	0.22	2.0	2.9
2016	17	1.6	0.43	0.9	2.7	117	2.1	0.20	1.7	2.6
2017	17	2.3	0.62	1.3	3.8	165	3.1	0.24	2.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Hodgkin Lymphoma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,367	2.7	0.05	2.6	2.8	574	2.1	0.09	1.9	2.3
1990	118	2.6	0.24	2.1	3.1	17	1.9	0.48	1.1	3.1
1991	126	2.7	0.24	2.2	3.2	14	1.5	0.41	0.8	2.6
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6
1994	122	2.6	0.24	2.2	3.1	11	1.2	0.37	0.6	2.2
1995	108	2.4	0.23	1.9	2.9	7	0.7	0.27	0.3	1.5
1996	137	3.1	0.26	2.6	3.6	16	1.7	0.43	1.0	2.8
1997	141	3.1	0.27	2.6	3.7	21	2.3	0.50	1.4	3.5
1998	107	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3
1999	129	2.9	0.26	2.4	3.5	15	1.7	0.43	0.9	2.7
2000	112	2.6	0.25	2.1	3.1	21	2.2	0.48	1.4	3.4
2001	129	2.9	0.26	2.5	3.5	19	1.9	0.44	1.2	3.0
2002	130	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4
2003	128	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4
2004	112	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6
2005	114	2.7	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0
2006	141	3.3	0.28	2.8	3.9	22	2.2	0.48	1.4	3.4
2007	112	2.6	0.25	2.1	3.2	16	1.6	0.40	0.9	2.6
2008	143	3.5	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2
2010	121	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3
2011	107	2.6	0.25	2.1	3.1	26	2.6	0.51	1.7	3.8
2012	111	2.5	0.25	2.1	3.1	30	3.1	0.56	2.0	4.4
2013	117	2.8	0.27	2.3	3.3	30	2.9	0.53	1.9	4.1
2014	112	2.7	0.26	2.2	3.3	18	1.8	0.44	1.1	2.9
2015	102	2.7	0.27	2.2	3.2	17	1.8	0.44	1.0	2.9
2016	93	2.3	0.25	1.8	2.8	17	1.7	0.43	1.0	2.8
2017	127	3.2	0.30	2.7	3.8	28	2.8	0.53	1.8	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,043	17.9	0.32	17.2	18.5	64,020	19.4	0.08	19.2	19.5
1990	58	10.9	1.77	7.7	14.9	1,675	16.0	0.40	15.2	16.8
1991	53	11.5	1.91	8.1	15.8	1,676	15.7	0.39	15.0	16.5
1992	83	17.1	2.27	12.9	22.0	1,834	17.1	0.40	16.3	17.9
1993	82	16.3	2.23	12.2	21.2	1,909	17.6	0.41	16.8	18.4
1994	93	16.8	2.16	12.8	21.5	2,014	18.5	0.41	17.7	19.3
1995	101	21.4	2.62	16.5	27.0	2,105	19.1	0.42	18.3	20.0
1996	95	16.9	2.16	13.0	21.6	2,164	19.6	0.42	18.8	20.4
1997	76	11.7	1.58	8.8	15.2	2,127	19.1	0.41	18.3	19.9
1998	105	17.4	1.97	13.8	21.6	2,196	19.6	0.42	18.8	20.4
1999	129	21.1	2.29	16.8	26.0	2,260	20.0	0.42	19.2	20.8
2000	103	15.3	1.83	11.9	19.3	2,260	19.9	0.42	19.1	20.7
2001	102	16.3	1.94	12.7	20.5	2,264	19.8	0.42	18.9	20.6
2002	139	20.4	2.07	16.6	24.8	2,269	19.7	0.41	18.9	20.5
2003	136	17.8	1.82	14.4	21.6	2,316	19.9	0.42	19.1	20.8
2004	148	19.0	1.90	15.4	23.0	2,463	21.1	0.43	20.3	21.9
2005	146	18.3	1.82	14.9	22.1	2,392	20.3	0.42	19.5	21.1
2006	150	15.6	1.46	12.9	18.7	2,342	19.8	0.41	19.0	20.6
2007	169	19.8	1.78	16.5	23.5	2,404	20.1	0.41	19.3	20.9
2008	195	21.3	1.79	17.9	25.0	2,434	20.0	0.41	19.2	20.8
2009	187	19.8	1.65	16.7	23.2	2,470	20.2	0.41	19.4	21.0
2010	167	17.8	1.54	14.9	21.0	2,568	20.7	0.42	19.9	21.5
2011	167	15.8	1.38	13.2	18.7	2,518	20.0	0.41	19.2	20.8
2012	183	16.7	1.38	14.1	19.5	2,445	19.4	0.40	18.6	20.2
2013	217	17.5	1.32	15.0	20.2	2,491	19.3	0.40	18.5	20.1
2014	227	19.0	1.40	16.3	21.9	2,629	20.1	0.40	19.3	20.9
2015	229	18.7	1.36	16.1	21.5	2,655	20.1	0.40	19.3	20.9
2016	242	18.2	1.28	15.7	20.8	2,587	19.6	0.40	18.8	20.4
2017	261	18.9	1.27	16.5	21.6	2,553	19.0	0.39	18.3	19.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	56,377	20.3	0.09	20.1	20.5	5,817	13.3	0.18	13.0	13.7
1990	1,527	16.8	0.44	16.0	17.7	127	10.2	0.94	8.5	12.2
1991	1,540	16.7	0.43	15.8	17.5	109	8.5	0.85	7.0	10.4
1992	1,685	18.2	0.45	17.3	19.1	130	10.2	0.92	8.4	12.1
1993	1,746	18.7	0.45	17.8	19.6	142	10.4	0.91	8.7	12.3
1994	1,796	19.1	0.45	18.2	20.0	188	13.5	1.01	11.6	15.6
1995	1,871	19.8	0.46	18.9	20.7	192	14.1	1.06	12.2	16.4
1996	1,941	20.5	0.47	19.6	21.4	186	12.8	0.97	11.0	14.9
1997	1,903	19.9	0.46	19.0	20.8	176	12.0	0.93	10.3	14.0
1998	1,937	20.2	0.46	19.3	21.2	215	14.5	1.01	12.6	16.6
1999	2,043	21.2	0.47	20.3	22.2	187	12.7	0.95	10.9	14.7
2000	2,002	20.9	0.47	20.0	21.8	201	13.2	0.95	11.4	15.1
2001	2,021	20.9	0.47	20.0	21.8	199	13.1	0.95	11.3	15.1
2002	2,015	20.7	0.46	19.8	21.6	198	12.8	0.93	11.0	14.7
2003	2,032	20.8	0.46	19.9	21.7	219	14.0	0.96	12.1	16.0
2004	2,150	21.9	0.48	21.0	22.9	243	15.9	1.04	13.9	18.0
2005	2,109	21.3	0.47	20.4	22.3	203	13.1	0.94	11.3	15.0
2006	2,077	21.0	0.47	20.1	22.0	207	13.0	0.92	11.2	14.9
2007	2,100	21.1	0.47	20.2	22.0	244	14.9	0.97	13.0	16.9
2008	2,125	21.0	0.46	20.1	21.9	222	13.7	0.94	11.9	15.7
2009	2,153	21.1	0.46	20.2	22.0	223	13.3	0.91	11.6	15.2
2010	2,214	21.6	0.47	20.7	22.5	244	14.5	0.95	12.7	16.5
2011	2,174	20.9	0.46	20.0	21.8	247	14.2	0.93	12.5	16.2
2012	2,136	20.6	0.46	19.7	21.5	232	13.1	0.87	11.4	14.9
2013	2,155	20.4	0.45	19.5	21.3	236	13.1	0.87	11.5	15.0
2014	2,252	21.1	0.46	20.2	22.0	267	14.6	0.92	12.9	16.5
2015	2,298	21.3	0.46	20.4	22.2	249	13.6	0.88	11.9	15.4
2016	2,231	20.8	0.46	19.9	21.7	238	13.3	0.88	11.6	15.1
2017	2,144	19.6	0.44	18.8	20.5	293	16.2	0.97	14.4	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,277	20.4	0.53	19.4	21.5	33,830	23.7	0.13	23.4	23.9
1990	38	13.0	2.73	8.2	19.6	874	19.5	0.68	18.2	20.9
1991	41	15.5	3.14	10.0	22.9	850	18.5	0.65	17.3	19.8
1992	52	21.1	3.82	14.3	29.8	950	21.1	0.70	19.7	22.5
1993	54	16.5	2.91	11.3	23.3	982	21.1	0.69	19.8	22.5
1994	60	20.3	3.63	13.9	28.6	997	21.5	0.69	20.1	22.9
1995	59	22.4	3.99	15.3	31.4	1,082	22.9	0.71	21.6	24.4
1996	58	19.5	3.64	13.0	27.7	1,110	23.3	0.71	22.0	24.8
1997	48	15.9	2.97	10.6	22.7	1,102	23.1	0.71	21.7	24.5
1998	60	22.7	3.75	16.0	31.0	1,157	24.0	0.72	22.7	25.5
1999	80	27.2	4.08	19.8	36.1	1,187	24.6	0.72	23.2	26.0
2000	62	18.0	2.95	12.7	24.6	1,168	23.9	0.71	22.5	25.3
2001	48	16.5	3.32	10.7	24.0	1,159	23.6	0.70	22.3	25.0
2002	85	25.9	3.55	19.4	33.6	1,198	24.3	0.71	22.9	25.7
2003	79	22.6	3.38	16.4	29.9	1,228	24.4	0.70	23.1	25.9
2004	92	25.6	3.56	19.1	33.3	1,315	26.2	0.73	24.8	27.6
2005	82	19.7	2.76	14.7	25.8	1,258	24.9	0.71	23.5	26.3
2006	87	17.5	2.26	13.4	22.5	1,268	24.8	0.70	23.4	26.2
2007	89	21.6	2.85	16.3	27.8	1,293	24.7	0.70	23.4	26.1
2008	99	24.2	3.01	18.7	30.7	1,288	24.4	0.69	23.0	25.8
2009	101	23.7	2.84	18.5	29.8	1,286	24.1	0.68	22.8	25.5
2010	92	20.0	2.48	15.5	25.4	1,396	25.6	0.70	24.3	27.0
2011	82	16.0	2.12	12.1	20.6	1,343	24.2	0.67	22.9	25.5
2012	108	20.8	2.34	16.5	25.8	1,287	23.1	0.66	21.8	24.4
2013	116	19.3	2.11	15.4	23.8	1,380	24.3	0.67	23.0	25.6
2014	113	18.1	1.99	14.5	22.4	1,408	24.1	0.66	22.8	25.4
2015	134	23.5	2.33	19.2	28.5	1,448	24.4	0.66	23.1	25.7
2016	125	19.2	1.94	15.6	23.3	1,369	23.4	0.65	22.2	24.7
2017	133	19.6	1.92	16.0	23.6	1,447	23.9	0.65	22.7	25.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	29,769	24.7	0.14	24.4	25.0	3,094	16.6	0.31	16.0	17.2
1990	789	20.3	0.74	18.9	21.8	70	13.3	1.72	10.1	17.1
1991	781	19.6	0.72	18.2	21.1	57	9.9	1.42	7.3	13.1
1992	860	22.1	0.77	20.6	23.6	77	14.0	1.71	10.8	17.7
1993	892	22.3	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2
1994	885	22.2	0.76	20.8	23.8	100	15.4	1.60	12.4	18.9
1995	958	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0
1996	975	24.0	0.77	22.5	25.5	119	19.0	1.88	15.5	23.1
1997	977	24.0	0.77	22.5	25.5	96	14.5	1.55	11.6	17.9
1998	1,009	24.6	0.78	23.1	26.2	124	19.2	1.79	15.8	23.0
1999	1,063	25.8	0.80	24.2	27.4	106	16.9	1.78	13.6	20.7
2000	1,026	24.8	0.78	23.3	26.4	111	16.2	1.60	13.3	19.7
2001	1,039	25.0	0.78	23.5	26.6	98	15.0	1.60	12.0	18.4
2002	1,061	25.4	0.79	23.9	27.0	104	15.4	1.59	12.4	18.8
2003	1,077	25.4	0.78	23.9	27.0	117	17.4	1.68	14.3	21.0
2004	1,155	27.3	0.81	25.7	28.9	123	19.0	1.83	15.6	22.9
2005	1,107	25.9	0.78	24.4	27.5	107	16.7	1.73	13.5	20.5
2006	1,126	26.2	0.79	24.7	27.8	105	15.2	1.55	12.3	18.6
2007	1,133	25.9	0.78	24.4	27.4	133	19.0	1.75	15.7	22.7
2008	1,132	25.6	0.77	24.1	27.2	112	16.4	1.64	13.3	19.9
2009	1,129	25.3	0.76	23.8	26.8	106	15.0	1.55	12.1	18.3
2010	1,202	26.4	0.77	24.9	27.9	134	19.0	1.72	15.7	22.6
2011	1,156	24.9	0.75	23.5	26.5	131	18.0	1.66	14.9	21.6
2012	1,135	24.5	0.74	23.1	26.0	114	15.0	1.45	12.3	18.1
2013	1,209	25.8	0.76	24.3	27.3	124	15.9	1.49	13.2	19.1
2014	1,220	25.3	0.74	23.8	26.8	132	16.7	1.52	13.8	19.9
2015	1,252	25.6	0.74	24.1	27.1	134	17.4	1.56	14.4	20.7
2016	1,204	25.1	0.75	23.7	26.7	113	14.8	1.44	12.1	17.9
2017	1,217	24.4	0.72	23.0	25.8	159	21.1	1.74	17.9	24.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,766	15.6	0.41	14.8	16.4	30,190	16.1	0.09	15.9	16.3
1990	20	8.7	2.24	4.8	14.1	801	13.3	0.48	12.4	14.2
1991	12	7.2	2.22	3.5	12.6	826	13.5	0.48	12.6	14.5
1992	31	13.2	2.72	8.4	19.5	884	14.3	0.49	13.3	15.3
1993	28	14.5	3.05	9.2	21.5	927	14.8	0.49	13.9	15.8
1994	33	13.4	2.66	8.8	19.5	1,017	16.1	0.51	15.1	17.2
1995	42	19.7	3.43	13.5	27.3	1,023	16.0	0.51	15.1	17.1
1996	37	14.7	2.69	9.9	20.8	1,054	16.5	0.51	15.5	17.5
1997	28	8.2	1.72	5.2	12.3	1,025	15.9	0.50	14.9	16.9
1998	45	13.6	2.17	9.7	18.5	1,039	16.2	0.51	15.2	17.2
1999	49	16.1	2.65	11.3	22.0	1,073	16.6	0.51	15.6	17.6
2000	41	12.9	2.32	8.7	18.1	1,092	17.0	0.52	16.0	18.0
2001	54	16.9	2.54	12.3	22.5	1,105	16.8	0.51	15.8	17.8
2002	54	15.7	2.43	11.3	21.0	1,071	16.2	0.50	15.2	17.2
2003	57	14.2	2.08	10.5	18.9	1,088	16.4	0.50	15.4	17.4
2004	56	13.7	2.11	9.9	18.4	1,148	17.3	0.52	16.3	18.3
2005	64	16.7	2.39	12.4	21.9	1,134	17.0	0.51	16.0	18.1
2006	63	13.8	1.90	10.3	18.0	1,074	15.9	0.49	15.0	16.9
2007	80	18.4	2.29	14.2	23.3	1,111	16.5	0.50	15.5	17.5
2008	96	19.3	2.22	15.2	24.1	1,146	16.6	0.50	15.7	17.7
2009	86	16.8	2.00	13.1	21.1	1,184	17.2	0.51	16.2	18.2
2010	75	15.9	1.97	12.2	20.1	1,172	17.1	0.51	16.1	18.1
2011	85	15.7	1.85	12.3	19.7	1,175	16.8	0.50	15.8	17.8
2012	75	13.1	1.64	10.1	16.7	1,158	16.4	0.49	15.4	17.4
2013	101	15.9	1.70	12.8	19.6	1,111	15.4	0.47	14.5	16.3
2014	114	19.4	1.95	15.8	23.6	1,221	17.1	0.50	16.1	18.1
2015	95	14.8	1.62	11.8	18.3	1,207	16.6	0.49	15.7	17.6
2016	117	17.1	1.69	14.0	20.7	1,218	16.7	0.50	15.7	17.7
2017	128	18.3	1.71	15.1	22.0	1,106	15.2	0.47	14.3	16.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Non-Hodgkin Lymphoma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	26,608	16.9	0.11	16.7	17.1	2,723	10.9	0.21	10.5	11.4
1990	738	14.0	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6
1991	759	14.3	0.53	13.3	15.4	52	7.4	1.04	5.5	9.7
1992	825	15.4	0.55	14.4	16.6	53	7.4	1.03	5.5	9.6
1993	854	15.8	0.55	14.7	16.9	62	8.4	1.09	6.4	10.8
1994	911	16.7	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2
1995	913	16.5	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5
1996	966	17.6	0.58	16.5	18.8	67	8.3	1.03	6.4	10.5
1997	926	16.8	0.56	15.7	17.9	80	9.9	1.12	7.8	12.3
1998	928	16.9	0.56	15.8	18.0	91	10.8	1.15	8.7	13.3
1999	980	17.8	0.58	16.7	19.0	81	9.8	1.10	7.7	12.1
2000	976	18.0	0.59	16.9	19.2	90	10.5	1.12	8.4	12.9
2001	982	17.7	0.57	16.5	18.8	101	11.7	1.18	9.5	14.3
2002	954	17.1	0.56	16.0	18.2	94	10.8	1.12	8.7	13.2
2003	955	17.1	0.56	16.0	18.2	102	11.4	1.14	9.3	13.9
2004	995	17.8	0.58	16.7	19.0	120	13.7	1.26	11.3	16.3
2005	1,002	18.0	0.58	16.8	19.2	96	10.7	1.10	8.7	13.1
2006	951	17.0	0.57	15.9	18.2	102	11.1	1.11	9.0	13.5
2007	967	17.2	0.57	16.1	18.4	111	12.0	1.15	9.9	14.5
2008	993	17.4	0.57	16.3	18.5	110	11.8	1.14	9.7	14.3
2009	1,024	17.9	0.57	16.8	19.0	117	12.3	1.15	10.1	14.7
2010	1,012	18.0	0.58	16.8	19.2	110	11.6	1.12	9.5	14.0
2011	1,018	17.8	0.58	16.6	18.9	116	11.7	1.10	9.6	14.0
2012	1,001	17.3	0.57	16.2	18.5	118	11.6	1.08	9.6	13.9
2013	946	16.0	0.54	15.0	17.1	112	10.9	1.05	9.0	13.2
2014	1,032	17.7	0.57	16.6	18.9	135	13.1	1.15	11.0	15.6
2015	1,046	17.8	0.57	16.7	19.0	115	11.0	1.05	9.0	13.2
2016	1,027	17.4	0.57	16.3	18.6	125	12.2	1.11	10.1	14.6
2017	927	15.9	0.55	14.8	17.0	134	12.8	1.13	10.7	15.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,232	6.3	0.20	5.9	6.7	20,856	6.2	0.04	6.1	6.3
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	15	3.9	1.15	1.9	6.7	538	5.1	0.22	4.7	5.5
1992	20	6.1	1.52	3.5	9.6	511	4.7	0.21	4.3	5.2
1993	19	4.3	1.11	2.4	7.0	600	5.5	0.22	5.1	5.9
1994	17	4.6	1.21	2.5	7.5	692	6.3	0.24	5.8	6.8
1995	27	8.0	1.70	5.1	11.9	689	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	20	4.1	0.97	2.4	6.4	677	6.1	0.23	5.6	6.5
1998	29	5.5	1.14	3.5	8.1	710	6.3	0.24	5.8	6.8
1999	28	5.3	1.14	3.3	7.9	698	6.1	0.23	5.7	6.6
2000	49	10.4	1.70	7.4	14.2	704	6.2	0.23	5.7	6.6
2001	36	6.4	1.16	4.3	9.0	714	6.2	0.23	5.8	6.7
2002	32	5.3	1.06	3.4	7.7	818	7.1	0.25	6.6	7.6
2003	33	5.6	1.14	3.6	8.2	782	6.7	0.24	6.2	7.2
2004	35	5.7	1.05	3.8	8.0	728	6.2	0.23	5.7	6.6
2005	54	7.8	1.17	5.7	10.4	745	6.3	0.23	5.8	6.7
2006	40	5.0	0.88	3.4	7.0	772	6.4	0.23	6.0	6.9
2007	38	4.7	0.84	3.2	6.6	721	6.0	0.22	5.5	6.4
2008	53	6.9	1.06	5.0	9.2	812	6.6	0.23	6.2	7.1
2009	61	7.3	1.05	5.4	9.6	827	6.6	0.23	6.2	7.1
2010	60	5.8	0.80	4.3	7.5	797	6.3	0.23	5.8	6.7
2011	54	5.0	0.76	3.7	6.7	867	6.7	0.23	6.3	7.2
2012	79	7.9	0.96	6.1	10.0	860	6.6	0.23	6.2	7.1
2013	74	6.9	0.89	5.3	8.9	835	6.3	0.22	5.9	6.8
2014	68	6.7	0.88	5.1	8.7	878	6.5	0.22	6.0	6.9
2015	72	6.1	0.77	4.6	7.7	913	6.7	0.23	6.2	7.1
2016	90	7.2	0.81	5.7	9.0	932	6.7	0.22	6.3	7.1
2017	83	6.5	0.77	5.1	8.2	920	6.5	0.22	6.1	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	15,395	5.4	0.04	5.3	5.5	4,978	12.1	0.17	11.8	12.4
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5
1991	438	4.7	0.23	4.3	5.2	94	8.3	0.88	6.7	10.2
1992	405	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3
1993	458	4.8	0.22	4.4	5.2	132	11.4	1.02	9.5	13.6
1994	519	5.4	0.24	4.9	5.9	165	13.8	1.10	11.7	16.1
1995	523	5.4	0.24	4.9	5.9	155	12.8	1.05	10.8	15.0
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8
1997	513	5.3	0.23	4.8	5.8	150	11.9	0.99	10.0	14.0
1998	524	5.4	0.24	4.9	5.9	177	13.6	1.04	11.7	15.8
1999	511	5.2	0.23	4.8	5.7	176	13.0	1.00	11.1	15.0
2000	508	5.2	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7
2001	532	5.4	0.23	4.9	5.9	167	11.9	0.94	10.1	13.9
2002	633	6.4	0.25	5.9	6.9	175	12.4	0.96	10.6	14.5
2003	590	5.9	0.24	5.4	6.4	184	13.1	0.98	11.2	15.2
2004	536	5.4	0.23	4.9	5.8	178	12.0	0.92	10.3	13.9
2005	545	5.4	0.23	5.0	5.9	187	12.5	0.93	10.8	14.5
2006	566	5.6	0.24	5.1	6.1	192	12.8	0.94	11.0	14.8
2007	533	5.2	0.23	4.8	5.7	170	10.9	0.85	9.3	12.7
2008	603	5.8	0.24	5.4	6.3	179	11.4	0.87	9.8	13.3
2009	607	5.8	0.24	5.3	6.3	195	12.2	0.89	10.5	14.0
2010	581	5.5	0.23	5.0	6.0	200	12.2	0.88	10.5	14.1
2011	634	5.9	0.24	5.5	6.4	205	12.0	0.86	10.4	13.8
2012	609	5.6	0.23	5.2	6.1	216	12.7	0.88	11.0	14.6
2013	595	5.4	0.22	4.9	5.8	216	12.7	0.88	11.0	14.5
2014	620	5.5	0.23	5.1	6.0	225	12.7	0.87	11.1	14.5
2015	631	5.6	0.23	5.2	6.1	247	13.5	0.88	11.8	15.3
2016	656	5.7	0.23	5.3	6.2	245	13.1	0.86	11.5	14.9
2017	673	5.9	0.23	5.4	6.3	215	11.5	0.80	10.0	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	671	7.1	0.32	6.5	7.8	10,879	7.6	0.07	7.5	7.8
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	10	4.8	1.75	2.0	9.5	291	6.4	0.38	5.7	7.2
1994	8	5.0	2.08	1.8	10.4	356	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	357	7.9	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	322	7.0	0.40	6.3	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	367	7.9	0.42	7.1	8.8
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	353	7.3	0.39	6.6	8.2
2001	22	8.5	2.17	4.8	13.7	346	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	415	8.5	0.42	7.7	9.4
2003	16	4.0	1.12	2.1	6.8	402	8.3	0.42	7.5	9.1
2004	18	7.0	1.93	3.7	11.6	373	7.5	0.39	6.7	8.3
2005	32	10.2	2.04	6.6	14.9	398	7.9	0.40	7.1	8.7
2006	23	6.2	1.56	3.5	9.9	411	8.0	0.40	7.3	8.9
2007	20	5.2	1.30	3.0	8.3	394	7.7	0.39	6.9	8.5
2008	34	9.6	1.94	6.2	13.9	448	8.5	0.41	7.7	9.3
2009	33	9.1	1.82	5.8	13.2	437	8.1	0.40	7.4	8.9
2010	35	6.6	1.21	4.4	9.4	413	7.4	0.37	6.7	8.2
2011	35	6.9	1.28	4.6	9.8	462	8.3	0.39	7.5	9.1
2012	45	9.4	1.58	6.6	12.9	484	8.5	0.40	7.8	9.3
2013	39	7.7	1.40	5.2	10.8	439	7.6	0.37	6.9	8.4
2014	36	7.5	1.42	5.0	10.7	480	8.0	0.37	7.3	8.8
2015	38	6.3	1.12	4.3	8.9	489	8.0	0.37	7.3	8.8
2016	53	8.8	1.31	6.4	11.7	516	8.3	0.38	7.6	9.1
2017	37	5.9	1.08	4.0	8.4	473	7.6	0.36	6.9	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	8,246	6.8	0.08	6.6	6.9	2,355	14.1	0.30	13.5	14.7
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4
1993	227	5.7	0.38	5.0	6.5	57	12.9	1.84	9.5	16.9
1994	267	6.8	0.43	6.0	7.7	85	17.5	2.00	13.8	21.8
1995	268	6.7	0.42	6.0	7.6	80	16.7	1.99	13.0	21.0
1996	247	6.2	0.40	5.5	7.1	70	13.4	1.71	10.3	17.1
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0
1998	280	7.0	0.42	6.2	7.8	82	16.8	1.98	13.1	21.0
1999	273	6.7	0.41	5.9	7.5	71	12.4	1.55	9.6	15.8
2000	267	6.5	0.40	5.8	7.4	76	13.0	1.55	10.1	16.4
2001	264	6.4	0.40	5.6	7.2	75	12.8	1.55	10.0	16.2
2002	329	7.9	0.44	7.1	8.8	79	14.3	1.68	11.2	17.9
2003	307	7.4	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5
2004	280	6.6	0.40	5.9	7.5	85	14.2	1.61	11.2	17.7
2005	299	7.0	0.41	6.2	7.9	90	14.3	1.56	11.4	17.6
2006	307	7.1	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3
2007	301	6.9	0.40	6.2	7.8	85	13.4	1.51	10.6	16.6
2008	347	7.8	0.42	7.0	8.7	87	13.3	1.50	10.6	16.6
2009	324	7.2	0.41	6.4	8.0	96	14.6	1.57	11.7	18.0
2010	306	6.6	0.38	5.9	7.4	97	14.0	1.50	11.2	17.2
2011	345	7.4	0.41	6.7	8.3	104	15.3	1.58	12.4	18.7
2012	361	7.6	0.41	6.8	8.5	101	14.5	1.51	11.7	17.7
2013	331	6.8	0.38	6.1	7.6	95	13.7	1.46	11.0	16.9
2014	354	7.1	0.38	6.3	7.9	104	14.9	1.53	12.1	18.2
2015	353	7.0	0.38	6.3	7.8	118	15.6	1.50	12.8	18.8
2016	368	7.3	0.39	6.5	8.1	127	16.2	1.50	13.4	19.4
2017	364	7.1	0.38	6.4	7.9	90	11.8	1.30	9.4	14.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	561	5.6	0.25	5.1	6.1	9,977	5.2	0.05	5.1	5.3
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7
1991	4	2.6	1.37	0.6	6.4	269	4.3	0.26	3.8	4.8
1992	9	5.6	2.00	2.4	10.6	251	4.0	0.26	3.5	4.5
1993	9	3.8	1.42	1.6	7.5	309	4.8	0.28	4.3	5.4
1994	9	4.4	1.55	1.9	8.4	336	5.2	0.29	4.7	5.8
1995	15	8.7	2.39	4.7	14.4	332	5.1	0.28	4.6	5.7
1996	16	7.4	1.96	4.1	12.1	303	4.7	0.27	4.2	5.3
1997	11	4.7	1.50	2.3	8.5	335	5.1	0.28	4.6	5.7
1998	16	5.5	1.49	3.0	9.2	343	5.3	0.29	4.7	5.9
1999	17	5.9	1.55	3.2	9.6	349	5.3	0.29	4.7	5.9
2000	21	8.7	2.08	5.1	13.5	351	5.3	0.29	4.8	5.9
2001	14	4.7	1.31	2.5	7.9	368	5.5	0.29	5.0	6.1
2002	10	3.2	1.15	1.3	6.1	403	6.0	0.30	5.4	6.6
2003	17	6.5	1.75	3.6	10.6	380	5.6	0.29	5.1	6.2
2004	17	4.8	1.21	2.7	7.7	355	5.3	0.28	4.7	5.9
2005	22	5.9	1.34	3.6	9.1	347	5.1	0.28	4.6	5.7
2006	17	4.0	1.05	2.3	6.6	361	5.3	0.28	4.7	5.9
2007	18	4.2	1.08	2.4	6.8	327	4.8	0.27	4.3	5.3
2008	19	4.8	1.17	2.8	7.6	364	5.2	0.28	4.7	5.8
2009	28	6.1	1.24	3.9	8.9	390	5.5	0.28	4.9	6.1
2010	25	4.9	1.04	3.1	7.3	384	5.3	0.28	4.8	5.9
2011	19	3.4	0.86	1.9	5.5	405	5.6	0.28	5.1	6.2
2012	34	6.5	1.18	4.4	9.2	376	5.2	0.27	4.7	5.8
2013	35	6.4	1.16	4.3	9.0	396	5.4	0.28	4.8	5.9
2014	32	6.1	1.14	4.1	8.7	398	5.3	0.27	4.8	5.9
2015	34	5.7	1.03	3.9	8.0	424	5.6	0.28	5.1	6.2
2016	37	5.7	0.98	4.0	7.9	416	5.4	0.27	4.9	6.0
2017	46	6.9	1.07	5.0	9.3	447	5.7	0.28	5.2	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Myeloma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,149	4.4	0.05	4.3	4.5	2,623	10.8	0.21	10.4	11.2
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4
1991	220	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3
1992	201	3.6	0.26	3.1	4.2	49	6.9	0.99	5.1	9.1
1993	231	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5
1994	252	4.5	0.29	3.9	5.1	80	11.3	1.27	8.9	14.1
1995	255	4.5	0.29	4.0	5.1	75	10.4	1.21	8.1	13.0
1996	232	4.1	0.27	3.6	4.7	68	9.0	1.11	7.0	11.4
1997	244	4.3	0.28	3.7	4.9	85	11.3	1.24	9.0	14.0
1998	244	4.3	0.28	3.8	4.9	95	12.1	1.25	9.8	14.8
1999	238	4.1	0.27	3.6	4.7	105	13.1	1.29	10.7	15.9
2000	241	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9
2001	268	4.6	0.29	4.1	5.3	92	11.2	1.17	9.0	13.7
2002	304	5.2	0.30	4.6	5.9	96	11.4	1.17	9.2	13.9
2003	283	4.9	0.30	4.3	5.5	94	11.1	1.16	9.0	13.6
2004	256	4.5	0.28	3.9	5.1	93	10.6	1.11	8.5	13.0
2005	246	4.3	0.28	3.7	4.9	97	11.1	1.13	9.0	13.5
2006	259	4.5	0.28	3.9	5.1	93	10.4	1.09	8.4	12.8
2007	232	4.0	0.27	3.5	4.5	85	9.3	1.01	7.4	11.5
2008	256	4.4	0.28	3.8	4.9	92	10.1	1.06	8.1	12.4
2009	283	4.7	0.29	4.2	5.3	99	10.6	1.07	8.6	12.9
2010	275	4.6	0.28	4.0	5.2	103	10.8	1.08	8.8	13.2
2011	289	4.8	0.29	4.3	5.5	101	10.0	1.01	8.1	12.1
2012	248	4.2	0.27	3.6	4.7	115	11.4	1.08	9.4	13.7
2013	264	4.3	0.27	3.8	4.9	121	11.9	1.10	9.9	14.3
2014	266	4.3	0.27	3.8	4.9	121	11.5	1.06	9.5	13.8
2015	278	4.4	0.27	3.9	5.0	129	12.1	1.08	10.1	14.4
2016	288	4.6	0.28	4.0	5.2	118	11.0	1.03	9.1	13.3
2017	309	4.8	0.28	4.3	5.4	125	11.2	1.02	9.3	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,148	10.4	0.23	10.0	10.9	43,995	13.4	0.06	13.3	13.5
1990	46	7.7	1.54	5.0	11.3	1,140	10.8	0.32	10.2	11.4
1991	47	8.0	1.49	5.3	11.4	1,116	10.5	0.32	9.9	11.1
1992	53	8.1	1.45	5.5	11.4	1,191	11.1	0.32	10.5	11.7
1993	50	7.1	1.24	4.9	10.0	1,261	11.6	0.33	11.0	12.3
1994	79	10.9	1.72	7.8	14.7	1,503	13.8	0.36	13.1	14.5
1995	80	10.0	1.51	7.2	13.4	1,492	13.6	0.35	12.9	14.3
1996	70	8.8	1.48	6.1	12.1	1,439	13.0	0.34	12.3	13.7
1997	84	10.0	1.46	7.4	13.3	1,437	12.9	0.34	12.2	13.6
1998	85	10.0	1.51	7.3	13.3	1,449	12.9	0.34	12.3	13.6
1999	97	11.5	1.58	8.6	15.0	1,564	13.9	0.35	13.2	14.6
2000	103	9.3	1.26	7.0	12.1	1,600	14.1	0.35	13.4	14.8
2001	83	9.7	1.43	7.1	12.8	1,698	14.9	0.36	14.2	15.7
2002	114	12.8	1.62	9.8	16.3	1,682	14.7	0.36	14.0	15.4
2003	88	9.3	1.32	6.9	12.1	1,698	14.7	0.36	14.0	15.4
2004	108	10.1	1.34	7.6	13.0	1,697	14.6	0.36	13.9	15.3
2005	112	9.5	1.14	7.4	12.0	1,624	13.9	0.35	13.2	14.6
2006	139	13.8	1.52	10.9	17.0	1,655	14.1	0.35	13.4	14.8
2007	114	8.3	0.96	6.5	10.4	1,538	13.1	0.34	12.4	13.7
2008	141	11.1	1.18	8.9	13.6	1,674	14.0	0.35	13.4	14.7
2009	133	10.8	1.18	8.7	13.4	1,621	13.4	0.34	12.8	14.1
2010	145	10.3	1.03	8.4	12.5	1,716	14.0	0.35	13.4	14.7
2011	140	9.5	0.96	7.7	11.5	1,769	14.3	0.35	13.7	15.0
2012	166	12.0	1.10	9.9	14.3	1,790	14.3	0.35	13.7	15.0
2013	180	12.7	1.11	10.6	15.0	1,742	13.8	0.34	13.1	14.5
2014	163	10.1	0.90	8.4	12.0	1,721	13.5	0.33	12.8	14.1
2015	183	11.8	1.00	9.9	13.9	1,740	13.5	0.33	12.8	14.1
2016	162	9.6	0.86	8.0	11.4	1,688	13.0	0.33	12.4	13.7
2017	183	11.5	0.95	9.7	13.5	1,750	13.3	0.33	12.7	14.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	38,072	13.9	0.07	13.8	14.0	4,629	10.8	0.16	10.5	11.1
1990	1,035	11.3	0.36	10.6	12.0	97	7.7	0.83	6.1	9.5
1991	997	10.9	0.35	10.2	11.6	102	7.9	0.83	6.4	9.7
1992	1,054	11.4	0.35	10.7	12.1	114	9.0	0.88	7.4	10.9
1993	1,137	12.2	0.36	11.5	12.9	110	8.3	0.83	6.7	10.0
1994	1,334	14.2	0.39	13.4	15.0	141	10.7	0.94	9.0	12.7
1995	1,325	14.1	0.39	13.4	14.9	144	10.7	0.93	9.0	12.7
1996	1,276	13.5	0.38	12.7	14.2	134	9.8	0.89	8.2	11.7
1997	1,259	13.3	0.38	12.6	14.0	155	11.0	0.91	9.2	12.9
1998	1,270	13.3	0.38	12.6	14.1	147	10.4	0.88	8.7	12.2
1999	1,387	14.6	0.39	13.8	15.4	151	10.3	0.87	8.7	12.2
2000	1,391	14.6	0.39	13.8	15.4	180	12.5	0.95	10.7	14.5
2001	1,466	15.3	0.40	14.5	16.1	180	11.9	0.92	10.2	13.9
2002	1,471	15.2	0.40	14.4	16.0	170	12.0	0.95	10.2	14.0
2003	1,503	15.5	0.40	14.8	16.3	161	10.7	0.87	9.1	12.5
2004	1,456	15.0	0.40	14.2	15.8	173	11.1	0.87	9.5	12.9
2005	1,397	14.4	0.39	13.6	15.2	174	11.6	0.90	9.9	13.5
2006	1,435	14.6	0.39	13.9	15.4	185	12.0	0.90	10.3	13.9
2007	1,314	13.5	0.38	12.7	14.2	175	10.9	0.84	9.3	12.7
2008	1,443	14.7	0.39	13.9	15.4	167	10.8	0.85	9.2	12.5
2009	1,391	13.9	0.38	13.2	14.7	168	10.6	0.84	9.1	12.4
2010	1,443	14.4	0.39	13.7	15.2	205	12.2	0.88	10.6	14.1
2011	1,499	14.8	0.39	14.0	15.6	195	11.4	0.84	9.9	13.2
2012	1,496	14.8	0.39	14.0	15.6	228	13.4	0.90	11.6	15.2
2013	1,458	14.2	0.39	13.5	15.0	213	12.0	0.84	10.4	13.8
2014	1,463	14.1	0.38	13.4	14.9	195	11.1	0.81	9.5	12.8
2015	1,480	14.2	0.38	13.5	15.0	185	10.3	0.77	8.8	11.9
2016	1,400	13.3	0.37	12.6	14.0	201	10.7	0.77	9.2	12.3
2017	1,492	14.1	0.38	13.4	14.9	179	9.5	0.73	8.1	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,771	12.1	0.38	11.4	12.9	24,831	17.7	0.11	17.4	17.9
1990	17	4.9	1.87	2.0	10.1	613	13.8	0.58	12.7	15.0
1991	25	8.8	2.32	4.9	14.6	627	13.7	0.56	12.6	14.9
1992	30	8.8	2.07	5.2	14.0	698	15.3	0.60	14.2	16.6
1993	27	7.4	1.91	4.1	12.3	694	15.1	0.59	14.0	16.3
1994	46	11.1	2.38	7.0	16.9	827	18.4	0.66	17.2	19.8
1995	45	13.0	3.10	7.7	20.3	816	17.8	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	808	17.7	0.63	16.4	19.0
1997	46	10.9	2.27	6.9	16.3	795	17.1	0.62	15.9	18.3
1998	52	12.6	2.59	8.0	18.6	802	16.9	0.60	15.7	18.1
1999	51	11.4	2.39	7.2	16.9	867	18.2	0.63	17.0	19.5
2000	55	10.8	2.21	6.9	15.9	876	18.2	0.62	17.0	19.4
2001	48	12.4	2.60	7.9	18.4	944	19.7	0.65	18.4	21.0
2002	58	15.8	2.93	10.5	22.3	957	19.8	0.65	18.6	21.2
2003	45	10.2	2.26	6.2	15.4	960	19.6	0.64	18.4	20.9
2004	49	10.7	2.19	6.9	15.7	942	19.1	0.63	17.9	20.3
2005	69	11.1	1.75	8.0	15.1	927	18.7	0.62	17.5	20.0
2006	88	18.9	2.81	13.8	25.1	954	19.0	0.62	17.8	20.2
2007	71	11.4	1.75	8.2	15.4	886	17.4	0.59	16.3	18.6
2008	84	14.3	2.13	10.5	19.0	969	18.7	0.61	17.5	19.9
2009	68	10.6	1.70	7.5	14.4	894	17.1	0.58	15.9	18.2
2010	75	10.8	1.62	7.8	14.4	1,003	18.9	0.61	17.7	20.1
2011	84	11.6	1.60	8.7	15.1	990	18.4	0.60	17.2	19.6
2012	106	16.1	1.94	12.5	20.3	1,020	18.5	0.59	17.4	19.7
2013	100	14.5	1.79	11.2	18.4	995	17.8	0.58	16.7	19.0
2014	93	12.0	1.48	9.3	15.3	993	17.5	0.57	16.4	18.6
2015	109	13.6	1.56	10.8	17.0	1,002	17.4	0.56	16.3	18.5
2016	91	11.3	1.41	8.7	14.4	967	16.6	0.55	15.5	17.7
2017	99	12.5	1.46	9.8	15.6	1,005	17.0	0.55	15.9	18.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	21,584	18.3	0.13	18.0	18.5	2,499	14.1	0.30	13.5	14.7
1990	556	14.3	0.62	13.1	15.6	52	10.5	1.66	7.5	14.2
1991	564	14.3	0.62	13.1	15.6	53	9.6	1.43	7.0	12.8
1992	619	15.7	0.65	14.5	17.1	67	12.7	1.70	9.6	16.5
1993	619	15.8	0.65	14.5	17.1	65	11.1	1.51	8.3	14.4
1994	730	18.9	0.71	17.5	20.3	82	15.3	1.90	11.9	19.5
1995	729	18.5	0.70	17.2	19.9	74	12.8	1.62	9.9	16.4
1996	712	18.1	0.69	16.8	19.5	82	15.3	1.86	11.9	19.3
1997	706	17.8	0.68	16.5	19.2	80	13.4	1.63	10.4	16.9
1998	709	17.5	0.66	16.3	18.9	77	12.9	1.57	10.0	16.3
1999	782	19.3	0.70	18.0	20.8	69	11.5	1.50	8.7	14.8
2000	758	18.6	0.68	17.2	19.9	100	16.9	1.78	13.6	20.7
2001	806	19.9	0.71	18.6	21.4	106	17.2	1.81	13.9	21.1
2002	840	20.5	0.71	19.2	22.0	90	15.7	1.79	12.4	19.5
2003	859	20.8	0.71	19.4	22.2	84	13.2	1.55	10.4	16.6
2004	825	19.8	0.70	18.5	21.3	82	12.6	1.53	9.8	16.0
2005	803	19.3	0.69	17.9	20.7	96	15.7	1.74	12.5	19.5
2006	835	19.8	0.69	18.5	21.2	105	16.3	1.69	13.1	19.9
2007	766	18.0	0.66	16.8	19.4	95	14.3	1.55	11.4	17.6
2008	835	19.4	0.68	18.0	20.7	94	14.7	1.61	11.7	18.2
2009	771	17.6	0.65	16.4	19.0	86	13.5	1.56	10.7	16.9
2010	848	19.4	0.68	18.0	20.7	119	17.1	1.67	14.0	20.7
2011	835	18.7	0.66	17.4	20.0	105	15.0	1.54	12.1	18.3
2012	863	19.0	0.66	17.8	20.4	127	18.6	1.74	15.3	22.3
2013	838	18.2	0.65	17.0	19.6	107	14.5	1.47	11.7	17.6
2014	852	18.4	0.65	17.1	19.7	101	13.8	1.45	11.1	16.9
2015	854	18.0	0.63	16.8	19.3	109	14.5	1.45	11.8	17.6
2016	815	17.1	0.62	15.9	18.4	98	12.3	1.30	9.9	15.1
2017	855	17.7	0.63	16.5	19.0	94	11.9	1.29	9.5	14.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,377	9.0	0.29	8.4	9.6	19,164	10.3	0.08	10.2	10.5
1990	29	10.0	2.32	6.0	15.6	527	8.7	0.38	8.0	9.5
1991	22	7.2	1.89	3.9	11.8	489	8.1	0.37	7.4	8.8
1992	23	7.1	1.89	3.9	11.8	493	8.0	0.37	7.3	8.8
1993	23	6.8	1.67	3.9	10.9	567	9.0	0.38	8.3	9.8
1994	33	10.1	2.30	6.1	15.5	676	10.8	0.42	10.0	11.6
1995	35	8.3	1.63	5.4	12.2	676	10.7	0.42	9.9	11.5
1996	30	8.7	1.96	5.3	13.3	631	9.9	0.40	9.1	10.7
1997	38	9.2	1.91	5.9	13.7	642	10.0	0.40	9.2	10.8
1998	33	7.8	1.76	4.7	11.9	647	9.9	0.40	9.2	10.7
1999	46	11.7	2.16	7.8	16.6	697	10.9	0.42	10.1	11.7
2000	48	8.3	1.53	5.6	11.9	724	11.2	0.42	10.4	12.0
2001	35	7.5	1.61	4.7	11.3	754	11.7	0.43	10.8	12.5
2002	56	10.6	1.84	7.3	14.8	725	10.9	0.41	10.1	11.8
2003	43	8.8	1.65	5.9	12.6	738	11.3	0.42	10.4	12.1
2004	59	9.8	1.66	6.8	13.6	755	11.5	0.42	10.6	12.3
2005	43	7.7	1.47	5.1	11.1	697	10.6	0.41	9.8	11.4
2006	51	9.6	1.67	6.7	13.4	701	10.5	0.40	9.7	11.3
2007	43	5.6	1.01	3.8	8.0	652	10.0	0.40	9.2	10.8
2008	57	8.4	1.33	6.0	11.4	705	10.5	0.41	9.7	11.3
2009	65	10.9	1.61	8.0	14.5	727	10.7	0.41	9.9	11.5
2010	70	10.1	1.37	7.6	13.2	713	10.3	0.40	9.5	11.1
2011	56	7.6	1.17	5.5	10.2	779	11.3	0.42	10.5	12.1
2012	60	8.4	1.24	6.1	11.1	770	11.2	0.42	10.4	12.1
2013	80	11.1	1.40	8.5	14.1	747	10.7	0.41	9.9	11.5
2014	70	8.4	1.11	6.3	10.8	728	10.3	0.40	9.6	11.2
2015	74	9.9	1.27	7.6	12.7	738	10.6	0.41	9.8	11.4
2016	71	8.1	1.06	6.2	10.5	721	10.2	0.40	9.4	11.0
2017	84	10.7	1.27	8.3	13.4	745	10.4	0.40	9.7	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	16,488	10.7	0.09	10.5	10.9	2,130	8.6	0.19	8.2	8.9
1990	479	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	433	8.3	0.41	7.6	9.2	49	6.6	0.97	4.8	8.7
1992	435	8.3	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	518	9.6	0.43	8.8	10.5	45	6.1	0.93	4.4	8.2
1994	604	11.2	0.46	10.3	12.1	59	7.9	1.04	6.0	10.2
1995	596	11.1	0.47	10.2	12.1	70	9.1	1.11	7.1	11.6
1996	564	10.4	0.45	9.5	11.3	52	6.4	0.91	4.7	8.4
1997	553	10.1	0.44	9.3	11.0	75	9.3	1.09	7.3	11.7
1998	561	10.1	0.44	9.3	11.0	70	8.4	1.02	6.5	10.6
1999	605	11.2	0.47	10.3	12.2	82	9.6	1.08	7.6	12.0
2000	633	11.6	0.48	10.7	12.6	80	9.4	1.07	7.5	11.7
2001	660	12.2	0.49	11.2	13.2	74	8.5	1.00	6.6	10.7
2002	631	11.3	0.46	10.4	12.3	80	9.5	1.08	7.5	11.9
2003	644	11.8	0.48	10.9	12.8	77	8.8	1.02	7.0	11.1
2004	631	11.5	0.47	10.6	12.5	91	10.1	1.07	8.1	12.5
2005	594	11.0	0.46	10.1	11.9	78	8.9	1.02	7.0	11.2
2006	600	10.7	0.46	9.9	11.7	80	9.0	1.01	7.1	11.2
2007	548	10.2	0.45	9.3	11.1	80	8.6	0.97	6.8	10.7
2008	608	11.0	0.47	10.1	12.0	73	8.1	0.96	6.3	10.2
2009	620	11.1	0.47	10.2	12.1	82	8.9	0.99	7.1	11.1
2010	595	10.4	0.45	9.6	11.4	86	8.8	0.96	7.0	10.9
2011	664	11.8	0.48	10.9	12.8	90	9.1	0.97	7.3	11.2
2012	633	11.5	0.48	10.6	12.5	101	10.0	1.01	8.2	12.2
2013	620	11.2	0.47	10.3	12.1	106	10.3	1.02	8.4	12.5
2014	611	10.8	0.47	9.9	11.8	94	9.3	0.97	7.5	11.4
2015	626	11.4	0.48	10.4	12.4	76	7.3	0.85	5.7	9.1
2016	585	10.2	0.45	9.4	11.2	103	9.6	0.96	7.8	11.6
2017	637	11.2	0.47	10.3	12.2	85	8.0	0.89	6.4	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,201	2.3	0.08	2.1	2.4	4,057	1.4	0.02	1.3	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	18	1.8	0.47	1.0	3.2	129	1.2	0.11	1.0	1.4
1992	20	1.8	0.45	1.0	3.2	142	1.3	0.11	1.1	1.6
1993	18	1.5	0.42	0.8	2.8	151	1.4	0.11	1.2	1.7
1994	29	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	37	2.3	0.42	1.6	3.5	147	1.4	0.11	1.1	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	31	1.8	0.36	1.2	2.9	145	1.4	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	160	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	46	2.2	0.38	1.5	3.1	154	1.5	0.12	1.3	1.7
2006	57	2.8	0.47	1.9	3.9	149	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	133	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	154	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	141	1.4	0.12	1.2	1.7
2010	56	2.5	0.37	1.8	3.3	141	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	148	1.5	0.12	1.2	1.7
2012	67	3.0	0.43	2.3	4.0	150	1.5	0.12	1.3	1.7
2013	61	2.6	0.36	2.0	3.5	147	1.5	0.12	1.2	1.7
2014	53	2.2	0.33	1.6	3.0	143	1.4	0.12	1.2	1.7
2015	64	2.6	0.34	2.0	3.4	149	1.4	0.12	1.2	1.7
2016	58	2.2	0.29	1.7	2.9	147	1.5	0.12	1.2	1.7
2017	62	2.7	0.37	2.1	3.6	157	1.5	0.13	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,332	1.5	0.03	1.5	1.6	502	0.9	0.04	0.9	1.0
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6
1991	105	1.3	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6
1992	111	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3
1993	129	1.5	0.14	1.3	1.8	18	1.0	0.25	0.6	1.7
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1
1996	106	1.3	0.12	1.0	1.5	20	1.0	0.24	0.6	1.6
1997	121	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2
1999	125	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3
2000	113	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3
2001	123	1.5	0.14	1.3	1.8	30	1.5	0.29	1.0	2.2
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2
2006	119	1.6	0.15	1.3	1.9	20	1.1	0.25	0.7	1.7
2007	103	1.3	0.13	1.1	1.6	21	1.1	0.25	0.7	1.7
2008	130	1.7	0.15	1.4	2.1	12	0.6	0.18	0.3	1.1
2009	115	1.5	0.15	1.3	1.9	18	1.0	0.23	0.6	1.5
2010	111	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5
2011	118	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5
2012	124	1.7	0.15	1.4	2.0	19	1.1	0.26	0.7	1.7
2013	119	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5
2014	125	1.7	0.16	1.4	2.0	11	0.6	0.17	0.3	1.0
2015	122	1.6	0.15	1.3	1.9	16	0.8	0.20	0.5	1.3
2016	105	1.4	0.14	1.1	1.7	26	1.4	0.27	0.9	2.0
2017	123	1.6	0.15	1.3	2.0	19	0.9	0.22	0.6	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	689	2.5	0.11	2.3	2.7	2,279	1.6	0.03	1.5	1.7
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1
1994	18	2.2	0.53	1.3	4.5	76	1.5	0.17	1.2	1.8
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9
2000	20	1.8	0.41	1.1	3.5	56	1.1	0.14	0.8	1.4
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9
2005	29	3.0	0.71	1.8	4.9	80	1.6	0.18	1.2	2.0
2006	37	3.0	0.51	2.1	4.5	84	1.7	0.18	1.3	2.1
2007	33	3.5	0.79	2.1	5.6	69	1.4	0.17	1.1	1.7
2008	38	3.4	0.60	2.3	5.0	94	1.8	0.19	1.5	2.3
2009	30	2.5	0.50	1.6	3.9	77	1.6	0.18	1.2	2.0
2010	33	2.6	0.48	1.8	3.9	90	1.8	0.19	1.5	2.2
2011	35	2.7	0.47	1.8	4.0	79	1.6	0.18	1.3	2.0
2012	34	2.6	0.46	1.8	3.8	84	1.7	0.19	1.4	2.1
2013	32	2.5	0.45	1.7	3.7	83	1.7	0.19	1.3	2.1
2014	31	2.5	0.45	1.7	3.6	86	1.7	0.19	1.4	2.1
2015	40	3.1	0.50	2.2	4.3	79	1.6	0.18	1.2	1.9
2016	35	2.6	0.44	1.8	3.7	92	1.8	0.20	1.5	2.3
2017	34	2.9	0.55	1.9	4.3	89	1.8	0.19	1.4	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,873	1.7	0.04	1.6	1.8	283	1.1	0.07	1.0	1.2
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4
2000	47	1.2	0.17	0.9	1.6	7	0.8	0.31	0.3	1.7
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6
2006	70	1.9	0.23	1.5	2.4	11	1.2	0.38	0.6	2.3
2007	55	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0
2008	81	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4
2009	64	1.7	0.22	1.3	2.2	9	0.9	0.31	0.4	1.8
2010	70	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3
2011	61	1.7	0.22	1.3	2.1	10	1.0	0.33	0.5	1.9
2012	69	1.9	0.23	1.4	2.4	12	1.4	0.41	0.7	2.4
2013	64	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3
2014	73	2.0	0.24	1.5	2.5	7	0.8	0.33	0.3	1.8
2015	65	1.7	0.22	1.3	2.2	11	1.1	0.34	0.6	2.1
2016	73	1.9	0.23	1.5	2.5	11	1.2	0.38	0.6	2.2
2017	68	1.9	0.23	1.4	2.4	10	1.0	0.33	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	512	2.1	0.10	1.9	2.3	1,778	1.2	0.03	1.1	1.2
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	10	2.1	0.73	0.9	4.4	49	0.9	0.13	0.7	1.2
1992	13	2.7	0.85	1.3	5.3	62	1.1	0.14	0.8	1.4
1993	8	1.2	0.44	0.5	3.0	64	1.2	0.15	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	17	2.5	0.67	1.3	4.5	58	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	8	1.0	0.38	0.4	2.4	65	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	74	1.3	0.16	1.0	1.7
2001	10	1.1	0.35	0.5	2.4	67	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6
2008	25	2.7	0.65	1.6	4.3	60	1.2	0.16	0.9	1.5
2009	18	1.7	0.41	0.9	2.8	64	1.2	0.16	1.0	1.6
2010	23	2.2	0.54	1.3	3.6	51	1.0	0.14	0.7	1.3
2011	21	2.1	0.53	1.2	3.5	69	1.3	0.16	1.0	1.7
2012	33	3.3	0.68	2.1	5.0	66	1.3	0.16	1.0	1.6
2013	29	2.7	0.55	1.7	4.1	64	1.3	0.16	1.0	1.6
2014	22	1.9	0.45	1.2	3.1	57	1.1	0.15	0.8	1.5
2015	24	2.1	0.45	1.3	3.2	70	1.3	0.17	1.0	1.7
2016	23	1.9	0.39	1.2	2.9	55	1.1	0.15	0.8	1.5
2017	28	2.6	0.51	1.7	3.8	68	1.3	0.16	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Lymphocytic Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,459	1.3	0.03	1.2	1.4	219	0.8	0.05	0.7	0.9
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0
1991	40	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6
1992	51	1.2	0.16	0.9	1.5	8	1.0	0.36	0.4	2.0
1993	52	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9
1996	52	1.2	0.17	0.9	1.6	11	1.1	0.35	0.6	2.1
1997	47	1.1	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4
1999	55	1.4	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2000	66	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4
2001	50	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1
2008	49	1.3	0.20	1.0	1.8	7	0.7	0.27	0.3	1.5
2009	51	1.3	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2010	41	1.0	0.17	0.7	1.4	7	0.7	0.25	0.3	1.4
2011	57	1.5	0.20	1.1	1.9	8	0.8	0.28	0.3	1.6
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.29	0.3	1.6
2013	55	1.5	0.21	1.1	1.9	7	0.7	0.28	0.3	1.5
2014	52	1.4	0.20	1.0	1.8	4	0.4	0.18	0.1	1.0
2015	57	1.5	0.21	1.1	1.9	5	0.5	0.22	0.2	1.1
2016	32	0.9	0.16	0.6	1.2	15	1.6	0.41	0.9	2.6
2017	55	1.4	0.20	1.0	1.9	9	0.8	0.27	0.4	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	280	1.7	0.11	1.5	1.9	14,937	4.4	0.04	4.4	4.5
1990	4	1.4	0.75	0.4	3.6	369	3.5	0.18	3.2	3.9
1991	6	2.0	0.88	0.7	4.4	379	3.6	0.18	3.2	3.9
1992	5	2.0	1.02	0.5	4.7	420	3.9	0.19	3.5	4.3
1993	6	1.7	0.78	0.6	3.8	400	3.7	0.18	3.3	4.0
1994	1	0.5	0.46	0.0	2.0	532	4.9	0.21	4.5	5.3
1995	2	0.4	0.31	0.0	1.6	461	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	452	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	436	3.9	0.19	3.5	4.3
1998	7	1.3	0.55	0.5	2.9	463	4.1	0.19	3.7	4.5
1999	9	2.3	0.85	0.9	4.4	484	4.3	0.19	3.9	4.7
2000	8	1.4	0.52	0.6	2.8	506	4.4	0.20	4.1	4.8
2001	5	0.6	0.26	0.2	1.4	585	5.1	0.21	4.7	5.5
2002	8	1.2	0.45	0.5	2.5	619	5.3	0.21	4.9	5.7
2003	11	2.6	0.86	1.2	4.7	621	5.3	0.21	4.9	5.7
2004	9	1.6	0.56	0.7	3.0	614	5.2	0.21	4.8	5.6
2005	10	1.7	0.55	0.8	3.0	571	4.8	0.20	4.4	5.2
2006	14	2.9	0.83	1.5	4.9	624	5.2	0.21	4.8	5.6
2007	14	1.8	0.52	0.9	3.1	523	4.3	0.19	3.9	4.7
2008	14	1.9	0.54	1.0	3.2	646	5.2	0.21	4.8	5.7
2009	12	1.6	0.54	0.8	3.0	584	4.6	0.19	4.3	5.0
2010	8	0.9	0.35	0.4	1.9	572	4.5	0.19	4.1	4.8
2011	10	1.3	0.44	0.6	2.4	558	4.3	0.18	4.0	4.7
2012	11	1.4	0.44	0.7	2.5	627	4.8	0.19	4.4	5.2
2013	17	1.9	0.49	1.1	3.1	577	4.3	0.18	4.0	4.7
2014	17	1.8	0.46	1.0	2.8	545	4.0	0.17	3.7	4.4
2015	21	1.7	0.40	1.0	2.7	600	4.3	0.18	4.0	4.7
2016	21	2.0	0.47	1.2	3.1	587	4.2	0.18	3.8	4.5
2017	18	1.6	0.40	0.9	2.6	582	4.1	0.17	3.8	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	13,168	4.6	0.04	4.5	4.7	1,430	3.5	0.09	3.3	3.7
1990	340	3.7	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	342	3.6	0.20	3.3	4.0	36	3.2	0.55	2.2	4.4
1992	381	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	367	3.8	0.20	3.4	4.2	33	2.8	0.50	1.9	3.9
1994	480	5.0	0.23	4.6	5.5	47	3.9	0.58	2.8	5.2
1995	418	4.4	0.21	4.0	4.8	38	3.1	0.52	2.2	4.3
1996	417	4.3	0.21	3.9	4.8	34	2.8	0.49	1.9	3.9
1997	395	4.1	0.20	3.7	4.5	37	2.9	0.48	2.0	3.9
1998	416	4.3	0.21	3.9	4.7	41	3.1	0.49	2.2	4.2
1999	446	4.6	0.22	4.2	5.0	33	2.4	0.42	1.6	3.3
2000	423	4.3	0.21	3.9	4.8	77	5.6	0.65	4.4	7.0
2001	511	5.2	0.23	4.7	5.6	56	4.1	0.56	3.1	5.3
2002	548	5.5	0.23	5.0	6.0	63	4.7	0.61	3.6	6.0
2003	571	5.7	0.24	5.3	6.2	45	3.1	0.48	2.3	4.2
2004	543	5.4	0.23	4.9	5.9	48	3.1	0.46	2.3	4.1
2005	499	4.9	0.22	4.5	5.4	59	4.2	0.55	3.1	5.4
2006	552	5.4	0.23	4.9	5.9	67	4.5	0.55	3.4	5.7
2007	458	4.4	0.21	4.0	4.9	56	3.7	0.50	2.8	4.8
2008	565	5.4	0.23	5.0	5.9	65	4.4	0.56	3.4	5.6
2009	512	4.9	0.22	4.4	5.3	50	3.2	0.46	2.4	4.2
2010	485	4.5	0.21	4.1	4.9	64	4.0	0.52	3.1	5.2
2011	485	4.5	0.21	4.1	4.9	54	3.3	0.46	2.5	4.3
2012	532	4.9	0.22	4.5	5.4	69	4.0	0.49	3.1	5.1
2013	490	4.4	0.20	4.1	4.9	66	3.8	0.47	2.9	4.8
2014	460	4.1	0.20	3.8	4.5	67	3.8	0.47	2.9	4.8
2015	506	4.4	0.20	4.0	4.8	61	3.5	0.45	2.6	4.5
2016	501	4.3	0.20	3.9	4.7	63	3.4	0.44	2.6	4.4
2017	525	4.5	0.20	4.1	5.0	35	1.8	0.30	1.2	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	155	1.9	0.17	1.6	2.3	8,837	6.2	0.07	6.1	6.4
1990	2	1.0	0.71	0.1	4.1	216	5.0	0.35	4.3	5.7
1991	3	1.9	1.13	0.3	5.6	224	5.0	0.34	4.4	5.7
1992	2	1.7	1.33	0.1	5.9	249	5.7	0.37	5.0	6.4
1993	3	2.0	1.34	0.3	6.1	208	4.6	0.33	4.0	5.3
1994	1	1.2	1.18	0.0	5.1	311	7.2	0.42	6.4	8.0
1995	2	0.9	0.67	0.1	3.5	258	5.8	0.37	5.1	6.6
1996	1	1.6	1.57	0.0	6.3	269	6.0	0.37	5.3	6.8
1997	3	2.1	1.44	0.3	6.3	257	5.6	0.35	4.9	6.3
1998	4	1.6	0.98	0.3	4.7	263	5.5	0.34	4.9	6.3
1999	5	3.0	1.60	0.7	7.3	279	5.9	0.36	5.3	6.7
2000	5	1.8	0.85	0.6	4.4	306	6.3	0.37	5.6	7.1
2001	4	0.9	0.47	0.2	2.8	313	6.6	0.38	5.9	7.4
2002	5	1.5	0.72	0.5	3.7	340	7.1	0.39	6.4	7.9
2003	7	4.1	1.82	1.3	8.7	373	7.6	0.40	6.8	8.4
2004	3	1.5	0.89	0.3	4.1	357	7.2	0.39	6.5	8.0
2005	2	0.6	0.43	0.1	2.2	340	6.9	0.38	6.1	7.6
2006	9	4.4	1.63	1.8	8.4	374	7.4	0.39	6.7	8.2
2007	11	3.2	1.07	1.5	5.9	326	6.4	0.36	5.7	7.1
2008	8	2.4	0.95	0.9	4.9	397	7.6	0.39	6.8	8.4
2009	8	1.9	0.85	0.6	4.2	347	6.4	0.35	5.8	7.2
2010	5	1.3	0.64	0.4	3.1	367	6.7	0.36	6.0	7.4
2011	5	1.3	0.64	0.4	3.1	337	6.1	0.34	5.4	6.8
2012	7	1.8	0.74	0.7	3.8	385	6.8	0.35	6.1	7.5
2013	7	1.4	0.57	0.5	3.0	362	6.2	0.33	5.6	6.9
2014	12	2.1	0.69	1.0	3.9	338	5.6	0.31	5.0	6.3
2015	13	2.0	0.58	1.0	3.4	357	5.9	0.32	5.3	6.6
2016	10	2.1	0.71	0.9	3.9	343	5.5	0.31	4.9	6.1
2017	8	1.5	0.58	0.6	3.0	341	5.5	0.30	4.9	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	7,792	6.4	0.07	6.3	6.6	846	5.1	0.19	4.8	5.5
1990	199	5.1	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4
1991	199	5.1	0.36	4.4	5.8	25	5.0	1.05	3.1	7.5
1992	227	5.9	0.40	5.1	6.7	22	4.8	1.05	2.9	7.2
1993	186	4.7	0.35	4.0	5.4	22	4.3	0.95	2.6	6.6
1994	282	7.4	0.45	6.5	8.3	26	5.9	1.25	3.7	8.7
1995	232	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2
1996	245	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2
1997	232	5.8	0.39	5.1	6.6	23	4.3	0.93	2.7	6.5
1998	233	5.7	0.37	5.0	6.5	27	4.7	0.94	3.1	6.9
1999	261	6.4	0.40	5.7	7.3	16	2.8	0.74	1.6	4.6
2000	254	6.2	0.39	5.4	7.0	48	8.5	1.26	6.2	11.3
2001	270	6.6	0.40	5.8	7.4	37	6.9	1.22	4.7	9.7
2002	303	7.4	0.43	6.6	8.2	31	5.8	1.13	3.8	8.4
2003	346	8.2	0.45	7.4	9.2	25	4.2	0.90	2.6	6.3
2004	318	7.6	0.43	6.8	8.5	27	4.3	0.87	2.8	6.3
2005	299	7.1	0.41	6.3	7.9	35	6.2	1.11	4.2	8.7
2006	331	7.7	0.43	6.9	8.6	40	6.3	1.03	4.4	8.6
2007	289	6.7	0.40	5.9	7.5	33	5.1	0.93	3.4	7.2
2008	345	7.7	0.42	6.9	8.6	41	6.9	1.13	4.9	9.4
2009	307	6.7	0.39	6.0	7.6	26	4.1	0.85	2.6	6.1
2010	309	6.7	0.39	6.0	7.5	43	6.9	1.12	4.9	9.4
2011	292	6.2	0.37	5.5	7.0	32	5.1	0.95	3.4	7.3
2012	328	6.9	0.39	6.2	7.7	39	5.8	0.98	4.0	8.0
2013	316	6.5	0.37	5.8	7.2	33	4.4	0.80	3.0	6.3
2014	286	5.8	0.35	5.1	6.5	40	5.4	0.90	3.8	7.4
2015	301	6.0	0.35	5.3	6.7	39	5.5	0.91	3.8	7.6
2016	296	5.7	0.34	5.0	6.4	32	4.3	0.79	2.9	6.1
2017	306	5.9	0.35	5.3	6.6	21	2.7	0.61	1.6	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	125	1.4	0.14	1.2	1.7	6,100	3.1	0.04	3.0	3.2
1990	2	1.6	1.10	0.2	5.0	153	2.5	0.20	2.1	2.9
1991	3	2.0	1.19	0.4	5.5	155	2.4	0.19	2.0	2.8
1992	3	2.1	1.37	0.3	6.0	171	2.6	0.20	2.3	3.1
1993	3	1.6	0.96	0.3	4.5	192	2.9	0.21	2.5	3.4
1994	0					221	3.4	0.23	3.0	3.9
1995	0					203	3.1	0.22	2.7	3.6
1996	6	3.6	1.50	1.3	7.5	183	2.8	0.21	2.4	3.2
1997	2	1.0	0.74	0.1	3.4	179	2.6	0.20	2.2	3.0
1998	3	1.1	0.65	0.2	3.2	200	2.9	0.21	2.5	3.4
1999	4	1.8	0.98	0.4	4.6	205	3.1	0.22	2.7	3.6
2000	3	1.0	0.61	0.2	3.0	200	3.0	0.21	2.6	3.4
2001	1	0.2	0.20	0.0	1.4	272	4.0	0.25	3.5	4.5
2002	3	1.0	0.56	0.2	2.7	279	4.0	0.24	3.5	4.5
2003	4	1.6	0.85	0.4	4.0	248	3.6	0.23	3.2	4.1
2004	6	1.7	0.74	0.6	3.7	257	3.7	0.23	3.3	4.2
2005	8	2.6	0.92	1.1	4.9	231	3.3	0.22	2.9	3.8
2006	5	1.9	0.86	0.6	4.1	250	3.5	0.23	3.1	4.0
2007	3	0.6	0.38	0.1	1.9	197	2.7	0.20	2.4	3.2
2008	6	1.4	0.62	0.5	3.1	249	3.5	0.22	3.0	3.9
2009	4	1.3	0.69	0.3	3.2	237	3.2	0.21	2.8	3.7
2010	3	0.6	0.37	0.1	1.7	205	2.8	0.20	2.4	3.2
2011	5	1.2	0.57	0.4	2.8	221	3.0	0.20	2.6	3.4
2012	4	1.0	0.51	0.3	2.4	242	3.3	0.21	2.9	3.7
2013	10	2.3	0.73	1.1	4.1	215	2.9	0.20	2.5	3.4
2014	5	1.3	0.57	0.4	2.8	207	2.7	0.19	2.4	3.1
2015	8	1.4	0.53	0.6	2.8	243	3.1	0.21	2.7	3.6
2016	11	2.0	0.62	1.0	3.5	244	3.1	0.21	2.7	3.6
2017	10	1.7	0.56	0.8	3.1	241	3.0	0.20	2.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Lymphocytic Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	5,376	3.2	0.04	3.1	3.3	584	2.4	0.10	2.2	2.6
1990	141	2.6	0.23	2.2	3.1	11	1.6	0.50	0.8	2.9
1991	143	2.5	0.21	2.1	3.0	11	1.8	0.55	0.9	3.2
1992	154	2.7	0.22	2.3	3.2	16	2.4	0.61	1.4	3.9
1993	181	3.1	0.23	2.7	3.6	11	1.6	0.50	0.8	2.9
1994	198	3.4	0.25	2.9	3.9	21	2.9	0.63	1.8	4.4
1995	186	3.3	0.25	2.8	3.8	15	2.1	0.54	1.2	3.4
1996	172	3.0	0.24	2.6	3.5	11	1.5	0.47	0.8	2.7
1997	163	2.7	0.22	2.3	3.2	14	1.8	0.49	1.0	3.0
1998	183	3.1	0.23	2.6	3.6	14	1.8	0.50	1.0	3.1
1999	185	3.3	0.25	2.8	3.8	17	2.1	0.50	1.2	3.3
2000	169	2.9	0.23	2.5	3.4	29	3.7	0.68	2.4	5.2
2001	241	4.1	0.27	3.6	4.7	19	2.3	0.53	1.4	3.6
2002	245	4.1	0.27	3.6	4.7	32	4.0	0.71	2.7	5.6
2003	225	3.8	0.26	3.3	4.4	20	2.4	0.54	1.5	3.7
2004	225	3.8	0.26	3.3	4.3	21	2.4	0.52	1.5	3.6
2005	200	3.4	0.24	2.9	3.9	24	2.9	0.60	1.9	4.3
2006	221	3.7	0.25	3.2	4.2	27	3.2	0.61	2.1	4.6
2007	169	2.8	0.22	2.4	3.3	23	2.6	0.55	1.7	3.9
2008	220	3.7	0.25	3.2	4.2	24	2.7	0.56	1.7	4.1
2009	205	3.3	0.24	2.8	3.8	24	2.6	0.54	1.7	3.9
2010	176	2.8	0.22	2.4	3.3	21	2.3	0.50	1.4	3.5
2011	193	3.1	0.23	2.7	3.6	22	2.2	0.48	1.4	3.4
2012	204	3.4	0.25	2.9	3.9	30	2.9	0.53	1.9	4.1
2013	174	2.9	0.23	2.5	3.4	33	3.3	0.58	2.2	4.6
2014	174	2.8	0.22	2.4	3.3	27	2.6	0.51	1.7	3.8
2015	205	3.2	0.23	2.8	3.7	22	2.2	0.46	1.3	3.3
2016	205	3.2	0.23	2.8	3.7	31	2.9	0.52	1.9	4.1
2017	219	3.4	0.24	2.9	3.9	14	1.2	0.33	0.7	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	938	3.6	0.14	3.4	3.9	13,443	4.1	0.04	4.0	4.2
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	19	2.7	0.73	1.5	4.6	321	3.0	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	23	3.0	0.78	1.7	5.0	408	3.7	0.18	3.3	4.1
1996	19	3.0	0.91	1.5	5.3	419	3.8	0.18	3.4	4.2
1997	13	1.9	0.59	0.9	3.5	460	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	30	3.3	0.86	1.8	5.3	502	4.4	0.20	4.1	4.8
2001	24	3.0	0.77	1.7	4.8	526	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	485	4.2	0.19	3.9	4.6
2003	22	2.2	0.57	1.3	3.7	471	4.1	0.19	3.7	4.5
2004	38	4.4	0.96	2.8	6.6	493	4.2	0.19	3.9	4.6
2005	31	2.9	0.61	1.9	4.4	484	4.2	0.19	3.8	4.6
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	29	2.5	0.56	1.5	3.8	479	4.1	0.19	3.7	4.5
2008	27	2.9	0.67	1.7	4.5	483	4.1	0.19	3.7	4.4
2009	43	3.9	0.74	2.6	5.6	513	4.2	0.19	3.8	4.6
2010	48	4.3	0.72	3.0	6.0	583	4.8	0.20	4.4	5.2
2011	37	3.2	0.61	2.1	4.6	575	4.7	0.20	4.3	5.1
2012	55	5.1	0.78	3.7	6.8	592	4.7	0.20	4.3	5.1
2013	63	5.0	0.72	3.7	6.6	625	4.9	0.20	4.5	5.3
2014	55	3.8	0.57	2.7	5.0	585	4.5	0.19	4.2	4.9
2015	49	3.7	0.59	2.6	5.0	598	4.6	0.19	4.3	5.0
2016	52	3.5	0.53	2.5	4.6	550	4.3	0.19	4.0	4.7
2017	62	4.5	0.63	3.3	5.8	594	4.5	0.19	4.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	11,658	4.2	0.04	4.2	4.3	1,405	3.3	0.09	3.1	3.5
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	288	3.1	0.18	2.7	3.5	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	362	3.8	0.20	3.4	4.2	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	404	4.3	0.21	3.9	4.7	50	3.5	0.51	2.6	4.7
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	450	4.7	0.22	4.3	5.2	44	2.9	0.45	2.1	3.9
2001	457	4.8	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8
2002	437	4.5	0.22	4.1	4.9	38	2.6	0.43	1.8	3.5
2003	411	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3
2004	424	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7
2005	415	4.3	0.21	3.9	4.7	52	3.4	0.49	2.5	4.5
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6
2007	419	4.3	0.22	3.9	4.8	48	3.0	0.44	2.2	4.0
2008	420	4.3	0.21	3.9	4.7	43	2.8	0.43	2.0	3.8
2009	439	4.3	0.21	3.9	4.7	58	3.9	0.52	2.9	5.0
2010	490	4.9	0.23	4.5	5.4	73	4.4	0.53	3.4	5.6
2011	486	4.8	0.22	4.4	5.2	65	3.7	0.47	2.9	4.8
2012	489	4.8	0.22	4.3	5.2	84	5.1	0.56	4.0	6.3
2013	526	5.1	0.23	4.6	5.5	79	4.4	0.51	3.5	5.6
2014	499	4.7	0.22	4.3	5.2	64	3.8	0.48	2.9	4.8
2015	518	5.0	0.23	4.5	5.5	64	3.6	0.46	2.8	4.6
2016	445	4.3	0.21	3.9	4.8	71	3.8	0.46	3.0	4.8
2017	500	4.7	0.22	4.3	5.1	74	4.0	0.48	3.1	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	494	4.2	0.24	3.7	4.7	7,109	5.1	0.06	5.0	5.2
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	13	3.4	1.12	1.6	6.8	181	3.9	0.30	3.4	4.6
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	213	4.6	0.32	4.0	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	235	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	259	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	265	5.5	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	16	3.9	1.28	1.8	7.1	253	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	251	4.9	0.31	4.3	5.6
2009	15	2.3	0.74	1.1	4.2	272	5.2	0.32	4.6	5.9
2010	20	3.9	1.04	2.1	6.4	304	5.8	0.34	5.1	6.5
2011	18	3.6	1.03	1.9	6.1	281	5.2	0.32	4.6	5.9
2012	42	8.2	1.50	5.5	11.5	318	5.8	0.33	5.2	6.5
2013	38	6.5	1.27	4.2	9.4	337	6.0	0.34	5.4	6.7
2014	27	4.4	1.00	2.6	6.7	308	5.5	0.32	4.9	6.2
2015	29	4.7	1.03	2.9	7.0	346	6.0	0.33	5.4	6.7
2016	27	3.9	0.87	2.4	5.9	293	5.1	0.31	4.5	5.8
2017	33	4.7	0.94	3.1	6.9	323	5.5	0.31	4.9	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	6,239	5.3	0.07	5.1	5.4	666	3.8	0.16	3.5	4.1
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5
1992	165	4.1	0.33	3.5	4.8	11	2.1	0.70	1.0	3.9
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2
1996	188	4.7	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5
1999	213	5.2	0.36	4.5	6.0	16	2.4	0.61	1.4	3.9
2000	233	5.7	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7
2002	240	5.9	0.38	5.1	6.7	18	3.3	0.86	1.9	5.4
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1
2004	227	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6
2005	223	5.3	0.36	4.7	6.1	23	3.6	0.81	2.2	5.5
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6
2008	218	5.1	0.35	4.5	5.9	22	3.4	0.77	2.1	5.2
2009	235	5.3	0.35	4.6	6.0	28	4.9	0.98	3.2	7.2
2010	260	6.0	0.38	5.2	6.7	34	5.1	0.93	3.5	7.2
2011	241	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5
2012	267	5.9	0.37	5.2	6.6	46	7.0	1.08	5.1	9.5
2013	283	6.2	0.38	5.5	7.0	41	5.8	0.95	4.1	8.0
2014	267	5.7	0.36	5.1	6.5	29	4.5	0.87	2.9	6.5
2015	300	6.4	0.38	5.7	7.2	34	4.5	0.81	3.1	6.4
2016	242	5.2	0.34	4.5	5.9	33	4.3	0.77	2.9	6.1
2017	271	5.7	0.35	5.0	6.4	37	4.9	0.83	3.4	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	444	3.3	0.18	2.9	3.6	6,334	3.4	0.04	3.4	3.5
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9
1992	6	1.9	0.90	0.6	4.7	140	2.3	0.20	2.0	2.8
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7
1995	14	3.6	1.04	1.8	6.4	181	2.9	0.22	2.5	3.4
1996	12	3.4	1.13	1.6	6.4	206	3.3	0.23	2.9	3.8
1997	9	2.7	0.98	1.1	5.4	236	3.7	0.25	3.3	4.3
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6
1999	19	4.7	1.43	2.4	8.3	218	3.4	0.24	3.0	3.9
2000	15	2.9	0.92	1.4	5.3	243	3.8	0.24	3.3	4.3
2001	12	3.7	1.25	1.7	6.9	240	3.8	0.25	3.3	4.3
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8
2003	12	2.1	0.64	1.0	3.9	227	3.5	0.23	3.0	4.0
2004	22	4.8	1.29	2.6	7.9	240	3.7	0.24	3.2	4.2
2005	14	2.6	0.81	1.3	4.7	231	3.6	0.24	3.1	4.1
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9
2007	11	1.6	0.56	0.7	3.2	219	3.4	0.24	3.0	3.9
2008	8	1.5	0.63	0.6	3.2	232	3.4	0.23	3.0	3.9
2009	28	5.2	1.16	3.2	7.9	241	3.5	0.23	3.1	4.0
2010	28	4.8	1.01	3.1	7.2	279	4.1	0.25	3.6	4.6
2011	19	2.9	0.75	1.7	4.8	294	4.3	0.26	3.8	4.8
2012	13	2.5	0.74	1.3	4.3	274	3.9	0.25	3.5	4.5
2013	25	3.8	0.83	2.4	5.8	288	3.9	0.24	3.5	4.4
2014	28	3.4	0.70	2.2	5.1	277	3.9	0.24	3.4	4.4
2015	20	2.8	0.68	1.6	4.5	252	3.6	0.23	3.1	4.1
2016	25	3.2	0.69	2.0	4.8	257	3.8	0.24	3.3	4.3
2017	29	4.2	0.85	2.7	6.2	271	3.8	0.24	3.3	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Acute Myeloid Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	5,419	3.5	0.05	3.5	3.6	739	3.0	0.11	2.8	3.2
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0
1992	123	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2
1995	156	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4
1996	183	3.4	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9
1997	201	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4
1999	189	3.6	0.26	3.1	4.1	27	3.1	0.61	2.1	4.6
2000	217	4.0	0.28	3.5	4.6	22	2.4	0.52	1.5	3.7
2001	212	4.0	0.28	3.5	4.6	25	2.9	0.59	1.9	4.3
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4
2003	191	3.5	0.26	3.0	4.1	30	3.4	0.62	2.3	4.8
2004	197	3.7	0.27	3.2	4.2	36	4.0	0.67	2.8	5.5
2005	192	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3
2007	187	3.6	0.27	3.1	4.2	24	2.6	0.53	1.6	3.8
2008	202	3.6	0.27	3.1	4.2	21	2.3	0.51	1.4	3.6
2009	204	3.6	0.26	3.1	4.2	30	3.3	0.61	2.2	4.7
2010	230	4.2	0.28	3.6	4.8	39	4.0	0.64	2.8	5.5
2011	245	4.3	0.29	3.8	5.0	37	3.8	0.63	2.6	5.2
2012	222	3.9	0.28	3.4	4.5	38	3.8	0.63	2.7	5.3
2013	243	4.2	0.28	3.6	4.7	38	3.6	0.59	2.5	4.9
2014	232	4.0	0.28	3.5	4.6	35	3.6	0.61	2.5	5.0
2015	218	3.9	0.28	3.4	4.5	30	2.9	0.54	1.9	4.2
2016	203	3.7	0.28	3.2	4.3	38	3.5	0.58	2.5	4.9
2017	229	4.0	0.28	3.4	4.6	37	3.5	0.58	2.4	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	439	1.7	0.09	1.5	1.8	5,710	1.7	0.02	1.7	1.8
1990	3	0.8	0.56	0.1	2.6	153	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	9	0.9	0.33	0.4	2.0	210	1.9	0.13	1.7	2.2
1996	4	0.4	0.23	0.1	1.4	201	1.8	0.13	1.6	2.1
1997	19	2.8	0.79	1.4	4.7	168	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	205	1.8	0.13	1.6	2.1
2001	18	2.9	0.84	1.5	5.0	227	2.0	0.13	1.7	2.3
2002	12	2.3	0.81	1.0	4.3	181	1.6	0.12	1.4	1.8
2003	14	1.8	0.58	0.9	3.3	221	1.9	0.13	1.7	2.2
2004	13	0.8	0.27	0.4	1.6	239	2.1	0.13	1.8	2.3
2005	16	1.4	0.43	0.7	2.5	196	1.7	0.12	1.4	1.9
2006	16	1.8	0.54	0.9	3.2	215	1.8	0.13	1.6	2.1
2007	9	0.8	0.32	0.3	1.7	190	1.6	0.12	1.4	1.9
2008	23	1.9	0.45	1.1	3.0	203	1.7	0.12	1.5	1.9
2009	21	2.1	0.51	1.2	3.3	213	1.8	0.12	1.6	2.1
2010	22	1.9	0.47	1.1	3.0	239	2.0	0.13	1.7	2.2
2011	26	1.7	0.36	1.0	2.5	255	2.1	0.13	1.8	2.3
2012	22	1.7	0.39	1.0	2.6	215	1.8	0.12	1.6	2.1
2013	20	1.4	0.37	0.8	2.3	214	1.7	0.12	1.5	2.0
2014	23	1.5	0.34	0.9	2.3	238	1.9	0.13	1.6	2.1
2015	31	2.2	0.44	1.4	3.2	194	1.5	0.11	1.3	1.8
2016	19	1.1	0.26	0.6	1.7	226	1.7	0.12	1.5	2.0
2017	26	1.8	0.38	1.1	2.7	231	1.8	0.12	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	4,770	1.7	0.03	1.7	1.8	730	1.7	0.06	1.6	1.8
1990	133	1.5	0.13	1.2	1.7	19	1.4	0.33	0.8	2.2
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0
1992	130	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9
1995	174	1.9	0.14	1.6	2.2	33	2.5	0.45	1.7	3.5
1996	173	1.8	0.14	1.6	2.1	22	1.7	0.36	1.0	2.5
1997	142	1.5	0.12	1.2	1.8	21	1.5	0.34	0.9	2.3
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1
1999	175	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0
2000	172	1.8	0.14	1.5	2.1	27	1.8	0.35	1.2	2.6
2001	198	2.1	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1
2002	146	1.5	0.13	1.3	1.8	28	2.0	0.38	1.3	2.8
2003	192	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5
2004	200	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7
2005	161	1.7	0.13	1.4	1.9	27	1.8	0.36	1.2	2.7
2006	178	1.8	0.14	1.6	2.1	32	2.0	0.36	1.4	2.9
2007	152	1.6	0.13	1.3	1.9	25	1.5	0.32	1.0	2.3
2008	162	1.6	0.13	1.4	1.9	30	1.8	0.34	1.2	2.6
2009	180	1.9	0.14	1.6	2.2	23	1.4	0.30	0.9	2.1
2010	201	2.0	0.15	1.7	2.3	29	1.6	0.31	1.1	2.4
2011	205	2.0	0.14	1.7	2.3	37	2.1	0.35	1.5	2.9
2012	177	1.8	0.14	1.6	2.1	31	1.9	0.34	1.3	2.6
2013	175	1.7	0.13	1.5	2.0	28	1.6	0.30	1.0	2.3
2014	196	1.9	0.14	1.6	2.2	33	1.9	0.33	1.3	2.6
2015	158	1.5	0.13	1.3	1.8	26	1.4	0.28	0.9	2.1
2016	186	1.8	0.13	1.5	2.1	28	1.4	0.28	0.9	2.1
2017	183	1.8	0.14	1.5	2.1	36	1.9	0.33	1.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	259	2.0	0.16	1.7	2.4	3,240	2.3	0.04	2.2	2.4
1990	1	0.1	0.12	0.0	2.8	81	1.8	0.21	1.4	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	103	2.2	0.23	1.8	2.7
1995	5	1.1	0.55	0.3	3.4	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	117	2.6	0.25	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	124	2.6	0.23	2.1	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	5	2.9	1.40	0.9	6.6	105	2.2	0.22	1.8	2.6
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	135	2.8	0.24	2.3	3.3
2005	15	2.7	0.93	1.2	5.2	122	2.4	0.22	2.0	2.9
2006	10	2.6	1.12	0.9	5.5	129	2.6	0.23	2.1	3.1
2007	5	0.6	0.28	0.2	1.8	106	2.1	0.21	1.7	2.5
2008	10	2.1	0.81	0.8	4.2	116	2.2	0.21	1.8	2.7
2009	9	2.1	0.79	0.8	4.2	106	2.1	0.20	1.7	2.5
2010	12	2.4	0.90	1.0	4.7	141	2.7	0.23	2.3	3.2
2011	18	2.4	0.67	1.3	4.1	155	2.9	0.23	2.4	3.3
2012	14	2.4	0.75	1.2	4.3	122	2.3	0.21	1.9	2.7
2013	11	1.6	0.60	0.6	3.2	114	2.0	0.20	1.7	2.5
2014	14	2.1	0.64	1.0	3.7	134	2.4	0.21	2.0	2.8
2015	17	2.1	0.57	1.1	3.5	104	1.8	0.18	1.5	2.2
2016	11	1.4	0.48	0.7	2.7	126	2.2	0.20	1.8	2.7
2017	16	2.5	0.72	1.3	4.3	136	2.3	0.20	1.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,716	2.3	0.04	2.2	2.4	400	2.3	0.12	2.0	2.5
1990	68	1.8	0.22	1.4	2.3	12	2.2	0.74	1.0	4.1
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	73	1.9	0.22	1.4	2.4	10	2.1	0.69	0.9	3.8
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6
1994	89	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	12	2.0	0.60	1.0	3.6
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	107	2.6	0.25	2.1	3.1	13	2.5	0.76	1.3	4.4
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3
2002	85	2.1	0.23	1.7	2.6	16	3.0	0.80	1.7	4.9
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6
2004	120	2.9	0.26	2.4	3.4	10	1.8	0.62	0.8	3.4
2005	101	2.4	0.24	1.9	2.9	16	2.7	0.74	1.5	4.5
2006	107	2.5	0.25	2.1	3.1	21	3.5	0.82	2.1	5.5
2007	82	1.9	0.22	1.5	2.4	15	2.2	0.61	1.2	3.8
2008	93	2.2	0.23	1.8	2.7	16	2.3	0.60	1.3	3.8
2009	87	2.0	0.22	1.6	2.5	13	2.0	0.60	1.0	3.5
2010	120	2.8	0.26	2.3	3.3	19	2.4	0.58	1.4	3.9
2011	124	2.7	0.25	2.3	3.3	21	2.7	0.62	1.7	4.2
2012	102	2.3	0.23	1.9	2.8	19	2.9	0.70	1.7	4.6
2013	93	2.0	0.21	1.6	2.5	14	1.9	0.53	1.0	3.2
2014	116	2.5	0.24	2.0	3.0	12	1.4	0.43	0.7	2.6
2015	84	1.8	0.20	1.4	2.2	16	2.0	0.52	1.1	3.3
2016	99	2.2	0.22	1.8	2.7	16	2.0	0.52	1.1	3.3
2017	109	2.2	0.22	1.8	2.7	19	2.4	0.57	1.4	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	180	1.3	0.11	1.1	1.6	2,470	1.3	0.03	1.3	1.4
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	96	1.6	0.16	1.3	1.9
1995	4	0.7	0.39	0.2	2.4	97	1.5	0.16	1.2	1.9
1996	1	0.1	0.12	0.0	1.5	84	1.3	0.14	1.0	1.6
1997	6	1.4	0.75	0.3	3.7	71	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6
1999	6	1.6	0.67	0.6	3.6	86	1.3	0.14	1.1	1.6
2000	3	1.1	0.79	0.1	3.5	92	1.4	0.15	1.2	1.8
2001	9	2.3	0.92	0.9	4.8	95	1.5	0.15	1.2	1.8
2002	7	1.9	0.90	0.6	4.4	76	1.2	0.14	0.9	1.5
2003	7	2.1	0.92	0.7	4.5	93	1.4	0.15	1.1	1.7
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9
2005	1	0.1	0.08	0.0	1.0	74	1.1	0.13	0.9	1.4
2006	6	1.3	0.55	0.4	2.8	86	1.3	0.14	1.0	1.6
2007	4	0.9	0.51	0.2	2.4	84	1.3	0.14	1.0	1.6
2008	13	1.8	0.54	0.9	3.3	87	1.3	0.14	1.0	1.6
2009	12	2.2	0.69	1.1	3.9	107	1.6	0.16	1.3	2.0
2010	10	1.6	0.54	0.7	3.0	98	1.4	0.14	1.1	1.7
2011	8	0.9	0.34	0.4	1.9	100	1.5	0.15	1.2	1.8
2012	8	1.1	0.39	0.5	2.2	93	1.4	0.16	1.2	1.8
2013	9	1.3	0.48	0.5	2.6	100	1.5	0.16	1.2	1.9
2014	9	1.0	0.35	0.5	2.0	104	1.5	0.15	1.2	1.9
2015	14	2.2	0.63	1.1	3.7	90	1.3	0.15	1.1	1.7
2016	8	0.8	0.27	0.3	1.6	100	1.3	0.14	1.1	1.6
2017	10	1.2	0.38	0.6	2.2	95	1.4	0.15	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Chronic Myeloid Leukemia										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,054	1.3	0.03	1.3	1.4	330	1.3	0.07	1.2	1.5
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5
1994	81	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1
1995	77	1.4	0.16	1.1	1.8	19	2.5	0.59	1.5	3.9
1996	71	1.3	0.15	1.0	1.6	10	1.3	0.43	0.6	2.5
1997	59	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9
1999	68	1.2	0.15	1.0	1.6	16	1.9	0.48	1.1	3.1
2000	79	1.5	0.17	1.2	1.8	11	1.2	0.37	0.6	2.2
2001	84	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
2002	61	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4
2003	84	1.5	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1
2005	60	1.1	0.15	0.9	1.5	11	1.3	0.38	0.6	2.2
2006	71	1.3	0.15	1.0	1.6	11	1.1	0.33	0.5	2.0
2007	70	1.3	0.16	1.0	1.7	10	1.1	0.33	0.5	1.9
2008	69	1.2	0.15	0.9	1.5	14	1.5	0.41	0.8	2.6
2009	93	1.7	0.18	1.4	2.1	10	1.0	0.33	0.5	1.9
2010	81	1.4	0.16	1.1	1.8	10	1.0	0.30	0.5	1.8
2011	81	1.5	0.17	1.2	1.8	16	1.6	0.39	0.9	2.5
2012	75	1.5	0.18	1.1	1.9	12	1.2	0.36	0.6	2.1
2013	82	1.6	0.18	1.2	2.0	14	1.3	0.36	0.7	2.3
2014	80	1.5	0.17	1.1	1.8	21	2.1	0.47	1.3	3.3
2015	74	1.4	0.17	1.1	1.8	10	0.9	0.30	0.4	1.7
2016	87	1.5	0.17	1.2	1.8	12	1.0	0.29	0.5	1.8
2017	74	1.4	0.17	1.1	1.8	17	1.7	0.42	1.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	145	0.7	0.07	0.5	0.8	3,073	0.9	0.02	0.9	1.0
1990	5	1.2	0.68	0.3	3.2	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	66	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	65	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	132	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	8	2.1	0.96	0.7	4.5	128	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	3	0.3	0.19	0.0	1.1	155	1.3	0.11	1.1	1.6
2001	3	0.5	0.41	0.1	1.8	89	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	132	1.1	0.10	1.0	1.4
2003	4	0.7	0.44	0.1	2.0	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	93	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	110	0.9	0.09	0.7	1.1
2006	4	0.8	0.46	0.2	2.1	103	0.9	0.08	0.7	1.0
2007	5	0.3	0.14	0.1	0.8	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	92	0.7	0.08	0.6	0.9
2009	5	0.6	0.34	0.2	1.6	87	0.7	0.08	0.6	0.9
2010	5	0.3	0.15	0.1	0.8	100	0.8	0.08	0.6	0.9
2011	5	0.3	0.19	0.1	0.9	119	0.9	0.09	0.8	1.1
2012	4	0.3	0.18	0.1	0.9	100	0.8	0.08	0.6	0.9
2013	11	1.0	0.34	0.4	1.8	95	0.7	0.08	0.6	0.9
2014	6	0.3	0.12	0.1	0.7	110	0.9	0.08	0.7	1.0
2015	9	0.9	0.34	0.4	1.8	87	0.7	0.07	0.5	0.8
2016	5	0.2	0.11	0.1	0.6	85	0.6	0.07	0.5	0.8
2017	4	0.3	0.16	0.1	0.8	103	0.8	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,648	0.9	0.02	0.9	1.0	365	0.9	0.05	0.8	1.0
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0
1991	58	0.6	0.09	0.5	0.8	8	0.7	0.27	0.3	1.4
1992	58	0.6	0.08	0.5	0.8	7	0.6	0.24	0.2	1.2
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5
1996	113	1.2	0.11	1.0	1.4	14	1.2	0.33	0.6	2.0
1997	101	1.0	0.10	0.8	1.3	20	1.6	0.36	0.9	2.4
1998	111	1.1	0.11	0.9	1.4	16	1.2	0.32	0.7	2.0
1999	146	1.5	0.12	1.2	1.7	20	1.5	0.36	0.9	2.4
2000	136	1.4	0.12	1.1	1.6	16	1.2	0.31	0.7	2.0
2001	76	0.7	0.09	0.6	0.9	11	0.9	0.26	0.4	1.5
2002	110	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9
2004	80	0.8	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4
2005	95	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5
2006	86	0.8	0.09	0.7	1.0	15	1.1	0.29	0.6	1.8
2007	87	0.8	0.09	0.7	1.0	13	0.9	0.26	0.5	1.5
2008	83	0.8	0.09	0.6	1.0	8	0.5	0.20	0.2	1.1
2009	73	0.7	0.08	0.5	0.9	12	0.8	0.22	0.4	1.3
2010	85	0.8	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2
2011	103	0.9	0.10	0.8	1.2	13	0.9	0.25	0.5	1.5
2012	81	0.7	0.08	0.6	0.9	16	0.9	0.22	0.5	1.4
2013	74	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5
2014	92	0.9	0.09	0.7	1.1	15	0.9	0.23	0.5	1.4
2015	72	0.7	0.08	0.5	0.9	13	0.8	0.21	0.4	1.3
2016	76	0.7	0.08	0.5	0.8	8	0.4	0.15	0.2	0.8
2017	86	0.8	0.09	0.6	1.0	12	0.7	0.20	0.3	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	82	0.8	0.12	0.6	1.1	1,622	1.2	0.03	1.2	1.3
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6
1991	3	1.2	0.93	0.1	4.6	32	0.8	0.14	0.5	1.1
1992	2	0.5	0.36	0.0	3.0	39	0.9	0.15	0.6	1.3
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2
1996	2	0.4	0.36	0.0	2.6	76	1.8	0.21	1.4	2.3
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9
2001	2	1.2	0.99	0.1	4.2	47	1.0	0.15	0.8	1.4
2002	3	2.5	1.68	0.3	7.0	74	1.6	0.18	1.2	2.0
2003	0					55	1.2	0.16	0.9	1.6
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5
2005	1	0.4	0.42	0.0	2.0	64	1.4	0.18	1.1	1.8
2006	3	1.9	1.15	0.4	5.0	54	1.1	0.15	0.9	1.5
2007	3	0.4	0.26	0.1	1.6	49	1.1	0.15	0.8	1.4
2008	4	1.4	0.86	0.2	3.8	50	1.0	0.15	0.8	1.3
2009	4	1.0	0.67	0.1	2.9	40	0.8	0.13	0.6	1.1
2010	2	0.1	0.10	0.0	1.0	51	1.0	0.14	0.7	1.3
2011	4	0.7	0.42	0.1	2.0	64	1.3	0.16	1.0	1.6
2012	3	0.3	0.16	0.1	1.0	54	1.0	0.14	0.8	1.3
2013	6	1.1	0.55	0.3	2.6	53	1.0	0.14	0.7	1.3
2014	2	0.2	0.11	0.0	0.8	59	1.1	0.15	0.8	1.4
2015	6	1.3	0.61	0.4	3.0	47	0.8	0.12	0.6	1.1
2016	3	0.3	0.18	0.1	1.0	48	0.8	0.12	0.6	1.1
2017	1	0.1	0.09	0.0	0.7	59	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,394	1.2	0.03	1.2	1.3	188	1.2	0.09	1.0	1.4
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7
1991	29	0.8	0.15	0.5	1.2	3	1.0	0.58	0.2	2.6
1992	35	0.9	0.16	0.7	1.3	4	0.9	0.50	0.2	2.3
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1
1996	62	1.7	0.22	1.3	2.2	12	2.7	0.86	1.3	4.8
1997	57	1.6	0.22	1.2	2.1	9	1.6	0.60	0.7	3.2
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4
2001	39	1.0	0.16	0.7	1.4	6	1.3	0.55	0.4	2.7
2002	64	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1
2005	53	1.3	0.18	1.0	1.8	8	1.5	0.57	0.6	3.0
2006	43	1.1	0.16	0.8	1.4	11	1.8	0.56	0.9	3.2
2007	42	1.0	0.16	0.7	1.4	6	1.3	0.53	0.5	2.7
2008	46	1.1	0.16	0.8	1.4	4	0.6	0.34	0.2	1.7
2009	32	0.8	0.14	0.5	1.1	7	1.1	0.47	0.4	2.4
2010	44	1.0	0.15	0.7	1.4	5	0.6	0.25	0.2	1.3
2011	52	1.2	0.17	0.9	1.6	9	1.7	0.57	0.7	3.1
2012	43	1.0	0.15	0.7	1.3	9	1.2	0.41	0.5	2.3
2013	41	0.9	0.15	0.7	1.3	6	0.8	0.32	0.3	1.7
2014	49	1.1	0.16	0.8	1.5	9	1.3	0.44	0.6	2.4
2015	39	0.8	0.13	0.6	1.1	7	1.1	0.43	0.4	2.3
2016	45	0.9	0.14	0.7	1.2	2	0.2	0.14	0.0	0.8
2017	50	1.0	0.15	0.8	1.4	4	0.5	0.28	0.1	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	63	0.5	0.08	0.4	0.7	1,451	0.7	0.02	0.7	0.8
1990	4	2.0	1.16	0.4	5.5	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	3	1.7	1.13	0.2	4.9	62	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	2	0.3	0.19	0.0	1.5	84	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	42	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	4	1.2	0.74	0.2	3.4	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	40	0.5	0.09	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	46	0.6	0.09	0.5	0.8
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.8
2007	2	0.1	0.10	0.0	0.9	54	0.7	0.10	0.6	1.0
2008	2	0.5	0.46	0.0	2.0	42	0.6	0.09	0.4	0.8
2009	1	0.4	0.35	0.0	1.5	47	0.6	0.09	0.5	0.8
2010	3	0.5	0.29	0.1	1.5	49	0.6	0.09	0.4	0.8
2011	1	0.1	0.07	0.0	0.7	55	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	46	0.6	0.09	0.4	0.8
2013	5	0.8	0.42	0.2	2.0	42	0.5	0.08	0.4	0.7
2014	4	0.4	0.22	0.1	1.2	51	0.7	0.10	0.5	0.9
2015	3	0.6	0.35	0.1	1.6	40	0.6	0.10	0.4	0.8
2016	2	0.2	0.11	0.0	0.7	37	0.5	0.08	0.3	0.7
2017	3	0.5	0.29	0.1	1.4	44	0.6	0.10	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Other Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,254	0.7	0.02	0.7	0.8	177	0.7	0.06	0.6	0.9
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7
1998	51	0.9	0.13	0.7	1.2	11	1.4	0.43	0.7	2.5
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1
2000	73	1.2	0.14	0.9	1.5	10	1.3	0.40	0.6	2.3
2001	37	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8
2004	34	0.5	0.09	0.4	0.7	6	0.7	0.30	0.3	1.5
2005	42	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3
2006	43	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3
2007	45	0.7	0.11	0.5	1.0	7	0.7	0.27	0.3	1.5
2008	37	0.6	0.10	0.4	0.8	4	0.5	0.24	0.1	1.2
2009	41	0.6	0.10	0.5	0.9	5	0.6	0.25	0.2	1.3
2010	41	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4
2011	51	0.8	0.11	0.6	1.1	4	0.4	0.22	0.1	1.1
2012	38	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2013	33	0.5	0.09	0.3	0.7	9	0.9	0.30	0.4	1.7
2014	43	0.7	0.11	0.5	0.9	6	0.6	0.23	0.2	1.2
2015	33	0.6	0.11	0.4	0.8	6	0.6	0.24	0.2	1.3
2016	31	0.5	0.09	0.3	0.7	6	0.5	0.22	0.2	1.2
2017	36	0.6	0.10	0.4	0.8	8	0.9	0.31	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	173	0.9	0.07	0.7	1.0	3,867	1.2	0.02	1.1	1.2
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1
1991	2	0.5	0.33	0.1	1.8	118	1.1	0.10	0.9	1.3
1992	3	0.6	0.36	0.1	1.9	124	1.1	0.10	0.9	1.4
1993	4	1.4	0.72	0.4	3.4	115	1.0	0.10	0.9	1.3
1994	0					140	1.3	0.11	1.1	1.5
1995	5	1.1	0.55	0.3	2.7	158	1.4	0.11	1.2	1.7
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4
1997	0					138	1.2	0.10	1.0	1.5
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6
1999	5	1.0	0.46	0.3	2.3	135	1.2	0.10	1.0	1.4
2000	5	1.0	0.49	0.2	2.3	138	1.2	0.10	1.0	1.4
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6
2007	7	0.9	0.36	0.3	1.9	137	1.1	0.10	0.9	1.3
2008	8	0.7	0.29	0.3	1.5	156	1.3	0.11	1.1	1.5
2009	10	1.2	0.41	0.6	2.3	132	1.1	0.10	0.9	1.3
2010	4	0.4	0.24	0.1	1.1	143	1.2	0.10	1.0	1.4
2011	9	1.1	0.40	0.4	2.1	136	1.1	0.10	0.9	1.3
2012	9	0.9	0.33	0.4	1.8	152	1.2	0.10	1.0	1.4
2013	8	0.6	0.24	0.3	1.3	136	1.0	0.09	0.9	1.2
2014	8	0.8	0.29	0.3	1.5	149	1.1	0.09	1.0	1.3
2015	8	0.7	0.25	0.3	1.3	128	1.0	0.09	0.8	1.1
2016	11	1.1	0.34	0.5	1.9	111	0.8	0.08	0.7	1.0
2017	6	0.5	0.21	0.2	1.1	117	0.9	0.08	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	3,640	1.3	0.02	1.2	1.3	181	0.4	0.03	0.4	0.5
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1
1991	114	1.2	0.11	1.0	1.5	3	0.3	0.15	0.1	0.7
1992	117	1.2	0.11	1.0	1.5	5	0.5	0.21	0.2	1.1
1993	108	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1
1995	144	1.5	0.13	1.3	1.8	14	1.1	0.31	0.6	1.9
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1
1999	128	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9
2000	132	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9
2007	127	1.2	0.11	1.0	1.5	9	0.6	0.19	0.3	1.1
2008	152	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5
2009	126	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7
2010	135	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0
2012	140	1.3	0.11	1.1	1.5	11	0.7	0.21	0.3	1.2
2013	125	1.1	0.10	1.0	1.4	7	0.4	0.16	0.2	0.9
2014	142	1.3	0.11	1.1	1.5	5	0.3	0.13	0.1	0.7
2015	123	1.1	0.10	0.9	1.3	5	0.3	0.12	0.1	0.6
2016	107	0.9	0.09	0.8	1.1	0				
2017	105	1.0	0.10	0.8	1.2	6	0.3	0.14	0.1	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	130	1.5	0.15	1.3	1.9	2,897	2.1	0.04	2.0	2.2
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	4	3.2	1.70	0.8	8.0	82	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	105	2.3	0.22	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	4	2.0	1.09	0.5	5.1	106	2.3	0.22	1.9	2.7
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9
2007	5	1.6	0.79	0.5	3.8	102	2.1	0.21	1.7	2.5
2008	6	1.2	0.59	0.4	2.9	112	2.3	0.22	1.9	2.7
2009	5	1.6	0.72	0.5	3.5	109	2.2	0.21	1.8	2.6
2010	2	0.4	0.27	0.0	1.4	113	2.3	0.22	1.9	2.7
2011	8	2.3	0.94	0.9	4.7	93	1.8	0.19	1.4	2.2
2012	8	1.9	0.74	0.7	3.8	115	2.1	0.20	1.7	2.5
2013	6	1.0	0.45	0.3	2.3	97	1.7	0.18	1.4	2.1
2014	7	1.5	0.64	0.6	3.2	108	2.0	0.20	1.6	2.4
2015	7	1.4	0.57	0.5	2.9	93	1.6	0.17	1.3	2.0
2016	10	2.3	0.77	1.1	4.2	81	1.4	0.16	1.1	1.7
2017	2	0.4	0.31	0.0	1.4	74	1.3	0.15	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,740	2.3	0.04	2.2	2.4	128	0.8	0.07	0.7	1.0
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8
1993	76	1.9	0.23	1.5	2.4	4	1.1	0.61	0.3	2.8
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9
1998	101	2.5	0.25	2.0	3.0	4	0.9	0.49	0.2	2.3
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8
2000	102	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6
2007	96	2.3	0.23	1.8	2.8	6	0.8	0.35	0.3	1.9
2008	109	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3
2009	104	2.4	0.24	2.0	2.9	4	0.6	0.30	0.2	1.5
2010	107	2.5	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4
2011	85	1.9	0.21	1.5	2.4	7	1.2	0.48	0.5	2.5
2012	107	2.3	0.23	1.9	2.8	7	1.1	0.43	0.4	2.3
2013	89	1.9	0.21	1.5	2.4	5	0.7	0.31	0.2	1.6
2014	104	2.3	0.23	1.9	2.8	3	0.4	0.21	0.1	1.1
2015	90	1.9	0.20	1.5	2.3	3	0.4	0.26	0.1	1.3
2016	79	1.6	0.18	1.3	2.0	0				
2017	66	1.4	0.17	1.1	1.8	4	0.6	0.31	0.2	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	43	0.4	0.06	0.3	0.5	970	0.5	0.02	0.5	0.5
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	0					23	0.4	0.08	0.2	0.6
1992	3	1.2	0.70	0.2	3.6	33	0.5	0.09	0.4	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	1	0.4	0.36	0.0	2.1	39	0.6	0.10	0.4	0.9
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	47	0.7	0.11	0.5	1.0
1999	2	0.6	0.45	0.1	2.3	34	0.5	0.09	0.4	0.7
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6
2011	1	0.2	0.15	0.0	0.9	43	0.6	0.09	0.4	0.8
2012	1	0.1	0.13	0.0	0.8	37	0.5	0.08	0.4	0.7
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7
2014	1	0.1	0.13	0.0	0.8	41	0.5	0.09	0.4	0.8
2015	1	0.1	0.11	0.0	0.7	35	0.5	0.09	0.4	0.7
2016	1	0.1	0.11	0.0	0.7	30	0.4	0.08	0.3	0.6
2017	4	0.6	0.32	0.2	1.6	43	0.6	0.09	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Mesothelioma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	900	0.6	0.02	0.5	0.6	53	0.2	0.03	0.2	0.3
1990	22	0.4	0.08	0.2	0.6	0				
1991	23	0.4	0.09	0.3	0.6	0				
1992	31	0.5	0.10	0.4	0.8	0				
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
1995	34	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.5
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1
1998	44	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1
1999	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0
2008	43	0.8	0.12	0.6	1.1	0				
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1
2013	36	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2014	38	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2015	33	0.6	0.11	0.4	0.9	2	0.2	0.12	0.0	0.7
2016	28	0.5	0.09	0.3	0.7	0				
2017	39	0.7	0.11	0.5	0.9	2	0.2	0.14	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	317	0.9	0.06	0.8	1.1	1,870	0.6	0.01	0.6	0.7
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7
1991	30	3.2	0.77	1.9	5.2	159	1.4	0.12	1.2	1.7
1992	19	1.6	0.41	0.9	2.9	168	1.5	0.12	1.3	1.8
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.12	1.2	1.7
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4
1996	27	3.7	0.95	2.1	6.0	122	1.1	0.10	0.9	1.3
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6
1999	8	0.8	0.38	0.2	1.9	50	0.5	0.06	0.3	0.6
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5
2002	7	0.7	0.34	0.2	1.7	44	0.4	0.06	0.3	0.5
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5
2004	8	0.4	0.16	0.2	1.0	45	0.4	0.06	0.3	0.5
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5
2006	7	1.0	0.42	0.3	2.1	34	0.3	0.06	0.2	0.5
2007	7	0.4	0.16	0.2	1.0	39	0.4	0.06	0.3	0.5
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5
2009	8	0.8	0.33	0.3	1.7	40	0.4	0.06	0.3	0.5
2010	7	0.6	0.27	0.2	1.4	39	0.4	0.06	0.3	0.5
2011	8	0.7	0.27	0.3	1.4	35	0.3	0.06	0.2	0.5
2012	7	0.4	0.14	0.1	0.8	20	0.2	0.04	0.1	0.3
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4
2014	8	0.6	0.25	0.2	1.3	36	0.3	0.05	0.2	0.5
2015	12	0.7	0.24	0.4	1.4	28	0.3	0.05	0.2	0.4
2016	12	0.7	0.19	0.3	1.2	33	0.3	0.05	0.2	0.4
2017	7	0.4	0.16	0.2	0.8	22	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,120	0.5	0.01	0.4	0.5	688	1.4	0.05	1.3	1.5
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8
1991	116	1.3	0.12	1.1	1.6	41	2.4	0.39	1.7	3.4
1992	121	1.3	0.12	1.1	1.6	46	2.6	0.38	1.9	3.4
1993	112	1.2	0.11	1.0	1.5	47	2.8	0.42	2.0	3.7
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0
1996	65	0.7	0.09	0.6	0.9	53	2.9	0.40	2.2	3.8
1997	35	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0
1999	24	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.1
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9
2002	23	0.3	0.05	0.2	0.4	19	1.1	0.25	0.7	1.7
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4
2006	15	0.2	0.04	0.1	0.3	17	1.0	0.25	0.6	1.7
2007	20	0.2	0.05	0.1	0.3	18	1.1	0.26	0.7	1.8
2008	19	0.2	0.05	0.1	0.3	15	0.9	0.23	0.5	1.5
2009	24	0.3	0.05	0.2	0.4	14	0.9	0.23	0.5	1.4
2010	22	0.3	0.06	0.2	0.4	15	0.9	0.23	0.5	1.4
2011	15	0.2	0.05	0.1	0.3	18	1.1	0.25	0.6	1.7
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7
2013	14	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3
2014	17	0.2	0.05	0.1	0.3	16	0.9	0.22	0.5	1.4
2015	16	0.2	0.04	0.1	0.3	10	0.6	0.19	0.3	1.1
2016	23	0.2	0.05	0.2	0.4	9	0.5	0.17	0.2	1.0
2017	8	0.1	0.03	0.0	0.2	11	0.6	0.19	0.3	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	303	1.7	0.12	1.4	1.9	1,713	1.2	0.03	1.1	1.3
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3
1991	30	6.5	1.83	3.4	11.3	155	3.0	0.24	2.5	3.5
1992	19	3.0	0.76	1.7	5.8	163	3.0	0.24	2.6	3.5
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8
1996	23	5.3	1.79	2.4	9.9	115	2.1	0.20	1.7	2.6
1997	10	1.4	0.49	0.6	3.5	56	1.1	0.14	0.8	1.4
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0
1999	7	0.8	0.33	0.3	2.6	45	0.9	0.13	0.6	1.2
2000	3	0.4	0.26	0.1	2.1	31	0.6	0.11	0.4	0.9
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9
2002	7	1.5	0.72	0.4	3.7	39	0.8	0.13	0.6	1.1
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0
2004	8	0.8	0.29	0.3	2.1	38	0.8	0.12	0.5	1.1
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9
2006	7	2.1	0.95	0.7	4.7	34	0.7	0.12	0.5	1.0
2007	7	0.8	0.31	0.3	2.0	35	0.7	0.12	0.5	1.0
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0
2009	6	0.9	0.43	0.3	2.3	35	0.7	0.12	0.5	1.0
2010	6	0.9	0.42	0.3	2.2	35	0.7	0.12	0.5	1.0
2011	7	1.1	0.43	0.4	2.4	29	0.6	0.11	0.4	0.8
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5
2013	0					28	0.5	0.10	0.3	0.7
2014	8	1.4	0.57	0.5	2.9	29	0.6	0.10	0.4	0.8
2015	12	1.5	0.51	0.7	2.9	24	0.5	0.10	0.3	0.7
2016	12	1.3	0.38	0.7	2.4	27	0.5	0.10	0.4	0.8
2017	7	0.8	0.31	0.3	1.7	20	0.4	0.09	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,008	0.9	0.03	0.8	0.9	647	3.0	0.12	2.7	3.2
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4
1991	113	2.6	0.25	2.2	3.2	40	5.4	0.88	3.8	7.4
1992	117	2.7	0.25	2.2	3.2	45	5.5	0.84	4.0	7.5
1993	103	2.2	0.22	1.8	2.7	44	5.9	0.96	4.2	8.2
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7
1996	62	1.4	0.18	1.1	1.8	49	5.9	0.85	4.3	7.8
1997	30	0.7	0.13	0.5	1.0	24	2.9	0.62	1.9	4.5
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0
1999	21	0.5	0.11	0.3	0.8	22	2.8	0.61	1.7	4.3
2000	13	0.3	0.09	0.2	0.6	16	2.0	0.50	1.1	3.3
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7
2002	19	0.5	0.11	0.3	0.8	18	2.3	0.54	1.4	3.6
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6
2006	15	0.4	0.09	0.2	0.6	17	2.4	0.61	1.3	3.9
2007	16	0.4	0.10	0.2	0.6	18	2.5	0.60	1.5	4.0
2008	16	0.4	0.10	0.2	0.7	14	1.8	0.50	1.0	3.1
2009	19	0.5	0.11	0.3	0.7	14	1.9	0.53	1.0	3.3
2010	20	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8
2011	11	0.3	0.08	0.1	0.5	16	2.0	0.51	1.1	3.3
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2
2013	11	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	3.0
2014	13	0.3	0.09	0.2	0.6	13	1.5	0.43	0.8	2.6
2015	12	0.3	0.08	0.1	0.5	10	1.3	0.41	0.6	2.3
2016	17	0.4	0.10	0.2	0.7	9	1.1	0.39	0.5	2.2
2017	8	0.2	0.06	0.1	0.4	9	1.0	0.34	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	14	0.2	0.05	0.1	0.3	157	0.1	0.01	0.1	0.1
1990	0					11	0.2	0.05	0.1	0.3
1991	0					4	0.1	0.03	0.0	0.2
1992	0					5	0.1	0.04	0.0	0.2
1993	0					12	0.2	0.06	0.1	0.4
1994	0					10	0.2	0.05	0.1	0.3
1995	0					7	0.1	0.04	0.0	0.2
1996	4	2.0	1.07	0.5	5.0	7	0.1	0.04	0.1	0.2
1997	0					9	0.1	0.05	0.1	0.3
1998	0					8	0.1	0.04	0.1	0.3
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2
2000	1	0.2	0.18	0.0	1.4	5	0.1	0.03	0.0	0.2
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2
2002	0					5	0.1	0.03	0.0	0.2
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1
2004	0					7	0.1	0.03	0.0	0.2
2005	0					5	0.1	0.04	0.0	0.2
2006	0					0				
2007	0					4	0.1	0.02	0.0	0.1
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2
2009	2	0.6	0.43	0.0	1.9	5	0.1	0.03	0.0	0.2
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2
2011	1	0.3	0.30	0.0	1.3	6	0.1	0.04	0.0	0.2
2012	0					2	0.0	0.02	0.0	0.1
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1
2014	0					7	0.1	0.04	0.0	0.2
2015	0					4	0.1	0.02	0.0	0.1
2016	0					6	0.1	0.03	0.0	0.2
2017	0					2	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Kaposi Sarcoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	112	0.1	0.01	0.1	0.1	41	0.2	0.02	0.1	0.2
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7
1996	3	0.1	0.03	0.0	0.2	4	0.4	0.20	0.1	1.1
1997	5	0.1	0.04	0.0	0.2	3	0.3	0.18	0.1	0.9
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8
2000	4	0.1	0.03	0.0	0.2	1	0.1	0.10	0.0	0.6
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2003	3	0.0	0.03	0.0	0.2	0				
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0
2006	0					0				
2007	4	0.1	0.03	0.0	0.2	0				
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2009	5	0.1	0.03	0.0	0.2	0				
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8
2011	4	0.1	0.05	0.0	0.3	2	0.2	0.16	0.0	0.8
2012	0					1	0.1	0.12	0.0	0.6
2013	3	0.1	0.04	0.0	0.2	0				
2014	4	0.1	0.03	0.0	0.2	3	0.3	0.18	0.1	0.9
2015	4	0.1	0.03	0.0	0.2	0				
2016	6	0.1	0.04	0.0	0.2	0				
2017	0					2	0.3	0.19	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,228	12.2	0.29	11.6	12.8	51,641	15.4	0.07	15.3	15.5
1990	28	9.5	2.09	5.9	14.3	1,390	13.3	0.36	12.6	14.0
1991	44	12.7	2.21	8.7	17.6	1,368	12.9	0.35	12.2	13.6
1992	33	9.2	1.87	5.9	13.5	1,380	12.8	0.35	12.2	13.5
1993	39	11.5	2.12	7.7	16.2	1,833	16.9	0.40	16.1	17.7
1994	38	10.0	1.90	6.6	14.2	1,864	17.0	0.40	16.3	17.8
1995	50	13.7	2.27	9.6	18.7	1,703	15.4	0.37	14.7	16.2
1996	49	12.7	2.09	9.0	17.4	1,622	14.6	0.36	13.9	15.3
1997	38	8.6	1.62	5.7	12.2	1,517	13.6	0.35	12.9	14.3
1998	61	13.0	2.02	9.3	17.4	1,463	12.9	0.34	12.2	13.6
1999	56	13.4	2.08	9.6	17.9	1,504	13.2	0.34	12.5	13.8
2000	56	11.1	1.80	7.9	15.1	1,570	13.6	0.34	13.0	14.3
2001	77	15.3	2.05	11.5	19.7	2,158	18.6	0.40	17.9	19.4
2002	91	14.8	1.84	11.4	18.7	2,179	18.7	0.40	17.9	19.5
2003	84	15.5	1.91	12.0	19.6	2,145	18.3	0.39	17.5	19.0
2004	93	15.7	1.89	12.3	19.8	1,998	16.9	0.38	16.2	17.7
2005	80	11.8	1.52	9.0	15.1	2,005	16.8	0.38	16.0	17.5
2006	80	12.1	1.54	9.2	15.4	2,020	16.9	0.38	16.1	17.6
2007	85	11.2	1.40	8.6	14.2	2,100	17.2	0.38	16.5	17.9
2008	92	13.6	1.59	10.7	17.0	2,126	17.2	0.38	16.5	18.0
2009	104	12.8	1.42	10.1	15.8	2,100	16.9	0.37	16.2	17.6
2010	89	10.5	1.23	8.2	13.1	2,122	16.9	0.37	16.2	17.7
2011	108	12.5	1.35	10.0	15.4	1,921	15.0	0.35	14.3	15.7
2012	117	13.0	1.33	10.6	15.8	2,013	15.5	0.35	14.8	16.2
2013	140	14.7	1.36	12.2	17.6	1,913	14.6	0.34	13.9	15.3
2014	124	11.7	1.15	9.6	14.2	1,967	14.8	0.34	14.1	15.5
2015	120	10.4	1.04	8.5	12.7	1,933	14.3	0.33	13.7	15.0
2016	134	11.5	1.07	9.5	13.8	1,858	13.6	0.32	13.0	14.2
2017	118	9.8	0.97	8.0	11.8	1,869	13.5	0.32	12.9	14.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	43,555	15.2	0.07	15.1	15.4	6,925	17.2	0.21	16.8	17.6
1990	1,161	12.6	0.37	11.9	13.3	219	18.9	1.32	16.4	21.7
1991	1,177	12.6	0.37	11.9	13.3	174	15.2	1.18	13.0	17.7
1992	1,182	12.5	0.37	11.8	13.3	184	15.9	1.20	13.6	18.4
1993	1,570	16.4	0.42	15.6	17.3	242	20.7	1.37	18.1	23.5
1994	1,603	16.8	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1
1995	1,412	14.6	0.39	13.9	15.4	268	21.8	1.37	19.2	24.7
1996	1,330	13.8	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1
1997	1,273	13.1	0.37	12.4	13.8	217	17.0	1.18	14.8	19.5
1998	1,226	12.4	0.36	11.7	13.1	206	16.1	1.15	13.9	18.5
1999	1,231	12.5	0.36	11.8	13.2	247	18.9	1.23	16.6	21.5
2000	1,297	13.0	0.36	12.3	13.8	242	17.8	1.17	15.6	20.2
2001	1,811	18.2	0.43	17.4	19.0	299	22.2	1.31	19.7	24.9
2002	1,881	18.8	0.44	18.0	19.7	270	19.6	1.22	17.3	22.1
2003	1,814	18.0	0.42	17.2	18.8	283	19.9	1.21	17.6	22.4
2004	1,734	17.2	0.42	16.4	18.0	217	15.1	1.05	13.1	17.3
2005	1,724	16.9	0.41	16.1	17.7	228	15.5	1.05	13.5	17.7
2006	1,712	16.8	0.41	16.0	17.7	259	17.9	1.13	15.7	20.2
2007	1,790	17.3	0.41	16.5	18.1	267	17.9	1.12	15.7	20.2
2008	1,815	17.4	0.41	16.6	18.2	270	17.6	1.09	15.5	19.8
2009	1,754	16.7	0.41	16.0	17.6	289	18.5	1.11	16.4	20.8
2010	1,782	17.0	0.41	16.2	17.8	288	18.2	1.10	16.1	20.5
2011	1,646	15.3	0.38	14.5	16.1	221	13.9	0.96	12.1	15.9
2012	1,693	15.7	0.39	14.9	16.5	266	15.9	1.00	14.0	18.0
2013	1,560	14.3	0.37	13.6	15.1	282	16.6	1.01	14.6	18.6
2014	1,649	14.9	0.38	14.2	15.7	251	14.7	0.95	12.9	16.7
2015	1,626	14.7	0.37	13.9	15.4	240	13.7	0.90	11.9	15.5
2016	1,549	13.8	0.36	13.1	14.5	222	12.3	0.85	10.7	14.1
2017	1,553	13.7	0.36	13.0	14.5	246	13.3	0.86	11.6	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,124	13.4	0.47	12.5	14.4	25,277	18.2	0.12	18.0	18.5
1990	16	11.1	3.39	5.4	19.3	675	15.6	0.62	14.4	16.9
1991	19	15.6	4.34	8.3	25.8	686	15.8	0.62	14.6	17.0
1992	13	6.2	2.07	2.8	11.6	671	15.4	0.61	14.2	16.7
1993	20	15.1	4.16	8.1	24.8	820	18.8	0.68	17.5	20.2
1994	22	11.6	3.26	6.1	19.4	843	19.3	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	808	18.0	0.65	16.7	19.3
1996	23	14.3	3.61	8.1	22.7	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	724	15.9	0.60	14.7	17.1
1998	30	11.3	2.46	7.0	17.1	688	15.0	0.58	13.9	16.2
1999	29	16.3	3.63	10.0	24.6	681	14.6	0.57	13.5	15.8
2000	32	17.8	3.87	11.0	26.5	748	16.0	0.59	14.9	17.2
2001	37	16.4	3.36	10.5	24.0	1,074	22.7	0.70	21.4	24.2
2002	44	14.5	2.75	9.6	20.7	1,036	21.8	0.68	20.4	23.1
2003	43	17.0	3.14	11.4	24.0	1,049	21.9	0.68	20.5	23.2
2004	44	17.1	2.95	11.8	23.6	1,000	20.7	0.66	19.4	22.1
2005	43	12.6	2.25	8.6	17.7	971	19.7	0.64	18.5	21.0
2006	41	12.7	2.49	8.4	18.3	975	19.7	0.64	18.5	21.0
2007	40	11.4	2.17	7.6	16.3	1,030	20.4	0.64	19.2	21.7
2008	43	14.7	2.55	10.2	20.4	1,056	20.5	0.64	19.3	21.8
2009	47	11.5	2.00	7.9	15.9	1,039	19.8	0.63	18.6	21.1
2010	44	10.0	1.75	6.9	13.9	1,056	20.0	0.63	18.8	21.3
2011	49	12.7	2.12	8.9	17.3	973	18.1	0.59	17.0	19.3
2012	62	14.3	2.10	10.5	18.9	1,017	18.7	0.60	17.6	19.9
2013	76	17.1	2.20	13.1	21.9	969	17.2	0.56	16.1	18.4
2014	69	15.1	2.04	11.4	19.6	985	17.2	0.56	16.1	18.4
2015	60	11.0	1.62	8.1	14.6	1,041	17.8	0.57	16.7	19.0
2016	74	14.0	1.82	10.7	17.9	910	15.4	0.52	14.4	16.5
2017	62	10.9	1.52	8.1	14.2	969	16.2	0.53	15.2	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	21,419	18.1	0.13	17.9	18.4	3,275	20.0	0.37	19.3	20.7
1990	557	14.8	0.64	13.5	16.1	114	23.5	2.33	19.1	28.5
1991	586	15.3	0.65	14.1	16.6	93	20.3	2.23	16.1	25.1
1992	567	14.8	0.64	13.6	16.1	98	22.0	2.40	17.6	27.2
1993	687	18.0	0.70	16.6	19.4	120	25.4	2.49	20.7	30.7
1994	724	19.0	0.72	17.6	20.5	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	139	26.9	2.41	22.3	32.0
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	596	15.2	0.63	13.9	16.4	115	21.8	2.15	17.8	26.3
1998	583	14.8	0.62	13.6	16.0	92	16.6	1.80	13.3	20.5
1999	543	13.5	0.58	12.4	14.7	122	23.6	2.28	19.4	28.5
2000	615	15.3	0.62	14.1	16.6	118	21.3	2.08	17.4	25.8
2001	905	22.3	0.75	20.8	23.8	144	27.1	2.39	22.6	32.1
2002	892	21.9	0.74	20.5	23.4	128	22.5	2.08	18.6	26.9
2003	892	21.7	0.73	20.3	23.2	136	23.6	2.13	19.6	28.1
2004	874	21.1	0.72	19.7	22.6	98	17.2	1.84	13.7	21.1
2005	834	19.8	0.69	18.5	21.2	110	18.2	1.83	14.8	22.1
2006	829	19.6	0.69	18.3	21.0	119	20.7	2.01	16.9	24.9
2007	887	20.6	0.70	19.3	22.0	118	19.6	1.92	16.1	23.7
2008	917	21.0	0.70	19.7	22.5	121	20.3	1.97	16.6	24.5
2009	886	20.0	0.68	18.7	21.4	128	19.3	1.80	16.0	23.2
2010	897	20.2	0.68	18.9	21.6	132	21.7	2.01	18.0	26.0
2011	851	18.8	0.65	17.5	20.1	97	15.1	1.62	12.1	18.5
2012	880	19.3	0.66	18.1	20.7	117	17.2	1.67	14.1	20.8
2013	800	16.9	0.61	15.8	18.2	131	18.8	1.71	15.6	22.4
2014	825	17.2	0.61	16.0	18.4	125	18.3	1.72	15.1	22.0
2015	889	18.2	0.63	17.0	19.5	115	15.8	1.55	13.0	19.2
2016	782	16.0	0.59	14.9	17.2	88	11.9	1.34	9.5	14.9
2017	818	16.6	0.60	15.5	17.9	117	14.7	1.42	12.1	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	1,104	11.3	0.37	10.6	12.0	26,364	13.4	0.08	13.2	13.6
1990	12	8.2	2.59	3.9	14.5	715	11.6	0.44	10.8	12.5
1991	25	11.6	2.53	7.2	17.6	682	10.9	0.42	10.1	11.7
1992	20	11.2	2.76	6.4	17.6	709	11.1	0.42	10.3	12.0
1993	19	9.4	2.38	5.3	15.0	1,013	15.6	0.50	14.6	16.6
1994	16	8.6	2.35	4.7	14.2	1,021	15.5	0.49	14.6	16.5
1995	28	14.1	2.98	8.8	20.9	895	13.4	0.45	12.5	14.3
1996	26	12.0	2.57	7.5	17.9	839	12.6	0.44	11.8	13.5
1997	18	7.5	1.91	4.3	12.1	793	11.8	0.42	11.0	12.7
1998	31	13.4	2.80	8.5	19.8	775	11.3	0.41	10.5	12.1
1999	27	11.3	2.48	6.9	16.9	823	12.0	0.42	11.2	12.9
2000	24	6.7	1.61	3.9	10.5	822	12.0	0.42	11.2	12.9
2001	40	14.5	2.60	9.9	20.3	1,084	15.8	0.48	14.8	16.8
2002	47	14.9	2.46	10.5	20.4	1,143	16.5	0.49	15.5	17.5
2003	41	14.4	2.42	10.0	19.8	1,096	15.8	0.48	14.9	16.8
2004	49	14.6	2.40	10.2	19.8	998	14.4	0.46	13.5	15.3
2005	37	10.8	1.99	7.3	15.3	1,034	14.8	0.47	13.9	15.7
2006	39	11.6	2.01	8.0	16.1	1,045	14.9	0.47	14.0	15.9
2007	45	11.1	1.83	7.8	15.1	1,070	15.1	0.47	14.2	16.0
2008	49	12.9	2.02	9.2	17.3	1,070	14.9	0.47	14.0	15.9
2009	57	13.7	1.97	10.1	17.9	1,061	14.7	0.46	13.8	15.6
2010	45	10.6	1.69	7.5	14.3	1,066	14.8	0.46	13.9	15.7
2011	59	12.7	1.78	9.4	16.5	948	12.8	0.43	12.0	13.7
2012	55	11.9	1.71	8.8	15.6	996	13.3	0.43	12.5	14.2
2013	64	12.7	1.69	9.6	16.3	944	12.5	0.42	11.7	13.4
2014	55	9.1	1.32	6.7	12.1	982	13.1	0.43	12.3	14.0
2015	60	10.0	1.37	7.5	13.0	892	11.7	0.41	10.9	12.5
2016	60	9.6	1.31	7.2	12.5	948	12.2	0.41	11.4	13.1
2017	56	8.8	1.24	6.5	11.5	900	11.5	0.40	10.7	12.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Ill-defined and unknown Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	22,136	13.2	0.09	13.0	13.4	3,650	15.2	0.25	14.7	15.7
1990	604	11.1	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	591	10.6	0.44	9.7	11.5	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	86	12.2	1.33	9.7	15.1
1993	883	15.4	0.53	14.4	16.5	122	17.5	1.60	14.5	20.9
1994	879	15.3	0.53	14.3	16.4	139	19.1	1.64	16.0	22.6
1995	754	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	685	11.8	0.46	10.9	12.7	149	20.1	1.66	17.0	23.6
1997	677	11.6	0.45	10.7	12.5	102	13.6	1.36	11.1	16.5
1998	643	10.7	0.43	9.9	11.6	114	15.0	1.42	12.3	18.0
1999	688	11.6	0.45	10.7	12.5	125	16.0	1.44	13.3	19.0
2000	682	11.5	0.45	10.7	12.4	124	15.4	1.39	12.8	18.4
2001	906	15.3	0.52	14.3	16.3	155	19.1	1.55	16.2	22.4
2002	989	16.7	0.54	15.6	17.8	142	17.3	1.46	14.5	20.4
2003	922	15.5	0.52	14.5	16.5	147	17.4	1.44	14.7	20.4
2004	860	14.6	0.51	13.6	15.6	119	13.9	1.28	11.5	16.6
2005	890	14.9	0.51	13.9	16.0	118	13.6	1.26	11.2	16.3
2006	883	14.9	0.52	13.9	16.0	140	16.2	1.38	13.6	19.1
2007	903	15.1	0.52	14.1	16.1	149	16.6	1.37	14.0	19.5
2008	898	14.7	0.51	13.8	15.8	149	16.3	1.35	13.8	19.2
2009	868	14.3	0.50	13.3	15.3	161	17.6	1.40	14.9	20.5
2010	885	14.7	0.51	13.7	15.7	156	16.5	1.34	14.0	19.3
2011	795	12.9	0.48	12.0	13.9	124	13.2	1.20	10.9	15.7
2012	813	13.1	0.48	12.2	14.1	149	15.0	1.24	12.6	17.6
2013	760	12.3	0.47	11.4	13.3	151	14.7	1.21	12.5	17.3
2014	824	13.4	0.49	12.4	14.4	126	12.5	1.13	10.3	14.9
2015	737	11.9	0.46	11.0	12.8	125	12.0	1.09	9.9	14.3
2016	767	12.1	0.46	11.2	13.0	134	12.6	1.11	10.6	15.0
2017	735	11.6	0.45	10.7	12.5	129	12.0	1.07	10.0	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Female Breast Insitu										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	2,692	20.4	0.41	19.6	21.2	50,558	28.9	0.13	28.7	29.2
1990	17	6.9	1.71	4.0	11.2	766	14.1	0.52	13.1	15.1
1991	11	4.5	1.58	2.0	8.7	905	16.5	0.56	15.4	17.6
1992	19	7.8	1.89	4.5	12.4	992	17.9	0.58	16.7	19.0
1993	36	13.3	2.28	9.2	18.6	952	16.9	0.56	15.9	18.1
1994	19	7.4	1.82	4.3	11.8	1,044	18.1	0.57	17.0	19.2
1995	40	16.1	2.70	11.3	22.2	1,176	20.3	0.60	19.2	21.6
1996	45	14.2	2.32	10.1	19.5	1,304	22.4	0.63	21.2	23.7
1997	41	12.8	2.06	9.1	17.6	1,438	24.4	0.65	23.2	25.7
1998	49	16.0	2.50	11.5	21.6	1,665	28.1	0.69	26.7	29.5
1999	60	19.0	2.66	14.1	24.8	1,664	27.6	0.68	26.3	29.0
2000	72	18.2	2.22	14.1	23.2	1,872	31.0	0.72	29.6	32.4
2001	88	21.7	2.53	17.0	27.2	1,912	31.4	0.72	30.0	32.8
2002	82	17.7	2.10	13.8	22.3	1,811	29.3	0.69	28.0	30.7
2003	88	21.9	2.54	17.2	27.4	1,801	28.9	0.68	27.6	30.3
2004	91	20.0	2.27	15.8	24.9	1,961	31.2	0.71	29.8	32.6
2005	121	24.4	2.34	20.0	29.4	1,978	31.2	0.71	29.9	32.6
2006	87	17.7	2.03	13.9	22.1	2,055	32.3	0.72	30.9	33.8
2007	128	23.6	2.21	19.5	28.3	2,197	34.1	0.74	32.7	35.6
2008	109	19.4	1.98	15.7	23.7	2,198	33.9	0.73	32.5	35.4
2009	131	22.2	2.05	18.4	26.6	2,369	36.4	0.76	34.9	37.9
2010	129	20.4	1.90	16.9	24.5	2,267	34.6	0.74	33.1	36.0
2011	175	26.1	2.06	22.2	30.4	2,302	34.6	0.74	33.1	36.1
2012	154	23.9	2.05	20.1	28.3	2,391	35.8	0.75	34.4	37.4
2013	177	25.6	2.03	21.8	29.9	2,407	36.0	0.76	34.6	37.5
2014	170	23.0	1.84	19.6	26.9	2,311	34.1	0.73	32.7	35.6
2015	183	23.9	1.83	20.5	27.8	2,276	33.7	0.73	32.3	35.2
2016	190	24.9	1.88	21.3	28.8	2,255	33.3	0.73	31.9	34.8
2017	180	22.4	1.73	19.2	26.1	2,289	33.5	0.73	32.0	34.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2017

Female Breast Insitu										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2017	41,474	29.3	0.15	29.0	29.6	6,865	27.0	0.33	26.3	27.6
1990	702	15.3	0.59	14.2	16.5	54	7.7	1.06	5.7	10.0
1991	812	17.5	0.63	16.3	18.8	73	10.8	1.28	8.5	13.6
1992	890	19.0	0.65	17.8	20.4	83	11.3	1.25	9.0	14.0
1993	835	17.8	0.63	16.6	19.1	98	12.8	1.31	10.4	15.6
1994	917	18.9	0.64	17.7	20.2	102	13.2	1.32	10.7	16.0
1995	1,029	21.3	0.67	20.0	22.7	113	14.4	1.36	11.9	17.3
1996	1,103	22.8	0.70	21.4	24.2	149	19.1	1.58	16.1	22.4
1997	1,233	25.2	0.73	23.8	26.6	154	19.0	1.54	16.1	22.2
1998	1,438	29.3	0.78	27.8	30.9	166	20.1	1.57	17.2	23.5
1999	1,414	28.4	0.76	26.9	29.9	170	20.4	1.57	17.4	23.7
2000	1,605	32.4	0.81	30.8	34.0	178	20.8	1.57	17.9	24.1
2001	1,612	32.3	0.81	30.8	34.0	222	25.2	1.70	22.0	28.8
2002	1,538	30.4	0.78	28.9	32.0	213	23.8	1.64	20.7	27.2
2003	1,500	29.6	0.77	28.1	31.1	226	24.7	1.65	21.5	28.1
2004	1,611	31.7	0.80	30.1	33.3	278	30.5	1.84	27.0	34.3
2005	1,625	31.6	0.79	30.1	33.2	269	29.3	1.80	25.9	33.1
2006	1,695	33.2	0.82	31.6	34.8	294	30.8	1.81	27.4	34.6
2007	1,785	34.5	0.83	32.9	36.2	307	32.3	1.86	28.8	36.2
2008	1,785	34.3	0.83	32.7	36.0	321	32.9	1.85	29.4	36.7
2009	1,921	36.9	0.86	35.2	38.6	335	33.9	1.87	30.3	37.8
2010	1,808	34.8	0.84	33.2	36.5	341	33.5	1.84	30.0	37.3
2011	1,832	34.9	0.84	33.3	36.6	365	35.4	1.88	31.8	39.3
2012	1,860	35.4	0.85	33.7	37.1	407	39.2	1.98	35.4	43.3
2013	1,873	35.7	0.86	34.0	37.4	410	39.6	1.99	35.8	43.7
2014	1,789	33.8	0.84	32.2	35.5	391	36.3	1.87	32.7	40.1
2015	1,764	33.5	0.84	31.9	35.2	370	34.1	1.81	30.6	37.8
2016	1,773	33.9	0.85	32.2	35.6	364	33.3	1.79	29.9	37.0
2017	1,725	32.7	0.84	31.1	34.4	412	37.2	1.88	33.6	41.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

SECTION III
Pediatric Cancer Incidence
Illinois, 1986-2017

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

All Sites										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	12,448	149.9	1.34	147.3	152.6	18,342	165.3	1.22	162.9	167.7
1986	335	131.7	7.21	117.9	146.6	488	141.6	6.42	129.3	154.7
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	355	140.9	7.49	126.6	156.3	519	153.2	6.73	140.3	167.0
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	454	136.5	6.42	124.3	149.7
1991	353	136.5	7.28	122.6	151.5	487	144.6	6.57	132.0	158.1
1992	334	128.8	7.06	115.3	143.4	468	139.1	6.44	126.7	152.3
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5
1994	378	142.3	7.33	128.3	157.4	520	150.5	6.62	137.8	164.1
1995	418	155.8	7.63	141.2	171.5	566	161.3	6.79	148.2	175.1
1996	379	140.7	7.23	126.8	155.6	538	151.9	6.56	139.4	165.4
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0
1998	383	141.9	7.26	128.1	156.9	554	154.6	6.57	142.0	168.1
1999	407	150.4	7.46	136.2	165.8	589	163.8	6.75	150.9	177.6
2000	356	131.4	6.97	118.1	145.8	548	152.2	6.50	139.7	165.5
2001	415	153.1	7.52	138.7	168.5	593	164.5	6.76	151.5	178.3
2002	414	153.4	7.54	138.9	168.9	583	162.3	6.72	149.4	176.0
2003	371	138.1	7.17	124.4	152.9	573	160.1	6.69	147.2	173.7
2004	433	161.8	7.78	146.9	177.8	616	171.9	6.93	158.6	186.1
2005	425	160.4	7.78	145.5	176.4	615	172.3	6.95	158.9	186.5
2006	399	152.1	7.62	137.5	167.8	592	166.5	6.85	153.4	180.5
2007	406	155.5	7.72	140.7	171.4	629	176.8	7.05	163.3	191.2
2008	399	153.5	7.68	138.8	169.3	629	177.0	7.06	163.4	191.4
2009	386	149.2	7.60	134.7	164.9	606	171.3	6.96	157.9	185.5
2010	419	162.8	7.95	147.6	179.2	636	181.2	7.19	167.4	195.8
2011	421	165.0	8.04	149.6	181.5	631	181.7	7.24	167.8	196.4
2012	398	157.5	7.89	142.4	173.7	600	174.9	7.14	161.2	189.4
2013	438	175.2	8.37	159.2	192.4	645	190.6	7.51	176.2	205.9
2014	417	168.7	8.26	152.9	185.7	640	191.4	7.57	176.9	206.8
2015	407	166.4	8.25	150.6	183.4	629	190.1	7.58	175.5	205.6
2016	435	179.7	8.62	163.2	197.4	663	202.5	7.87	187.4	218.5
2017	405	169.5	8.42	153.4	186.9	630	194.7	7.76	179.8	210.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,979	47.8	0.76	46.3	49.3	4,827	43.4	0.63	42.2	44.7
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6
2002	131	48.7	4.25	40.7	57.8	153	42.6	3.44	36.1	49.9
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5
2004	155	57.9	4.65	49.2	67.8	190	53.1	3.85	45.8	61.2
2005	130	48.9	4.29	40.9	58.1	160	44.9	3.55	38.2	52.4
2006	138	52.7	4.49	44.3	62.3	162	46.0	3.62	39.2	53.7
2007	127	48.9	4.34	40.7	58.2	153	43.6	3.53	37.0	51.1
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7
2009	133	51.3	4.45	42.9	60.8	161	46.0	3.62	39.1	53.6
2010	145	56.3	4.67	47.5	66.2	179	51.4	3.84	44.1	59.5
2011	143	56.0	4.68	47.2	66.0	174	50.5	3.83	43.3	58.6
2012	141	55.8	4.70	46.9	65.8	172	50.5	3.85	43.2	58.6
2013	134	53.6	4.63	44.9	63.4	166	49.3	3.82	42.1	57.4
2014	135	54.6	4.70	45.8	64.6	176	52.8	3.98	45.3	61.2
2015	128	52.4	4.63	43.7	62.3	154	46.9	3.78	39.8	54.9
2016	133	55.0	4.77	46.1	65.2	159	49.0	3.88	41.6	57.2
2017	127	53.2	4.72	44.3	63.3	158	49.2	3.91	41.8	57.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Lymphoid leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	3,096	37.2	0.67	35.9	38.5	3,574	32.1	0.54	31.1	33.2
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3
2007	93	35.9	3.72	29.0	44.0	109	31.2	2.99	25.6	37.6
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6
2009	103	39.7	3.91	32.4	48.1	115	33.0	3.07	27.2	39.6
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8
2011	113	44.3	4.16	36.5	53.2	128	37.3	3.30	31.1	44.3
2012	113	44.7	4.20	36.8	53.7	128	37.7	3.33	31.4	44.8
2013	106	42.4	4.12	34.7	51.3	124	36.9	3.31	30.7	44.0
2014	91	36.8	3.86	29.6	45.2	108	32.5	3.13	26.7	39.2
2015	96	39.4	4.02	31.9	48.1	109	33.3	3.19	27.3	40.2
2016	102	42.3	4.18	34.5	51.3	117	36.1	3.34	29.9	43.3
2017	88	36.9	3.93	29.6	45.5	105	32.7	3.19	26.8	39.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Acute myeloid leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	570	6.9	0.29	6.3	7.5	812	7.3	0.26	6.8	7.8
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9
2010	15	5.8	1.50	3.2	9.6	34	9.5	1.64	6.6	13.3
2011	16	6.3	1.57	3.6	10.2	26	7.5	1.46	4.9	10.9
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1
2013	13	5.2	1.45	2.8	8.9	25	7.4	1.47	4.8	10.9
2014	18	7.3	1.71	4.3	11.5	33	9.8	1.71	6.8	13.8
2015	14	5.7	1.53	3.1	9.6	21	6.4	1.39	3.9	9.7
2016	22	9.1	1.93	5.7	13.7	30	9.2	1.68	6.2	13.1
2017	24	10.0	2.04	6.4	14.9	35	10.8	1.83	7.5	15.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Lymphoma and reticuloendothelial neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,438	17.5	0.46	16.6	18.4	2,869	26.0	0.49	25.1	27.0
1986	49	19.9	2.84	14.7	26.3	87	25.6	2.74	20.5	31.5
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	47	19.2	2.81	14.1	25.6	98	29.2	2.96	23.7	35.6
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	80	23.8	2.67	18.9	29.7
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	52	19.6	2.72	14.6	25.7	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	30	11.1	2.03	7.5	15.9	79	22.1	2.48	17.5	27.5
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	83	23.2	2.54	18.5	28.7
2003	44	16.4	2.47	11.9	22.0	85	23.8	2.58	19.0	29.4
2004	39	14.5	2.33	10.3	19.9	80	22.3	2.49	17.7	27.7
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	37	14.2	2.34	10.0	19.6	88	24.6	2.62	19.7	30.3
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	36	13.9	2.32	9.7	19.2	81	22.6	2.51	17.9	28.1
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.5	2.54	11.9	22.2	92	26.2	2.73	21.1	32.1
2012	50	19.8	2.80	14.7	26.1	89	25.8	2.74	20.7	31.8
2013	65	25.9	3.22	20.0	33.1	116	34.1	3.16	28.1	40.9
2014	62	25.0	3.18	19.2	32.1	106	31.6	3.07	25.9	38.2
2015	55	22.4	3.02	16.9	29.2	115	34.5	3.22	28.5	41.4
2016	55	22.7	3.06	17.1	29.5	106	32.2	3.13	26.3	38.9
2017	57	23.8	3.15	18.0	30.8	104	32.0	3.14	26.1	38.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Hodgkin lymphoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	453	5.6	0.26	5.1	6.1	1,413	12.8	0.34	12.2	13.5
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7
1988	13	5.5	1.52	2.9	9.4	55	16.3	2.21	12.3	21.3
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2
2004	15	5.6	1.44	3.1	9.2	44	12.2	1.84	8.9	16.4
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8
2009	11	4.2	1.28	2.1	7.6	42	11.6	1.79	8.3	15.7
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3
2011	6	2.3	0.96	0.9	5.1	32	9.0	1.58	6.1	12.7
2012	12	4.7	1.37	2.4	8.3	30	8.6	1.57	5.8	12.3
2013	17	6.8	1.64	3.9	10.8	47	13.7	1.99	10.0	18.2
2014	14	5.6	1.50	3.1	9.4	40	11.8	1.87	8.4	16.1
2015	14	5.7	1.52	3.1	9.5	57	17.0	2.24	12.8	22.0
2016	14	5.8	1.54	3.2	9.7	42	12.7	1.95	9.1	17.1
2017	12	5.0	1.44	2.6	8.7	41	12.5	1.95	8.9	16.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Non-Hodgkin lymphoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	731	8.9	0.33	8.3	9.6	1,187	10.8	0.31	10.2	11.4
1986	25	10.1	2.02	6.5	14.9	37	10.9	1.80	7.7	15.1
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6
1994	25	9.7	1.94	6.3	14.3	36	10.7	1.78	7.5	14.8
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2
1998	29	10.9	2.03	7.3	15.7	45	12.7	1.89	9.3	17.0
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9
2000	19	7.0	1.61	4.2	11.0	30	8.4	1.52	5.6	11.9
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6
2002	25	9.3	1.86	6.0	13.7	41	11.4	1.79	8.2	15.5
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0
2006	21	8.0	1.75	5.0	12.3	37	10.4	1.71	7.3	14.3
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7
2011	19	7.5	1.71	4.5	11.7	41	11.7	1.83	8.4	15.9
2012	26	10.3	2.02	6.7	15.1	44	12.8	1.93	9.3	17.2
2013	26	10.4	2.03	6.8	15.2	46	13.5	1.99	9.9	18.0
2014	29	11.7	2.17	7.8	16.8	45	13.4	2.00	9.8	18.0
2015	21	8.6	1.87	5.3	13.1	36	10.8	1.81	7.6	15.0
2016	31	12.8	2.30	8.7	18.2	52	15.8	2.20	11.8	20.8
2017	29	12.1	2.25	8.1	17.4	45	13.9	2.07	10.1	18.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

CNS and misc intracranial and intraspinal neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	2,517	30.4	0.61	29.3	31.6	3,085	27.9	0.50	26.9	28.9
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	70	27.7	3.32	21.6	35.0	83	24.9	2.73	19.8	30.8
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	85	32.1	3.49	25.6	39.7	102	29.3	2.90	23.9	35.6
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	97	26.9	2.73	21.8	32.8
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6
2001	80	29.6	3.30	23.4	36.8	95	26.3	2.70	21.3	32.2
2002	79	29.3	3.30	23.2	36.5	99	27.6	2.77	22.4	33.6
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	94	35.7	3.68	28.8	43.7	119	33.6	3.08	27.8	40.2
2006	86	32.8	3.54	26.2	40.5	105	29.7	2.90	24.3	36.0
2007	83	31.9	3.50	25.4	39.5	100	28.5	2.85	23.2	34.6
2008	68	26.3	3.19	20.4	33.3	84	24.0	2.62	19.1	29.7
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1
2010	81	31.5	3.50	25.0	39.2	103	29.6	2.92	24.2	35.9
2011	91	35.7	3.74	28.7	43.8	111	32.3	3.06	26.5	38.8
2012	76	30.1	3.45	23.7	37.6	97	28.4	2.89	23.1	34.7
2013	87	34.8	3.73	27.9	43.0	96	28.7	2.92	23.2	35.0
2014	93	37.7	3.91	30.4	46.1	116	34.9	3.24	28.8	41.9
2015	78	32.0	3.62	25.3	39.9	96	29.2	2.98	23.7	35.7
2016	83	34.4	3.77	27.4	42.6	98	30.2	3.05	24.5	36.8
2017	64	26.8	3.36	20.7	34.3	84	26.1	2.85	20.8	32.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Ependymoma and choroid plexus tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	237	2.8	0.18	2.5	3.2	280	2.5	0.15	2.2	2.8
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0
2005	8	3.1	1.09	1.3	6.0	12	3.4	0.98	1.8	5.9
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2
2011	7	2.7	1.04	1.1	5.7	8	2.3	0.82	1.0	4.6
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.84	1.0	4.7
2014	12	4.9	1.40	2.5	8.5	13	3.9	1.09	2.1	6.7
2015	8	3.3	1.16	1.4	6.5	10	3.1	0.96	1.5	5.6
2016	4	1.7	0.82	0.5	4.2	5	1.5	0.69	0.5	3.6
2017	2	0.8	0.59	0.1	3.0	2	0.6	0.44	0.1	2.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Astrocytoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	1,230	14.9	0.42	14.1	15.8	1,559	14.1	0.36	13.4	14.8
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8
1992	35	13.8	2.34	9.6	19.2	44	13.2	2.00	9.6	17.8
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7
1994	42	15.7	2.42	11.3	21.2	49	13.9	1.99	10.3	18.4
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4
2002	35	13.0	2.20	9.1	18.1	47	13.1	1.91	9.6	17.4
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7
2006	49	18.7	2.67	13.8	24.7	57	16.2	2.14	12.2	20.9
2007	42	16.1	2.49	11.6	21.8	54	15.3	2.09	11.5	20.0
2008	29	11.3	2.10	7.6	16.2	38	10.9	1.77	7.7	15.0
2009	30	11.7	2.13	7.9	16.7	38	10.9	1.77	7.7	15.0
2010	40	15.6	2.46	11.1	21.2	60	17.1	2.21	13.1	22.0
2011	43	16.9	2.57	12.2	22.7	55	16.0	2.15	12.0	20.8
2012	46	18.2	2.68	13.3	24.3	59	17.3	2.25	13.2	22.3
2013	42	16.8	2.59	12.1	22.7	46	13.7	2.02	10.1	18.3
2014	46	18.6	2.74	13.6	24.8	61	18.3	2.34	14.0	23.5
2015	34	13.9	2.39	9.6	19.4	43	13.1	1.99	9.5	17.6
2016	46	19.0	2.81	13.9	25.4	55	16.9	2.28	12.8	22.0
2017	32	13.4	2.37	9.2	18.9	46	14.2	2.10	10.4	19.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Intracranial and intraspinal embryonal tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	564	6.8	0.29	6.3	7.4	650	5.9	0.23	5.4	6.3
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	23	9.0	1.88	5.7	13.5	27	7.9	1.51	5.2	11.4
2012	12	4.7	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9
2013	21	8.4	1.84	5.2	12.9	24	7.2	1.46	4.6	10.7
2014	24	9.8	1.99	6.3	14.5	24	7.3	1.49	4.7	10.9
2015	19	7.8	1.79	4.7	12.2	21	6.4	1.40	4.0	9.8
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	19	8.0	1.83	4.8	12.5	20	6.3	1.40	3.8	9.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Other glioma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	381	4.6	0.24	4.2	5.1	469	4.3	0.20	3.9	4.7
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8
2001	17	6.3	1.52	3.7	10.0	19	5.3	1.21	3.2	8.2
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1
2007	13	5.0	1.39	2.7	8.6	13	3.8	1.04	2.0	6.4
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3
2010	15	5.9	1.51	3.3	9.7	15	4.4	1.13	2.5	7.2
2011	16	6.3	1.57	3.6	10.2	19	5.5	1.27	3.3	8.7
2012	6	2.4	0.97	0.9	5.2	10	2.9	0.92	1.4	5.3
2013	14	5.6	1.49	3.1	9.4	15	4.5	1.15	2.5	7.4
2014	10	4.1	1.28	1.9	7.5	16	4.8	1.20	2.7	7.8
2015	17	7.0	1.69	4.1	11.2	21	6.4	1.40	4.0	9.8
2016	14	5.8	1.55	3.2	9.7	17	5.2	1.27	3.1	8.4
2017	10	4.2	1.34	2.0	7.8	13	4.1	1.13	2.2	7.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Neuroblastoma and other peripheral nervous cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	913	10.8	0.36	10.1	11.5	940	8.3	0.27	7.8	8.9
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	21	7.6	1.67	4.7	11.7	21	5.7	1.25	3.5	8.8
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.4	2.37	10.1	19.9	39	11.3	1.81	8.1	15.5
2011	31	12.2	2.18	8.3	17.3	31	9.1	1.63	6.2	12.9
2012	19	7.6	1.73	4.5	11.8	20	5.9	1.33	3.6	9.2
2013	20	8.1	1.81	4.9	12.5	20	6.1	1.35	3.7	9.3
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	32	13.2	2.34	9.1	18.7	32	9.9	1.75	6.8	14.0
2017	22	9.3	1.97	5.8	14.0	23	7.2	1.51	4.6	10.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Neuroblastoma and ganglioneuroblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	897	10.6	0.35	9.9	11.3	914	8.1	0.27	7.6	8.6
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0
2010	36	14.0	2.34	9.8	19.4	38	11.0	1.79	7.8	15.2
2011	30	11.8	2.15	7.9	16.8	30	8.8	1.61	5.9	12.6
2012	18	7.2	1.69	4.2	11.3	19	5.6	1.29	3.4	8.8
2013	19	7.7	1.76	4.6	12.0	19	5.8	1.32	3.5	9.0
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	32	13.2	2.34	9.1	18.7	32	9.9	1.75	6.8	14.0
2017	22	9.3	1.97	5.8	14.0	23	7.2	1.51	4.6	10.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Retinoblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	325	3.8	0.21	3.4	4.3	325	2.9	0.16	2.6	3.2
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.3
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4
2012	5	2.0	0.89	0.7	4.7	5	1.5	0.67	0.5	3.5
2013	12	4.9	1.40	2.5	8.5	12	3.6	1.05	1.9	6.3
2014	7	2.9	1.08	1.2	5.9	7	2.1	0.81	0.9	4.4
2015	11	4.5	1.36	2.3	8.1	11	3.4	1.02	1.7	6.0
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0
2017	8	3.4	1.19	1.5	6.6	8	2.5	0.89	1.1	5.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Renal tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	695	8.3	0.31	7.7	8.9	737	6.6	0.24	6.1	7.1
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9
2011	19	7.5	1.72	4.5	11.7	21	6.2	1.34	3.8	9.4
2012	24	9.5	1.94	6.1	14.2	26	7.7	1.51	5.0	11.3
2013	19	7.6	1.75	4.6	11.9	22	6.6	1.40	4.1	9.9
2014	13	5.3	1.46	2.8	9.0	14	4.2	1.13	2.3	7.1
2015	19	7.8	1.79	4.7	12.2	20	6.1	1.37	3.8	9.5
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7
2017	34	14.3	2.45	9.9	20.0	35	11.0	1.86	7.7	15.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Nephroblastoma and other nonepithelial renal tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	667	7.9	0.31	7.3	8.5	681	6.1	0.23	5.6	6.5
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.72	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.94	6.1	14.2	25	7.4	1.48	4.8	10.9
2013	18	7.2	1.70	4.3	11.4	19	5.7	1.31	3.4	8.9
2014	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4
2015	18	7.4	1.74	4.4	11.7	18	5.5	1.30	3.3	8.7
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7
2017	31	13.0	2.34	8.9	18.5	31	9.8	1.75	6.6	13.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Hepatic tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	179	2.1	0.16	1.8	2.5	203	1.8	0.13	1.6	2.1
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.4
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6
2014	10	4.1	1.28	2.0	7.5	11	3.3	1.00	1.7	6.0
2015	6	2.5	1.00	0.9	5.3	7	2.1	0.81	0.9	4.4
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Hepatoblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	150	1.8	0.14	1.5	2.1	153	1.4	0.11	1.2	1.6
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6
2014	9	3.7	1.22	1.7	7.0	9	2.7	0.91	1.3	5.2
2015	5	2.1	0.92	0.7	4.8	5	1.5	0.69	0.5	3.6
2016	5	2.1	0.93	0.7	4.8	5	1.6	0.69	0.5	3.6
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Malignant bone tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	491	6.0	0.27	5.5	6.6	892	8.1	0.27	7.6	8.7
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3
2013	18	7.2	1.69	4.2	11.3	28	8.2	1.55	5.5	11.9
2014	14	5.6	1.50	3.1	9.4	29	8.6	1.60	5.8	12.4
2015	17	6.9	1.68	4.0	11.1	28	8.4	1.59	5.6	12.2
2016	16	6.6	1.64	3.8	10.7	24	7.3	1.49	4.7	10.9
2017	15	6.2	1.60	3.5	10.2	31	9.5	1.70	6.4	13.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Osteosarcoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	287	3.5	0.21	3.1	4.0	528	4.8	0.21	4.4	5.2
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8
2013	12	4.8	1.37	2.5	8.3	19	5.6	1.28	3.4	8.7
2014	8	3.2	1.14	1.4	6.3	19	5.6	1.29	3.4	8.8
2015	9	3.7	1.22	1.7	6.9	15	4.5	1.16	2.5	7.4
2016	9	3.7	1.23	1.7	7.0	12	3.7	1.06	1.9	6.4
2017	9	3.7	1.24	1.7	7.1	18	5.5	1.30	3.3	8.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Ewing tumor and related sarcomas of bone										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	159	2.0	0.15	1.7	2.3	274	2.5	0.15	2.2	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0
2013	3	1.2	0.69	0.3	3.5	4	1.2	0.59	0.3	3.0
2014	3	1.2	0.69	0.3	3.5	7	2.1	0.78	0.8	4.3
2015	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2
2016	7	2.9	1.09	1.2	5.9	9	2.8	0.92	1.3	5.2
2017	6	2.5	1.01	0.9	5.4	12	3.7	1.06	1.9	6.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Soft tissue and other extraosseous sarcomas										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	862	10.4	0.35	9.7	11.1	1,293	11.7	0.32	11.1	12.3
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	25	9.5	1.89	6.1	14.0	35	9.8	1.66	6.8	13.6
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	32	12.3	2.17	8.4	17.4	50	14.1	1.99	10.4	18.6
2009	28	10.9	2.06	7.2	15.7	44	12.5	1.88	9.1	16.8
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5
2013	30	12.0	2.19	8.1	17.1	47	13.9	2.02	10.2	18.5
2014	22	8.9	1.90	5.6	13.5	32	9.6	1.70	6.6	13.5
2015	21	8.6	1.87	5.3	13.1	38	11.4	1.86	8.1	15.7
2016	37	15.3	2.52	10.8	21.1	53	16.2	2.23	12.2	21.2
2017	26	10.9	2.13	7.1	15.9	48	14.8	2.13	10.9	19.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Rhabdomyosarcomas										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	421	5.1	0.25	4.6	5.6	517	4.7	0.20	4.3	5.1
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2
2010	16	6.3	1.56	3.6	10.1	17	5.0	1.20	2.9	7.9
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5
2012	12	4.8	1.38	2.5	8.3	16	4.7	1.17	2.7	7.6
2013	14	5.6	1.50	3.1	9.4	18	5.3	1.26	3.2	8.5
2014	8	3.2	1.15	1.4	6.4	9	2.7	0.91	1.2	5.2
2015	11	4.5	1.35	2.2	8.0	12	3.7	1.06	1.9	6.4
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	14	5.9	1.56	3.2	9.8	19	5.9	1.35	3.5	9.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Germ cell, trophoblastic tumors and neoplasms of gonads										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	445	5.4	0.25	4.9	5.9	1,251	11.3	0.32	10.7	11.9
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.30	2.3	7.9	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	9	3.5	1.17	1.6	6.7	38	10.5	1.70	7.4	14.4
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9
2011	15	5.9	1.52	3.3	9.7	49	13.8	1.97	10.2	18.3
2012	11	4.4	1.31	2.2	7.8	45	12.9	1.92	9.4	17.2
2013	12	4.8	1.39	2.5	8.4	39	11.4	1.82	8.1	15.5
2014	11	4.5	1.34	2.2	8.0	50	14.7	2.08	10.9	19.4
2015	13	5.3	1.47	2.8	9.0	46	13.7	2.02	10.0	18.3
2016	20	8.2	1.84	5.0	12.7	47	14.2	2.07	10.4	18.9
2017	21	8.8	1.92	5.5	13.5	48	14.7	2.13	10.9	19.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Intracranial and intraspinal germ cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	112	1.4	0.13	1.1	1.7	179	1.6	0.12	1.4	1.9
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8
2013	3	1.2	0.69	0.3	3.5	6	1.8	0.72	0.6	3.8
2014	2	0.8	0.58	0.1	3.0	5	1.5	0.67	0.5	3.5
2015	5	2.0	0.91	0.7	4.8	10	3.0	0.95	1.4	5.5
2016	10	4.1	1.30	2.0	7.6	12	3.7	1.06	1.9	6.4
2017	6	2.5	1.03	0.9	5.5	7	2.2	0.83	0.9	4.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Malignant gonadal germ cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	212	2.6	0.18	2.2	2.9	834	7.5	0.26	7.0	8.1
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5
1998	7	2.7	1.00	1.1	5.5	26	7.4	1.44	4.8	10.8
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6
2009	5	1.9	0.87	0.6	4.5	30	8.2	1.50	5.6	11.8
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2
2011	8	3.1	1.11	1.4	6.2	34	9.6	1.64	6.6	13.4
2012	1	0.4	0.39	0.0	2.2	29	8.2	1.52	5.5	11.8
2013	5	2.0	0.89	0.7	4.7	26	7.5	1.48	4.9	11.0
2014	9	3.6	1.21	1.7	6.9	42	12.4	1.91	8.9	16.7
2015	6	2.4	0.99	0.9	5.3	32	9.5	1.68	6.5	13.4
2016	7	2.9	1.09	1.2	5.9	28	8.4	1.59	5.6	12.2
2017	9	3.8	1.25	1.7	7.1	33	10.0	1.75	6.9	14.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Other malignant epithelial neoplasms and melanomas										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	540	6.6	0.28	6.1	7.2	1,830	16.6	0.39	15.8	17.4
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	36	11.2	1.87	7.9	15.5
1991	10	4.1	1.30	2.0	7.5	40	12.6	1.99	9.0	17.1
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	42	11.9	1.83	8.6	16.1
1999	17	6.4	1.56	3.7	10.3	55	15.5	2.09	11.7	20.2
2000	13	4.8	1.34	2.6	8.3	51	14.3	2.00	10.6	18.8
2001	20	7.4	1.66	4.5	11.4	56	15.6	2.09	11.8	20.3
2002	21	7.7	1.68	4.8	11.8	60	16.7	2.16	12.8	21.5
2003	17	6.3	1.52	3.7	10.1	58	16.2	2.13	12.3	21.0
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	27	10.1	1.95	6.7	14.7	62	17.2	2.19	13.2	22.1
2006	25	9.5	1.91	6.2	14.1	69	19.1	2.30	14.9	24.2
2007	17	6.4	1.55	3.7	10.3	76	20.8	2.38	16.4	26.0
2008	25	9.6	1.91	6.2	14.1	80	22.0	2.46	17.5	27.4
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0
2011	17	6.7	1.61	3.9	10.7	66	18.6	2.29	14.4	23.6
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4
2013	28	11.1	2.10	7.4	16.1	86	25.0	2.69	20.0	30.9
2014	22	8.8	1.88	5.5	13.4	70	20.6	2.47	16.1	26.1
2015	19	7.7	1.77	4.6	12.0	71	21.1	2.51	16.5	26.7
2016	29	11.9	2.21	8.0	17.1	112	33.7	3.18	27.7	40.5
2017	23	9.6	1.99	6.1	14.3	82	24.9	2.75	19.8	31.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Thyroid carcinoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	223	2.7	0.18	2.4	3.1	818	7.4	0.26	6.9	7.9
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1
1990	1	0.4	0.43	0.0	2.3	15	4.6	1.20	2.6	7.6
1991	2	0.8	0.59	0.1	2.9	12	3.8	1.10	2.0	6.6
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9
1999	7	2.7	1.01	1.1	5.5	23	6.5	1.36	4.1	9.7
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6
2002	11	4.0	1.22	2.0	7.2	27	7.5	1.45	5.0	10.9
2003	7	2.6	0.97	1.0	5.3	27	7.5	1.45	5.0	11.0
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9
2006	14	5.3	1.43	2.9	9.0	35	9.7	1.65	6.8	13.5
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0
2008	10	3.8	1.21	1.8	7.0	34	9.4	1.60	6.5	13.1
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6
2011	6	2.4	0.96	0.9	5.1	29	8.1	1.51	5.4	11.7
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0
2013	14	5.6	1.48	3.0	9.3	47	13.6	1.99	10.0	18.1
2014	10	4.0	1.27	1.9	7.4	37	10.9	1.79	7.7	15.0
2015	6	2.4	0.99	0.9	5.3	31	9.2	1.65	6.3	13.1
2016	16	6.6	1.64	3.8	10.7	60	18.0	2.33	13.8	23.2
2017	6	2.5	1.01	0.9	5.4	33	10.0	1.74	6.9	14.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Malignant melanoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	121	1.5	0.13	1.2	1.8	426	3.9	0.19	3.5	4.2
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9
2001	4	1.5	0.74	0.4	3.8	10	2.8	0.88	1.3	5.1
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8
2005	6	2.3	0.93	0.8	5.0	18	5.0	1.18	3.0	7.9
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1
2013	7	2.8	1.05	1.1	5.7	21	6.1	1.33	3.8	9.3
2014	6	2.4	0.99	0.9	5.3	12	3.6	1.03	1.8	6.2
2015	5	2.0	0.91	0.7	4.7	14	4.2	1.12	2.3	7.0
2016	3	1.2	0.71	0.3	3.6	18	5.4	1.27	3.2	8.5
2017	2	0.8	0.59	0.1	3.0	6	1.8	0.75	0.7	4.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2017

Other and unspecified malignant neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2017	47	0.6	0.08	0.4	0.8	64	0.6	0.07	0.4	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	1	0.4	0.39	0.0	2.2	1	0.3	0.29	0.0	1.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	1	0.4	0.39	0.0	2.2	3	0.9	0.50	0.2	2.5
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.6
2014	1	0.4	0.40	0.0	2.3	1	0.3	0.30	0.0	1.7
2015	1	0.4	0.40	0.0	2.3	2	0.6	0.42	0.1	2.2
2016	2	0.8	0.58	0.1	3.0	4	1.2	0.61	0.3	3.1
2017	2	0.8	0.59	0.1	3.0	3	0.9	0.54	0.2	2.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2019

APPENDIX A
Illinois Populations Used for Rate Calculations
1986-2017

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1986 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
1986 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
1986 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1987 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
1987 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
1987 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1988 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
1988 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
1988 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1989 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
1989 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
1989 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
1990 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
1990 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
1991 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
1991 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
1992 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
1992 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
1993 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
1993 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
1994 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
1994 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
1995 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
1995 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
1996 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
1996 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
1997 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
1997 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
1998 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
1998 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
1999 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
1999 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
2000 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
2000 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
2001 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
2001 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
2002 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
2002 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
2003 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
2003 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
2004 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
2004 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
2005 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
2005 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
2006 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
2006 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
2007 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
2007 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
2008 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
2008 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
2009 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
2009 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	163,760	123,720	29,791	10,249
01-04 years	671,018	506,574	121,471	42,973
05-09 years	857,432	652,329	152,017	53,086
10-14 years	877,817	665,092	165,057	47,668
15-19 years	920,208	688,147	184,381	47,680
20-24 years	880,086	672,354	151,785	55,947
25-29 years	909,790	708,970	133,688	67,132
30-34 years	868,908	674,277	127,531	67,100
35-39 years	851,353	658,105	127,887	65,361
40-44 years	870,106	688,374	126,533	55,199
45-49 years	936,088	754,946	134,070	47,072
50-54 years	932,415	756,471	133,260	42,684
55-59 years	812,843	664,483	109,514	38,846
60-64 years	672,887	555,004	85,168	32,715
65-69 years	487,962	404,046	60,913	23,003
70-74 years	366,125	304,019	46,581	15,525
75-79 years	288,996	245,558	34,104	9,334
80-84 years	235,903	206,712	23,245	5,946
85+ years	237,065	212,266	20,259	4,540
Total	12,840,762	10,141,447	1,967,255	732,060
2010 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	83,879	63,366	15,256	5,257
01-04 years	341,730	258,599	61,445	21,686
05-09 years	437,603	334,169	76,966	26,468
10-14 years	448,022	340,582	83,645	23,795
15-19 years	472,766	354,442	93,646	24,678
20-24 years	447,987	344,775	74,323	28,889
25-29 years	456,818	360,927	63,194	32,697
30-34 years	435,286	343,651	59,080	32,555
35-39 years	424,374	334,503	58,099	31,772
40-44 years	432,686	347,574	58,264	26,848
45-49 years	461,561	377,290	61,818	22,453
50-54 years	456,885	376,202	60,517	20,166
55-59 years	394,749	328,407	48,418	17,924
60-64 years	322,408	270,316	36,870	15,222
65-69 years	227,410	190,782	25,815	10,813
70-74 years	164,244	138,130	18,846	7,268
75-79 years	122,754	105,647	13,110	3,997
80-84 years	92,374	81,812	8,217	2,345
85+ years	73,722	66,361	5,758	1,603
Total	6,297,258	5,017,535	923,287	356,436
2010 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	79,881	60,354	14,535	4,992
01-04 years	329,288	247,975	60,026	21,287
05-09 years	419,829	318,160	75,051	26,618
10-14 years	429,795	324,510	81,412	23,873
15-19 years	447,442	333,705	90,735	23,002
20-24 years	432,099	327,579	77,462	27,058
25-29 years	452,972	348,043	70,494	34,435
30-34 years	433,622	330,626	68,451	34,545
35-39 years	426,979	323,602	69,788	33,589
40-44 years	437,420	340,800	68,269	28,351
45-49 years	474,527	377,656	72,252	24,619
50-54 years	475,530	380,269	72,743	22,518
55-59 years	418,094	336,076	61,096	20,922
60-64 years	350,479	284,688	48,298	17,493
65-69 years	260,552	213,264	35,098	12,190
70-74 years	201,881	165,889	27,735	8,257
75-79 years	166,242	139,911	20,994	5,337
80-84 years	143,529	124,900	15,028	3,601
85+ years	163,343	145,905	14,501	2,937
Total	6,543,504	5,123,912	1,043,968	375,624

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	162,112	124,149	28,658	9,305
01-04 years	663,234	500,323	119,968	42,943
05-09 years	850,829	647,131	149,561	54,137
10-14 years	872,249	661,181	161,961	49,107
15-19 years	907,970	680,056	178,963	48,951
20-24 years	887,319	670,598	159,062	57,659
25-29 years	906,308	704,785	133,552	67,971
30-34 years	881,513	683,269	129,227	69,017
35-39 years	830,163	640,917	123,215	66,031
40-44 years	873,415	687,116	127,550	58,749
45-49 years	912,280	732,972	130,801	48,507
50-54 years	938,783	761,557	133,937	43,289
55-59 years	831,144	678,102	112,612	40,430
60-64 years	707,920	583,325	89,994	34,601
65-69 years	499,424	412,918	61,877	24,629
70-74 years	374,571	310,511	47,298	16,762
75-79 years	289,933	244,385	35,292	10,256
80-84 years	235,404	205,590	23,489	6,325
85+ years	242,720	216,495	21,213	5,012
Total	12,867,291	10,145,380	1,968,230	753,681
2011 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	83,234	63,723	14,696	4,815
01-04 years	337,635	255,222	60,721	21,692
05-09 years	434,534	331,757	75,673	27,104
10-14 years	444,753	338,238	81,994	24,521
15-19 years	466,210	349,693	91,290	25,227
20-24 years	451,569	343,567	78,363	29,639
25-29 years	455,835	358,998	63,640	33,197
30-34 years	441,179	347,820	59,966	33,393
35-39 years	414,448	325,961	56,217	32,270
40-44 years	434,027	347,086	58,587	28,354
45-49 years	450,454	366,984	60,243	23,227
50-54 years	460,418	378,800	61,187	20,431
55-59 years	403,692	335,229	49,784	18,679
60-64 years	338,958	284,221	38,722	16,015
65-69 years	233,497	195,629	26,289	11,579
70-74 years	168,304	141,342	19,114	7,848
75-79 years	123,930	105,774	13,613	4,543
80-84 years	92,622	81,806	8,343	2,473
85+ years	76,608	68,717	6,121	1,770
Total	6,311,907	5,020,567	924,563	366,777
2011 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	78,878	60,426	13,962	4,490
01-04 years	325,599	245,101	59,247	21,251
05-09 years	416,295	315,374	73,888	27,033
10-14 years	427,496	322,943	79,967	24,586
15-19 years	441,760	330,363	87,673	23,724
20-24 years	435,750	327,031	80,699	28,020
25-29 years	450,473	345,787	69,912	34,774
30-34 years	440,334	335,449	69,261	35,624
35-39 years	415,715	314,956	66,998	33,761
40-44 years	439,388	340,030	68,963	30,395
45-49 years	461,826	365,988	70,558	25,280
50-54 years	478,365	382,757	72,750	22,858
55-59 years	427,452	342,873	62,828	21,751
60-64 years	368,962	299,104	51,272	18,586
65-69 years	265,927	217,289	35,588	13,050
70-74 years	206,267	169,169	28,184	8,914
75-79 years	166,003	138,611	21,679	5,713
80-84 years	142,782	123,784	15,146	3,852
85+ years	166,112	147,778	15,092	3,242
Total	6,555,384	5,124,813	1,043,667	386,904

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	159,700	121,414	28,823	9,463
01-04 years	654,170	494,791	117,076	42,303
05-09 years	847,466	643,637	148,687	55,142
10-14 years	864,809	655,980	158,354	50,475
15-19 years	891,306	668,247	173,078	49,981
20-24 years	898,318	672,627	165,936	59,755
25-29 years	899,433	696,430	134,366	68,637
30-34 years	889,933	688,696	130,067	71,170
35-39 years	822,255	635,034	120,517	66,704
40-44 years	870,020	679,567	128,000	62,453
45-49 years	889,658	712,278	127,497	49,883
50-54 years	934,123	756,856	133,160	44,107
55-59 years	850,788	692,896	116,261	41,631
60-64 years	709,557	582,259	91,513	35,785
65-69 years	538,313	446,356	65,180	26,777
70-74 years	389,434	322,595	48,638	18,201
75-79 years	293,267	245,850	36,191	11,226
80-84 years	232,462	202,035	23,700	6,727
85+ years	249,107	221,328	22,235	5,544
Total	12,884,119	10,138,876	1,969,279	775,964
2012 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	81,305	61,768	14,660	4,877
01-04 years	334,029	253,131	59,456	21,442
05-09 years	432,063	329,249	75,178	27,636
10-14 years	441,241	335,677	80,200	25,364
15-19 years	457,025	343,081	88,320	25,624
20-24 years	457,438	344,717	82,136	30,585
25-29 years	452,787	354,461	64,601	33,725
30-34 years	445,357	350,394	60,518	34,445
35-39 years	410,810	323,045	55,225	32,540
40-44 years	432,422	343,619	58,728	30,075
45-49 years	439,715	357,203	58,608	23,904
50-54 years	458,121	376,377	60,956	20,788
55-59 years	413,329	342,462	51,609	19,258
60-64 years	340,259	284,517	39,289	16,453
65-69 years	252,477	212,186	27,707	12,584
70-74 years	175,152	147,052	19,602	8,498
75-79 years	126,130	107,082	13,943	5,105
80-84 years	91,886	80,789	8,418	2,679
85+ years	79,500	71,048	6,509	1,943
Total	6,321,046	5,017,858	925,663	377,525
2012 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	78,395	59,646	14,163	4,586
01-04 years	320,141	241,660	57,620	20,861
05-09 years	415,403	314,388	73,509	27,506
10-14 years	423,568	320,303	78,154	25,111
15-19 years	434,281	325,166	84,758	24,357
20-24 years	440,880	327,910	83,800	29,170
25-29 years	446,646	341,969	69,765	34,912
30-34 years	444,576	338,302	69,549	36,725
35-39 years	411,445	311,989	65,292	34,164
40-44 years	437,598	335,948	69,272	32,378
45-49 years	449,943	355,075	68,889	25,979
50-54 years	476,002	380,479	72,204	23,319
55-59 years	437,459	350,434	64,652	22,373
60-64 years	369,298	297,742	52,224	19,332
65-69 years	285,836	234,170	37,473	14,193
70-74 years	214,282	175,543	29,036	9,703
75-79 years	167,137	138,768	22,248	6,121
80-84 years	140,576	121,246	15,282	4,048
85+ years	169,607	150,280	15,726	3,601
Total	6,563,073	5,121,018	1,043,616	398,439

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	157,139	118,763	28,659	9,717
01-04 years	644,132	487,930	114,570	41,632
05-09 years	842,085	637,945	148,212	55,928
10-14 years	858,151	651,931	154,202	52,018
15-19 years	875,770	658,531	166,374	50,865
20-24 years	906,110	672,356	172,013	61,741
25-29 years	897,631	690,467	136,819	70,345
30-34 years	897,445	692,522	131,140	73,783
35-39 years	824,672	637,757	119,180	67,735
40-44 years	859,064	666,908	127,316	64,840
45-49 years	867,777	692,058	124,381	51,338
50-54 years	926,743	749,358	131,951	45,434
55-59 years	867,178	705,177	119,343	42,658
60-64 years	722,432	591,582	93,698	37,152
65-69 years	558,720	462,076	67,965	28,679
70-74 years	409,948	340,053	50,321	19,574
75-79 years	299,709	250,627	36,874	12,208
80-84 years	229,854	198,278	24,327	7,249
85+ years	253,709	224,527	23,069	6,113
Total	12,898,269	10,128,846	1,970,414	799,009
2013 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,323	60,894	14,480	4,949
01-04 years	329,065	249,535	58,362	21,168
05-09 years	428,997	325,950	74,900	28,147
10-14 years	437,651	333,619	77,917	26,115
15-19 years	448,771	337,816	84,915	26,040
20-24 years	461,882	344,668	85,688	31,526
25-29 years	453,552	352,425	66,278	34,849
30-34 years	448,838	351,743	61,127	35,968
35-39 years	412,714	324,757	54,981	32,976
40-44 years	426,639	337,302	58,119	31,218
45-49 years	429,339	347,462	57,170	24,707
50-54 years	454,666	372,905	60,400	21,361
55-59 years	421,840	348,724	53,307	19,809
60-64 years	346,223	289,057	40,199	16,967
65-69 years	262,675	220,443	28,819	13,413
70-74 years	184,881	155,357	20,339	9,185
75-79 years	129,428	109,647	14,204	5,577
80-84 years	91,453	79,859	8,664	2,930
85+ years	81,860	72,908	6,782	2,170
Total	6,330,797	5,015,071	926,651	389,075
2013 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,816	57,869	14,179	4,768
01-04 years	315,067	238,395	56,208	20,464
05-09 years	413,088	311,995	73,312	27,781
10-14 years	420,500	318,312	76,285	25,903
15-19 years	426,999	320,715	81,459	24,825
20-24 years	444,228	327,688	86,325	30,215
25-29 years	444,079	338,042	70,541	35,496
30-34 years	448,607	340,779	70,013	37,815
35-39 years	411,958	313,000	64,199	34,759
40-44 years	432,425	329,606	69,197	33,622
45-49 years	438,438	344,596	67,211	26,631
50-54 years	472,077	376,453	71,551	24,073
55-59 years	445,338	356,453	66,036	22,849
60-64 years	376,209	302,525	53,499	20,185
65-69 years	296,045	241,633	39,146	15,266
70-74 years	225,067	184,696	29,982	10,389
75-79 years	170,281	140,980	22,670	6,631
80-84 years	138,401	118,419	15,663	4,319
85+ years	171,849	151,619	16,287	3,943
Total	6,567,472	5,113,775	1,043,763	409,934

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	156,938	118,768	28,714	9,456
01-04 years	636,838	482,294	113,463	41,081
05-09 years	829,035	626,241	146,757	56,037
10-14 years	852,151	648,285	150,239	53,627
15-19 years	860,739	649,320	159,871	51,548
20-24 years	907,200	670,003	174,150	63,047
25-29 years	896,394	683,555	141,534	71,305
30-34 years	896,762	691,064	130,400	75,298
35-39 years	829,799	640,927	119,769	69,103
40-44 years	842,630	651,108	125,722	65,800
45-49 years	847,694	673,583	121,060	53,051
50-54 years	916,912	740,063	129,745	47,104
55-59 years	877,201	712,747	121,404	43,050
60-64 years	738,653	603,812	96,485	38,356
65-69 years	583,661	481,817	71,309	30,535
70-74 years	423,328	350,576	51,615	21,137
75-79 years	307,517	256,674	37,518	13,325
80-84 years	227,345	194,774	24,821	7,750
85+ years	258,165	227,517	23,939	6,709
Total	12,888,962	10,103,128	1,968,515	817,319
2014 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,249	60,854	14,552	4,843
01-04 years	325,674	246,817	57,824	21,033
05-09 years	421,999	319,546	74,207	28,246
10-14 years	434,616	331,843	75,906	26,867
15-19 years	440,922	333,130	81,469	26,323
20-24 years	461,801	342,647	87,154	32,000
25-29 years	453,603	349,364	68,994	35,245
30-34 years	448,982	351,072	60,986	36,924
35-39 years	415,307	326,371	55,545	33,391
40-44 years	418,246	329,266	57,178	31,802
45-49 years	419,783	338,485	55,642	25,656
50-54 years	450,111	368,421	59,592	22,098
55-59 years	426,934	352,584	54,305	20,045
60-64 years	354,254	295,358	41,482	17,414
65-69 years	274,553	230,398	29,958	14,197
70-74 years	191,575	160,665	21,009	9,901
75-79 years	133,012	112,407	14,524	6,081
80-84 years	90,928	78,873	8,837	3,218
85+ years	84,331	74,845	7,116	2,370
Total	6,326,880	5,002,946	926,280	397,654
2014 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,689	57,914	14,162	4,613
01-04 years	311,164	235,477	55,639	20,048
05-09 years	407,036	306,695	72,550	27,791
10-14 years	417,535	316,442	74,333	26,760
15-19 years	419,817	316,190	78,402	25,225
20-24 years	445,399	327,356	86,996	31,047
25-29 years	442,791	334,191	72,540	36,060
30-34 years	447,780	339,992	69,414	38,374
35-39 years	414,492	314,556	64,224	35,712
40-44 years	424,384	321,842	68,544	33,998
45-49 years	427,911	335,098	65,418	27,395
50-54 years	466,801	371,642	70,153	25,006
55-59 years	450,267	360,163	67,099	23,005
60-64 years	384,399	308,454	55,003	20,942
65-69 years	309,108	251,419	41,351	16,338
70-74 years	231,753	189,911	30,606	11,236
75-79 years	174,505	144,267	22,994	7,244
80-84 years	136,417	115,901	15,984	4,532
85+ years	173,834	152,672	16,823	4,339
Total	6,562,082	5,100,182	1,042,235	419,665

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	158,594	119,617	29,177	9,800
01-04 years	628,203	475,904	112,190	40,109
05-09 years	817,891	616,880	145,272	55,739
10-14 years	841,313	640,631	146,191	54,491
15-19 years	851,644	643,392	155,656	52,596
20-24 years	898,205	662,694	171,492	64,019
25-29 years	895,492	676,339	146,809	72,344
30-34 years	888,840	683,862	128,546	76,432
35-39 years	839,908	647,208	122,078	70,622
40-44 years	821,180	633,160	122,013	66,007
45-49 years	839,011	663,190	120,165	55,656
50-54 years	898,652	724,243	126,388	48,021
55-59 years	883,707	716,886	123,155	43,666
60-64 years	756,507	617,933	99,002	39,572
65-69 years	611,609	503,813	75,158	32,638
70-74 years	433,865	358,770	52,689	22,406
75-79 years	312,311	259,399	38,293	14,619
80-84 years	226,219	192,328	25,487	8,404
85+ years	261,191	229,064	24,714	7,413
Total	12,864,342	10,065,313	1,964,475	834,554
2015 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	81,023	61,256	14,802	4,965
01-04 years	321,277	243,642	57,042	20,593
05-09 years	416,512	314,821	73,529	28,162
10-14 years	429,680	328,295	74,005	27,380
15-19 years	435,881	329,959	79,246	26,676
20-24 years	456,871	338,450	86,028	32,393
25-29 years	453,494	345,918	71,780	35,796
30-34 years	445,773	347,603	60,349	37,821
35-39 years	420,362	329,416	56,907	34,039
40-44 years	407,987	320,453	55,417	32,117
45-49 years	415,681	333,742	55,184	26,755
50-54 years	441,726	360,990	58,113	22,623
55-59 years	430,265	354,567	55,333	20,365
60-64 years	362,939	302,410	42,649	17,880
65-69 years	287,915	241,376	31,425	15,114
70-74 years	197,018	165,139	21,508	10,371
75-79 years	135,237	113,728	14,780	6,729
80-84 years	91,228	78,557	9,119	3,552
85+ years	85,900	75,844	7,442	2,614
Total	6,316,769	4,986,166	924,658	405,945
2015 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	77,571	58,361	14,375	4,835
01-04 years	306,926	232,262	55,148	19,516
05-09 years	401,379	302,059	71,743	27,577
10-14 years	411,633	312,336	72,186	27,111
15-19 years	415,763	313,433	76,410	25,920
20-24 years	441,334	324,244	85,464	31,626
25-29 years	441,998	330,421	75,029	36,548
30-34 years	443,067	336,259	68,197	38,611
35-39 years	419,546	317,792	65,171	36,583
40-44 years	413,193	312,707	66,596	33,890
45-49 years	423,330	329,448	64,981	28,901
50-54 years	456,926	363,253	68,275	25,398
55-59 years	453,442	362,319	67,822	23,301
60-64 years	393,568	315,523	56,353	21,692
65-69 years	323,694	262,437	43,733	17,524
70-74 years	236,847	193,631	31,181	12,035
75-79 years	177,074	145,671	23,513	7,890
80-84 years	134,991	113,771	16,368	4,852
85+ years	175,291	153,220	17,272	4,799
Total	6,547,573	5,079,147	1,039,817	428,609

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	155,649	117,528	28,597	9,524
01-04 years	623,337	470,856	112,262	40,219
05-09 years	805,267	608,631	142,014	54,622
10-14 years	832,390	634,042	143,207	55,141
15-19 years	843,490	637,893	152,121	53,476
20-24 years	880,589	650,749	165,415	64,425
25-29 years	898,534	671,633	153,528	73,373
30-34 years	882,743	677,769	127,822	77,152
35-39 years	847,480	652,840	123,201	71,439
40-44 years	796,604	613,884	116,781	65,939
45-49 years	838,494	659,353	120,676	58,465
50-54 years	872,385	700,357	122,850	49,178
55-59 years	885,807	718,523	123,382	43,902
60-64 years	770,175	628,246	101,102	40,827
65-69 years	640,548	527,067	79,205	34,276
70-74 years	442,736	365,580	53,469	23,687
75-79 years	318,874	264,442	38,722	15,710
80-84 years	227,736	191,983	26,503	9,250
85+ years	264,057	230,701	25,281	8,075
Total	12,826,895	10,022,077	1,956,138	848,680
2016 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	79,574	60,307	14,503	4,764
01-04 years	318,336	240,943	56,807	20,586
05-09 years	410,766	310,756	72,212	27,798
10-14 years	425,235	324,988	72,541	27,706
15-19 years	431,263	326,865	77,341	27,057
20-24 years	447,720	331,960	83,186	32,574
25-29 years	455,323	343,796	75,441	36,086
30-34 years	444,265	345,301	60,594	38,370
35-39 years	423,948	332,045	57,362	34,541
40-44 years	396,317	310,929	53,163	32,225
45-49 years	415,321	332,113	55,203	28,005
50-54 years	429,488	349,795	56,431	23,262
55-59 years	431,933	355,606	55,816	20,511
60-64 years	369,731	307,553	43,684	18,494
65-69 years	301,350	252,751	32,876	15,723
70-74 years	201,643	168,750	21,962	10,931
75-79 years	138,444	116,339	14,902	7,203
80-84 years	92,511	78,967	9,535	4,009
85+ years	87,558	77,024	7,687	2,847
Total	6,300,726	4,966,788	921,246	412,692
2016 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,075	57,221	14,094	4,760
01-04 years	305,001	229,913	55,455	19,633
05-09 years	394,501	297,875	69,802	26,824
10-14 years	407,155	309,054	70,666	27,435
15-19 years	412,227	311,028	74,780	26,419
20-24 years	432,869	318,789	82,229	31,851
25-29 years	443,211	327,837	78,087	37,287
30-34 years	438,478	332,468	67,228	38,782
35-39 years	423,532	320,795	65,839	36,898
40-44 years	400,287	302,955	63,618	33,714
45-49 years	423,173	327,240	65,473	30,460
50-54 years	442,897	350,562	66,419	25,916
55-59 years	453,874	362,917	67,566	23,391
60-64 years	400,444	320,693	57,418	22,333
65-69 years	339,198	274,316	46,329	18,553
70-74 years	241,093	196,830	31,507	12,756
75-79 years	180,430	148,103	23,820	8,507
80-84 years	135,225	113,016	16,968	5,241
85+ years	176,499	153,677	17,594	5,228
Total	6,526,169	5,055,289	1,034,892	435,988

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	150,900	113,786	27,058	10,056
01-04 years	619,073	467,161	111,653	40,259
05-09 years	791,670	599,109	138,761	53,800
10-14 years	826,321	628,787	141,729	55,805
15-19 years	834,967	632,132	148,213	54,622
20-24 years	863,125	638,023	159,524	65,578
25-29 years	903,585	669,815	158,905	74,865
30-34 years	872,702	667,757	127,703	77,242
35-39 years	851,397	655,555	123,129	72,713
40-44 years	786,281	606,215	113,785	66,281
45-49 years	831,913	649,673	120,697	61,543
50-54 years	847,272	677,817	119,345	50,110
55-59 years	878,415	711,530	122,384	44,501
60-64 years	785,751	639,743	104,229	41,779
65-69 years	640,169	524,472	80,516	35,181
70-74 years	475,466	393,854	56,110	25,502
75-79 years	331,187	274,396	39,894	16,897
80-84 years	230,410	193,318	27,058	10,034
85+ years	265,592	230,909	25,942	8,741
Total	12,786,196	9,974,052	1,946,635	865,509
2017 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	77,233	58,330	13,810	5,093
01-04 years	316,518	239,528	56,500	20,490
05-09 years	403,999	305,806	70,683	27,510
10-14 years	421,510	321,930	71,593	27,987
15-19 years	426,878	323,842	75,310	27,726
20-24 years	438,742	325,345	80,279	33,118
25-29 years	458,022	342,955	78,476	36,591
30-34 years	439,899	340,330	61,014	38,555
35-39 years	426,059	333,391	57,255	35,413
40-44 years	391,670	307,364	52,011	32,295
45-49 years	412,149	327,543	55,185	29,421
50-54 years	417,502	339,085	54,667	23,750
55-59 years	428,431	352,103	55,568	20,760
60-64 years	377,542	313,288	45,283	18,971
65-69 years	301,561	252,197	33,424	15,940
70-74 years	217,238	182,454	23,027	11,757
75-79 years	144,053	121,053	15,311	7,689
80-84 years	94,180	79,975	9,764	4,441
85+ years	88,865	77,827	7,939	3,099
Total	6,282,051	4,944,346	917,099	420,606
2017 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	73,667	55,456	13,248	4,963
01-04 years	302,555	227,633	55,153	19,769
05-09 years	387,671	293,303	68,078	26,290
10-14 years	404,811	306,857	70,136	27,818
15-19 years	408,089	308,290	72,903	26,896
20-24 years	424,383	312,678	79,245	32,460
25-29 years	445,563	326,860	80,429	38,274
30-34 years	432,803	327,427	66,689	38,687
35-39 years	425,338	322,164	65,874	37,300
40-44 years	394,611	298,851	61,774	33,986
45-49 years	419,764	322,130	65,512	32,122
50-54 years	429,770	338,732	64,678	26,360
55-59 years	449,984	359,427	66,816	23,741
60-64 years	408,209	326,455	58,946	22,808
65-69 years	338,608	272,275	47,092	19,241
70-74 years	258,228	211,400	33,083	13,745
75-79 years	187,134	153,343	24,583	9,208
80-84 years	136,230	113,343	17,294	5,593
85+ years	176,727	153,082	18,003	5,642
Total	6,504,145	5,029,706	1,029,536	444,903

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
1990 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
1990 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
1991 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
1991 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
1992 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
1992 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
1993 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
1993 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
1994 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
1994 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
1995 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
1995 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
1996 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
1996 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
1997 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
1997 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
1998 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
1998 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
1999 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
1999 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
2000 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
2000 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
2001 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
2001 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
2002 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
2002 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
2003 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
2003 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
2004 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
2004 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
2005 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
2005 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
2006 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
2006 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
2007 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
2007 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
2008 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
2008 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
2009 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
2009 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,498	122,262	85,583	27,907
01-04 years	171,675	499,343	350,574	113,165
05-09 years	207,850	649,582	462,620	142,984
10-14 years	192,967	684,850	488,358	157,153
15-19 years	182,069	738,139	521,215	177,047
20-24 years	169,002	711,084	517,152	145,270
25-29 years	177,775	732,015	544,971	127,367
30-34 years	179,399	689,509	508,460	121,452
35-39 years	167,603	683,750	502,617	122,939
40-44 years	139,906	730,200	558,044	122,646
45-49 years	113,094	822,994	649,671	130,895
50-54 years	91,960	840,455	670,730	130,593
55-59 years	68,003	744,840	600,778	107,688
60-64 years	48,151	624,736	509,773	83,842
65-69 years	30,980	456,982	374,969	60,080
70-74 years	21,285	344,840	283,999	45,970
75-79 years	15,218	273,778	231,182	33,693
80-84 years	9,697	226,206	197,548	22,981
85+ years	6,754	230,311	205,894	20,060
Total	2,034,886	10,805,876	8,264,138	1,893,732
2010 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,221	62,658	43,847	14,315
01-04 years	87,059	254,671	179,498	57,206
05-09 years	106,236	331,367	237,189	72,363
10-14 years	98,436	349,586	250,432	79,595
15-19 years	94,079	378,687	268,193	89,872
20-24 years	90,507	357,480	261,457	71,121
25-29 years	94,408	362,410	273,654	60,104
30-34 years	94,241	341,045	256,238	56,197
35-39 years	87,569	336,805	253,055	55,751
40-44 years	73,595	359,091	278,892	56,387
45-49 years	58,860	402,701	322,392	60,305
50-54 years	47,462	409,423	331,903	59,254
55-59 years	34,703	360,046	295,840	47,547
60-64 years	23,750	298,658	247,944	36,264
65-69 years	14,610	212,800	177,031	25,448
70-74 years	9,659	154,585	129,070	18,549
75-79 years	6,570	116,184	99,431	12,934
80-84 years	4,113	88,261	77,918	8,112
85+ years	2,625	71,097	63,880	5,692
Total	1,049,703	5,247,555	4,047,864	887,016
2010 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,277	59,604	41,736	13,592
01-04 years	84,616	244,672	171,076	55,959
05-09 years	101,614	318,215	225,431	70,621
10-14 years	94,531	335,264	237,926	77,558
15-19 years	87,990	359,452	253,022	87,175
20-24 years	78,495	353,604	255,695	74,149
25-29 years	83,367	369,605	271,317	67,263
30-34 years	85,158	348,464	252,222	65,255
35-39 years	80,034	346,945	249,562	67,188
40-44 years	66,311	371,109	279,152	66,259
45-49 years	54,234	420,293	327,279	70,590
50-54 years	44,498	431,032	338,827	71,339
55-59 years	33,300	384,794	304,938	60,141
60-64 years	24,401	326,078	261,829	47,578
65-69 years	16,370	244,182	197,938	34,632
70-74 years	11,626	190,255	154,929	27,421
75-79 years	8,648	157,594	131,751	20,759
80-84 years	5,584	137,945	119,630	14,869
85+ years	4,129	159,214	142,014	14,368
Total	985,183	5,558,321	4,216,274	1,006,716

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	40,069	122,043	86,089	27,412
01-04 years	169,805	493,429	345,662	111,789
05-09 years	209,883	640,946	455,706	140,298
10-14 years	195,957	676,292	481,736	153,864
15-19 years	183,986	723,984	511,307	171,599
20-24 years	169,946	717,373	514,622	152,379
25-29 years	176,419	729,889	542,104	127,262
30-34 years	179,044	702,469	517,846	123,021
35-39 years	169,540	660,623	483,632	118,144
40-44 years	145,208	728,207	552,049	123,458
45-49 years	116,769	795,511	624,301	127,492
50-54 years	95,420	843,363	672,631	131,207
55-59 years	71,739	759,405	611,000	110,637
60-64 years	51,518	656,402	534,964	88,602
65-69 years	33,251	466,173	381,710	60,976
70-74 years	22,273	352,298	289,565	46,660
75-79 years	15,998	273,935	229,306	34,826
80-84 years	10,325	225,079	195,859	23,213
85+ years	7,583	235,137	209,336	20,986
Total	2,064,733	10,802,558	8,239,425	1,893,825
2011 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,548	62,686	44,223	14,054
01-04 years	86,029	251,606	176,888	56,559
05-09 years	107,352	327,182	233,789	70,977
10-14 years	99,820	344,933	246,812	77,883
15-19 years	94,599	371,611	262,999	87,443
20-24 years	90,246	361,323	260,611	75,045
25-29 years	93,544	362,291	272,553	60,545
30-34 years	93,923	347,256	260,789	57,013
35-39 years	88,452	325,996	243,703	53,811
40-44 years	76,180	357,847	276,103	56,615
45-49 years	60,974	389,480	310,110	58,665
50-54 years	49,252	411,166	332,866	59,892
55-59 years	36,597	367,095	300,916	48,843
60-64 years	25,592	313,366	260,143	38,083
65-69 years	15,697	217,800	180,840	25,898
70-74 years	10,099	158,205	131,872	18,811
75-79 years	6,987	116,943	99,200	13,402
80-84 years	4,366	88,256	77,673	8,232
85+ years	2,950	73,658	65,930	6,045
Total	1,063,207	5,248,700	4,038,020	887,816
2011 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,521	59,357	41,866	13,358
01-04 years	83,776	241,823	168,774	55,230
05-09 years	102,531	313,764	221,917	69,321
10-14 years	96,137	331,359	234,924	75,981
15-19 years	89,387	352,373	248,308	84,156
20-24 years	79,700	356,050	254,011	77,334
25-29 years	82,875	367,598	269,551	66,717
30-34 years	85,121	355,213	257,057	66,008
35-39 years	81,088	334,627	239,929	64,333
40-44 years	69,028	370,360	275,946	66,843
45-49 years	55,795	406,031	314,191	68,827
50-54 years	46,168	432,197	339,765	71,315
55-59 years	35,142	392,310	310,084	61,794
60-64 years	25,926	343,036	274,821	50,519
65-69 years	17,554	248,373	200,870	35,078
70-74 years	12,174	194,093	157,693	27,849
75-79 years	9,011	156,992	130,106	21,424
80-84 years	5,959	136,823	118,186	14,981
85+ years	4,633	161,479	143,406	14,941
Total	1,001,526	5,553,858	4,201,405	1,006,009

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	38,700	121,000	84,749	27,519
01-04 years	166,131	488,039	341,871	109,746
05-09 years	212,551	634,915	449,974	139,077
10-14 years	198,708	666,101	474,130	150,090
15-19 years	184,634	706,672	499,087	165,565
20-24 years	172,192	726,126	514,856	159,030
25-29 years	173,167	726,266	536,771	128,210
30-34 years	178,581	711,352	523,794	123,762
35-39 years	170,701	651,554	476,789	115,298
40-44 years	150,291	719,729	539,942	123,709
45-49 years	120,506	769,152	600,146	124,041
50-54 years	98,248	835,875	665,345	130,368
55-59 years	76,072	774,716	621,866	114,122
60-64 years	53,819	655,738	531,745	90,063
65-69 years	36,316	501,997	412,297	64,187
70-74 years	23,441	365,993	300,573	47,964
75-79 years	16,682	276,585	230,147	35,698
80-84 years	10,848	221,614	191,807	23,413
85+ years	8,480	240,627	213,329	21,988
Total	2,090,068	10,794,051	8,209,218	1,893,850
2012 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,470	61,835	43,317	14,012
01-04 years	84,478	249,551	175,395	55,710
05-09 years	108,371	323,692	230,462	70,290
10-14 years	101,054	340,187	243,158	76,041
15-19 years	94,510	362,515	256,616	84,383
20-24 years	90,681	366,757	261,542	78,677
25-29 years	91,562	361,225	269,956	61,550
30-34 years	93,740	351,617	263,619	57,494
35-39 years	88,967	321,843	240,362	52,741
40-44 years	78,554	353,868	270,534	56,671
45-49 years	63,023	376,692	298,420	56,949
50-54 years	50,716	407,405	329,075	59,644
55-59 years	38,859	374,470	306,113	50,592
60-64 years	26,930	313,329	259,187	38,615
65-69 years	17,221	235,256	195,964	27,282
70-74 years	10,621	164,531	137,096	19,283
75-79 years	7,401	118,729	100,136	13,717
80-84 years	4,543	87,343	76,479	8,308
85+ years	3,299	76,201	67,930	6,426
Total	1,074,000	5,247,046	4,025,361	888,385
2012 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,230	59,165	41,432	13,507
01-04 years	81,653	238,488	166,476	54,036
05-09 years	104,180	311,223	219,512	68,787
10-14 years	97,654	325,914	230,972	74,049
15-19 years	90,124	344,157	242,471	81,182
20-24 years	81,511	359,369	253,314	80,353
25-29 years	81,605	365,041	266,815	66,660
30-34 years	84,841	359,735	260,175	66,268
35-39 years	81,734	329,711	236,427	62,557
40-44 years	71,737	365,861	269,408	67,038
45-49 years	57,483	392,460	301,726	67,092
50-54 years	47,532	428,470	336,270	70,724
55-59 years	37,213	400,246	315,753	63,530
60-64 years	26,889	342,409	272,558	51,448
65-69 years	19,095	266,741	216,333	36,905
70-74 years	12,820	201,462	163,477	28,681
75-79 years	9,281	157,856	130,011	21,981
80-84 years	6,305	134,271	115,328	15,105
85+ years	5,181	164,426	145,399	15,562
Total	1,016,068	5,547,005	4,183,857	1,005,465

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	37,504	119,635	83,312	27,362
01-04 years	161,149	482,983	338,140	108,058
05-09 years	213,479	628,606	443,627	138,339
10-14 years	201,443	656,708	467,759	145,705
15-19 years	185,663	690,107	488,447	158,841
20-24 years	174,509	731,601	512,588	164,969
25-29 years	171,239	726,392	532,618	130,627
30-34 years	177,501	719,944	528,758	124,830
35-39 years	171,394	653,278	478,997	113,694
40-44 years	153,966	705,098	524,074	122,837
45-49 years	124,766	743,011	575,816	120,941
50-54 years	101,630	825,113	654,770	129,044
55-59 years	79,858	787,320	630,663	117,064
60-64 years	56,558	665,874	538,589	92,182
65-69 years	39,142	519,578	425,303	66,894
70-74 years	24,826	385,122	316,760	49,612
75-79 years	17,478	282,231	234,209	36,348
80-84 years	11,409	218,445	187,538	24,005
85+ years	9,366	244,343	215,706	22,805
Total	2,112,880	10,785,389	8,177,674	1,894,157
2013 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,081	61,242	42,831	13,844
01-04 years	81,987	247,078	173,296	55,058
05-09 years	108,419	320,578	227,262	69,866
10-14 years	102,537	335,114	239,849	73,622
15-19 years	94,744	354,027	251,138	81,000
20-24 years	91,169	370,713	261,139	82,121
25-29 years	90,662	362,890	268,813	63,196
30-34 years	93,148	355,690	265,648	58,106
35-39 years	89,202	323,512	241,883	52,364
40-44 years	80,196	346,443	262,743	55,998
45-49 years	65,371	363,968	286,411	55,528
50-54 years	52,522	402,144	323,956	59,021
55-59 years	40,822	381,018	310,585	52,221
60-64 years	28,368	317,855	262,434	39,494
65-69 years	18,751	243,924	202,761	28,350
70-74 years	11,248	173,633	144,803	20,017
75-79 years	7,730	121,698	102,400	13,965
80-84 years	4,761	86,692	75,353	8,541
85+ years	3,674	78,186	69,445	6,690
Total	1,084,392	5,246,405	4,012,750	889,002
2013 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,423	58,393	40,481	13,518
01-04 years	79,162	235,905	164,844	53,000
05-09 years	105,060	308,028	216,365	68,473
10-14 years	98,906	321,594	227,910	72,083
15-19 years	90,919	336,080	237,309	77,841
20-24 years	83,340	360,888	251,449	82,848
25-29 years	80,577	363,502	263,805	67,431
30-34 years	84,353	364,254	263,110	66,724
35-39 years	82,192	329,766	237,114	61,330
40-44 years	73,770	358,655	261,331	66,839
45-49 years	59,395	379,043	289,405	65,413
50-54 years	49,108	422,969	330,814	70,023
55-59 years	39,036	406,302	320,078	64,843
60-64 years	28,190	348,019	276,155	52,688
65-69 years	20,391	275,654	222,542	38,544
70-74 years	13,578	211,489	171,957	29,595
75-79 years	9,748	160,533	131,809	22,383
80-84 years	6,648	131,753	112,185	15,464
85+ years	5,692	166,157	146,261	16,115
Total	1,028,488	5,538,984	4,164,924	1,005,155

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,879	120,059	84,072	27,324
01-04 years	157,110	479,728	334,944	107,639
05-09 years	212,144	616,891	433,377	136,682
10-14 years	204,161	647,990	461,696	141,558
15-19 years	187,190	673,549	477,966	152,264
20-24 years	177,179	730,021	507,737	166,987
25-29 years	169,860	726,534	527,070	135,286
30-34 years	176,348	720,414	528,484	124,104
35-39 years	171,000	658,799	482,703	114,098
40-44 years	157,479	685,151	505,137	121,080
45-49 years	128,494	719,200	553,874	117,524
50-54 years	105,123	811,789	642,297	126,743
55-59 years	83,335	793,866	635,070	118,977
60-64 years	60,009	678,644	547,618	94,871
65-69 years	41,844	541,817	442,562	70,135
70-74 years	26,537	396,791	325,721	50,881
75-79 years	18,176	289,341	239,604	36,976
80-84 years	12,020	215,325	183,488	24,465
85+ years	10,369	247,796	217,770	23,639
Total	2,135,257	10,753,705	8,131,190	1,891,233
2014 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,724	61,525	43,236	13,858
01-04 years	79,945	245,729	171,808	54,885
05-09 years	107,589	314,410	221,686	69,107
10-14 years	104,133	330,483	236,692	71,509
15-19 years	95,331	345,591	245,952	77,537
20-24 years	91,528	370,273	258,812	83,515
25-29 years	90,214	363,389	266,259	65,849
30-34 years	92,517	356,465	265,658	57,961
35-39 years	88,931	326,376	243,774	52,854
40-44 years	81,718	336,528	253,365	54,979
45-49 years	67,307	352,476	275,653	53,953
50-54 years	54,337	395,774	317,822	58,161
55-59 years	42,704	384,230	312,723	53,151
60-64 years	30,230	324,024	267,001	40,734
65-69 years	20,179	254,374	211,407	29,437
70-74 years	12,093	179,482	149,324	20,684
75-79 years	8,018	124,994	104,894	14,270
80-84 years	4,974	85,954	74,194	8,693
85+ years	4,105	80,226	70,976	7,009
Total	1,094,577	5,232,303	3,991,236	888,146
2014 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,155	58,534	40,836	13,466
01-04 years	77,165	233,999	163,136	52,754
05-09 years	104,555	302,481	211,691	67,575
10-14 years	100,028	317,507	225,004	70,049
15-19 years	91,859	327,958	232,014	74,727
20-24 years	85,651	359,748	248,925	83,472
25-29 years	79,646	363,145	260,811	69,437
30-34 years	83,831	363,949	262,826	66,143
35-39 years	82,069	332,423	238,929	61,244
40-44 years	75,761	348,623	251,772	66,101
45-49 years	61,187	366,724	278,221	63,571
50-54 years	50,786	416,015	324,475	68,582
55-59 years	40,631	409,636	322,347	65,826
60-64 years	29,779	354,620	280,617	54,137
65-69 years	21,665	287,443	231,155	40,698
70-74 years	14,444	217,309	176,397	30,197
75-79 years	10,158	164,347	134,710	22,706
80-84 years	7,046	129,371	109,294	15,772
85+ years	6,264	167,570	146,794	16,630
Total	1,040,680	5,521,402	4,139,954	1,003,087

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	37,731	120,863	84,125	27,710
01-04 years	152,287	475,916	332,319	106,808
05-09 years	210,231	607,660	425,509	135,269
10-14 years	205,258	636,055	453,200	137,341
15-19 years	190,029	661,615	469,464	147,903
20-24 years	178,712	719,493	498,950	164,299
25-29 years	169,106	726,386	520,826	140,473
30-34 years	173,118	715,722	524,286	122,331
35-39 years	171,810	668,098	488,463	116,169
40-44 years	159,767	661,413	484,971	117,322
45-49 years	133,286	705,725	539,134	116,409
50-54 years	107,803	790,849	623,970	123,364
55-59 years	87,167	796,540	635,766	120,587
60-64 years	63,862	692,645	558,148	97,297
65-69 years	44,624	566,985	461,997	73,906
70-74 years	28,343	405,522	332,277	51,895
75-79 years	18,990	293,321	241,597	37,722
80-84 years	12,590	213,629	180,511	25,118
85+ years	11,471	249,720	218,308	24,378
Total	2,156,185	10,708,157	8,073,821	1,886,301
2015 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,121	61,902	43,263	14,061
01-04 years	77,407	243,870	170,638	54,318
05-09 years	106,717	309,795	217,623	68,486
10-14 years	104,769	324,911	232,631	69,533
15-19 years	96,701	339,180	241,528	75,246
20-24 years	91,681	365,190	254,486	82,351
25-29 years	89,589	363,905	263,591	68,569
30-34 years	90,817	354,956	263,728	57,366
35-39 years	89,717	330,645	246,225	54,098
40-44 years	82,760	325,227	243,530	53,189
45-49 years	69,623	346,058	268,857	53,361
50-54 years	55,902	385,824	308,911	56,672
55-59 years	44,655	385,610	312,960	54,122
60-64 years	32,311	330,628	272,099	41,854
65-69 years	21,557	266,358	221,109	30,873
70-74 years	13,022	183,996	152,941	21,168
75-79 years	8,444	126,793	105,840	14,502
80-84 years	5,207	86,021	73,663	8,961
85+ years	4,510	81,390	71,600	7,327
Total	1,104,510	5,212,259	3,965,223	886,057
2015 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,610	58,961	40,862	13,649
01-04 years	74,880	232,046	161,681	52,490
05-09 years	103,514	297,865	207,886	66,783
10-14 years	100,489	311,144	220,569	67,808
15-19 years	93,328	322,435	227,936	72,657
20-24 years	87,031	354,303	244,464	81,948
25-29 years	79,517	362,481	257,235	71,904
30-34 years	82,301	360,766	260,558	64,965
35-39 years	82,093	337,453	242,238	62,071
40-44 years	77,007	336,186	241,441	64,133
45-49 years	63,663	359,667	270,277	63,048
50-54 years	51,901	405,025	315,059	66,692
55-59 years	42,512	410,930	322,806	66,465
60-64 years	31,551	362,017	286,049	55,443
65-69 years	23,067	300,627	240,888	43,033
70-74 years	15,321	221,526	179,336	30,727
75-79 years	10,546	166,528	135,757	23,220
80-84 years	7,383	127,608	106,848	16,157
85+ years	6,961	168,330	146,708	17,051
Total	1,051,675	5,495,898	4,108,598	1,000,244

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	37,408	118,241	82,247	27,179
01-04 years	149,692	473,645	330,062	106,664
05-09 years	206,732	598,535	419,034	132,711
10-14 years	207,010	625,380	445,173	134,183
15-19 years	192,768	650,722	461,418	144,225
20-24 years	179,328	701,261	486,431	158,255
25-29 years	169,211	729,323	516,328	147,042
30-34 years	171,641	711,102	519,604	121,680
35-39 years	171,079	676,401	494,856	117,168
40-44 years	161,171	635,433	464,356	111,975
45-49 years	138,148	700,346	530,987	116,725
50-54 years	111,035	761,350	597,062	119,723
55-59 years	90,154	795,653	634,681	120,767
60-64 years	67,110	703,065	565,500	99,241
65-69 years	47,561	592,987	482,500	77,923
70-74 years	30,281	412,455	337,298	52,599
75-79 years	19,786	299,088	245,881	38,142
80-84 years	13,258	214,478	179,578	26,092
85+ years	12,517	251,540	218,981	24,928
Total	2,175,890	10,651,005	8,011,977	1,877,222
2016 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,035	60,539	42,317	13,796
01-04 years	75,776	242,560	169,635	53,985
05-09 years	105,014	305,752	214,466	67,467
10-14 years	105,949	319,286	228,319	67,958
15-19 years	97,937	333,326	237,257	73,331
20-24 years	91,561	356,159	248,118	79,513
25-29 years	89,255	366,068	261,982	72,118
30-34 years	90,436	353,829	261,813	57,603
35-39 years	89,267	334,681	249,342	54,487
40-44 years	83,549	312,768	233,253	50,881
45-49 years	71,996	343,325	265,126	53,304
50-54 years	57,851	371,637	295,896	54,919
55-59 years	46,254	385,679	312,566	54,575
60-64 years	33,933	335,798	275,756	42,814
65-69 years	23,237	278,113	230,915	32,307
70-74 years	13,921	187,722	155,697	21,594
75-79 years	8,801	129,643	108,114	14,632
80-84 years	5,594	86,917	73,741	9,352
85+ years	4,927	82,631	72,397	7,556
Total	1,114,293	5,186,433	3,936,710	882,192
2016 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,373	57,702	39,930	13,383
01-04 years	73,916	231,085	160,427	52,679
05-09 years	101,718	292,783	204,568	65,244
10-14 years	101,061	306,094	216,854	66,225
15-19 years	94,831	317,396	224,161	70,894
20-24 years	87,767	345,102	238,313	78,742
25-29 years	79,956	363,255	254,346	74,924
30-34 years	81,205	357,273	257,791	64,077
35-39 years	81,812	341,720	245,514	62,681
40-44 years	77,622	322,665	231,103	61,094
45-49 years	66,152	357,021	265,861	63,421
50-54 years	53,184	389,713	301,166	64,804
55-59 years	43,900	409,974	322,115	66,192
60-64 years	33,177	367,267	289,744	56,427
65-69 years	24,324	314,874	251,585	45,616
70-74 years	16,360	224,733	181,601	31,005
75-79 years	10,985	169,445	137,767	23,510
80-84 years	7,664	127,561	105,837	16,740
85+ years	7,590	168,909	146,584	17,372
Total	1,061,597	5,464,572	4,075,267	995,030

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,593	114,307	80,216	25,505
01-04 years	148,456	470,617	327,752	105,900
05-09 years	201,298	590,372	413,073	130,273
10-14 years	209,047	617,274	438,131	132,452
15-19 years	195,182	639,785	453,481	140,174
20-24 years	179,741	683,384	473,404	152,323
25-29 years	171,168	732,417	512,939	152,193
30-34 years	168,285	704,417	512,607	121,708
35-39 years	170,600	680,797	498,023	117,083
40-44 years	162,223	624,058	455,807	108,822
45-49 years	142,693	689,220	517,218	116,589
50-54 years	114,314	732,958	571,461	116,085
55-59 years	92,702	785,713	625,325	119,738
60-64 years	71,271	714,480	573,253	102,200
65-69 years	49,763	590,406	477,890	79,166
70-74 years	32,917	442,549	363,071	55,186
75-79 years	20,715	310,472	254,975	39,295
80-84 years	13,797	216,613	180,405	26,631
85+ years	13,536	252,056	218,230	25,556
Total	2,194,301	10,591,895	7,947,261	1,866,879
2017 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,711	58,522	41,144	13,036
01-04 years	75,372	241,146	168,703	53,581
05-09 years	102,157	301,842	211,377	66,367
10-14 years	106,820	314,690	224,507	66,875
15-19 years	99,193	327,685	233,086	71,261
20-24 years	91,616	347,126	241,516	76,598
25-29 years	89,776	368,246	260,740	75,035
30-34 years	88,590	351,309	258,555	58,068
35-39 years	89,188	336,871	250,781	54,384
40-44 years	84,169	307,501	229,144	49,637
45-49 years	74,107	338,042	258,661	53,222
50-54 years	59,724	357,778	283,437	53,080
55-59 years	47,651	380,780	307,753	54,303
60-64 years	36,067	341,475	279,599	44,321
65-69 years	24,510	277,051	229,185	32,821
70-74 years	15,227	202,011	168,146	22,647
75-79 years	9,213	134,840	112,439	15,033
80-84 years	5,901	88,279	74,469	9,572
85+ years	5,258	83,607	72,891	7,792
Total	1,123,250	5,158,801	3,906,133	877,633
2017 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,882	55,785	39,072	12,469
01-04 years	73,084	229,471	159,049	52,319
05-09 years	99,141	288,530	201,696	63,906
10-14 years	102,227	302,584	213,624	65,577
15-19 years	95,989	312,100	220,395	68,913
20-24 years	88,125	336,258	231,888	75,725
25-29 years	81,392	364,171	252,199	77,158
30-34 years	79,695	353,108	254,052	63,640
35-39 years	81,412	343,926	247,242	62,699
40-44 years	78,054	316,557	226,663	59,185
45-49 years	68,586	351,178	258,557	63,367
50-54 years	54,590	375,180	288,024	63,005
55-59 years	45,051	404,933	317,572	65,435
60-64 years	35,204	373,005	293,654	57,879
65-69 years	25,253	313,355	248,705	46,345
70-74 years	17,690	240,538	194,925	32,539
75-79 years	11,502	175,632	142,536	24,262
80-84 years	7,896	128,334	105,936	17,059
85+ years	8,278	168,449	145,339	17,764
Total	1,071,051	5,433,094	4,041,128	989,246

APPENDIX B

SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008

SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition*^

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
Bones and Joints	**C400-C419**	**excluding 9050-9055, 9140, 9590-9992**	**23000**
Soft Tissue Including Heart	**C380, C470-C479, C490-C499**	**excluding 9050-9055, 9140, 9590-9992**	**24000**
Skin Excluding Basal and Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	**C500-C509**	**excluding 9050-9055, 9140, 9590-9992**	**26000**
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	**C690-C699**	**excluding 9050-9055, 9140, 9590-9992**	**30000**

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719	9530-9539	31040
	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992	
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine Including Thymus	C379, C740-C749, C750-C759		32020
Lymphoma			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
Myeloma		**9731-9732, 9734**	**34000**
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
Mesothelioma		**9050-9055**	**36010**
Kaposi Sarcoma		**9140**	**36020**
Miscellaneous		**9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992**	**37000**
	C760-C768, C809	**excluding 9050-9055, 9140, 9590-9992**	
	C420-C424		
	C770-C779		
Invalid	**Site or histology code not within valid range or site code not found in this table.**		**99999**

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.
^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX C

SEER Site/Histology Recode Based on ICCC Third Edition and ICD-O-3/WHO 2008

Site/Histology Recode Based on International Classification of Childhood Cancer, third Edition (ICCC-3) Based on ICD-O-3 / WHO 2008*^

Main Classification Table

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809	9835-9836	3	001	011
	C420-C421, C424	9811-9818, 9837			
(a.2) Mature B-cell Leukemias	C000-C809	9826, 9832-9833, 9940	3	002	011
	C420-C421, C424	9823			
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809	9831, 9834, 9948	3	003	011
	C420-C421, C424	9827			
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
II Lymphomas and Reticuloendothelial Neoplasms					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809	9727-9729	3	010	022
	C000-C419, C422-C423, C425-C809	9811-9818, 9837			
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970	3	011	022
	C000-C419, C422-C423, C425-C809	9823			
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768	3	012	022
	C000-C419, C422-C423, C425-C809	9827			

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
III CNS and Miscellaneous Intracranial and Intraspinal Neoplasms					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intraspinal Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogliomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intraspinal Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glial Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intraspinal Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
IV Neuroblastoma and Other Peripheral Nervous Cell Tumors					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
V Retinoblastoma	**C000-C809**	**9510-9514**	**3**	**035**	**050**
VI Renal tumors					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
VII Hepatic Tumors					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
VIII Malignant Bone Tumors					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
IX Soft Tissue and Other Extraosseous Sarcomas					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads					
(a) Intracranial and Intraspinal Germ Cell Tumors					
(a.1) Intracranial and Intraspinal Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intraspinal Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intraspinal Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intraspinal Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intraspinal Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intraspinal Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
(b) Malignant Extracranial and Extragonadal Germ Cell Tumors					
(b.1) Malignant Germinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015	3	090	104
	C000-C809	8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809	8590-8671	3	091	105
	C569, C620-C629	8000-8005	3	091	105
XI Other Malignant Epithelial Neoplasms and Malignant Melanomas					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573	3	093	112
	C000-C809	8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
XII Other and Unspecified Malignant Neoplasms					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX D
Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100{,}000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^{y} \left[\left(\frac{count_i}{pop_i} \right) \times 100{,}000 \times \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right) \right]$$

where count is the number of cases for the ith age group, *popi* is the relevant population for the same age group, and *stdmili* is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100{,}000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AArate} = \left[\sum_{i=x}^{y} \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100{,}000$$

Crude Rate Confidence Intervals

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2}\left(ChiInv\left(\frac{p}{2}, 2 \times count\right)\right)\right)}{population} \times 100{,}000$$

$$CI_{high} = \frac{\left(\frac{1}{2}\left(ChiInv\left(1 - \frac{p}{2}, 2 \times (count + 1)\right)\right)\right)}{population} \times 100{,}000$$

where *Chi Inv*(p,n) is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define *Chi Inv* (p,0) = 0.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^{y} stdmil_j\right)}$$

$$v = \sum_{i=x}^{y} \left(w_i^2 \times count_i\right)$$

The endpoints of a p × 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(\frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

$$CI_{high} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. Statistics in Medicine 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006 Dec;15(6):547-69.